

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

C191  
[Signature]

Form C-101  
Revised March 17, 1999

Oil Conservation Division  
2040 South Pacheco  
Santa Fe, NM 87505

Submit to appropriate District Office  
State Lease - 6 Copies  
Fee Lease - 5 Copies

RECEIVED  
OCD - ARTESIA

AMENDED REPORT

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

<sup>1</sup> Operator Name and Address <b>Read &amp; Stevens, Inc. P. O. Box 1518 Roswell, NM 88202</b>		<sup>2</sup> OGRID Number <b>018917</b>
<sup>3</sup> Property Code		<sup>3</sup> API Number <b>30-015-00211</b>
<sup>4</sup> Property Name <b>West Dayton (Formerly Hondo LFE)</b>		<sup>6</sup> Well No. <b>1</b>

<sup>7</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	19	18S	26E		990	South	990	East	Eddy

<sup>8</sup> Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

<sup>9</sup> Proposed Pool 1  
~~Atoka~~

<sup>10</sup> Proposed Pool 2

~~Penasco Draw; San Andres-Yeso~~

<sup>11</sup> Work Type Code <b>E</b>	<sup>12</sup> Well Type Code <b>0</b>	<sup>13</sup> Cable/Roddy <b>R</b>	<sup>14</sup> Lease Type Code <b>P</b>	<sup>15</sup> Ground Level Elevation <b>3,442'</b>
<sup>16</sup> Multiple <b>No</b>	<sup>17</sup> Proposed Depth <b>1,800'</b>	<sup>18</sup> Formation <b>San Andres</b>	<sup>19</sup> Contractor <b>Pending</b>	<sup>20</sup> Spud Date <b>ASAP</b>

<sup>21</sup> Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12 1/4"	8 5/8"	24#	1,289'	810	Surf
7 7/8"	5 1/2"	15.5#	1,800'	200	Tie Back

<sup>22</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Re-enter and drill out cement plugs at 0-20', 236-348' and 1,209'-1,393'.  
5 1/2" casing will be run to 1,800' and cement w/ 200 sx. A 6" 900 series  
BOP will be utilized.

Fomer: mwt - Hondo LFE #1  
OTD - 9124 P+A-8-21-92

<sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature: [Signature]  
Printed name: **John C. Maxey, Jr.**  
Title: **Operations Manager**  
Date: **3-7-01**  
Phone: **505/622-3770**

OIL CONSERVATION DIVISION

Approved by: **ORIGINAL SIGNED BY TIM W. GUM**  
Title: **DISTRICT II SUPERVISOR**

Approval Date: **MAR 15 2001** Expiration Date: **MAR 15 2002**

Conditions of Approval:  
Attached