


N

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, at its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Stanley L. Jones Artesia Hotel, Artesia, New Mexico
Company or Operator Address
B-10456 State Well No. 41 in SE 1/4 NE 1/4 Sec. 14 T. 18 South
R. 27 East N. M. P. M. Artesia Field, Eddy County.
Well is 900 7/8 feet south of the North line and 330 feet west of the East line of Section 14
If State land the oil and gas lease is No. B-10456 Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is Stanley L. Jones Address Artesia, N.M.
Drilling commenced June 30, 1944 19 _____ Drilling was completed October 18, 1944 19 _____
Name of drilling contractor C. S. Powell Address Artesia, N.M.
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until 2/1/45 19 _____

OIL SANDS OR ZONES

No. 1, from 1770 to 1850 No. 4, from _____ to _____
No. 2, from 1395 to 1435 No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 85 to _____ feet.
No. 2, from 210 to _____ feet.
No. 3, from 875 to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>10"</u>			<u>385'</u>	<u>(Mudded)</u>					
<u>8"</u>	<u>32 1/2</u>	<u>8 thrd.</u>	<u>S.H.</u>	<u>962'</u>	<u>Texas Pattern</u>				
<u>2"</u>	<u>17 1/2</u>	<u>8 thrd.</u>	<u>Upast</u>	<u>1774'</u>	<u>Tubing</u>				

MUDDING AND CEMENTING RECORD

SIZE OF	SIZE OF	NO. OF SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	<u>10"</u>	<u>385'</u>	<u>Mudded</u>		
	<u>8"</u>	<u>962'</u>	<u>50 sacks</u>	<u>Pump</u>	

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	<u>5" (11)</u>	<u>Nitro</u>	<u>330 Qts.</u>	<u>9/15/44</u>	<u>1770-1850</u>	
	<u>5"</u>	<u>"</u>	<u>160 Qts.</u>	<u>10/2/44</u>	<u>1395-1435</u>	

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 2060 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing November 1st 19 44
The production of the first 24 hours was 64 Bbls. barrels of fluid of which 100 % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be 38
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

C. S. Powell Driller _____ Driller _____
Joe McLendon Driller _____ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 1stday of November 19 44William Hudson
Notary PublicMy Commission expires 4/3/45Artesia, N.M. 11/1/44Name Stanley L. JonesPosition Stanley L. Jones

Representing _____ Owner _____

Company or Operator _____

Address Artesia Hotel, Artesia, N.M.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	15	15	Caliche
15	60	45	Red Bed
60	110	50	Anhydrite
110	130	20	Anhydrite (Water at 85' - 3 bailers per hour)
130	180	50	Anhydrite & Lime
180	200	20	Anhydrite
200	230	30	Red Rock
230	270	40	Gyp
270	275	5	Anhydrite
275	295	20	Red Rock
295	330	35	Anhydrite
330	340	10	Anhydrite
340	350	10	Anhydrite
350	363	13	Anhydrite
363	373	10	Red Rock
373	388	15	Lime
388	425	37	Lime (Gas show at 395')
425	443	18	Anhydrite & Lime
443	451	8	Red Bed - Lime
451	460	9	Anhydrite - Lime
460	468	8	Lime
468	488	20	Red Shale
488	495	7	Anhydrite
495	535	40	Anhydrite
535	540	5	Anhydrite
540	565	25	Anhydrite - Lime (Oil stain 540-545)
565	600	35	Anhydrite & Lime
600	630	30	Anhydrite & Lime
630	670	40	Anhydrite
670	700	30	Oil show at 675-680 (Anhydrite)
700	720	20	Anhydrite
720	730	10	Lime
730	735	5	Lime & Anhydrite
735	770	35	Anhydrite
770	805	35	Anhydrite & Lime
805	812	7	Lime (Show of oil and gas at 810-812)
812	820	8	Anhydrite
820	825	5	Red Shale
825	850	25	Lime
830	860	30	Anhydrite
860	875	15	Anhydrite
875	880	5	Water
880	915	35	Lime
915	935	20	Anhydrite (Set 8 1/2" Pipe 930-6)
935	972	37	Anhydrite
972	1017	45	Anhydrite
1017	1050	33	Anhydrite
1050	1068	18	Blue & Red Shale
1068	1082	14	Anhydrite
1082	1100	18	Shale
1100	1135	35	Anhydrite & Red Shale
1135	1175	40	Anhydrite
1175	1210	35	Anhydrite
1210	1280	60	Anhydrite
1280	1310	30	Anhydrite
1310	1380	70	Anhydrite
1380	1388	8	Lime
1388	1401	13	Lime - Top of oil show - 1393'
1401	1406	5	Lime
1406	1408	2	Anhydrite - Bottom of oil show 1406'
1408	1425	17	Sand
1425	1435	10	Anhydrite
1435	1487	52	Red Sand
1487	1500	13	Anhydrite & Lime
1500	1530	30	Anhydrite
1530	1555	25	Lime
1555	1580	25	Anhydrite & Lime shells
1580	1680	100	Lime
1680	1725	45	Lime
1725	1826	101	Lime (Oil stain 1770-1803)
1826	1845	19	Sandy Lime
1845	1890	45	Lime
1890	1895	5	Blue Shale
1895	1910	15	Lime
1910	1915	5	Blue shale
1920	1930	10	Lime
1950	1955	5	Lime-Oil show
1955	1980	25	Lime
1980	2010	30	Lime
2010	2060 TD	50	Lime
2060			Bottom of hole.