

Handwritten note

Las Cruces

U. S. LAND OFFICE 050429-A
 SERIAL NUMBER
 LEASE OR PERMIT TO PROSPECT
 Faye N. Saunders

		0			
		12			

RECEIVED
 UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

MAR 10 1977
LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Dixon & Yates Oil Co., et al Address Box 397, Artesia, N. Mex.
 Lessor or Tract Faye N. Saunders Lease Field Loco Hills State New Mexico
 Well No. 6-A Sec. 12 T. 18 R. 29 Meridian N.M.P.M. County Eddy
 Location 1650 ft. N of N Line and 2310 ft. W of W Line of Sec. 12 Elevation _____

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date June 29, 1942. Signed [Signature] Title Partner

The summary on this page is for the condition of the well at above date.
 Commenced drilling May 20, 1942 Finished drilling June 24 1942

OIL OR GAS SANDS OR ZONES

No. 1, from 2668' to 2698' (Denote gas by G)
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____
 No. 5, from _____ to _____
 No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from none to _____
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From	To	
8 5/8"				350'					Salt String
7"				2595'					Production String

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8 5/8"	350'	50	Halliburton		50 sacks
7"	2595'	100	"		5 tons

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
7" hole	5 1/2"	Nitro-Glycerin	150	6-25	2668-2698	2698

TOOLS USED

Rotary tools were used from none feet to _____ feet, and from _____ feet to _____ feet
 Cable tools were used from 0 feet to 2698 feet, and from _____ feet to _____ feet

DATES

Put to producing July 1 1942
 The production for the first 24 hours was 87 barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

J. V. Sandlin, Driller
A. G. Fred, Tooldresser
Dewey Dunlap, Driller
S. M. Watts, Tooldresser

FORMATION RECORD

FROM	TO	TOTAL FEET	FORMATION
0	30	30	Sand
30	80	50	Shale
80	120	40	Red Shale
120	200	80	Gyp. Crevices at 125 feet.
200	205	5	Shale
205	225	20	Gyp
225	240	15	Red Shale
240	310	70	Red rock & Gyp
310	335	25	Red Shale
335	1025	690	Salt
1025	2200	1175	Anhydrite
2200	2225	25	Red Sand
2225	2495	270	Anhydrite
2495	2668	173	Lime
2668	2698	30	Oil Sand

