

Santa Fe, New Mexico

A blank grid for drawing a picture, consisting of 10 columns and 10 rows of squares. A thicker vertical line is drawn between the 4th and 5th columns, and a thicker horizontal line is drawn between the 5th and 6th rows, creating a central 5x5 square area.

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (2). STRICTLY IN TRIPLICATE

Carper Drilling Company • Artesia, New Mexico
Company or Operator Address
Brookover Well No. 1 in SE NW of Sec. 16, T. 18
Lease
R. 29, N. M. P. M., Loco Hills Field, Eddy County.
Well is 1650 feet south of the North line and 2310 feet west of the East line of section 16
If State land the oil and gas lease is No. B-4918 Assignment No. 37
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is _____, Address _____
Drilling commenced November 17 19 39 Drilling was completed December 27 19 39
Name of drilling contractor Carper Drilling Company Address Artesia, New Mexico
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until 19 ____.

OIL SANDS OR ZONES

No. 1, from 1095 to (G) No. 4, from 2638 to (O)
No. 2, from 1140 to (G) No. 5, from to
No. 3, from 2530 to (O & G) No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet. _____

No. 2, from _____ to _____ feet. _____

No. 3, from _____ to _____ feet. _____

No. 4, from _____ to _____ feet. _____

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8"	363'	25	by hand		
	7"	2393'	50	"		

PLUGS AND ADAPTERS

Heaving plug—Material_____Length_____Depth Set_____

Adapters—Material_____Size_____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Nitro-Glyc.	400cts	12-27	2525-2650	2655

Results of shooting or chemical treatment Increased production slightly.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Cable tools were used from 0 feet to 2682 feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing January 15, 19 40

The production of the first 24 hours was 30 barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Grover Mann, Driller W. T. Albert, Driller

Willard Beaty, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 1

Place	Date
-------	------

day of February, 19 40

Name Grady Booker

SEAL Mary Lucille Corbin

Position Partner

Notary Public

Representing Carper Drlg. Co.

My Commission expires May 23, 1942

Company or Operator
 American News Service

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	15		Gyp
15	70		Caliche
70	135		Red bed
135	235		Gyp
235	290		Red bed
290	310		Gyp
310	340		Red bed
340	348		Gyp
348	400		Salt
400	405		Anhy
405	683		Salt
683	695		Anhy
695	852		Salt
852	1002		Anhy
1002	1010		Lime
1010	1364		Anhy
1364	1393		Shale and anhy
1393	1417		Lime
1417	1609		Anhy
1609	1636		Lime
1636	1663		Anhy and lime
1663	1693		Lime
1693	1861		Anhy
1861	1882		Shale
1882	2005		Anhy
2005	2011		Lime
2011	2038		Anhy
2038	2077		Red sand
2077	2113		Anhy
2113	2135		Gray lime and anhy
2135	2197		Anhy and shale
2197	2215		Gray lime
2215	2341		Anhy
2341	2362		Brown sandy shale
2362	2682		Lime
2682			Total depth