

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIP
(Other instructions
verse side)TE
reForm approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC 063621

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Masteller

9. WELL NO.

1-A

10. FIELD AND POOL, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 8, 18S, 30E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

1. OIL ☐ GAS ☐ OTHER ☐ Dry Hole

RECEIVED

2. NAME OF OPERATOR

FRANKLIN, ASTON & FAIR, INC.

3. ADDRESS OF OPERATOR

P.O. Box 1090 Roswell, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)
At surface

1650' FWL & 330' FSL

Section 8, T18S, R30E.

DEC 9 1974

O.C.C.
ARTESIA, OFFICE

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3495' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

XX

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was drilled to 2907' in the Loco Hills Sand and temporarily abandoned. The 8-5/8" surface casing was set at 439' with 50 sacks of cement. On abandoning this well 2" tubing was run to TD and the hole circulated with heavy mud. After circulating it was found that the tubing was stuck and it was left in the hole. About November 5, 1974 we plan to abandon this well as follows:

Circulate the hole with mud and attempt to pull tubing. If tubing is free a
25 sack plug will be spotted across Loco Hills Sand 2907' - 2807'
25 sack plug will be spotted across base of Salt 1250' - 1150'
25 sack plug in and out of 8-5/8" csg. 500' - 400'
10 foot plug & marker at surface.

If tubing is stuck and we can circulate, a 25 sack plug will be spotted 2907'-2807'. A free point will be run and tubing cut and a 25 sack plug spotted 1250'-1150', 500'-400', or as near as possible. The above program is as discussed with Mr. Beckman October 22, 1974.

RECEIVED
OCT 29 1974
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Grant M. Smith

TITLE

Geologist

DATE

10-23-74

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED SUBJECT TO POSSIBLE ADDITIONAL
REQUIREMENT THAT PAD AND/OR ROAD
BE RIPPED AND SEEDED
See Instructions on Reverse Side
CONTACT THIS OFFICE REGARDING ABOVE
BEFORE MAKING FINAL CLEANUP.DEC 6 - 1974
K. L. BECKMAN
ARTESIA DISTRICT ENGINEER