

30-05-06104

Grid- 184860


Prop- 26077


Pool- 3230

4-28-76

Gamma Ray Neutron

0-2815






Township 18 South,
New Mexico.

Range 18 East

Township 18 North,
New Mexico.

Range 18 East



State 647 Well No. 89 located in Unit K of Section 27,
Township 18 South, Range 28 East, NMPM, Eddy County,
New Mexico.

all in Township 18 South, Range 28 East, NMPM, Eddy County,
New Mexico, and through plastic-lined tubing set in a packer at
approximately 2600 feet in the following described well:


State 647 Well No. 84 located in Unit L of Sec. 27,
State 647 Well No. 85 located in Unit G of Sec. 33,
State 647 Well No. 205 located in Unit A of Section 33,

approximately 2450 feet in the following described wells for
purposes of secondary recovery, to wit:

authorized to inject water into the Grayhurst and San Andres
formations through plastic-lined tubing set in a packer at
that the applicant, Depco, Inc., be and the same is hereby

IT IS THEREFORE ORDERED: WPA-435 4-27-76

4-28-76
Dennis Ray Weston
0-2815



IT IS THEREFORE ORDERED: WEX-485

That the applicant, Depco, Inc., be authorized to inject water into the Grayburg formation through plastic-lined tubing set approximately 2450 feet in the following description of secondary recovery, to wit:

State 647 Well No. 84 located in Unit C, New Mexico, and through plastic-lined tubing set approximately 2600 feet in the following description:

State 647 Well No. 85 located in Unit C, New Mexico, and through plastic-lined tubing set approximately 2600 feet in the following description:

State 647 Well No. 89 located in Unit X, New Mexico, and through plastic-lined tubing set approximately 2600 feet in the following description:

Cable tools were used from 0 feet to 2842 feet, and from _____ feet to _____ feet

Put to producing 1-2-48 PRODUCTION 48

The production of the first 24 hours was 100 barrels of fluid of which 199 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

R. O. Jacobs _____ Driller _____ Driller

H. S. Guinan _____ Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 3rd day of January 48

Debra D. [Signature]
Notary Public

My Commission expires February 25, 1951

Artesia, New Mexico 1-3-48

Place Date

Name Hugh D. [Signature]

Position Office Manager

Representing Resler Oil Co.
Company or Operator

Address Artesia, New Mexico

1

--	--	--	--	--

12 hereby
me

me I hereby
Andree
ker at
cells for

Section 33,
County,

all in Township 18 South, Range 26 East, NMPM, Eddy Co. New Mexico, and through plastic-lined tubing set in a approximately 2600 feet in the following described well:
Well 27, packer

State 647 Well No. 89 located 1 n Unit K of Sec
Township 18 South, Range 28 East, NMPM, Eddy C
New Mexico.