

NEW MEXICO OIL CONSERVATION COMMISSION
 DRAWER 110
 ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>W. W. Oil Corp.</i>		Lease <i>Harc</i>			Well # <i>1</i>
Location of Well	Unit <i>P 6603re</i>	Section <i>17</i>	Township <i>18</i>	Range <i>75</i>	County <i>Eddy</i>
Drilling Contractor <i>Coston Rig #4</i>	Type of Equipment <i>Rotary to start 7-1-74</i>				

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<i>17 1/4</i>	<i>17 3/4</i>	<i>34.6</i>		<i>300</i>	<i>400 cms.</i>
<i>11</i>	<i>8 5/8</i> <i>9"</i>	<i>29</i> <i>45 #</i>		<i>1200</i>	<i>700 cms.</i>
<i>7 7/8</i>	<i>4 1/2 or 5 1/2"</i>	<i>10.5 - 11.6</i>		<i>9000</i>	

Casing Data:

Surface *28* joints of *9"* inch *45 #* Grade *Used*

(Approved) (~~Rejected~~)

Inspected by *A. McCombs* date *4-15-74*

Cementing Program

Size of hole *11* Size of Casing *9"* Sacks cement required *900/sy*

Type of Shoe used *None* Float collar used *None* Btm 3 jts welded *None*

TD of hole *12000* Set *11900* Feet of *9* Inch *45 #* Grade

New-used csg. @ *1190'* with *200* sacks neat cement around shoe *Class 2 4% cc 14.8*
 + *700* sax *Howco Lite* additives *5# Gelsite 2# Flocc 13.5*