

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and resistivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on acre land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
	Lower		
T. Anby _____	T. Canyon _____ 7438	T. Ojo Alamo _____	T. Penn. "B" _____
T. Selt _____	T. Strawn _____ 7918	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____ 8292	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Greyburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 860	T. Simpson _____	T. Gallup _____	T. Ignacio Quartz _____
T. Glorieta _____ 2210	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blainebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Toddlite _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____ 4215	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp Line 5373	T. Strawn Lime 8070	T. Chinle _____	T. _____
T. Penn. _____	T. Morrow Clastic 8502	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. Chester 8725	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____	No. 4, from _____ to _____
No. 2, from _____ to _____	No. 5, from _____ to _____
No. 3, from _____ to _____	No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____	_____ feet
No. 2, from _____ to _____	_____ feet
No. 3, from _____ to _____	_____ feet
No. 4, from _____ to _____	_____ feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	120	120	Surface Rock, Gravel	5550	5656	106	Limestone
120	460	340	Sand, Redbeds	5656	6672	1016	Lime, Shale
460	670	210	Anhydrite, Sand	6672	8660	1988	Lime, Sand, Shale
670	980	310	Lime, Anhydrite	8660	8785	125	Lime, Shale
980	1472	492	Dolomite, Anhydrite				
1472	2210	738	Dolomite				
2210	2410	200	Dolomite, Sand, Shale				
2410	2730	320	Dolomite, Shale				
2730	3680	950	Dolomite				
3680	3770	90	Dolomite, Sand, Shale				
3770	4230	460	Dolomite				
4230	4450	220	Anhydrite, Shale, Dolomite				
4450	5280	830	Dolomite				
5280	5550	270	Dolomite, Limestone				