

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Eps. 4-9-85

Operator <u>Gulf Oil Corp.</u>		Lease <u>Atoka SanAndres</u>		Well # <u>159</u>	
Location of Well	Unit <u>C</u>	Section <u>14</u>	Township <u>18</u>	Range <u>26</u>	County <u>Eddy</u>
Drilling Contractor	<u>NA</u>		Type of Equipment <u>ROTARY</u>		

* = CSG. TO WITNESS

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cemen
* 12 1/4	8 5/8	24#	NEW	950'	CIRC
7 7/8	5 1/2	15.5#	"	1850'	CIRC

Casing Data:

Surface 25 joints of 8 5/8 inch 24 # Grade J-55
Yes (Approved) (Rejected)

Inspected by BW Weaver date _____

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required 250

Type of Shoe used Tex-Pat Float collar used INSERT Btm 3 jts welded Yes

TD of hole 937 Set 943 Feet of 8 5/8 Inch 24 # Grade J-55

New-~~rod~~ csg. @ 943 with 250 sacks neat cement around shoe

+ 400 sax 4% J-1 #1 TAP Plug additives

Plug down @ 11:45 PM (~~AM~~) (PM) Date 1-20-85

Cement circulated Yes No. of Sacks 50

Cemented by Western Witnessed by BW Weaver

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: Loss zone @ 290