

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 2880 feet, and from 2880 feet to 2922 feet.
Cable tools were used from 0 feet to 2880 feet, and from 2880 feet to 2922 feet.

PRODUCTION

Put to Producing November 30, 1963
OIL WELL: The production during the first 24 hours was 70 barrels of liquid of which 100% was oil; 0% was emulsion; 0% water; and 0% was sediment. A.P.I. Gravity 31.0
GAS WELL: The production during the first 24 hours was 0 C.F. plus 0 barrels of liquid Hydrocarbon. Shut in Pressure 0 lbs.
Length of Time Shut in 0

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy 370	T. Devonian	T. Ojo Alamo
T. Salt 370	T. Silurian	T. Kinland-Fruitland
B. Salt 345	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers 170	T. McKee	T. Menefee
T. Queen 2000	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota 4071
T. Glorieta		T. Morrison 3002
T. Drinkard		T. Penn
T. Tubbs		
T. Abo		
T. Penn		
T. Miss		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	15	15	Caliche				
15	75	60	Red Sandy Shale				
75	195	120	Red rock				
155	170	15	Argy & Sand				
170	195	25	Water Sand & Gravel				
195	229	34	Red Shale				
229	290	61	Red Shale				
290	295	5	Red Shale				
295	310	15	Sand Shale & Argy.				
310	383	73	Red rock				
383	405	22	Salt & Argy.				
405	620	215	Salt				
620	830	210	Argy.				
830	1200	370	Argy & Shale				
1200	1255	55	Lime, Argy & Shale				
1255	1700	445	Lime				
1700	1705	5	Sand & Lime				
1705	1905	200	Lime				
1905	2280	375	Sand & Lime				
2280			Total Depth				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

December 2, 1963

Company or Operator: Sunray Oil Company

Address: P.O. Box 128, Hobbs, New Mexico

Name: V. R. Mayall

Position or Title: District Engineer