

Handwritten initials/signature

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

DEC 20 '90

WELL API NO. 30-015-26314
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K-3271
7. Lease Name or Unit Agreement Name James A
8. Well No. 10
9. Pool name or Wildcat Cabin Lake (Delaware)
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3175' GL (Unprepared)

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE 'APPLICATION FOR PERMIT' (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL  GAS WELL  OTHER

2. Name of Operator  
PHILLIPS PETROLEUM COMPANY

3. Address of Operator  
4001 Penbrook St., Odessa, Texas 79762

4. Well Location  
Unit Letter N : 660 Feet From The South Line and 2310 Feet From The West Line  
Section 2 Township 22-S Range 30-E NMPM Eddy County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

<b>NOTICE OF INTENTION TO:</b>	<b>SUBSEQUENT REPORT OF:</b>
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: Perforate, acidize, fracture treat <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6/19/90 Perforate 7218-7273', 43', 86 holes.  
6/21/90 Acidize perforations 7218-7273' w/4300 gal. 7-1/2% NeFe HCL acid.  
6/22/90 Fracture stimulate perforations 7218'-7273' w/34000 gal. of poly-emulsion w/120,000# 12/20 mesh sand.  
7/2/90; Perforate 7044-7050', 7054'-7061', 7063'-7065', 7067'-7069' 7078-7087', total of 26' and 52 holes.  
7/3/90 Acidize perforations 7044-7087' w/2600 gal. 7-1/2% NeFe HCL acid.  
7/5/90 Fracture stimulate perforations 7044-7087' w/34000 gal. poly-emulsion w/120,000# 12/20 mesh sand.  
Temporary drop pending further completion activity.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE L.M. Sanders TITLE Supervisor, Regulation and Proration DATE 12/18/90  
TYPE OR PRINT NAME L.M. Sanders (915) 368-1411 TELEPHONE NO.

(This space for State Use)

APPROVED BY MIKE WILLIAMS TITLE SUPERVISOR, DISTRICT II DATE DEC 28 1991  
CONDITIONS OF APPROVAL, IF ANY: