

2151

NM OIL CONS. COMMISSION

Drawer DD

Artesia, NM 88210

RECEIVED

UNITED STATES

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-38464

6. If Indian, Allottee or Tribe Name

-

7. If Unit or CA, Agreement Designation

-

8. Well Name and No.

Pure Gold A Federal #4

9. API Well No.

n/a

10. Field and Pool, or Exploratory Area

W. Sand Dunes (Delaware)

11. County or Parish, State

Eddy, NM

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well  Gas Well  Other

2. Name of Operator

Kaiser-Francis Oil Company

3. Address and Telephone No.

P. O. Box 21468, Tulsa, OK 74121-1468

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1650' FSL and 330' FWL of Sec. 21-23S-31E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent  
 Subsequent Report  
 Final Abandonment Notice

Abandonment  
 Recompletion  
 Plugging Back  
 Casing Repair  
 Altering Casing  
 Other Recement 5 1/2" casing

Change of Plans  
 New Construction  
 Non-Routine Fracturing  
 Water Shut-Off  
 Conversion to Injection  
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

The primary cement job did not bring the top of cement a minimum of 200' into the 8 5/8" casing set @ 4075'. Therefore we propose the following work:

1. Perf 5 1/2" casing @ 4460' w/4 squeeze holes.
2. Set cement retainer on tbg @ 4300' & establish circulation through perfs to the surface.
3. Cement w/200 sxs Cl 'C' Lite w/1% CaCl2 followed by 400 sxs Cl 'C' w/2% CaCl2.
4. Drill out cmt retainer and test casing and squeeze perfs to 1000#.

Verbal approval was given by Adam Salamech on 5/26/93.

14. I hereby certify that the foregoing is true and correct

Signed Charlotte Van Valkenburg

Title Technical Coordinator

Date 6/10/93

(This space for Federal or State office use)

Approved by David A. Glass

Title PETROLEUM ENGINEER

Date JUN 18 1993

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side