


Deep

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Guess & McIntosh Eddy County New Mexico
 Company or Operator Address

Well No. #1 in C NW NW of Sec. 8, T. 26-S
 Lease

R. 28-E, N. M. P. M., Field, Wild Cat County.

Well is _____ feet south of the North line and _____ feet west of the East line of _____

If State land the oil and gas lease is No. State Assignment No. _____

If patented land the owner is _____, Address _____

If Government land the permittee is _____, Address _____

The Lessee is _____, Address _____

Drilling commenced _____ 19____ Drilling was completed 8-17-34 19____

Name of drilling contractor _____, Address _____

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing _____, 19____.

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller

_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ day of _____, 19____

Notary Public. _____

My Commission expires _____

Place _____ Date _____

Name _____

Position _____

Representing _____ Company or Operator

Address _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	5		Soil
5	30		Yellow shale
30	80		Blue shale
80	130		Red rock
130	145		Lime
145	150		Red Rock
150	175		Broken Lime
175	200		Broken Lime
200	210		Broken Lime
210	225		Hard lime
225	280		Gray shale
280	345		Gray shale
345	400		Gray shale
400	450		Gray shale
450	475		Anhydrite
475	495		Anhydrite, soft
495	515		Anhydrite, hard
515	545		Anhydrite, hard
545	575		Anhydrite, hard
575	610		Anhydrite, hard
610	635		Anhydrite, hard
635	660		Anhydrite, hard
660	670		Anhydrite
670	695		Anhydrite
695	715		Anhydrite, hard
715	740		Anhydrite, hard
740	780		Anhydrite, white
780	840		Anhydrite, white
840	922		Anhydrite, white
922	932		Grey lime
932	950		Anhydrite, grey
950	975		Anhydrite, grey
975	982		Anhydrite, Grey
982	992		Grey lime
992	1125		Anhydrite, grey
1125	1130		Sandy lime, brown, 3 blrs.wtr.every three hrs.
1130	1140		Anhydrite, grey
1140	1150		Brown lime
1150	1245		Anhydrite, grey
1245	1260		Brown lime
1260	1300		Anhydrite, grey (Good gas showing at 1305)
1300	1310		Light grey lime
1310	1482		Anhydrite, grey
1482	1512		Grey lime, hard
1512	1563		Grey lime, hard
1563	1730	167	Salt
1730	1815	115	Anhydrite
1815	2185	370	Salt
2185	2211		Anhydrite
2211	2298	113	Anhydrite
2298	2340		Grey lime
2340			Lime dark