

## OIL CONS. COMMISSION

Lower DD

Artesia, NM 88210

Form 9-331  
Dec. 1973Form Approved.  
Budget Bureau No. 42-R1424UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐  
 well well  
 2. NAME OF OPERATOR  
 Hanson Operating Company, Inc.  
 3. ADDRESS OF OPERATOR  
 P. O. Box #1515, Roswell, New Mexico 88201  
 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
 AT SURFACE: 330' FWL & 1980' FSL  
 AT TOP PROD. INTERVAL:  
 AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## REQUEST FOR APPROVAL TO:


TEST WATER SHUT-OFF ☐  
 FRACTURE TREAT ☐  
 SHOOT OR ACIDIZE ☐  
 REPAIR WELL ☐  
 PULL OR ALTER CASING ☐  
 MULTIPLE COMPLETE ☐  
 CHANGE ZONES ☐  
 ABANDON\* ☐  
 (other) ☐

## SUBSEQUENT REPORT OF:

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☒

5. LEASE  
 NM-14124  
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 7. UNIT AGREEMENT NAME  
 8. FARM OR LEASE NAME  
 Gulf Federal  
 9. WELL NO.  
 #2  
 10. FIELD OR WILDCAT NAME  
 S.W. Sulphate Delaware  
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
 Sec. 12, T. 25S, R. 26E  
 12. COUNTY OR PARISH  
 Eddy  
 13. STATE  
 NM  
 14. API NO.  
 30-015-22036  
 15. ELEVATIONS (SHOW DF, KDB, AND WD)  
 3371' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Pull rods & tbgs. Rn tbgs BIH to spot cem plug w/25 sx class C cem f/2055' - 1800'. Rn tbgs in hole. Mixed 10 sx gel. Circ hole. COH w/tbgs. LD part of tbgs. Rn WL. Perf @ 1150'. Could not pmp in @ 1000#. Came up hole & perf @ 1050'. Could not pmp into perfs @ 1000#. Came up hole to 175' & perf. Could not pmp into perfs @ 1000#. Rn tbgs to spot 30 sx cem 1233' - 945'. Pull & LD part of tbgs. Spotted 30 sx cem @ 288' - 0'. RD. 09/16/82.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED David R. Glass TITLE Production Analyst DATE September 22, 1982

APPROVED

(This space for Federal or State office use)

(ORIG. SGD.) DAVID R. GLASS

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL OCT 6 1983