

pDistrict I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: CHEVRON U.S.A. Inc.	Contact: Edem Sededji
Address: 56 Texas Camp Road, Lovington, NM 88260	Telephone No.: Office: (575) 396-4414 Mobile: (432) 234-4437
Facility Name: Vacuum Central Vacuum Unit #295	Facility Type: Production Well

Surface Owner: State of New Mexico	Mineral Owner: State of New Mexico	API No. 3002534944
------------------------------------	------------------------------------	--------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	6	18.0S	34.0E	669	N	10	E	Lea

Latitude 32.78238512° Longitude -103.4884544°

NATURE OF RELEASE

Type of Release: Produced Water & Oil Spill to land	Volume of Release: 1.67 bbls of Oil & 5.67 bbls of Produced Water	Volume Recovered: Unknown
Source of Release: Water Injection Station Pump	Date and Hour of Occurrence: 04/19/12 09:30 AM	Date and Hour of Discovery: 04/19/12 10:45 AM
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom?	
By Whom? David Pagano	Date and Hour:	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*

Well pressured up and released fluids through the top of the stuffing box. A total of 1.67 bbls of oil and 5.00 bbls of produced water were released. Field Specialist immediately shut in well to contain release.

Describe Area Affected and Cleanup Action Taken.*

The spill was contained on the well pad. On discovery, vacuum truck contacted and vacuumed up the standing fluids, which were sent to disposal. Visually impacted soil in the area was excavated to a depth of approximately 2 feet bgs and was sent off for disposal.

Three discrete soil confirmation samples were collected from the base of the excavation before the excavated area was reportedly backfilled with imported soils. These sampling results indicated the presence of chloride and hydrocarbon concentrations in shallow soils at levels of regulatory concern.

In response to the sampling results, an additional site assessment was conducted to confirm the extent of soil impacts.

Results of the additional assessment activities are provided in the attached report.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		<u>OIL CONSERVATION DIVISION</u>	
Printed Name: Luke Welch		Approved by Environmental Specialist:	
Title: Project Manager		Approval Date:	Expiration Date:
E-mail Address: LWelch@chevron.com		Conditions of Approval:	
Date: <u>8/12/14</u> Phone: (713) 372-0292		Attached ☐	

* Attach Additional Sheets If Necessary



Mr. Luke Welch
Project Manager
Chevron Environmental Management Company
1400 Smith Street, Room 07069B
Houston, Texas 77002

Subject:

Site Assessment Report
Central Vacuum Unit #295
Lea County, New Mexico

Dear Mr. Welch:

On behalf of Chevron Environmental Management Company (CEMC), ARCADIS U.S., Inc. (ARCADIS) prepared this Site Assessment Report (report) to document cleanup actions and soil sampling activities performed in response to a release of approximately 7.34 barrels (bbls) of produced water and oil that occurred at the Central Vacuum Unit (CVU) #295 located in Lea County, New Mexico (site; Figure 1).

To evaluate the potential for this release to impact groundwater, a Site Conceptual Model was developed (Attachment 1). Potential impacts to groundwater are not considered possible due to the following:

- The volume of material released was relatively small (7.34 total bbls);
- Response activities included removal of liquids and impacted surface soil;
- Local climatic conditions are not conducive to leaching due to low rainfall and high evapotranspiration;
- The presence of a caliche layer impedes the vertical migration of liquids; and
- Groundwater is encountered at significant depth (93 feet below ground surface).
- Based on geochemical modeling using USEPA Multimedia Exposure Assessment Model (MULTIMED) Version 2.0 (USEPA 1996), a significantly larger release would be necessary to cause an exceedance of regulatory criteria in groundwater.

Imagine the result

ARCADIS U.S., Inc.
2929 Briarpark Drive
Suite 300
Houston
Texas 77042
Tel 713 953 4800
Fax 713 977 4620
www.arcadis-us.com

ENVIRONMENT

Date:

July 29, 2014

Contact:

Jonathan Olsen

Phone:

713.953.4874

Email:

Jonathan.Olsen@
arcadis-us.com

Our ref:

B0048623.0000

This report describes spill response activities for a release that occurred on April 19, 2012 and follow-up soil assessment activities that occurred on October 28, 2013.

Background Information

This section summarizes the site location and description, as well as the regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

Site Location and Description

The site is located within the Chevron-operated Vacuum Unit approximately 13 miles southwest of Lovington, New Mexico. New Mexico Highway 238 is located approximately 0.6 mile southwest of the site.

The site is located in the western edge of the Permian Basin, a 75,000-square-mile area in west Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin is bounded by the Texas state lines to the south and east, by Roosevelt County to the north, and Chavez County to the west. Lovington (the closest town) is approximately 13 miles northeast of the site and the closest agricultural area is 6 miles northeast of the site.

The site is located directly east of the CVU #295 wellhead. The release described below occurred mostly on the well pad.

Nearby Water Wells and Surface Water

In October 2013, ARCADIS field verified that no surface-water bodies are located within 1,000 feet of the site. Based on satellite imagery, no surface-water bodies were identified within 3 miles of the site (GoogleEarth 2014).

In June 2014, ARCADIS reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2011), which indicates that no water-supply wells are located within 1,000 feet of the site. The NMOSE online database identified 235 water-supply wells within a 5-mile radius of the site (NMOSE 2011). A petroleum-industry-related water supply well, located approximately 1,300 feet southwest (i.e., hydraulically crossgradient) of the site, was identified as the closest designated-use well to the site.

Climate

Monthly average temperatures near the site vary from a minimum of 27.9 degrees Fahrenheit (°F) in January to a maximum of 93.9°F in July (Western Regional Climate Center (WRCC) Hobs, New Mexico (294026) weather station). Total average precipitation in the area of the site recorded from the available WRCC period of record between 1912 and 2013 was approximately 15.75 inches per year (WRCC 2014a).

Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. The total average evapotranspiration from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2014b).

Regional Geology and Hydrogeology

The site elevation is approximately 3,980 feet above mean sea level. The site is located in the Querecho Plains immediately west of the Mescalero Ridge, which demarcates the western boundary of the (Miocene to Pliocene) High Plains Ogallala Formation (Reeves 1972). A rapid drop in elevation of 200 to 250 feet occurs west of the northwest-trending Mescalero Ridge. The Ogallala Formation east of the ridge is predominantly composed of unconsolidated alluvial fan deposits of sand and gravel near the base, overlain by interbedded sand and clay in the upper portion (Seni 1980). Repeated depositional events on the High Plains surface beginning approximately 7 million years ago, followed by aerial exposure, generated a thick sequence of caliche horizons that are competent enough to act as a cliff former for the expression of Mescalero Ridge. These hard caliche deposits form the upper portion of the stratigraphic sequence. In the site area, the Ogallala Formation is underlain by red beds of the Upper Triassic-age Dockum Group. The nearest area where the Ogallala is underlain by the Cretaceous-age Trinity Group is approximately 45 miles to the northwest (Fallin 1988).

The Querecho Plain is 80 percent covered by a moderately stable dune field (Reeves 1972) that is deposited on top of Triassic Dockum red beds. The red bed surface, which is 400,000 to 500,000 years old, is relatively flat with minor erosional incisions and a 3- to 13-foot-thick near-surface caliche layer (Bachman 1980). Deposition of sand and the formation of the dune field began 60,000 years ago, with additional development beginning 9,000 years ago (Hall 2002). The surface and interior of these dunes do not contain caliche; however, a 1-foot layer of caliche is common at the bottom of the dunes at the contact with the red bed surface. Groundwater in the area is in the Dockum Group at a depth of approximately 100 feet (Summers 1972).

Compared to the Ogallala Formation to the west of the site, the Dockum Group groundwater is not a major resource in the area, with poor potential water production rates and elevated natural dissolved solids.

Water-supply wells located on the southern High Plains east of Mescalero Ridge in central Lea County and near the site, as discussed in the Nearby Water Wells and Surface Water section of this report, are completed in the High Plains Aquifer (HPA). The HPA consists primarily of the Ogallala Formation, and in localized areas, alluvial sediment of Quaternary age. Near the site, the HPA is present directly above the Triassic-age Dockum Group, which occurs at a depth of approximately 140 feet below ground surface (bgs) (Ash 1963, Fahlquist 2003, Nativ 1988, Nicholson and Clebsch 1961, Tillery 2008). The regional groundwater flow direction is to the east-southeast (Tillery 2008).

Groundwater near the site is encountered at a depth of approximately 93 feet bgs (NMOSE 2014; Attachment 2).

Initial Release Response Activities

A release of approximately 5.67 bbls of produced water and 1.67 bbls of oil occurred at the site on April 19, 2012 due to the failure of a water injection station pump. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered an unknown quantity of fluids using a vacuum truck. Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected three discrete confirmation soil samples from the base of the excavation on June 28, 2012. Information regarding the disposal of the excavated soil was not available to ARCADIS. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil.

Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), a Notification of Release and Correction (Form C-141) detailing the location, volume of release, and initial and planned cleanup efforts taken was submitted for the site by David Pagano with Chevron MCBU. The original and updated C-141 forms are included as Attachment 3.

Confirmation Soil Sampling

Three discrete confirmation soil samples were collected from the base of the excavation on June 28, 2012. In accordance with the laboratory analytical report (Attachment 4), soil sample containers were transported, on ice, under chain of

custody procedures to Cardinal Laboratories Environmental Analytical Services for the following analyses:

- Benzene, toluene, ethylbenzene, and xylene (BTEX) by United States Environmental Protection Agency (USEPA) Method 8021B
- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) and total petroleum hydrocarbons as diesel range organics (TPH-DRO) by USEPA Method 8015M
- Chloride by USEPA Method SM4500Cl-B

Confirmation soil sample results are presented in Table 1. The complete laboratory analytical results with chain of custody documentation are included in Attachment 4.

Data Evaluation Approach

Chevron MCBU personnel compared data from the three June 2012 confirmation soil samples to regulatory criteria to provide context for the concentrations of analytes detected and to evaluate if additional sampling was necessary. The regulatory criteria selected are based on potential receptors near the site and consist of the following:

- NMOCD risk-based soil remediation action levels (SRALs) for benzene, total BTEX, and total petroleum hydrocarbons (TPH) for leaks, spills, and releases (NMOCD 1993). SRALs were calculated using the NMOCD criteria presented in the tables below.

Criteria	Site-Specific Result	Ranking Score
Depth to groundwater	50 to 99 feet	10
Wellhead protection area	No	0
Distance to surface-water body	>1,000 feet	0
Total Ranking Score		10

SRALs	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH (mg/kg)
	10	50	1,000

Note:

mg/kg = milligrams per kilogram

- New Mexico Administrative Code (NMAC) closure criteria for soil beneath belowgrade tanks, drying pads associated with closed-loop systems, and pits where contents are removed (NMAC 2009).

Criteria	Site-Specific Result	Chloride (mg/kg)
Depth below bottom of pit to groundwater	50 to 100 feet	500

Confirmation Soil Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, and chloride for the three discrete confirmation soil samples collected in June 2012 are provided in Table 1 and summarized below:

- Of the three confirmation soil samples collected, toluene, ethylbenzene, and total xylenes were detected above the laboratory reporting limits (LRLs) in only one soil sample collected from CVU #295 SS#1 (0.283, 2.27, and 4.38 mg/kg, respectively). Benzene and BTEX were not detected above the SRALs of 10 and 50 mg/kg, respectively.
- TPH-GRO was detected above LRLs in only one of the three soil samples collected (CVU #295 SS#1; 200 mg/kg). TPH-DRO was detected in all three confirmation samples at concentrations ranging from 71.7 mg/kg (CVU #295 SS#3) to 21,000 mg/kg (CVU #295 SS#1).
- TPH (TPH-DRO and TPH-GRO) was detected in all three confirmation samples at concentrations ranging from 71.7 mg/kg (CVU #295 SS#3) to 21,200 mg/kg (CVU #295 SS#1). TPH was detected above the SRAL of 1,000 mg/kg in soil samples CVU #295 SS#1, and CVU #295 SS#2.
- Chloride was detected in all three confirmation samples collected, at concentrations ranging from 224 mg/kg (CVU #295 SS#1 and CVU #295 SS#3) to 3,320 mg/kg (CVU #295 SS#2). Chloride was detected above the NMAC closure criterion of 500 mg/kg only in soil sample CVU #295 SS#2.

The complete laboratory analytical results with chain of custody documentation are included in Attachment 4.

TPH concentrations in confirmation soil sample CVU #295 SS#1 and chloride concentrations in confirmation soil sample CVU #295 SS#2 were above the regulatory criteria which prompted additional site assessment activities.

Site Assessment Activities

In October 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in June 2012, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. The site assessment activities and results are discussed below.

Pre-Field Activities

Prior to initiating field activities, ARCADIS updated the site-specific Health and Safety Plan in accordance with state and federal requirements. Prior to initiating drilling activities, underground utilities and other potential subsurface obstructions near the proposed boring locations were located and marked. A New Mexico One Call ticket was issued for the site, and a private third-party utility locator cleared all proposed boring locations for potential on- and off-site utilities that were not otherwise identified. Finally, ARCADIS staff conducted a visual inspection of the site to identify potential utility lines. Boring locations were flagged during the utility locate and coordinates were recorded using a Trimble® global positioning unit with differential capability.

Soil Sampling

To evaluate the potential extent of impacts to soil at the site, ARCADIS advanced five soil borings (CVU295-01, CVU295-02, CVU295-03, CVU295-04, and CVU295-05) on October 28, 2013. Soil sampling locations are shown on Figure 2.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 30 feet bgs using air rotary drilling equipment. Soil boring CVU295-01 was advanced to a total depth of approximately 25 feet bgs rather than the planned 30 feet bgs based on a field team error.

Soil was continuously logged for stratigraphic characteristics. The soil samples were field screened for the presence of volatile organic compounds using a photo

ionization detector (PID) in combination with visual and olfactory screening methods for evidence of petroleum hydrocarbons. The PID used during this investigation was calibrated daily with fresh air and isobutylene gas. Field personnel recorded PID readings, soil types, and other pertinent geologic data on the boring logs (Attachment 5). No staining or elevated PID readings were observed.

Lithologic data indicate that the subsurface material primarily consists of caliche (soil carbonate) profiles including "caprock," nodular, and sandy caliche layers from approximately 0 to 30 feet bgs (Attachment 5).

Soil Assessment Sampling

Six soil samples were collected from boring location CVU295-01 beginning at a depth of 2 feet bgs (the approximate depth of the soil excavation in the initial release response activities) and continuing at 5-foot intervals from 5 to 25 feet bgs. Seven soil samples were collected from each of the four remaining boring locations (for a total of 34 soil samples) beginning at a depth of 2 feet bgs and continuing at 5-foot intervals from 5 to 30 feet bgs.

The assessment soil samples were retained in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to TestAmerica Laboratories.

Soil Assessment Sample Analysis

Soil samples collected from each boring were analyzed for the following constituents:

- BTEX by USEPA Method 8021B
- TPH-GRO by USEPA Method 8015B
- TPH-DRO by USEPA Method 8015B
- Chloride by USEPA Method 9056
- Percent moisture by ASTM International Method D2216

Boring Abandonment

Following sampling, the boreholes were filled with soil cuttings from the total depth to ground surface. The ground surface was restored to match the surrounding conditions.

Soil Assessment Comparison Criteria

ARCADIS evaluated soil assessment analytical results for benzene, total BTEX, and TPH by comparing the data with the NMOCD SRALs (NMOCD 1993), as presented in the Data Evaluation Approach section of this report.

To develop an appropriate site-specific soil screening level (SSL) for chloride for use at the site, ARCADIS performed simulations of unsaturated zone flow, transport, and saturated zone mixing of chloride using the MULTIMED model Version 2.0 (USEPA 1996). The NMAC chloride standard for domestic water supply of 250 milligrams per liter (NMAC 2001) was used to estimate a maximum allowable concentration of chloride in soil that would not leach to groundwater above the standard. The NMAC chloride standard is consistent with the National Secondary Drinking Water Standard for chloride, addressing taste and odor concerns (USEPA 2010).

Conservative site-specific input parameters were used in the MULTIMED (USEPA 1996) simulations compared to actual site and release conditions. Specifically:

- Modeled source lengths and areas modeled are generally significantly larger than the actual chloride-impacted soil areas.
- Chloride-impacted soil was modeled as having a uniform chloride concentration for the entire volume (i.e., area x depth) of specified soil.
- A reduction in chloride concentrations in subsurface soil due to soil chemical transformation or adsorption mechanisms was not included in the model calculations.

Based on the depth to groundwater and the aerial and vertical extents of each of the MULTIMED (USEPA 1996) simulations, with these conservative site-specific input parameters, modeled peak chloride concentrations will reach groundwater in approximately 540 to 860 years.

The Chloride MULTIMED Simulated Soil Screening Levels for the Protection of Groundwater memo is included as Attachment 6. The site-specific SSL was calculated using the input parameters presented in the table below.

Site-Specific Input Parameters	
Source length (m)	20
Source area (m ²)	400
Source depth (m)	0 to 1
Depth to groundwater (m)	20
Chloride SSL (mg/kg)	100,000 ¹

¹ A chloride SSL of 108,000 mg/kg was calculated using MUTLTIMED (USEPA 1996); however, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the New Mexico Environment Department (NMED) risk assessment guidance (NMED 2012).

m = meter

m² = square meter

Soil Assessment Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, chloride, and moisture for the 34 soil assessment samples are provided in Table 1 and summarized below:

- BTEX, TPH-GRO, and TPH-DRO were not detected above LRLs in any of the 34 soil samples collected.
- Chloride was detected in all soil samples at concentrations ranging from 5.6 mg/kg (CVU295-03 at 15 feet bgs) to 74 mg/kg (CVU295-01 at 2 feet bgs). Chloride concentrations were not detected above the site-specific SSL of 100,000 mg/kg.

Laboratory analytical results with chain of custody documentation are provided in Attachment 4.

Summary and Conclusions

A release of produced water and oil occurred at the site on April 19, 2012 due to a failure of the water injection station pump. Visually impacted soil was excavated to a depth of approximately 2 feet bgs and three discrete confirmation soil samples were collected from the base of the excavation in June 2012. Two confirmation soil samples had TPH and chloride concentrations above regulatory criteria, which prompted an additional investigation. In October 2013, additional soil samples were

collected to assess soil impacts within the observed aerial extent of the release. None of the soil samples collected during the 2013 assessment exceeded the NMOCD SRALs. In addition, chloride concentrations were reported below the site-specific SSL using the MULTIMED model (USEPA 1996).

Chloride detections were delineated horizontally to the NMAC closure criterion of 250 mg/kg (NMAC 2009) by soil characterization samples collected from 2 to 30 feet bgs (Table 1). In addition, all chloride concentrations in samples collected during the 2013 assessment were below the site-specific SSL (Attachment 6). Chloride impacts in shallow soil potentially associated with the release were delineated.


Potential migration of remaining petroleum hydrocarbons or chloride to groundwater is not expected due to the small size of the release, low precipitation (WRCC 2014a), and high evapotranspiration rates (WRCC 2014b), and the fine-grained nature of caliche layers present beneath the site. MULTIMED model results demonstrate that the remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.

Soil data presented in this report support a conclusion that impacted soil associated with the reported release at the site poses no significant threat to groundwater resources or other receptors. ARCADIS recommends that CEMC submit a request to the NMOCD that no further investigations or additional cleanup actions need to be performed at the site and that the NMOCD grant No Further Action status to the site.

If you have any questions or comments regarding the information presented in this report, please contact Jonathan Olsen at 713.953.4874 or Jonathan.Olsen@arcadis-us.com, or Kathleen Abbott at 925.296.7827 or Kathleen.Abbott@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.



Jonathan Olsen
Certified Project Manager



Kathleen M. Abbott, PG
Program Manager

Enclosures:

Table 1 Soil Sampling Analytical Results

- Figure 1 Site Location Map – CVU 295
Figure 2 Release and Soil Boring Locations – CVU 295

Attachments:

- Attachment 1 Site Conceptual Model
Attachment 2 New Mexico Office of the State Engineer – Depth to Water
Attachment 3 Release Notification and Corrective Action (C-141 Form)
Attachment 4 Laboratory Analytical Reports
Attachment 5 Boring Logs (October 2013)
Attachment 6 Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater Memo

References:

- Ash, S.R. 1963. Ground-water conditions in northern Lea County, New Mexico. New Mexico Bureau of Mines and Mineral Resources, Atlas HA-62.
- Bachman, George O. 1980. Regional Geology and Cenozoic History of Pecos Region, Southeastern New Mexico, US Dept. of Interior Geological Survey, Open File Report 80-1099, 120 pp.,
- Fahlquist, L. 2003. Ground-water quality of the southern High Plains Aquifer, Texas and New Mexico, 2001. U. S. Geological Survey Open-File Report 03-345, 69 p.
- Fallin, J.A. Tony 1988. Hydrogeology of Lower Cretaceous Strata Under the Southern High Plains of New Mexico, New Mexico Geology, Vol. 10, No. 1, pp. 6-9, February 1988.
- Google Earth. 2014. Lovington, New Mexico, 32_46_57.76N, 103_29_26.55W, elev 3913 feet, Google Earth Imagery. February 13.
- Hall, Stephen A. 2002. Field Guide to the Geomorphology of the Mescalero Sands, Southeastern New Mexico, Report Submitted to the State of New Mexico Historic Preservation Division and New Mexico Bureau of Land Management, Project No. 35-00-15334.11., October 2002.
- Nativ, R. 1988. Hydrogeology and hydrochemistry of the Ogallala aquifer, Southern High Plains, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations no. 177, 64 p.

- New Mexico Administrative Code. 2001. Title 20, Chapter 6 of the New Mexico Administrative Code for Environmental Protection, Water Quality, Ground and Surface Water Protection, 20.6.2.3103 NMAC. January.
- New Mexico Administrative Code. 2009. Title 19, Chapter 15 of the New Mexico Administrative Code concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC. July.
- New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).
- New Mexico Office of the State Engineer. 2011. Water Information, Maps and Data, Geospatial Data, OSE Well Data, http://www.ose.state.nm.us/water_info_data.html, July.
- New Mexico Office of the State Engineer. 2014. New Mexico Water Rights Reporting System, <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>, May.
- New Mexico Oil Conservation Division. 1993. Guidelines for Remediation of Leaks, Spills and Releases. August 13.
- Nicholson, A., Jr., and A. Clebsch, Jr. 1961. Geology and Ground-Water Conditions in Southern Lea County, New Mexico. ERMS 241583. Ground-Water Report 6. Socorro, NM: New Mexico Bureau of Mines and Mineral Resources.
- Reeves, C.C. Jr. 1972. Tertiary-Quaternary stratigraphy and geomorphology of West Texas and southeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 108-117.
- Seni, S.J. 1980. Sand-body geometry and depositional systems, Ogallala Formation, Texas. University of Texas, Bureau of Economic Geology, Report of Investigations No.105, 40 p.
- Summers, W.K. 1972. Geology and Regional Hydrology of the Pecos River Basin, New Mexico, New Mexico Bureau of Geology and Mineral Resources, Open File Report No. 37, 393 pp. June 1972.
- Tillery, A. 2008. Current (2004-07) conditions and changes in ground-water levels from predevelopment to 2007, Southern High Plains Aquifer, Southeast New Mexico-Lea County Underground Water Basin. U.S. Geological Survey, Scientific Investigations Map 3044.

United States Environmental Protection Agency. 1996. Multimedia Exposure Assessment Model for exposure assessment, MULTIMED 2.0 Beta. October.

United States Environmental Protection Agency. 2010. List of Contaminants and their Maximum Contaminant Levels, List of National Secondary Drinking Water Regulations. Online at: <http://water.epa.gov/drink/contaminants/#List>, July 1.

Western Regional Climate Center. 2014a. Hobbs, New Mexico (294026) weather station. <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm4026>. Viewed on May 5.

Western Regional Climate Center. 2014b. Artesia, New Mexico, monthly average pan evaporation. [http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW MEXICO](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW_MEXICO). Viewed on May 6.

Table

Table 1
Soil Sampling Analytical Results

Site Assessment Report
Central Vacuum Unit 295
Lea County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
SRALs ^(a)			10	---	---	---	50	1,000	---	---	---
NMAC Closure Criteria ^(b)			---	---	---	---	---	---	---	500	---
MULTIMED Site-Specific SSL ^(c)			---	---	---	---	---	---	---	100,000	---
CVU #295 SS#1	6/28/2012	0	<0.050	0.283	2.27	4.38	--	200	21,000	224	--
CVU #295 SS#2	6/28/2012	0	<0.050	<0.050	<0.050	<0.150	--	<50.0	10,600	3,320	--
CVU #295 SS#3	6/28/2012	0	<0.050	<0.050	<0.050	<0.150	--	<50.0	71.7	224	--
CVU295-01	10/28/2013	2	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	74	3
	10/28/2013	5	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	16	3
	10/28/2013	10	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.8	12	6
	10/28/2013	15	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.5	7.0	3
	10/28/2013	20	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	8.2	4
	10/28/2013	25	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	8.6	5
	10/28/2013	30	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	8.6	5
CVU295-02	10/28/2013	2	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	35	4
	10/28/2013	5	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	18	3
	10/28/2013	10	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.8	16	6
	10/28/2013	15	<0.022	<0.022	<0.022	<0.022	<0.022	<1.1	<9.0	7.3	8
	10/28/2013	20	<0.022	<0.022	<0.022	<0.022	<0.022	<1.1	<9.1	9.3	9
	10/28/2013	25	<0.028	<0.028	<0.028	<0.028	<0.028	<1.4	<11	10	28
	10/28/2013	30	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	7.8	4
CVU295-03	10/28/2013	2	<0.022	<0.022	<0.022	<0.022	<0.022	<1.1	<8.9	66	7
	10/28/2013	5	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.7	33	5
	10/28/2013	10	<0.020	<0.020	<0.020	<0.020	<0.020	<1.0	<8.4	7.5	2
	10/28/2013	15	<0.022	<0.022	<0.022	<0.022	<0.022	<1.1	<9.2	5.6	10
	10/28/2013	20	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	7.1	4
	10/28/2013	25	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	8.2	4
	10/28/2013	30	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	11	4
CVU295-04	10/28/2013	2	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	21	4
	10/28/2013	5	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	22	4
	10/28/2013	10	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	16	4
	10/28/2013	15	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.8	20	6
	10/28/2013	20	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.8	18	6
	10/28/2013	25	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	8.3	3
	10/28/2013	30	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	11	4
CVU295-05	10/28/2013	2	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.9	48	7
	10/28/2013	5	<0.025	<0.025	<0.025	<0.025	<0.025	<1.2	<10	56	19
	10/28/2013	10	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.6	12	4
	10/28/2013	15	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	17	5
	10/28/2013	20	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.8	26	6
	10/28/2013	25	<0.021	<0.021	<0.021	<0.021	<0.021	<1.0	<8.7	13	4
	10/28/2013	30	<0.021	<0.021	<0.021	<0.021	<0.021	<1.1	<8.7	16	5

Notes:


%	Percent
mg/kg	Miligram(s) per kilogram
<	Analyte was not detected above the specified method reporting limit
--*	Information regarding the depth of these samples is not available.
--	Not Analyzed/Not Listed
bgs	Below ground surface
BTEX	Benzene, toluene, ethylbenzene, and total xylenes
MULTIMED	Multimedia Exposure Assessment Model
NMAC	New Mexico Administrative Code
TPH-GRO	Total Petroleum Hydrocarbons as Gasoline Range Organics
TPH-DRO	Total Petroleum Hydrocarbons as Diesel Range Organics
SRAL	Soil remediation action level
SSL	Soil screening level


(a) SRALs, for leaks, spills, and releases, New Mexico Oil Conservation Division, August 1993

(b) Title 19, Chapter 15 of the NMAC concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC, July 2009

(c) MULTIMED exposure assessment, 2.0 Beta, United States Environmental Protection Agency, October 1996

Figures






LEGEND:

- OCTOBER 2013 ASSESSMENT SOIL SAMPLING LOCATION
- 1 ● MAY 2012 CONFIRMATION SOIL SAMPLING LOCATION
- APPROXIMATE EXTENT OF SPILL

NOTES:

1. AERIAL PHOTOGRAPH FROM GOOGLE EARTH PRO.
2. COORDINATES FOR ALL OCTOBER 2013 SAMPLE LOCATIONS WERE COLLECTED USING A SUB-METER TRIMBLE GPS UNIT.
3. UTILITIES WERE IDENTIFIED USING GROUND PENETRATING RADAR, RADIO FREQUENCY SURVEY OR VISUAL MEANS.



VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT
 TEAM UNITS
 LEA COUNTY, NEW MEXICO

SITE ASSESSMENT REPORT

**RELEASE AND SOIL BORING LOCATIONS
 CVU 295**




FIGURE

2




Attachment 1


Site Conceptual Model



The site is located in the western edge of the Permian Basin with Lovington (the closest town) located approximately 13 miles northeast of the site. Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. According to information obtained from the NMOSE online database, groundwater near the site is encountered at a depth of approximately 85 feet bgs.



A release of approximately 5.67 bbls of produced water and 1.67 bbls of oil occurred at the site on April 19, 2012 due to the failure of a water injection station pump. Chevron personnel from the MidContinent Business Unit (MCBU) stopped the release and recovered an unknown quantity of fluids using a vacuum truck. Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected three discrete confirmation soil samples from the base of the excavation. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil. Analyte concentrations in one or more confirmation soil samples were above regulatory criteria, which prompted additional site assessment activities.



In October 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in June 2012, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. Analyte concentrations in samples collected during the 2013 assessment were reported below site-specific criteria. Site assessment activities demonstrate that remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.



Attachment 2

New Mexico Office of the State
Engineer – Depth to Water



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
L 13041 POD1	L	LE		2	2	06	18S	35E		641152	3628026	428	130		
L 13041 POD2	L	LE		2	2	06	18S	35E		641152	3628026	428	140		
L 13041 POD3	L	LE		2	2	06	18S	35E		641152	3628026	428	140		
L 13041 POD4	L	LE		2	2	06	18S	35E		641152	3628026	428	140		
L 05523	L	LE		3	3	2	06	18S	35E	640855	3627660*	867	147	85	62

Average Depth to Water: **85 feet**

Minimum Depth: **85 feet**

Maximum Depth: **85 feet**

Record Count: 5

UTM NAD83 Radius Search (in meters):

Easting (X): 641553.85

Northing (Y): 3628174.72

Radius: 1000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



Attachment 3

Release Notification and Corrective
Action (C-141 Form)

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report


Name of Company CHEVRON U.S.A Inc.	Contact David Pagano	
Address 56 Texas Camp Road, Lovington, NM 88260	Telephone No. Office: 575-396-4414 ext 275 Cellular: 505-787-9816	
Facility Name Vacuum Central Vacuum Unit #295	Facility Type Production Well	
Surface Owner State of New Mexico	Mineral Owner State of New Mexico	API No. 3002534944

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	6	18.0S	34.0E	669	N	10	E	Lea

Latitude 32.78238512 Longitude -103.4884544

NATURE OF RELEASE

Type of Release Produced Water & Oil Spill to land	Volume of Release 1.67 bbls of Oil & 5.67 bbls of Produced Water	Volume Recovered 0 bbls
Source of Release Water Injection Station Pump	Date and Hour of Occurrence 04/19/12 09:30	Date and Hour of Discovery 04/19/12 10:45
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom?	
By Whom? David Pagano	Date and Hour	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* Well pressured up and released fluids through the top of the stuffing box. A total of 1.67bbls of oil and 5.00 bbls of Produced water were released. Field Specialist immediately shut in well to contain release.		
Describe Area Affected and Cleanup Action Taken.* The spill was contained on the well pad. On discovery vacuum truck contacted and vacuumed up the standing fluids which were sent to disposal. Visually contaminated soil was back dragged and sent off for disposal.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 	OIL CONSERVATION DIVISION	
Printed Name: David Pagano	Approved by Environmental Specialist:	
Title: Health & Environmental Specialist	Approval Date:	Expiration Date:
E-mail Address: david.pagano@chevron.com	Conditions of Approval:	Attached ☐
Date: 04/20/12 Phone: 505-787-9816		

* Attach Additional Sheets If Necessary

pDistrict I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: CHEVRON U.S.A. Inc.	Contact: Edem Sededji
Address: 56 Texas Camp Road, Lovington, NM 88260	Telephone No.: Office: (575) 396-4414 Mobile: (432) 234-4437
Facility Name: Vacuum Central Vacuum Unit #295	Facility Type: Production Well

Surface Owner: State of New Mexico	Mineral Owner: State of New Mexico	API No. 3002534944
------------------------------------	------------------------------------	--------------------

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	6	18.0S	34.0E	669	N	10	E	Lea

Latitude 32.78238512° Longitude -103.4884544°

NATURE OF RELEASE

Type of Release: Produced Water & Oil Spill to land	Volume of Release: 1.67 bbls of Oil & 5.67 bbls of Produced Water	Volume Recovered: Unknown
Source of Release: Water Injection Station Pump	Date and Hour of Occurrence: 04/19/12 09:30 AM	Date and Hour of Discovery: 04/19/12 10:45 AM
Was Immediate Notice Given? ☐ Yes ☐ No ☒ Not Required	If YES, To Whom?	
By Whom? David Pagano	Date and Hour:	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*

Well pressured up and released fluids through the top of the stuffing box. A total of 1.67 bbls of oil and 5.00 bbls of produced water were released. Field Specialist immediately shut in well to contain release.

Describe Area Affected and Cleanup Action Taken.*

The spill was contained on the well pad. On discovery, vacuum truck contacted and vacuumed up the standing fluids, which were sent to disposal. Visually impacted soil in the area was excavated to a depth of approximately 2 feet bgs and was sent off for disposal.

Three discrete soil confirmation samples were collected from the base of the excavation before the excavated area was reportedly backfilled with imported soils. These sampling results indicated the presence of chloride and hydrocarbon concentrations in shallow soils at levels of regulatory concern.

In response to the sampling results, an additional site assessment was conducted to confirm the extent of soil impacts.

Results of the additional assessment activities are provided in the attached report.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		<u>OIL CONSERVATION DIVISION</u>	
Printed Name: Luke Welch		Approved by Environmental Specialist:	
Title: Project Manager		Approval Date:	Expiration Date:
E-mail Address: LWelch@chevron.com		Conditions of Approval:	
Date: <u>8/12/14</u> Phone: (713) 372-0292		Attached ☐	

* Attach Additional Sheets If Necessary



Attachment 4

Laboratory Analytical Reports

July 02, 2012

DAVID PAGANO

Chevron - Lovington

HCR 60 Box 423

Lovington, NM 88260

RE: SOIL SAMPLES

Enclosed are the results of analyses for samples received by the laboratory on 06/28/12 16:37.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

Chevron - Lovington
DAVID PAGANO
HCR 60 Box 423
Lovington NM, 88260
Fax To: None

Received: 06/28/2012
Reported: 07/02/2012
Project Name: SOIL SAMPLES
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 06/28/2012
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: CVU #295 SS#1 (H201457-01)

BTEX 8021B		mg/kg	Analyzed By: ZZZ						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/29/2012	ND	1.81	90.7	2.00	11.4	
Toluene*	0.283	0.050	06/29/2012	ND	1.83	91.7	2.00	10.8	
Ethylbenzene*	2.27	0.050	06/29/2012	ND	1.87	93.6	2.00	10.6	
Total Xylenes*	4.38	0.150	06/29/2012	ND	5.71	95.2	6.00	9.44	

Surrogate: 4-Bromofluorobenzene (PID) 119 % 89.4-126

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	07/02/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg	Analyzed By: MS							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	200	100	06/29/2012	ND	180	90.1	200	1.07		
DRO >C10-C28	21000	100	06/29/2012	ND	186	93.0	200	1.92		

Surrogate: 1-Chlorooctane 129 % 65.2-140

Surrogate: 1-Chlorooctadecane 308 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Chevron - Lovington
DAVID PAGANO
HCR 60 Box 423
Lovington NM, 88260
Fax To: None

Received: 06/28/2012
Reported: 07/02/2012
Project Name: SOIL SAMPLES
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 06/28/2012
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: CVU #295 SS#2 (H201457-02)

BTEx 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/29/2012	ND	1.81	90.7	2.00	11.4	
Toluene*	<0.050	0.050	06/29/2012	ND	1.83	91.7	2.00	10.8	
Ethylbenzene*	<0.050	0.050	06/29/2012	ND	1.87	93.6	2.00	10.6	
Total Xylenes*	<0.150	0.150	06/29/2012	ND	5.71	95.2	6.00	9.44	

Surrogate: 4-Bromofluorobenzene (PID) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3320	16.0	07/02/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<50.0	50.0	06/29/2012	ND	180	90.1	200	1.07	
DRO >C10-C28	10600	50.0	06/29/2012	ND	186	93.0	200	1.92	

Surrogate: 1-Chlorooctane 80.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 223 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Chevron - Lovington
DAVID PAGANO
HCR 60 Box 423
Lovington NM, 88260
Fax To: None

Received: 06/28/2012
Reported: 07/02/2012
Project Name: SOIL SAMPLES
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 06/28/2012
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: CVU #295 SS#3 (H201457-03)

BTX 8021B		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/29/2012	ND	1.81	90.7	2.00	11.4	
Toluene*	<0.050	0.050	06/29/2012	ND	1.83	91.7	2.00	10.8	
Ethylbenzene*	<0.050	0.050	06/29/2012	ND	1.87	93.6	2.00	10.6	
Total Xylenes*	<0.150	0.150	06/29/2012	ND	5.71	95.2	6.00	9.44	

Surrogate: 4-Bromofluorobenzene (PID) 109 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	07/02/2012	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/29/2012	ND	180	90.1	200	1.07	
DRO >C10-C28	71.7	10.0	06/29/2012	ND	186	93.0	200	1.92	

Surrogate: 1-Chlorooctane 76.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.3 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: <u>Chevron</u>				BILL TO				ANALYSIS REQUEST														
Project Manager: <u>David Pagano</u>				P.O. #:																		
Address: <u>56 Texas Camp Rd</u>				Company: <u>Chevron</u>																		
City: <u>Lexington</u> State: <u>NM</u> Zip: <u>88260</u>				Attn: <u>Nick Mioschetti</u>																		
Phone #: <u>505-781-9816</u> Fax #:				Address: <u>56 Texas Camp Rd</u>																		
Project #: _____ Project Owner: _____				City: <u>Lexington</u>																		
Project Name: _____				State: <u>NM</u> Zip: <u>88260</u>																		
Project Location: _____				Phone #: <u>575-396-4414 x201</u>																		
Sampler Name: _____				Fax #:																		
FOR LAB USE ONLY				MATRIX		PRESERV		SAMPLING														
Lab I.D.	Sample I.D.	(GRABOR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER	DATE	TIME								
<u>H201457</u>																						
1	<u>CVU #295 SS #1</u>	<u>6</u>	<u>1</u>			<u>✓</u>							<u>6/28/12</u>	<u>3:45</u>	<u>TPH</u>	<u>BTEX</u>	<u>Chlorides</u>					
2	<u>CVU #295 SS #2</u>	<u>6</u>	<u>1</u>			<u>1</u>							<u>1</u>	<u>3:50</u>								
3	<u>CVU #295 SS #3</u>	<u>6</u>	<u>1</u>			<u>1</u>							<u>1</u>	<u>3:55</u>								

PLEASE NOTE: Liability and Damages. Cardinal Laboratories' exclusive remedy for any claim arising from a contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the analysis service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <u>David Pagano</u>	Date: <u>6/28/12</u>	Received By: <u>Pauli Jensen</u>	Phone Result: ☒ Yes ☐ No	Add'l Phone #:
Relinquished By: <u>David</u>	Date: _____	Received By: _____	Fax Result: ☐ Yes ☐ No	Add'l Fax #:
Delivered By: (Circle One) <u>UPS</u>	Time: <u>4:37</u>	Time: _____	REMARKS:	
Sampler - UPS - Bus - Other:	Sample Condition Cool ☒ Intact ☒ Yes ☒ No ☐	CHECKED BY: <u>Pauli Jensen</u>		

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Houston

6310 Rothway Street

Houston, TX 77040

Tel: (713)690-4444

TestAmerica Job ID: 600-81848-1

Client Project/Site: HES Transfer Sites, Lea County NM

For:

ARCADIS U.S., Inc.

2929 Briarpark Drive

Suite 300

Houston, Texas 77042

Attn: Mr. Jonathan Olsen



Authorized for release by:

11/18/2013 6:51:44 PM

Sachin Kudchadkar, Senior Project Manager

(713)690-4444

sachin.kudchadkar@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions/Glossary	32
Surrogate Summary	33
QC Sample Results	37
QC Association Summary	45
Lab Chronicle	54
Certification Summary	66
Chain of Custody	67
Receipt Checklists	72



Case Narrative

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Job ID: 600-81848-1

Laboratory: TestAmerica Houston

Narrative

Job Narrative
600-81848-1

Comments

No additional comments.

Receipt

The samples were received on 10/30/2013 10:17 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 4.7° C and 5.2° C.

GC/MS VOA

No analytical or quality issues were noted.

GC VOA

No analytical or quality issues were noted.

GC Semi VOA

Method(s) 8015B: The surrogate recovery for the LCS and MS associated with batch 119755 was outside recovery limits. All associated sample surrogates fell within acceptance criteria; therefore, the data have been reported.

No other analytical or quality issues were noted.

General Chemistry

No analytical or quality issues were noted.

Industrial Hygiene

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

Method Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Method	Method Description	Protocol	Laboratory
8015B	Gasoline Range Organics - (GC)	SW846	TAL HOU
8021B	Volatile Organic Compounds (GC)	SW846	TAL HOU
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL HOU
9056	Anions, Ion Chromatography	SW846	TAL HOU
Moisture	Percent Moisture	EPA	TAL HOU

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Sample Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-81848-1	CVU295-01-2'	Solid	10/28/13 12:50	10/30/13 10:17
600-81848-2	CVU295-01-5'	Solid	10/28/13 12:52	10/30/13 10:17
600-81848-3	CVU295-01-10'	Solid	10/28/13 12:53	10/30/13 10:17
600-81848-4	CVU295-01-15'	Solid	10/28/13 12:55	10/30/13 10:17
600-81848-5	CVU295-01-20'	Solid	10/28/13 12:55	10/30/13 10:17
600-81848-6	CVU295-01-25'	Solid	10/28/13 12:56	10/30/13 10:17
600-81848-7	CVU295-02-2'	Solid	10/28/13 12:00	10/30/13 10:17
600-81848-8	CVU295-02-5'	Solid	10/28/13 12:02	10/30/13 10:17
600-81848-9	CVU295-02-10'	Solid	10/28/13 12:04	10/30/13 10:17
600-81848-10	CVU295-02-15'	Solid	10/28/13 12:06	10/30/13 10:17
600-81848-11	CVU295-02-20'	Solid	10/28/13 12:08	10/30/13 10:17
600-81848-12	CVU295-02-25'	Solid	10/28/13 12:10	10/30/13 10:17
600-81848-13	CVU295-02-30'	Solid	10/28/13 12:15	10/30/13 10:17
600-81848-14	CVU295-03-2'	Solid	10/28/13 15:50	10/30/13 10:17
600-81848-15	CVU295-03-5'	Solid	10/28/13 15:51	10/30/13 10:17
600-81848-16	CVU295-03-10'	Solid	10/28/13 15:52	10/30/13 10:17
600-81848-17	CVU295-03-15'	Solid	10/28/13 15:54	10/30/13 10:17
600-81848-18	CVU295-03-20'	Solid	10/28/13 15:55	10/30/13 10:17
600-81848-19	CVU295-03-25'	Solid	10/28/13 15:58	10/30/13 10:17
600-81848-20	CVU295-03-30'	Solid	10/28/13 16:00	10/30/13 10:17
600-81848-21	CVU295-04-2'	Solid	10/28/13 11:20	10/30/13 10:17
600-81848-22	CVU295-04-5'	Solid	10/28/13 11:21	10/30/13 10:17
600-81848-23	CVU295-04-10'	Solid	10/28/13 11:23	10/30/13 10:17
600-81848-24	CVU295-04-15'	Solid	10/28/13 11:25	10/30/13 10:17
600-81848-25	CVU295-04-20'	Solid	10/28/13 11:28	10/30/13 10:17
600-81848-26	CVU295-04-25'	Solid	10/28/13 11:30	10/30/13 10:17
600-81848-27	CVU295-04-30'	Solid	10/28/13 11:32	10/30/13 10:17
600-81848-28	CVU295-05-2'	Solid	10/28/13 10:40	10/30/13 10:17
600-81848-29	CVU295-05-5'	Solid	10/28/13 10:41	10/30/13 10:17
600-81848-30	CVU295-05-10'	Solid	10/28/13 10:42	10/30/13 10:17
600-81848-31	CVU295-05-15'	Solid	10/28/13 10:44	10/30/13 10:17
600-81848-32	CVU295-05-20'	Solid	10/28/13 10:45	10/30/13 10:17
600-81848-33	CVU295-05-25'	Solid	10/28/13 10:47	10/30/13 10:17
600-81848-34	CVU295-05-30'	Solid	10/28/13 10:50	10/30/13 10:17

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-2'

Lab Sample ID: 600-81848-1

Date Collected: 10/28/13 12:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.7

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/02/13 21:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150				10/30/13 11:36	11/02/13 21:41	1
4-Bromofluorobenzene	99		50 - 150				10/30/13 11:36	11/02/13 21:41	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 00:59	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 00:59	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 00:59	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 00:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	80		43 - 141				10/31/13 12:39	11/08/13 00:59	1
a,a,a-Trifluorotoluene	93		44 - 134				10/31/13 12:39	11/08/13 00:59	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/04/13 18:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	121		60 - 140				10/31/13 15:07	11/04/13 18:09	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.3		1.0		%	—		10/30/13 17:08	1
Percent Solids	97		1.0		%	—		10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	74		4.1		mg/Kg	☼		11/07/13 05:25	1

Client Sample ID: CVU295-01-5'

Lab Sample ID: 600-81848-2

Date Collected: 10/28/13 12:52

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.7

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/02/13 22:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/02/13 22:07	1
4-Bromofluorobenzene	97		50 - 150				10/30/13 11:36	11/02/13 22:07	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:19	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:19	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:19	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-5'

Lab Sample ID: 600-81848-2

Date Collected: 10/28/13 12:52

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.7

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	84		43 - 141				10/31/13 12:39	11/08/13 01:19	1
a,a,a-Trifluorotoluene	95		44 - 134				10/31/13 12:39	11/08/13 01:19	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/04/13 19:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	112		60 - 140				10/31/13 15:07	11/04/13 19:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.3		1.0		%			10/30/13 17:08	1
Percent Solids	97		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		4.1		mg/Kg	☼		11/07/13 05:44	1

Client Sample ID: CVU295-01-10'

Lab Sample ID: 600-81848-3

Date Collected: 10/28/13 12:53

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.0

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/02/13 22:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/02/13 22:32	1
4-Bromofluorobenzene	98		50 - 150				10/30/13 11:36	11/02/13 22:32	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:39	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:39	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:39	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	81		43 - 141				10/31/13 12:39	11/08/13 01:39	1
a,a,a-Trifluorotoluene	93		44 - 134				10/31/13 12:39	11/08/13 01:39	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.8		mg/Kg	☼	10/31/13 15:07	11/04/13 20:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	110		60 - 140				10/31/13 15:07	11/04/13 20:25	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-10'

Lab Sample ID: 600-81848-3

Date Collected: 10/28/13 12:53

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.0		1.0		%			10/30/13 17:08	1
Percent Solids	94		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		4.3		mg/Kg	☼		11/07/13 06:38	1

Client Sample ID: CVU295-01-15'

Lab Sample ID: 600-81848-4

Date Collected: 10/28/13 12:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 97.5

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/02/13 22:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/02/13 22:57	1
4-Bromofluorobenzene	96		50 - 150				10/30/13 11:36	11/02/13 22:57	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:58	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:58	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:58	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 01:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	80		43 - 141				10/31/13 12:39	11/08/13 01:58	1
a,a,a-Trifluorotoluene	94		44 - 134				10/31/13 12:39	11/08/13 01:58	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.5		mg/Kg	☼	10/31/13 15:07	11/04/13 20:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	122		60 - 140				10/31/13 15:07	11/04/13 20:59	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.5		1.0		%			10/30/13 17:08	1
Percent Solids	97		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.0		4.1		mg/Kg	☼		11/07/13 06:56	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-20'

Lab Sample ID: 600-81848-5

Date Collected: 10/28/13 12:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.0

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/02/13 23:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150				10/30/13 11:36	11/02/13 23:22	1
4-Bromofluorobenzene	97		50 - 150				10/30/13 11:36	11/02/13 23:22	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:18	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:18	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:18	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	80		43 - 141				10/31/13 12:39	11/08/13 02:18	1
a,a,a-Trifluorotoluene	94		44 - 134				10/31/13 12:39	11/08/13 02:18	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/04/13 21:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	103		60 - 140				10/31/13 15:07	11/04/13 21:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.0		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.2		4.2		mg/Kg	☼		11/07/13 07:15	1

Client Sample ID: CVU295-01-25'

Lab Sample ID: 600-81848-6

Date Collected: 10/28/13 12:56

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.5

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/02/13 23:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/02/13 23:47	1
4-Bromofluorobenzene	98		50 - 150				10/30/13 11:36	11/02/13 23:47	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:38	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:38	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:38	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-25'

Lab Sample ID: 600-81848-6

Date Collected: 10/28/13 12:56

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.5

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 02:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	79		43 - 141				10/31/13 12:39	11/08/13 02:38	1
a,a,a-Trifluorotoluene	94		44 - 134				10/31/13 12:39	11/08/13 02:38	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 15:07	11/04/13 22:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	84		60 - 140				10/31/13 15:07	11/04/13 22:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.5		1.0		%			10/30/13 17:08	1
Percent Solids	95		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.6		4.2		mg/Kg	☼		11/07/13 07:33	1

Client Sample ID: CVU295-02-2'

Lab Sample ID: 600-81848-7

Date Collected: 10/28/13 12:00

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 00:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 00:12	1
4-Bromofluorobenzene	97		50 - 150				10/30/13 11:36	11/03/13 00:12	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:38	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:38	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:38	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	80		43 - 141				10/31/13 12:39	11/08/13 03:38	1
a,a,a-Trifluorotoluene	96		44 - 134				10/31/13 12:39	11/08/13 03:38	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/04/13 23:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	119		60 - 140				10/31/13 15:07	11/04/13 23:15	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-2'

Lab Sample ID: 600-81848-7

Date Collected: 10/28/13 12:00

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.1		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	35		4.2		mg/Kg	☼		11/07/13 07:51	1

Client Sample ID: CVU295-02-5'

Lab Sample ID: 600-81848-8

Date Collected: 10/28/13 12:02

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.8

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 00:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150				10/30/13 11:36	11/03/13 00:37	1
4-Bromofluorobenzene	96		50 - 150				10/30/13 11:36	11/03/13 00:37	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:57	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:57	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:57	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 03:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	77		43 - 141				10/31/13 12:39	11/08/13 03:57	1
a,a,a-Trifluorotoluene	93		44 - 134				10/31/13 12:39	11/08/13 03:57	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/04/13 23:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	116		60 - 140				10/31/13 15:07	11/04/13 23:49	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.2		1.0		%			10/30/13 17:08	1
Percent Solids	97		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18		4.1		mg/Kg	☼		11/07/13 08:09	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-10'

Lab Sample ID: 600-81848-9

Date Collected: 10/28/13 12:04

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/03/13 02:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 02:06	1
4-Bromofluorobenzene	94		50 - 150				10/30/13 11:36	11/03/13 02:06	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 07:00	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 07:00	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 07:00	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 07:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	74		43 - 141				10/31/13 12:39	11/08/13 07:00	1
a,a,a-Trifluorotoluene	98		44 - 134				10/31/13 12:39	11/08/13 07:00	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.8		mg/Kg	☼	10/31/13 15:07	11/05/13 00:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	113		60 - 140				10/31/13 15:07	11/05/13 00:23	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.9		1.0		%			10/30/13 17:08	1
Percent Solids	94		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		4.2		mg/Kg	☼		11/08/13 00:15	1

Client Sample ID: CVU295-02-15'

Lab Sample ID: 600-81848-10

Date Collected: 10/28/13 12:06

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 92.4

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/03/13 02:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	106		50 - 150				10/30/13 11:36	11/03/13 02:31	1
4-Bromofluorobenzene	93		50 - 150				10/30/13 11:36	11/03/13 02:31	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 07:21	1
Toluene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 07:21	1
Ethylbenzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 07:21	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-15'

Lab Sample ID: 600-81848-10

Date Collected: 10/28/13 12:06

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 92.4

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 07:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	74		43 - 141	10/31/13 12:39	11/08/13 07:21	1
a,a,a-Trifluorotoluene	95		44 - 134	10/31/13 12:39	11/08/13 07:21	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.0		mg/Kg	☼	10/31/13 15:07	11/05/13 00:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	111		60 - 140	10/31/13 15:07	11/05/13 00:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.6		1.0		%			10/30/13 17:08	1
Percent Solids	92		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.3		4.3		mg/Kg	☼		11/08/13 01:10	1

Client Sample ID: CVU295-02-20'

Lab Sample ID: 600-81848-11

Date Collected: 10/28/13 12:08

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 91.1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/03/13 02:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150	10/30/13 11:36	11/03/13 02:56	1
4-Bromofluorobenzene	92		50 - 150	10/30/13 11:36	11/03/13 02:56	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 08:06	1
Toluene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 08:06	1
Ethylbenzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 08:06	1
Xylenes, Total	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 08:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	74		43 - 141	10/31/13 12:39	11/08/13 08:06	1
a,a,a-Trifluorotoluene	95		44 - 134	10/31/13 12:39	11/08/13 08:06	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.1		mg/Kg	☼	10/31/13 15:07	11/05/13 01:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	109		60 - 140	10/31/13 15:07	11/05/13 01:31	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-20'

Lab Sample ID: 600-81848-11

Date Collected: 10/28/13 12:08

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.9		1.0		%			10/30/13 17:08	1
Percent Solids	91		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.3		4.4		mg/Kg	☼		11/08/13 01:28	1

Client Sample ID: CVU295-02-25'

Lab Sample ID: 600-81848-12

Date Collected: 10/28/13 12:10

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 72.2

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.4		mg/Kg	☼	10/30/13 11:36	11/03/13 03:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150	10/30/13 11:36	11/03/13 03:21	1
4-Bromofluorobenzene	91		50 - 150	10/30/13 11:36	11/03/13 03:21	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.028		mg/Kg	☼	10/31/13 12:39	11/08/13 08:26	1
Toluene	ND		0.028		mg/Kg	☼	10/31/13 12:39	11/08/13 08:26	1
Ethylbenzene	ND		0.028		mg/Kg	☼	10/31/13 12:39	11/08/13 08:26	1
Xylenes, Total	ND		0.028		mg/Kg	☼	10/31/13 12:39	11/08/13 08:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	79		43 - 141	10/31/13 12:39	11/08/13 08:26	1
a,a,a-Trifluorotoluene	94		44 - 134	10/31/13 12:39	11/08/13 08:26	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		11		mg/Kg	☼	10/31/13 15:07	11/05/13 02:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	110		60 - 140	10/31/13 15:07	11/05/13 02:05	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	28		1.0		%			10/30/13 17:08	1
Percent Solids	72		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		5.5		mg/Kg	☼		11/08/13 01:46	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-30'

Lab Sample ID: 600-81848-13

Date Collected: 10/28/13 12:15

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.3

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 03:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 03:45	1
4-Bromofluorobenzene	91		50 - 150				10/30/13 11:36	11/03/13 03:45	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 08:46	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 08:46	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 08:46	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 08:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	81		43 - 141				10/31/13 12:39	11/08/13 08:46	1
a,a,a-Trifluorotoluene	94		44 - 134				10/31/13 12:39	11/08/13 08:46	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/05/13 02:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	98		60 - 140				10/31/13 15:07	11/05/13 02:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.7		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.8		4.2		mg/Kg	☼		11/08/13 02:04	1

Client Sample ID: CVU295-03-2'

Lab Sample ID: 600-81848-14

Date Collected: 10/28/13 15:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 92.8

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/03/13 04:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 04:10	1
4-Bromofluorobenzene	91		50 - 150				10/30/13 11:36	11/03/13 04:10	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 14:24	1
Toluene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 14:24	1
Ethylbenzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 14:24	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-2'

Lab Sample ID: 600-81848-14

Date Collected: 10/28/13 15:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 92.8

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 14:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	90		43 - 141	10/31/13 12:39	11/08/13 14:24	1
a,a,a-Trifluorotoluene	93		44 - 134	10/31/13 12:39	11/08/13 14:24	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.9		mg/Kg	☼	10/31/13 15:07	11/05/13 03:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	118		60 - 140	10/31/13 15:07	11/05/13 03:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.1		1.0		%			10/30/13 17:08	1
Percent Solids	93		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	66		4.3		mg/Kg	☼		11/08/13 02:22	1

Client Sample ID: CVU295-03-5'

Lab Sample ID: 600-81848-15

Date Collected: 10/28/13 15:51

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/03/13 04:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150	10/30/13 11:36	11/03/13 04:35	1
4-Bromofluorobenzene	89		50 - 150	10/30/13 11:36	11/03/13 04:35	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 09:06	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 09:06	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 09:06	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 09:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	85		43 - 141	10/31/13 12:39	11/08/13 09:06	1
a,a,a-Trifluorotoluene	96		44 - 134	10/31/13 12:39	11/08/13 09:06	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 15:07	11/05/13 03:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	110		60 - 140	10/31/13 15:07	11/05/13 03:47	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-5'

Lab Sample ID: 600-81848-15

Date Collected: 10/28/13 15:51

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.9		1.0		%			10/30/13 17:08	1
Percent Solids	95		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33		4.2		mg/Kg	☼		11/08/13 03:17	1

Client Sample ID: CVU295-03-10'

Lab Sample ID: 600-81848-16

Date Collected: 10/28/13 15:52

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 98.2

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 04:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 04:59	1
4-Bromofluorobenzene	90		50 - 150				10/30/13 11:36	11/03/13 04:59	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020		mg/Kg	☼	10/31/13 12:39	11/08/13 09:26	1
Toluene	ND		0.020		mg/Kg	☼	10/31/13 12:39	11/08/13 09:26	1
Ethylbenzene	ND		0.020		mg/Kg	☼	10/31/13 12:39	11/08/13 09:26	1
Xylenes, Total	ND		0.020		mg/Kg	☼	10/31/13 12:39	11/08/13 09:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	86		43 - 141				10/31/13 12:39	11/08/13 09:26	1
a,a,a-Trifluorotoluene	96		44 - 134				10/31/13 12:39	11/08/13 09:26	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.4		mg/Kg	☼	10/31/13 15:07	11/05/13 04:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	117		60 - 140				10/31/13 15:07	11/05/13 04:21	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	1.8		1.0		%			10/30/13 17:08	1
Percent Solids	98		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.5		4.1		mg/Kg	☼		11/08/13 03:35	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-15'

Lab Sample ID: 600-81848-17

Date Collected: 10/28/13 15:54

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 89.9

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/30/13 11:36	11/03/13 06:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 06:13	1
4-Bromofluorobenzene	89		50 - 150				10/30/13 11:36	11/03/13 06:13	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 09:46	1
Toluene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 09:46	1
Ethylbenzene	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 09:46	1
Xylenes, Total	ND		0.022		mg/Kg	☼	10/31/13 12:39	11/08/13 09:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	80		43 - 141				10/31/13 12:39	11/08/13 09:46	1
a,a,a-Trifluorotoluene	95		44 - 134				10/31/13 12:39	11/08/13 09:46	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2		mg/Kg	☼	10/31/13 15:07	11/05/13 05:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	117		60 - 140				10/31/13 15:07	11/05/13 05:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	10		1.0		%			10/30/13 17:08	1
Percent Solids	90		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.6		4.5		mg/Kg	☼		11/08/13 03:53	1

Client Sample ID: CVU295-03-20'

Lab Sample ID: 600-81848-18

Date Collected: 10/28/13 15:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.7

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 06:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 06:37	1
4-Bromofluorobenzene	87		50 - 150				10/30/13 11:36	11/03/13 06:37	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 10:43	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 10:43	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 10:43	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-20'

Lab Sample ID: 600-81848-18

Date Collected: 10/28/13 15:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.7

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 10:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	82		43 - 141	10/31/13 12:39	11/08/13 10:43	1
a,a,a-Trifluorotoluene	94		44 - 134	10/31/13 12:39	11/08/13 10:43	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 15:07	11/05/13 06:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	105		60 - 140	10/31/13 15:07	11/05/13 06:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.3		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.1		4.2		mg/Kg	☼		11/08/13 04:12	1

Client Sample ID: CVU295-03-25'

Lab Sample ID: 600-81848-19

Date Collected: 10/28/13 15:58

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 07:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150	10/30/13 11:36	11/03/13 07:02	1
4-Bromofluorobenzene	87		50 - 150	10/30/13 11:36	11/03/13 07:02	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:03	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:03	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:03	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	81		43 - 141	10/31/13 12:39	11/08/13 11:03	1
a,a,a-Trifluorotoluene	99		44 - 134	10/31/13 12:39	11/08/13 11:03	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 15:07	11/05/13 06:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	117		60 - 140	10/31/13 15:07	11/05/13 06:38	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-25'

Lab Sample ID: 600-81848-19

Date Collected: 10/28/13 15:58

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.1		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.2		4.2		mg/Kg	☼		11/08/13 04:30	1

Client Sample ID: CVU295-03-30'

Lab Sample ID: 600-81848-20

Date Collected: 10/28/13 16:00

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.8

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/30/13 11:36	11/03/13 07:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/30/13 11:36	11/03/13 07:26	1
4-Bromofluorobenzene	85		50 - 150				10/30/13 11:36	11/03/13 07:26	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:23	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:23	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:23	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:39	11/08/13 11:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	85		43 - 141				10/31/13 12:39	11/08/13 11:23	1
a,a,a-Trifluorotoluene	98		44 - 134				10/31/13 12:39	11/08/13 11:23	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 15:07	11/05/13 07:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	111		60 - 140				10/31/13 15:07	11/05/13 07:12	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.2		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		4.2		mg/Kg	☼		11/08/13 05:24	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-2'

Lab Sample ID: 600-81848-21

Date Collected: 10/28/13 11:20

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 16:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	102		50 - 150				10/31/13 12:10	11/04/13 16:48	1
4-Bromofluorobenzene	92		50 - 150				10/31/13 12:10	11/04/13 16:48	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:30	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:30	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:30	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		43 - 141				10/31/13 12:50	11/08/13 18:30	1
a,a,a-Trifluorotoluene	95		44 - 134				10/31/13 12:50	11/08/13 18:30	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 18:44	11/05/13 08:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	113		60 - 140				10/31/13 18:44	11/05/13 08:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.9		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21		4.2		mg/Kg	☼		11/08/13 05:43	1

Client Sample ID: CVU295-04-5'

Lab Sample ID: 600-81848-22

Date Collected: 10/28/13 11:21

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.2

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 17:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150				10/31/13 12:10	11/04/13 17:14	1
4-Bromofluorobenzene	95		50 - 150				10/31/13 12:10	11/04/13 17:14	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:50	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:50	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:50	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-5'

Lab Sample ID: 600-81848-22

Date Collected: 10/28/13 11:21

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.2

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 18:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	86		43 - 141	10/31/13 12:50	11/08/13 18:50	1
a,a,a-Trifluorotoluene	97		44 - 134	10/31/13 12:50	11/08/13 18:50	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 18:44	11/05/13 13:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	94		60 - 140	10/31/13 18:44	11/05/13 13:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.8		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22		4.2		mg/Kg	☼		11/08/13 06:01	1

Client Sample ID: CVU295-04-10'

Lab Sample ID: 600-81848-23

Date Collected: 10/28/13 11:23

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 17:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150	10/31/13 12:10	11/04/13 17:39	1
4-Bromofluorobenzene	96		50 - 150	10/31/13 12:10	11/04/13 17:39	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:10	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:10	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:10	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	83		43 - 141	10/31/13 12:50	11/08/13 19:10	1
a,a,a-Trifluorotoluene	96		44 - 134	10/31/13 12:50	11/08/13 19:10	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 18:44	11/05/13 14:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	118		60 - 140	10/31/13 18:44	11/05/13 14:14	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-10'

Lab Sample ID: 600-81848-23

Date Collected: 10/28/13 11:23

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.9		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		4.2		mg/Kg	☼		11/08/13 06:55	1

Client Sample ID: CVU295-04-15'

Lab Sample ID: 600-81848-24

Date Collected: 10/28/13 11:25

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.4

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/31/13 12:10	11/04/13 18:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 18:04	1
4-Bromofluorobenzene	95		50 - 150				10/31/13 12:10	11/04/13 18:04	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:30	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:30	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:30	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	86		43 - 141				10/31/13 12:50	11/08/13 19:30	1
a,a,a-Trifluorotoluene	96		44 - 134				10/31/13 12:50	11/08/13 19:30	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.8		mg/Kg	☼	10/31/13 18:44	11/05/13 14:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	114		60 - 140				10/31/13 18:44	11/05/13 14:48	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.6		1.0		%			10/30/13 17:08	1
Percent Solids	94		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20		4.2		mg/Kg	☼		11/08/13 07:14	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-20'

Lab Sample ID: 600-81848-25

Date Collected: 10/28/13 11:28

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.2

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/31/13 12:10	11/04/13 18:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 18:29	1
4-Bromofluorobenzene	96		50 - 150				10/31/13 12:10	11/04/13 18:29	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:50	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:50	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:50	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 19:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	85		43 - 141				10/31/13 12:50	11/08/13 19:50	1
a,a,a-Trifluorotoluene	95		44 - 134				10/31/13 12:50	11/08/13 19:50	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.8		mg/Kg	☼	10/31/13 18:44	11/05/13 15:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	109		60 - 140				10/31/13 18:44	11/05/13 15:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.8		1.0		%			10/30/13 17:08	1
Percent Solids	94		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18		4.2		mg/Kg	☼		11/08/13 07:32	1

Client Sample ID: CVU295-04-25'

Lab Sample ID: 600-81848-26

Date Collected: 10/28/13 11:30

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.6

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 18:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 18:54	1
4-Bromofluorobenzene	96		50 - 150				10/31/13 12:10	11/04/13 18:54	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 20:10	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 20:10	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 20:10	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-25'

Lab Sample ID: 600-81848-26

Date Collected: 10/28/13 11:30

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.6

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 20:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	86		43 - 141	10/31/13 12:50	11/08/13 20:10	1
a,a,a-Trifluorotoluene	97		44 - 134	10/31/13 12:50	11/08/13 20:10	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 18:44	11/05/13 15:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	110		60 - 140	10/31/13 18:44	11/05/13 15:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.4		1.0		%			10/30/13 17:08	1
Percent Solids	97		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.3		4.1		mg/Kg	☼		11/08/13 07:50	1

Client Sample ID: CVU295-04-30'

Lab Sample ID: 600-81848-27

Date Collected: 10/28/13 11:32

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.5

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 21:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150	10/31/13 12:10	11/04/13 21:00	1
4-Bromofluorobenzene	95		50 - 150	10/31/13 12:10	11/04/13 21:00	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 21:49	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 21:49	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 21:49	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 21:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	87		43 - 141	10/31/13 12:50	11/08/13 21:49	1
a,a,a-Trifluorotoluene	95		44 - 134	10/31/13 12:50	11/08/13 21:49	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 18:44	11/05/13 16:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	104		60 - 140	10/31/13 18:44	11/05/13 16:29	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-30'

Lab Sample ID: 600-81848-27

Date Collected: 10/28/13 11:32

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.5		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		4.2		mg/Kg	☼		11/08/13 08:08	1

Client Sample ID: CVU295-05-2'

Lab Sample ID: 600-81848-28

Date Collected: 10/28/13 10:40

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 93.1

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/31/13 12:10	11/04/13 21:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 21:25	1
4-Bromofluorobenzene	93		50 - 150				10/31/13 12:10	11/04/13 21:25	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:09	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:09	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:09	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	87		43 - 141				10/31/13 12:50	11/08/13 22:09	1
a,a,a-Trifluorotoluene	97		44 - 134				10/31/13 12:50	11/08/13 22:09	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.9		mg/Kg	☼	10/31/13 18:44	11/05/13 17:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	108		60 - 140				10/31/13 18:44	11/05/13 17:03	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.9		1.0		%			10/30/13 17:08	1
Percent Solids	93		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	48		4.3		mg/Kg	☼		11/08/13 08:27	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-5'

Lab Sample ID: 600-81848-29

Date Collected: 10/28/13 10:41

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 81.5

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.2		mg/Kg	☼	10/31/13 12:10	11/04/13 21:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 21:50	1
4-Bromofluorobenzene	96		50 - 150				10/31/13 12:10	11/04/13 21:50	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025		mg/Kg	☼	10/31/13 12:50	11/08/13 22:29	1
Toluene	ND		0.025		mg/Kg	☼	10/31/13 12:50	11/08/13 22:29	1
Ethylbenzene	ND		0.025		mg/Kg	☼	10/31/13 12:50	11/08/13 22:29	1
Xylenes, Total	ND		0.025		mg/Kg	☼	10/31/13 12:50	11/08/13 22:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		43 - 141				10/31/13 12:50	11/08/13 22:29	1
a,a,a-Trifluorotoluene	96		44 - 134				10/31/13 12:50	11/08/13 22:29	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10		mg/Kg	☼	10/31/13 18:44	11/05/13 17:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	110		60 - 140				10/31/13 18:44	11/05/13 17:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	19		1.0		%			10/30/13 17:08	1
Percent Solids	81		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	56		4.9		mg/Kg	☼		11/08/13 09:21	1

Client Sample ID: CVU295-05-10'

Lab Sample ID: 600-81848-30

Date Collected: 10/28/13 10:42

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 22:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 22:16	1
4-Bromofluorobenzene	95		50 - 150				10/31/13 12:10	11/04/13 22:16	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:49	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:49	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:49	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-10'

Lab Sample ID: 600-81848-30

Date Collected: 10/28/13 10:42

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 22:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		43 - 141	10/31/13 12:50	11/08/13 22:49	1
a,a,a-Trifluorotoluene	96		44 - 134	10/31/13 12:50	11/08/13 22:49	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.6		mg/Kg	☼	10/31/13 18:44	11/05/13 18:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	114		60 - 140	10/31/13 18:44	11/05/13 18:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.1		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		4.2		mg/Kg	☼		11/08/13 10:52	1

Client Sample ID: CVU295-05-15'

Lab Sample ID: 600-81848-31

Date Collected: 10/28/13 10:44

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.4

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 22:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	104		50 - 150	10/31/13 12:10	11/04/13 22:41	1
4-Bromofluorobenzene	95		50 - 150	10/31/13 12:10	11/04/13 22:41	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:09	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:09	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:09	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		43 - 141	10/31/13 12:50	11/08/13 23:09	1
a,a,a-Trifluorotoluene	97		44 - 134	10/31/13 12:50	11/08/13 23:09	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 18:44	11/05/13 18:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	114		60 - 140	10/31/13 18:44	11/05/13 18:45	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-15'

Lab Sample ID: 600-81848-31

Date Collected: 10/28/13 10:44

Matrix: Solid

Date Received: 10/30/13 10:17

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.6		1.0		%			10/30/13 17:08	1
Percent Solids	95		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17		4.2		mg/Kg	☼		11/08/13 11:10	1

Client Sample ID: CVU295-05-20'

Lab Sample ID: 600-81848-32

Date Collected: 10/28/13 10:45

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.4

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/31/13 12:10	11/04/13 23:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	106		50 - 150				10/31/13 12:10	11/04/13 23:06	1
4-Bromofluorobenzene	98		50 - 150				10/31/13 12:10	11/04/13 23:06	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:29	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:29	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:29	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	88		43 - 141				10/31/13 12:50	11/08/13 23:29	1
a,a,a-Trifluorotoluene	93		44 - 134				10/31/13 12:50	11/08/13 23:29	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.8		mg/Kg	☼	10/31/13 18:44	11/05/13 19:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	115		60 - 140				10/31/13 18:44	11/05/13 19:18	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.6		1.0		%			10/30/13 17:08	1
Percent Solids	94		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26		4.2		mg/Kg	☼		11/08/13 11:29	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-25'

Lab Sample ID: 600-81848-33

Date Collected: 10/28/13 10:47

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg	☼	10/31/13 12:10	11/04/13 23:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 23:31	1
4-Bromofluorobenzene	96		50 - 150				10/31/13 12:10	11/04/13 23:31	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:49	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:49	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:49	1
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/08/13 23:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		43 - 141				10/31/13 12:50	11/08/13 23:49	1
a,a,a-Trifluorotoluene	97		44 - 134				10/31/13 12:50	11/08/13 23:49	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 18:44	11/05/13 20:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	113		60 - 140				10/31/13 18:44	11/05/13 20:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.1		1.0		%			10/30/13 17:08	1
Percent Solids	96		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		4.2		mg/Kg	☼		11/08/13 11:47	1

Client Sample ID: CVU295-05-30'

Lab Sample ID: 600-81848-34

Date Collected: 10/28/13 10:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.9

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.1		mg/Kg	☼	10/31/13 12:10	11/04/13 23:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	105		50 - 150				10/31/13 12:10	11/04/13 23:56	1
4-Bromofluorobenzene	97		50 - 150				10/31/13 12:10	11/04/13 23:56	1

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/09/13 00:09	1
Toluene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/09/13 00:09	1
Ethylbenzene	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/09/13 00:09	1

TestAmerica Houston

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-30'

Lab Sample ID: 600-81848-34

Date Collected: 10/28/13 10:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.9

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.021		mg/Kg	☼	10/31/13 12:50	11/09/13 00:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	91		43 - 141				10/31/13 12:50	11/09/13 00:09	1
a,a,a-Trifluorotoluene	97		44 - 134				10/31/13 12:50	11/09/13 00:09	1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.7		mg/Kg	☼	10/31/13 18:44	11/05/13 21:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	101		60 - 140				10/31/13 18:44	11/05/13 21:02	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.1		1.0		%			10/30/13 17:08	1
Percent Solids	95		1.0		%			10/30/13 17:08	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		4.2		mg/Kg	☼		11/08/13 12:05	1

Definitions/Glossary

Client: ARCADIS U.S., Inc.

Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		TFT1 (50-150)	BFB1 (50-150)
600-81848-1	CVU295-01-2'	104	99
600-81848-1 MS	CVU295-01-2'	105	108
600-81848-1 MSD	CVU295-01-2'	107	106
600-81848-2	CVU295-01-5'	105	97
600-81848-3	CVU295-01-10'	105	98
600-81848-4	CVU295-01-15'	105	96
600-81848-5	CVU295-01-20'	104	97
600-81848-6	CVU295-01-25'	105	98
600-81848-7	CVU295-02-2'	105	97
600-81848-8	CVU295-02-5'	104	96
600-81848-9	CVU295-02-10'	105	94
600-81848-10	CVU295-02-15'	106	93
600-81848-11	CVU295-02-20'	104	92
600-81848-12	CVU295-02-25'	104	91
600-81848-13	CVU295-02-30'	105	91
600-81848-14	CVU295-03-2'	105	91
600-81848-15	CVU295-03-5'	105	89
600-81848-16	CVU295-03-10'	105	90
600-81848-17	CVU295-03-15'	105	89
600-81848-18	CVU295-03-20'	105	87
600-81848-19	CVU295-03-25'	105	87
600-81848-20	CVU295-03-30'	105	85
600-81848-21	CVU295-04-2'	102	92
600-81848-21 MS	CVU295-04-2'	108	108
600-81848-21 MSD	CVU295-04-2'	106	103
600-81848-22	CVU295-04-5'	104	95
600-81848-23	CVU295-04-10'	104	96
600-81848-24	CVU295-04-15'	105	95
600-81848-25	CVU295-04-20'	105	96
600-81848-26	CVU295-04-25'	105	96
600-81848-27	CVU295-04-30'	104	95
600-81848-28	CVU295-05-2'	105	93
600-81848-29	CVU295-05-5'	105	96
600-81848-30	CVU295-05-10'	105	95
600-81848-31	CVU295-05-15'	104	95
600-81848-32	CVU295-05-20'	106	98
600-81848-33	CVU295-05-25'	105	96
600-81848-34	CVU295-05-30'	105	97
LCS 600-119583/1-A	Lab Control Sample	107	98
MB 600-119580/2-A	Method Blank	103	104
MB 600-119583/2-A	Method Blank	103	94

Surrogate Legend

TFT = a,a,a-Trifluorotoluene

BFB = 4-Bromofluorobenzene

TestAmerica Houston

Surrogate Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
		TFT1	BFB1				
Lab Sample ID	Client Sample ID						
LCS 600-120175/2	Lab Control Sample						
Surrogate Legend							
TFT = a,a,a-Trifluorotoluene							
BFB = 4-Bromofluorobenzene							

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
		BFB1	TFT1				
Lab Sample ID	Client Sample ID	(43-141)	(44-134)				
600-81848-1	CVU295-01-2'	80	93				
600-81848-1 MS	CVU295-01-2'	81	93				
600-81848-1 MSD	CVU295-01-2'	85	93				
600-81848-2	CVU295-01-5'	84	95				
600-81848-3	CVU295-01-10'	81	93				
600-81848-4	CVU295-01-15'	80	94				
600-81848-5	CVU295-01-20'	80	94				
600-81848-6	CVU295-01-25'	79	94				
600-81848-7	CVU295-02-2'	80	96				
600-81848-8	CVU295-02-5'	77	93				
600-81848-9	CVU295-02-10'	74	98				
600-81848-10	CVU295-02-15'	74	95				
600-81848-11	CVU295-02-20'	74	95				
600-81848-12	CVU295-02-25'	79	94				
600-81848-13	CVU295-02-30'	81	94				
600-81848-14	CVU295-03-2'	90	93				
600-81848-15	CVU295-03-5'	85	96				
600-81848-16	CVU295-03-10'	86	96				
600-81848-17	CVU295-03-15'	80	95				
600-81848-18	CVU295-03-20'	82	94				
600-81848-19	CVU295-03-25'	81	99				
600-81848-20	CVU295-03-30'	85	98				
600-81848-21	CVU295-04-2'	88	95				
600-81848-21 MS	CVU295-04-2'	88	92				
600-81848-21 MSD	CVU295-04-2'	86	98				
600-81848-22	CVU295-04-5'	86	97				
600-81848-23	CVU295-04-10'	83	96				
600-81848-24	CVU295-04-15'	86	96				
600-81848-25	CVU295-04-20'	85	95				
600-81848-26	CVU295-04-25'	86	97				
600-81848-27	CVU295-04-30'	87	95				
600-81848-28	CVU295-05-2'	87	97				
600-81848-29	CVU295-05-5'	88	96				
600-81848-30	CVU295-05-10'	91	96				
600-81848-31	CVU295-05-15'	92	97				
600-81848-32	CVU295-05-20'	88	93				
600-81848-33	CVU295-05-25'	91	97				

TestAmerica Houston

Surrogate Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (43-141)	TFT1 (44-134)
600-81848-34	CVU295-05-30'	91	97
LCS 600-119589/1-A	Lab Control Sample	85	90
LCS 600-119594/1-A	Lab Control Sample	86	94
MB 600-119589/2-A	Method Blank	86	91
MB 600-119594/2-A	Method Blank	89	93
Surrogate Legend			
BFB = 4-Bromofluorobenzene			
TFT = a,a,a-Trifluorotoluene			

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	OTPH1 (60-140)	
600-81848-1	CVU295-01-2'	121	
600-81848-1 MS	CVU295-01-2'	142 X	
600-81848-1 MSD	CVU295-01-2'	137	
600-81848-2	CVU295-01-5'	112	
600-81848-3	CVU295-01-10'	110	
600-81848-4	CVU295-01-15'	122	
600-81848-5	CVU295-01-20'	103	
600-81848-6	CVU295-01-25'	84	
600-81848-7	CVU295-02-2'	119	
600-81848-8	CVU295-02-5'	116	
600-81848-9	CVU295-02-10'	113	
600-81848-10	CVU295-02-15'	111	
600-81848-11	CVU295-02-20'	109	
600-81848-12	CVU295-02-25'	110	
600-81848-13	CVU295-02-30'	98	
600-81848-14	CVU295-03-2'	118	
600-81848-15	CVU295-03-5'	110	
600-81848-16	CVU295-03-10'	117	
600-81848-17	CVU295-03-15'	117	
600-81848-18	CVU295-03-20'	105	
600-81848-19	CVU295-03-25'	117	
600-81848-20	CVU295-03-30'	111	
600-81848-21	CVU295-04-2'	113	
600-81848-21 MS	CVU295-04-2'	133	
600-81848-21 MSD	CVU295-04-2'	132	
600-81848-22	CVU295-04-5'	94	
600-81848-23	CVU295-04-10'	118	
600-81848-24	CVU295-04-15'	114	
600-81848-25	CVU295-04-20'	109	
600-81848-26	CVU295-04-25'	110	
600-81848-27	CVU295-04-30'	104	
600-81848-28	CVU295-05-2'	108	
600-81848-29	CVU295-05-5'	110	

TestAmerica Houston

Surrogate Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	OTPH1 (60-140)	
600-81848-30	CVU295-05-10'	114	
600-81848-31	CVU295-05-15'	114	
600-81848-32	CVU295-05-20'	115	
600-81848-33	CVU295-05-25'	113	
600-81848-34	CVU295-05-30'	101	
LCS 600-119380/2-A	Lab Control Sample	144 X	
LCS 600-119399/2-A	Lab Control Sample	135	
MB 600-119380/1-A	Method Blank	130	
MB 600-119399/1-A	Method Blank	130	

Surrogate Legend

OTPH = o-Terphenyl

QC Sample Results

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 600-119580/2-A

Matrix: Solid

Analysis Batch: 120175

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119580

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg		10/30/13 11:36	11/02/13 21:16	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	103		50 - 150	10/30/13 11:36	11/02/13 21:16	1
4-Bromofluorobenzene	104		50 - 150	10/30/13 11:36	11/02/13 21:16	1

Lab Sample ID: 600-81848-1 MS

Matrix: Solid

Analysis Batch: 120175

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119580

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
WI Gasoline Range Organics (C6-C10)	ND		5.19	4.64		mg/Kg	☼	90	50 - 150

Surrogate	MS %Recovery	MS Qualifier	Limits
a,a,a-Trifluorotoluene	105		50 - 150
4-Bromofluorobenzene	108		50 - 150

Lab Sample ID: 600-81848-1 MSD

Matrix: Solid

Analysis Batch: 120175

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119580

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
WI Gasoline Range Organics (C6-C10)	ND		5.19	4.60		mg/Kg	☼	89	50 - 150	1	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
a,a,a-Trifluorotoluene	107		50 - 150
4-Bromofluorobenzene	106		50 - 150

Lab Sample ID: MB 600-119583/2-A

Matrix: Solid

Analysis Batch: 120330

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119583

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
WI Gasoline Range Organics (C6-C10)	ND		1.0		mg/Kg		10/31/13 12:10	11/04/13 15:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	103		50 - 150	10/31/13 12:10	11/04/13 15:49	1
4-Bromofluorobenzene	94		50 - 150	10/31/13 12:10	11/04/13 15:49	1

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 600-119583/1-A

Matrix: Solid

Analysis Batch: 120330

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119583

			Spike	LCS	LCS				%Rec.		
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits		
WI Gasoline Range Organics (C6-C10)			5.00	4.47		mg/Kg		89	49 - 151		
Surrogate	LCS		Limits								
	%Recovery	Qualifier									
a,a,a-Trifluorotoluene	107		50 - 150								
4-Bromofluorobenzene	98		50 - 150								

Lab Sample ID: 600-81848-21 MS

Matrix: Solid

Analysis Batch: 120330

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119583

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
WI Gasoline Range Organics (C6-C10)	ND		5.22	4.38		mg/Kg	☼	84	50 - 150		
Surrogate	MS %Recovery	MS Qualifier	Limits								
a,a,a-Trifluorotoluene	108		50 - 150								
4-Bromofluorobenzene	108		50 - 150								

Lab Sample ID: 600-81848-21 MSD

Matrix: Solid

Analysis Batch: 120330

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119583

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
WI Gasoline Range Organics (C6-C10)	ND		5.22	4.22		mg/Kg	☼	81	50 - 150	4	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
a,a,a-Trifluorotoluene	106		50 - 150								
4-Bromofluorobenzene	103		50 - 150								

Lab Sample ID: LCS 600-120175/2

Matrix: Solid

Analysis Batch: 120175

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	%Recovery	LCS Qualifier	Limits
a,a,a-Trifluorotoluene			
4-Bromofluorobenzene			

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 600-119589/2-A

Matrix: Solid

Analysis Batch: 120652

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119589

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020		mg/Kg		10/31/13 12:39	11/08/13 00:39	1

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 600-119589/2-A

Matrix: Solid

Analysis Batch: 120652

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119589

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		0.020		mg/Kg		10/31/13 12:39	11/08/13 00:39	1
Ethylbenzene	ND		0.020		mg/Kg		10/31/13 12:39	11/08/13 00:39	1
Xylenes, Total	ND		0.020		mg/Kg		10/31/13 12:39	11/08/13 00:39	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	86		43 - 141				10/31/13 12:39	11/08/13 00:39	1
a,a,a-Trifluorotoluene	91		44 - 134				10/31/13 12:39	11/08/13 00:39	1

Lab Sample ID: LCS 600-119589/1-A

Matrix: Solid

Analysis Batch: 120652

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119589

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	1.00	1.03		mg/Kg		102	69 - 133
Toluene	1.00	0.986		mg/Kg		98	70 - 134
Ethylbenzene	1.00	0.962		mg/Kg		96	71 - 139
Xylenes, Total	3.01	2.88		mg/Kg		96	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	85		43 - 141				
a,a,a-Trifluorotoluene	90		44 - 134				

Lab Sample ID: 600-81848-1 MS

Matrix: Solid

Analysis Batch: 120652

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119589

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		1.03	0.964		mg/Kg	☼	93	50 - 150
Toluene	ND		1.03	0.981		mg/Kg	☼	95	50 - 150
Ethylbenzene	ND		1.03	0.967		mg/Kg	☼	93	50 - 150
Xylenes, Total	ND		3.10	2.90		mg/Kg	☼	94	50 - 150
Surrogate	%Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene	81		43 - 141						
a,a,a-Trifluorotoluene	93		44 - 134						

Lab Sample ID: 600-81848-1 MSD

Matrix: Solid

Analysis Batch: 120652

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119589

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		1.03	0.976		mg/Kg	☼	94	50 - 150	1	20
Toluene	ND		1.03	1.01		mg/Kg	☼	98	50 - 150	3	20
Ethylbenzene	ND		1.03	1.01		mg/Kg	☼	98	50 - 150	5	20
Xylenes, Total	ND		3.10	2.99		mg/Kg	☼	96	50 - 150	3	20

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 600-81848-1 MSD

Matrix: Solid

Analysis Batch: 120652

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119589

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	85		43 - 141
a,a,a-Trifluorotoluene	93		44 - 134

Lab Sample ID: MB 600-119594/2-A

Matrix: Solid

Analysis Batch: 120774

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119594

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.020		mg/Kg		10/31/13 12:50	11/08/13 18:11	1
Toluene	ND		0.020		mg/Kg		10/31/13 12:50	11/08/13 18:11	1
Ethylbenzene	ND		0.020		mg/Kg		10/31/13 12:50	11/08/13 18:11	1
Xylenes, Total	ND		0.020		mg/Kg		10/31/13 12:50	11/08/13 18:11	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
4-Bromofluorobenzene	89		43 - 141	10/31/13 12:50	11/08/13 18:11	1			
a,a,a-Trifluorotoluene	93		44 - 134	10/31/13 12:50	11/08/13 18:11	1			

Lab Sample ID: LCS 600-119594/1-A

Matrix: Solid

Analysis Batch: 120774

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119594

		Spike	LCS	LCS					%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Benzene	1.00	0.962		mg/Kg		96	69 - 133		
Toluene	1.00	0.976		mg/Kg		97	70 - 134		
Ethylbenzene	1.00	0.980		mg/Kg		98	71 - 139		
Xylenes, Total	3.01	2.89		mg/Kg		96	70 - 130		

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	86		43 - 141
a,a,a-Trifluorotoluene	94		44 - 134

Lab Sample ID: 600-81848-21 MS

Matrix: Solid

Analysis Batch: 120774

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119594

	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	ND		1.04	1.09		mg/Kg	☼	104	50 - 150
Toluene	ND		1.04	1.09		mg/Kg	☼	105	50 - 150
Ethylbenzene	ND		1.04	1.10		mg/Kg	☼	106	50 - 150
Xylenes, Total	ND		3.12	3.28		mg/Kg	☼	105	50 - 150

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	88		43 - 141
a,a,a-Trifluorotoluene	92		44 - 134

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 600-81848-21 MSD

Matrix: Solid

Analysis Batch: 120774

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119594

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	ND		1.04	1.05		mg/Kg	☼	101	50 - 150	3	20
Toluene	ND		1.04	1.11		mg/Kg	☼	107	50 - 150	2	20
Ethylbenzene	ND		1.04	1.16		mg/Kg	☼	111	50 - 150	5	20
Xylenes, Total	ND		3.12	3.37		mg/Kg	☼	108	50 - 150	3	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene	86		43 - 141
a,a,a-Trifluorotoluene	98		44 - 134

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 600-119380/1-A

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119380

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.3		mg/Kg		10/31/13 15:07	11/04/13 17:07	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	130		60 - 140	10/31/13 15:07	11/04/13 17:07	1

Lab Sample ID: LCS 600-119380/2-A

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119380

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	33.3	35.3		mg/Kg		106	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
o-Terphenyl	144	X	60 - 140

Lab Sample ID: 600-81848-1 MS

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119380

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	ND		34.5	32.0		mg/Kg	☼	93	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
o-Terphenyl	142	X	60 - 140

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 600-81848-1 MSD

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: CVU295-01-2'

Prep Type: Total/NA

Prep Batch: 119380

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		34.4	30.7		mg/Kg	☼	89	70 - 130	4	30
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
<i>o</i> -Terphenyl	137		60 - 140								

Lab Sample ID: MB 600-119399/1-A

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119399

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		8.3		mg/Kg		10/31/13 18:44	11/05/13 07:46	1
Surrogate	MB %Recovery	MB Qualifier	Limits						
<i>o</i> -Terphenyl	130		60 - 140						
							Prepared	Analyzed	Dil Fac
							10/31/13 18:44	11/05/13 07:46	1

Lab Sample ID: LCS 600-119399/2-A

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119399

			Spike	LCS	LCS				%Rec.		
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits		
Diesel Range Organics [C10-C28]			33.3	32.7		mg/Kg	-	98	70 - 130		
	</										

Lab Sample ID: 600-81848-21 MS

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119399

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Diesel Range Organics [C10-C28]	ND		34.7	33.3		mg/Kg	☼	96	70 - 130		
Surrogate	MS %Recovery	MS Qualifier	Limits								
<i>o</i> -Terphenyl	133		60 - 140								

Lab Sample ID: 600-81848-21 MSD

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119399

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		34.6	34.2		mg/Kg	☼	99	70 - 130	3	30

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 600-81848-21 MSD

Matrix: Solid

Analysis Batch: 119755

Client Sample ID: CVU295-04-2'

Prep Type: Total/NA

Prep Batch: 119399

Surrogate	MSD %Recovery	MSD Qualifier	Limits
<i>o</i> -Terphenyl	132		60 - 140

Method: 9056 - Anions, Ion Chromatography

Lab Sample ID: MB 600-119811/1-A

Matrix: Solid

Analysis Batch: 119890

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			11/07/13 03:00	1

Lab Sample ID: LCS 600-119811/2-A

Matrix: Solid

Analysis Batch: 119890

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	184		mg/Kg		92	90 - 110

Lab Sample ID: MB 600-119905/1-A

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			11/07/13 23:39	1

Lab Sample ID: MB 600-119905/27-A

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			11/08/13 08:45	1

Lab Sample ID: LCS 600-119905/28-A

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	194		mg/Kg		97	90 - 110

Lab Sample ID: LCS 600-119905/2-A

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	186		mg/Kg		93	90 - 110

TestAmerica Houston

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Method: 9056 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 600-81848-9 MS

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: CVU295-02-10'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	16		106	102		mg/Kg	☼	82	80 - 120

Lab Sample ID: 600-81848-9 MSD

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: CVU295-02-10'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	16		106	103		mg/Kg	☼	82	80 - 120	1	20

Lab Sample ID: 600-81848-19 MS

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: CVU295-03-25'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	8.2		104	91.3		mg/Kg	☼	80	80 - 120

Lab Sample ID: 600-81848-19 MSD

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: CVU295-03-25'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	8.2		104	107		mg/Kg	☼	94	80 - 120	15	20

Lab Sample ID: 600-81848-29 MS

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: CVU295-05-5'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	56		123	164		mg/Kg	☼	88	80 - 120

Lab Sample ID: 600-81848-29 MSD

Matrix: Solid

Analysis Batch: 120006

Client Sample ID: CVU295-05-5'

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	56		123	168		mg/Kg	☼	91	80 - 120	3	20

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

GC VOA

Prep Batch: 119580

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	5030B	
600-81848-1 MS	CVU295-01-2'	Total/NA	Solid	5030B	
600-81848-1 MSD	CVU295-01-2'	Total/NA	Solid	5030B	
600-81848-2	CVU295-01-5'	Total/NA	Solid	5030B	
600-81848-3	CVU295-01-10'	Total/NA	Solid	5030B	
600-81848-4	CVU295-01-15'	Total/NA	Solid	5030B	
600-81848-5	CVU295-01-20'	Total/NA	Solid	5030B	
600-81848-6	CVU295-01-25'	Total/NA	Solid	5030B	
600-81848-7	CVU295-02-2'	Total/NA	Solid	5030B	
600-81848-8	CVU295-02-5'	Total/NA	Solid	5030B	
600-81848-9	CVU295-02-10'	Total/NA	Solid	5030B	
600-81848-10	CVU295-02-15'	Total/NA	Solid	5030B	
600-81848-11	CVU295-02-20'	Total/NA	Solid	5030B	
600-81848-12	CVU295-02-25'	Total/NA	Solid	5030B	
600-81848-13	CVU295-02-30'	Total/NA	Solid	5030B	
600-81848-14	CVU295-03-2'	Total/NA	Solid	5030B	
600-81848-15	CVU295-03-5'	Total/NA	Solid	5030B	
600-81848-16	CVU295-03-10'	Total/NA	Solid	5030B	
600-81848-17	CVU295-03-15'	Total/NA	Solid	5030B	
600-81848-18	CVU295-03-20'	Total/NA	Solid	5030B	
600-81848-19	CVU295-03-25'	Total/NA	Solid	5030B	
600-81848-20	CVU295-03-30'	Total/NA	Solid	5030B	
MB 600-119580/2-A	Method Blank	Total/NA	Solid	5030B	

Prep Batch: 119583

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-21	CVU295-04-2'	Total/NA	Solid	5030B	
600-81848-21 MS	CVU295-04-2'	Total/NA	Solid	5030B	
600-81848-21 MSD	CVU295-04-2'	Total/NA	Solid	5030B	
600-81848-22	CVU295-04-5'	Total/NA	Solid	5030B	
600-81848-23	CVU295-04-10'	Total/NA	Solid	5030B	
600-81848-24	CVU295-04-15'	Total/NA	Solid	5030B	
600-81848-25	CVU295-04-20'	Total/NA	Solid	5030B	
600-81848-26	CVU295-04-25'	Total/NA	Solid	5030B	
600-81848-27	CVU295-04-30'	Total/NA	Solid	5030B	
600-81848-28	CVU295-05-2'	Total/NA	Solid	5030B	
600-81848-29	CVU295-05-5'	Total/NA	Solid	5030B	
600-81848-30	CVU295-05-10'	Total/NA	Solid	5030B	
600-81848-31	CVU295-05-15'	Total/NA	Solid	5030B	
600-81848-32	CVU295-05-20'	Total/NA	Solid	5030B	
600-81848-33	CVU295-05-25'	Total/NA	Solid	5030B	
600-81848-34	CVU295-05-30'	Total/NA	Solid	5030B	
LCS 600-119583/1-A	Lab Control Sample	Total/NA	Solid	5030B	
MB 600-119583/2-A	Method Blank	Total/NA	Solid	5030B	

Prep Batch: 119589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	5030B	
600-81848-1 MS	CVU295-01-2'	Total/NA	Solid	5030B	
600-81848-1 MSD	CVU295-01-2'	Total/NA	Solid	5030B	
600-81848-2	CVU295-01-5'	Total/NA	Solid	5030B	

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

GC VOA (Continued)

Prep Batch: 119589 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-3	CVU295-01-10'	Total/NA	Solid	5030B	
600-81848-4	CVU295-01-15'	Total/NA	Solid	5030B	
600-81848-5	CVU295-01-20'	Total/NA	Solid	5030B	
600-81848-6	CVU295-01-25'	Total/NA	Solid	5030B	
600-81848-7	CVU295-02-2'	Total/NA	Solid	5030B	
600-81848-8	CVU295-02-5'	Total/NA	Solid	5030B	
600-81848-9	CVU295-02-10'	Total/NA	Solid	5030B	
600-81848-10	CVU295-02-15'	Total/NA	Solid	5030B	
600-81848-11	CVU295-02-20'	Total/NA	Solid	5030B	
600-81848-12	CVU295-02-25'	Total/NA	Solid	5030B	
600-81848-13	CVU295-02-30'	Total/NA	Solid	5030B	
600-81848-14	CVU295-03-2'	Total/NA	Solid	5030B	
600-81848-15	CVU295-03-5'	Total/NA	Solid	5030B	
600-81848-16	CVU295-03-10'	Total/NA	Solid	5030B	
600-81848-17	CVU295-03-15'	Total/NA	Solid	5030B	
600-81848-18	CVU295-03-20'	Total/NA	Solid	5030B	
600-81848-19	CVU295-03-25'	Total/NA	Solid	5030B	
600-81848-20	CVU295-03-30'	Total/NA	Solid	5030B	
LCS 600-119589/1-A	Lab Control Sample	Total/NA	Solid	5030B	
MB 600-119589/2-A	Method Blank	Total/NA	Solid	5030B	

Prep Batch: 119594

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-21	CVU295-04-2'	Total/NA	Solid	5030B	
600-81848-21 MS	CVU295-04-2'	Total/NA	Solid	5030B	
600-81848-21 MSD	CVU295-04-2'	Total/NA	Solid	5030B	
600-81848-22	CVU295-04-5'	Total/NA	Solid	5030B	
600-81848-23	CVU295-04-10'	Total/NA	Solid	5030B	
600-81848-24	CVU295-04-15'	Total/NA	Solid	5030B	
600-81848-25	CVU295-04-20'	Total/NA	Solid	5030B	
600-81848-26	CVU295-04-25'	Total/NA	Solid	5030B	
600-81848-27	CVU295-04-30'	Total/NA	Solid	5030B	
600-81848-28	CVU295-05-2'	Total/NA	Solid	5030B	
600-81848-29	CVU295-05-5'	Total/NA	Solid	5030B	
600-81848-30	CVU295-05-10'	Total/NA	Solid	5030B	
600-81848-31	CVU295-05-15'	Total/NA	Solid	5030B	
600-81848-32	CVU295-05-20'	Total/NA	Solid	5030B	
600-81848-33	CVU295-05-25'	Total/NA	Solid	5030B	
600-81848-34	CVU295-05-30'	Total/NA	Solid	5030B	
LCS 600-119594/1-A	Lab Control Sample	Total/NA	Solid	5030B	
MB 600-119594/2-A	Method Blank	Total/NA	Solid	5030B	

Analysis Batch: 120175

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	8015B	119580
600-81848-1 MS	CVU295-01-2'	Total/NA	Solid	8015B	119580
600-81848-1 MSD	CVU295-01-2'	Total/NA	Solid	8015B	119580
600-81848-2	CVU295-01-5'	Total/NA	Solid	8015B	119580
600-81848-3	CVU295-01-10'	Total/NA	Solid	8015B	119580
600-81848-4	CVU295-01-15'	Total/NA	Solid	8015B	119580
600-81848-5	CVU295-01-20'	Total/NA	Solid	8015B	119580

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

GC VOA (Continued)

Analysis Batch: 120175 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-6	CVU295-01-25'	Total/NA	Solid	8015B	119580
600-81848-7	CVU295-02-2'	Total/NA	Solid	8015B	119580
600-81848-8	CVU295-02-5'	Total/NA	Solid	8015B	119580
600-81848-9	CVU295-02-10'	Total/NA	Solid	8015B	119580
600-81848-10	CVU295-02-15'	Total/NA	Solid	8015B	119580
600-81848-11	CVU295-02-20'	Total/NA	Solid	8015B	119580
600-81848-12	CVU295-02-25'	Total/NA	Solid	8015B	119580
600-81848-13	CVU295-02-30'	Total/NA	Solid	8015B	119580
600-81848-14	CVU295-03-2'	Total/NA	Solid	8015B	119580
600-81848-15	CVU295-03-5'	Total/NA	Solid	8015B	119580
600-81848-16	CVU295-03-10'	Total/NA	Solid	8015B	119580
600-81848-17	CVU295-03-15'	Total/NA	Solid	8015B	119580
600-81848-18	CVU295-03-20'	Total/NA	Solid	8015B	119580
600-81848-19	CVU295-03-25'	Total/NA	Solid	8015B	119580
600-81848-20	CVU295-03-30'	Total/NA	Solid	8015B	119580
LCS 600-120175/2	Lab Control Sample	Total/NA	Solid	8015B	
MB 600-119580/2-A	Method Blank	Total/NA	Solid	8015B	119580

Analysis Batch: 120330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-21	CVU295-04-2'	Total/NA	Solid	8015B	119583
600-81848-21 MS	CVU295-04-2'	Total/NA	Solid	8015B	119583
600-81848-21 MSD	CVU295-04-2'	Total/NA	Solid	8015B	119583
600-81848-22	CVU295-04-5'	Total/NA	Solid	8015B	119583
600-81848-23	CVU295-04-10'	Total/NA	Solid	8015B	119583
600-81848-24	CVU295-04-15'	Total/NA	Solid	8015B	119583
600-81848-25	CVU295-04-20'	Total/NA	Solid	8015B	119583
600-81848-26	CVU295-04-25'	Total/NA	Solid	8015B	119583
600-81848-27	CVU295-04-30'	Total/NA	Solid	8015B	119583
600-81848-28	CVU295-05-2'	Total/NA	Solid	8015B	119583
600-81848-29	CVU295-05-5'	Total/NA	Solid	8015B	119583
600-81848-30	CVU295-05-10'	Total/NA	Solid	8015B	119583
600-81848-31	CVU295-05-15'	Total/NA	Solid	8015B	119583
600-81848-32	CVU295-05-20'	Total/NA	Solid	8015B	119583
600-81848-33	CVU295-05-25'	Total/NA	Solid	8015B	119583
600-81848-34	CVU295-05-30'	Total/NA	Solid	8015B	119583
LCS 600-119583/1-A	Lab Control Sample	Total/NA	Solid	8015B	119583
MB 600-119583/2-A	Method Blank	Total/NA	Solid	8015B	119583

Analysis Batch: 120652

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	8021B	119589
600-81848-1 MS	CVU295-01-2'	Total/NA	Solid	8021B	119589
600-81848-1 MSD	CVU295-01-2'	Total/NA	Solid	8021B	119589
600-81848-2	CVU295-01-5'	Total/NA	Solid	8021B	119589
600-81848-3	CVU295-01-10'	Total/NA	Solid	8021B	119589
600-81848-4	CVU295-01-15'	Total/NA	Solid	8021B	119589
600-81848-5	CVU295-01-20'	Total/NA	Solid	8021B	119589
600-81848-6	CVU295-01-25'	Total/NA	Solid	8021B	119589
600-81848-7	CVU295-02-2'	Total/NA	Solid	8021B	119589
600-81848-8	CVU295-02-5'	Total/NA	Solid	8021B	119589

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

GC VOA (Continued)

Analysis Batch: 120652 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-9	CVU295-02-10'	Total/NA	Solid	8021B	119589
600-81848-10	CVU295-02-15'	Total/NA	Solid	8021B	119589
600-81848-11	CVU295-02-20'	Total/NA	Solid	8021B	119589
600-81848-12	CVU295-02-25'	Total/NA	Solid	8021B	119589
600-81848-13	CVU295-02-30'	Total/NA	Solid	8021B	119589
600-81848-14	CVU295-03-2'	Total/NA	Solid	8021B	119589
600-81848-15	CVU295-03-5'	Total/NA	Solid	8021B	119589
600-81848-16	CVU295-03-10'	Total/NA	Solid	8021B	119589
600-81848-17	CVU295-03-15'	Total/NA	Solid	8021B	119589
600-81848-18	CVU295-03-20'	Total/NA	Solid	8021B	119589
600-81848-19	CVU295-03-25'	Total/NA	Solid	8021B	119589
600-81848-20	CVU295-03-30'	Total/NA	Solid	8021B	119589
LCS 600-119589/1-A	Lab Control Sample	Total/NA	Solid	8021B	119589
MB 600-119589/2-A	Method Blank	Total/NA	Solid	8021B	119589

Analysis Batch: 120774

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-21	CVU295-04-2'	Total/NA	Solid	8021B	119594
600-81848-21 MS	CVU295-04-2'	Total/NA	Solid	8021B	119594
600-81848-21 MSD	CVU295-04-2'	Total/NA	Solid	8021B	119594
600-81848-22	CVU295-04-5'	Total/NA	Solid	8021B	119594
600-81848-23	CVU295-04-10'	Total/NA	Solid	8021B	119594
600-81848-24	CVU295-04-15'	Total/NA	Solid	8021B	119594
600-81848-25	CVU295-04-20'	Total/NA	Solid	8021B	119594
600-81848-26	CVU295-04-25'	Total/NA	Solid	8021B	119594
600-81848-27	CVU295-04-30'	Total/NA	Solid	8021B	119594
600-81848-28	CVU295-05-2'	Total/NA	Solid	8021B	119594
600-81848-29	CVU295-05-5'	Total/NA	Solid	8021B	119594
600-81848-30	CVU295-05-10'	Total/NA	Solid	8021B	119594
600-81848-31	CVU295-05-15'	Total/NA	Solid	8021B	119594
600-81848-32	CVU295-05-20'	Total/NA	Solid	8021B	119594
600-81848-33	CVU295-05-25'	Total/NA	Solid	8021B	119594
600-81848-34	CVU295-05-30'	Total/NA	Solid	8021B	119594
LCS 600-119594/1-A	Lab Control Sample	Total/NA	Solid	8021B	119594
MB 600-119594/2-A	Method Blank	Total/NA	Solid	8021B	119594

GC Semi VOA

Prep Batch: 119380

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	3550B	
600-81848-1 MS	CVU295-01-2'	Total/NA	Solid	3550B	
600-81848-1 MSD	CVU295-01-2'	Total/NA	Solid	3550B	
600-81848-2	CVU295-01-5'	Total/NA	Solid	3550B	
600-81848-3	CVU295-01-10'	Total/NA	Solid	3550B	
600-81848-4	CVU295-01-15'	Total/NA	Solid	3550B	
600-81848-5	CVU295-01-20'	Total/NA	Solid	3550B	
600-81848-6	CVU295-01-25'	Total/NA	Solid	3550B	
600-81848-7	CVU295-02-2'	Total/NA	Solid	3550B	
600-81848-8	CVU295-02-5'	Total/NA	Solid	3550B	

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

GC Semi VOA (Continued)

Prep Batch: 119380 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-9	CVU295-02-10'	Total/NA	Solid	3550B	
600-81848-10	CVU295-02-15'	Total/NA	Solid	3550B	
600-81848-11	CVU295-02-20'	Total/NA	Solid	3550B	
600-81848-12	CVU295-02-25'	Total/NA	Solid	3550B	
600-81848-13	CVU295-02-30'	Total/NA	Solid	3550B	
600-81848-14	CVU295-03-2'	Total/NA	Solid	3550B	
600-81848-15	CVU295-03-5'	Total/NA	Solid	3550B	
600-81848-16	CVU295-03-10'	Total/NA	Solid	3550B	
600-81848-17	CVU295-03-15'	Total/NA	Solid	3550B	
600-81848-18	CVU295-03-20'	Total/NA	Solid	3550B	
600-81848-19	CVU295-03-25'	Total/NA	Solid	3550B	
600-81848-20	CVU295-03-30'	Total/NA	Solid	3550B	
LCS 600-119380/2-A	Lab Control Sample	Total/NA	Solid	3550B	
MB 600-119380/1-A	Method Blank	Total/NA	Solid	3550B	

Prep Batch: 119399

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-21	CVU295-04-2'	Total/NA	Solid	3550B	
600-81848-21 MS	CVU295-04-2'	Total/NA	Solid	3550B	
600-81848-21 MSD	CVU295-04-2'	Total/NA	Solid	3550B	
600-81848-22	CVU295-04-5'	Total/NA	Solid	3550B	
600-81848-23	CVU295-04-10'	Total/NA	Solid	3550B	
600-81848-24	CVU295-04-15'	Total/NA	Solid	3550B	
600-81848-25	CVU295-04-20'	Total/NA	Solid	3550B	
600-81848-26	CVU295-04-25'	Total/NA	Solid	3550B	
600-81848-27	CVU295-04-30'	Total/NA	Solid	3550B	
600-81848-28	CVU295-05-2'	Total/NA	Solid	3550B	
600-81848-29	CVU295-05-5'	Total/NA	Solid	3550B	
600-81848-30	CVU295-05-10'	Total/NA	Solid	3550B	
600-81848-31	CVU295-05-15'	Total/NA	Solid	3550B	
600-81848-32	CVU295-05-20'	Total/NA	Solid	3550B	
600-81848-33	CVU295-05-25'	Total/NA	Solid	3550B	
600-81848-34	CVU295-05-30'	Total/NA	Solid	3550B	
LCS 600-119399/2-A	Lab Control Sample	Total/NA	Solid	3550B	
MB 600-119399/1-A	Method Blank	Total/NA	Solid	3550B	

Analysis Batch: 119755

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	8015B	119380
600-81848-1 MS	CVU295-01-2'	Total/NA	Solid	8015B	119380
600-81848-1 MSD	CVU295-01-2'	Total/NA	Solid	8015B	119380
600-81848-2	CVU295-01-5'	Total/NA	Solid	8015B	119380
600-81848-3	CVU295-01-10'	Total/NA	Solid	8015B	119380
600-81848-4	CVU295-01-15'	Total/NA	Solid	8015B	119380
600-81848-5	CVU295-01-20'	Total/NA	Solid	8015B	119380
600-81848-6	CVU295-01-25'	Total/NA	Solid	8015B	119380
600-81848-7	CVU295-02-2'	Total/NA	Solid	8015B	119380
600-81848-8	CVU295-02-5'	Total/NA	Solid	8015B	119380
600-81848-9	CVU295-02-10'	Total/NA	Solid	8015B	119380
600-81848-10	CVU295-02-15'	Total/NA	Solid	8015B	119380
600-81848-11	CVU295-02-20'	Total/NA	Solid	8015B	119380

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

GC Semi VOA (Continued)

Analysis Batch: 119755 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-12	CVU295-02-25'	Total/NA	Solid	8015B	119380
600-81848-13	CVU295-02-30'	Total/NA	Solid	8015B	119380
600-81848-14	CVU295-03-2'	Total/NA	Solid	8015B	119380
600-81848-15	CVU295-03-5'	Total/NA	Solid	8015B	119380
600-81848-16	CVU295-03-10'	Total/NA	Solid	8015B	119380
600-81848-17	CVU295-03-15'	Total/NA	Solid	8015B	119380
600-81848-18	CVU295-03-20'	Total/NA	Solid	8015B	119380
600-81848-19	CVU295-03-25'	Total/NA	Solid	8015B	119380
600-81848-20	CVU295-03-30'	Total/NA	Solid	8015B	119380
600-81848-21	CVU295-04-2'	Total/NA	Solid	8015B	119399
600-81848-21 MS	CVU295-04-2'	Total/NA	Solid	8015B	119399
600-81848-21 MSD	CVU295-04-2'	Total/NA	Solid	8015B	119399
600-81848-22	CVU295-04-5'	Total/NA	Solid	8015B	119399
600-81848-23	CVU295-04-10'	Total/NA	Solid	8015B	119399
600-81848-24	CVU295-04-15'	Total/NA	Solid	8015B	119399
600-81848-25	CVU295-04-20'	Total/NA	Solid	8015B	119399
600-81848-26	CVU295-04-25'	Total/NA	Solid	8015B	119399
600-81848-27	CVU295-04-30'	Total/NA	Solid	8015B	119399
600-81848-28	CVU295-05-2'	Total/NA	Solid	8015B	119399
600-81848-29	CVU295-05-5'	Total/NA	Solid	8015B	119399
600-81848-30	CVU295-05-10'	Total/NA	Solid	8015B	119399
600-81848-31	CVU295-05-15'	Total/NA	Solid	8015B	119399
600-81848-32	CVU295-05-20'	Total/NA	Solid	8015B	119399
600-81848-33	CVU295-05-25'	Total/NA	Solid	8015B	119399
600-81848-34	CVU295-05-30'	Total/NA	Solid	8015B	119399
LCS 600-119380/2-A	Lab Control Sample	Total/NA	Solid	8015B	119380
LCS 600-119399/2-A	Lab Control Sample	Total/NA	Solid	8015B	119399
MB 600-119380/1-A	Method Blank	Total/NA	Solid	8015B	119380
MB 600-119399/1-A	Method Blank	Total/NA	Solid	8015B	119399

General Chemistry

Analysis Batch: 119315

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Total/NA	Solid	Moisture	
600-81848-2	CVU295-01-5'	Total/NA	Solid	Moisture	
600-81848-3	CVU295-01-10'	Total/NA	Solid	Moisture	
600-81848-4	CVU295-01-15'	Total/NA	Solid	Moisture	
600-81848-5	CVU295-01-20'	Total/NA	Solid	Moisture	
600-81848-6	CVU295-01-25'	Total/NA	Solid	Moisture	
600-81848-7	CVU295-02-2'	Total/NA	Solid	Moisture	
600-81848-8	CVU295-02-5'	Total/NA	Solid	Moisture	
600-81848-9	CVU295-02-10'	Total/NA	Solid	Moisture	
600-81848-10	CVU295-02-15'	Total/NA	Solid	Moisture	
600-81848-11	CVU295-02-20'	Total/NA	Solid	Moisture	
600-81848-12	CVU295-02-25'	Total/NA	Solid	Moisture	
600-81848-13	CVU295-02-30'	Total/NA	Solid	Moisture	
600-81848-14	CVU295-03-2'	Total/NA	Solid	Moisture	
600-81848-15	CVU295-03-5'	Total/NA	Solid	Moisture	
600-81848-16	CVU295-03-10'	Total/NA	Solid	Moisture	

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

General Chemistry (Continued)

Analysis Batch: 119315 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-17	CVU295-03-15'	Total/NA	Solid	Moisture	
600-81848-18	CVU295-03-20'	Total/NA	Solid	Moisture	
600-81848-19	CVU295-03-25'	Total/NA	Solid	Moisture	
600-81848-20	CVU295-03-30'	Total/NA	Solid	Moisture	
600-81848-21	CVU295-04-2'	Total/NA	Solid	Moisture	
600-81848-22	CVU295-04-5'	Total/NA	Solid	Moisture	
600-81848-23	CVU295-04-10'	Total/NA	Solid	Moisture	
600-81848-24	CVU295-04-15'	Total/NA	Solid	Moisture	
600-81848-25	CVU295-04-20'	Total/NA	Solid	Moisture	
600-81848-26	CVU295-04-25'	Total/NA	Solid	Moisture	
600-81848-27	CVU295-04-30'	Total/NA	Solid	Moisture	
600-81848-28	CVU295-05-2'	Total/NA	Solid	Moisture	
600-81848-29	CVU295-05-5'	Total/NA	Solid	Moisture	
600-81848-30	CVU295-05-10'	Total/NA	Solid	Moisture	
600-81848-31	CVU295-05-15'	Total/NA	Solid	Moisture	
600-81848-32	CVU295-05-20'	Total/NA	Solid	Moisture	
600-81848-33	CVU295-05-25'	Total/NA	Solid	Moisture	
600-81848-34	CVU295-05-30'	Total/NA	Solid	Moisture	

Leach Batch: 119811

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Soluble	Solid	DI Leach	
600-81848-2	CVU295-01-5'	Soluble	Solid	DI Leach	
600-81848-3	CVU295-01-10'	Soluble	Solid	DI Leach	
600-81848-4	CVU295-01-15'	Soluble	Solid	DI Leach	
600-81848-5	CVU295-01-20'	Soluble	Solid	DI Leach	
600-81848-6	CVU295-01-25'	Soluble	Solid	DI Leach	
600-81848-7	CVU295-02-2'	Soluble	Solid	DI Leach	
600-81848-8	CVU295-02-5'	Soluble	Solid	DI Leach	
LCS 600-119811/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
MB 600-119811/1-A	Method Blank	Soluble	Solid	DI Leach	

Analysis Batch: 119890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-1	CVU295-01-2'	Soluble	Solid	9056	119811
600-81848-2	CVU295-01-5'	Soluble	Solid	9056	119811
600-81848-3	CVU295-01-10'	Soluble	Solid	9056	119811
600-81848-4	CVU295-01-15'	Soluble	Solid	9056	119811
600-81848-5	CVU295-01-20'	Soluble	Solid	9056	119811
600-81848-6	CVU295-01-25'	Soluble	Solid	9056	119811
600-81848-7	CVU295-02-2'	Soluble	Solid	9056	119811
600-81848-8	CVU295-02-5'	Soluble	Solid	9056	119811
LCS 600-119811/2-A	Lab Control Sample	Soluble	Solid	9056	119811
MB 600-119811/1-A	Method Blank	Soluble	Solid	9056	119811

Leach Batch: 119905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-9	CVU295-02-10'	Soluble	Solid	DI Leach	
600-81848-9 MS	CVU295-02-10'	Soluble	Solid	DI Leach	
600-81848-9 MSD	CVU295-02-10'	Soluble	Solid	DI Leach	
600-81848-10	CVU295-02-15'	Soluble	Solid	DI Leach	

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

General Chemistry (Continued)

Leach Batch: 119905 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-11	CVU295-02-20'	Soluble	Solid	DI Leach	
600-81848-12	CVU295-02-25'	Soluble	Solid	DI Leach	
600-81848-13	CVU295-02-30'	Soluble	Solid	DI Leach	
600-81848-14	CVU295-03-2'	Soluble	Solid	DI Leach	
600-81848-15	CVU295-03-5'	Soluble	Solid	DI Leach	
600-81848-16	CVU295-03-10'	Soluble	Solid	DI Leach	
600-81848-17	CVU295-03-15'	Soluble	Solid	DI Leach	
600-81848-18	CVU295-03-20'	Soluble	Solid	DI Leach	
600-81848-19	CVU295-03-25'	Soluble	Solid	DI Leach	
600-81848-19 MS	CVU295-03-25'	Soluble	Solid	DI Leach	
600-81848-19 MSD	CVU295-03-25'	Soluble	Solid	DI Leach	
600-81848-20	CVU295-03-30'	Soluble	Solid	DI Leach	
600-81848-21	CVU295-04-2'	Soluble	Solid	DI Leach	
600-81848-22	CVU295-04-5'	Soluble	Solid	DI Leach	
600-81848-23	CVU295-04-10'	Soluble	Solid	DI Leach	
600-81848-24	CVU295-04-15'	Soluble	Solid	DI Leach	
600-81848-25	CVU295-04-20'	Soluble	Solid	DI Leach	
600-81848-26	CVU295-04-25'	Soluble	Solid	DI Leach	
600-81848-27	CVU295-04-30'	Soluble	Solid	DI Leach	
600-81848-28	CVU295-05-2'	Soluble	Solid	DI Leach	
600-81848-29	CVU295-05-5'	Soluble	Solid	DI Leach	
600-81848-29 MS	CVU295-05-5'	Soluble	Solid	DI Leach	
600-81848-29 MSD	CVU295-05-5'	Soluble	Solid	DI Leach	
600-81848-30	CVU295-05-10'	Soluble	Solid	DI Leach	
600-81848-31	CVU295-05-15'	Soluble	Solid	DI Leach	
600-81848-32	CVU295-05-20'	Soluble	Solid	DI Leach	
600-81848-33	CVU295-05-25'	Soluble	Solid	DI Leach	
600-81848-34	CVU295-05-30'	Soluble	Solid	DI Leach	
LCS 600-119905/28-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCS 600-119905/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
MB 600-119905/1-A	Method Blank	Soluble	Solid	DI Leach	
MB 600-119905/27-A	Method Blank	Soluble	Solid	DI Leach	

Analysis Batch: 120006

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-9	CVU295-02-10'	Soluble	Solid	9056	119905
600-81848-9 MS	CVU295-02-10'	Soluble	Solid	9056	119905
600-81848-9 MSD	CVU295-02-10'	Soluble	Solid	9056	119905
600-81848-10	CVU295-02-15'	Soluble	Solid	9056	119905
600-81848-11	CVU295-02-20'	Soluble	Solid	9056	119905
600-81848-12	CVU295-02-25'	Soluble	Solid	9056	119905
600-81848-13	CVU295-02-30'	Soluble	Solid	9056	119905
600-81848-14	CVU295-03-2'	Soluble	Solid	9056	119905
600-81848-15	CVU295-03-5'	Soluble	Solid	9056	119905
600-81848-16	CVU295-03-10'	Soluble	Solid	9056	119905
600-81848-17	CVU295-03-15'	Soluble	Solid	9056	119905
600-81848-18	CVU295-03-20'	Soluble	Solid	9056	119905
600-81848-19	CVU295-03-25'	Soluble	Solid	9056	119905
600-81848-19 MS	CVU295-03-25'	Soluble	Solid	9056	119905
600-81848-19 MSD	CVU295-03-25'	Soluble	Solid	9056	119905
600-81848-20	CVU295-03-30'	Soluble	Solid	9056	119905

TestAmerica Houston

QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

General Chemistry (Continued)

Analysis Batch: 120006 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81848-21	CVU295-04-2'	Soluble	Solid	9056	119905
600-81848-22	CVU295-04-5'	Soluble	Solid	9056	119905
600-81848-23	CVU295-04-10'	Soluble	Solid	9056	119905
600-81848-24	CVU295-04-15'	Soluble	Solid	9056	119905
600-81848-25	CVU295-04-20'	Soluble	Solid	9056	119905
600-81848-26	CVU295-04-25'	Soluble	Solid	9056	119905
600-81848-27	CVU295-04-30'	Soluble	Solid	9056	119905
600-81848-28	CVU295-05-2'	Soluble	Solid	9056	119905
600-81848-29	CVU295-05-5'	Soluble	Solid	9056	119905
600-81848-29 MS	CVU295-05-5'	Soluble	Solid	9056	119905
600-81848-29 MSD	CVU295-05-5'	Soluble	Solid	9056	119905
600-81848-30	CVU295-05-10'	Soluble	Solid	9056	119905
600-81848-31	CVU295-05-15'	Soluble	Solid	9056	119905
600-81848-32	CVU295-05-20'	Soluble	Solid	9056	119905
600-81848-33	CVU295-05-25'	Soluble	Solid	9056	119905
600-81848-34	CVU295-05-30'	Soluble	Solid	9056	119905
LCS 600-119905/28-A	Lab Control Sample	Soluble	Solid	9056	119905
LCS 600-119905/2-A	Lab Control Sample	Soluble	Solid	9056	119905
MB 600-119905/1-A	Method Blank	Soluble	Solid	9056	119905
MB 600-119905/27-A	Method Blank	Soluble	Solid	9056	119905

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-2'

Date Collected: 10/28/13 12:50

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-1

Matrix: Solid

Percent Solids: 96.7

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/02/13 21:41	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 00:59	MHT	TAL HOU
Total/NA	Prep	3550B			30.04 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.04 g	1.0 mL	119755	11/04/13 18:09	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 05:25	DAW	TAL HOU

Client Sample ID: CVU295-01-5'

Date Collected: 10/28/13 12:52

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-2

Matrix: Solid

Percent Solids: 96.7

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/02/13 22:07	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 01:19	MHT	TAL HOU
Total/NA	Prep	3550B			30.06 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.06 g	1.0 mL	119755	11/04/13 19:51	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 05:44	DAW	TAL HOU

Client Sample ID: CVU295-01-10'

Date Collected: 10/28/13 12:53

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-3

Matrix: Solid

Percent Solids: 94.0

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/02/13 22:32	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 01:39	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/04/13 20:25	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 06:38	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-01-15'

Lab Sample ID: 600-81848-4

Date Collected: 10/28/13 12:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 97.5

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/02/13 22:57	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 01:58	MHT	TAL HOU
Total/NA	Prep	3550B			30.03 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.03 g	1.0 mL	119755	11/04/13 20:59	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 06:56	DAW	TAL HOU

Client Sample ID: CVU295-01-20'

Lab Sample ID: 600-81848-5

Date Collected: 10/28/13 12:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.0

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/02/13 23:22	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 02:18	MHT	TAL HOU
Total/NA	Prep	3550B			30.06 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.06 g	1.0 mL	119755	11/04/13 21:33	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 07:15	DAW	TAL HOU

Client Sample ID: CVU295-01-25'

Lab Sample ID: 600-81848-6

Date Collected: 10/28/13 12:56

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.5

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/02/13 23:47	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 02:38	MHT	TAL HOU
Total/NA	Prep	3550B			30.00 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.00 g	1.0 mL	119755	11/04/13 22:07	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 07:33	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-2'

Date Collected: 10/28/13 12:00

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-7

Matrix: Solid

Percent Solids: 95.9

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 00:12	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 03:38	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/04/13 23:15	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 07:51	DAW	TAL HOU

Client Sample ID: CVU295-02-5'

Date Collected: 10/28/13 12:02

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-8

Matrix: Solid

Percent Solids: 96.8

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 00:37	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 03:57	MHT	TAL HOU
Total/NA	Prep	3550B			30.06 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.06 g	1.0 mL	119755	11/04/13 23:49	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119811	11/06/13 16:05	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119890	11/07/13 08:09	DAW	TAL HOU

Client Sample ID: CVU295-02-10'

Date Collected: 10/28/13 12:04

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-9

Matrix: Solid

Percent Solids: 94.1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 02:06	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 07:00	MHT	TAL HOU
Total/NA	Prep	3550B			30.02 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.02 g	1.0 mL	119755	11/05/13 00:23	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 00:15	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-15'

Lab Sample ID: 600-81848-10

Date Collected: 10/28/13 12:06

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 92.4

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 02:31	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 07:21	MHT	TAL HOU
Total/NA	Prep	3550B			30.00 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.00 g	1.0 mL	119755	11/05/13 00:57	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 01:10	DAW	TAL HOU

Client Sample ID: CVU295-02-20'

Lab Sample ID: 600-81848-11

Date Collected: 10/28/13 12:08

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 91.1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 02:56	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 08:06	MHT	TAL HOU
Total/NA	Prep	3550B			30.04 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.04 g	1.0 mL	119755	11/05/13 01:31	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 01:28	DAW	TAL HOU

Client Sample ID: CVU295-02-25'

Lab Sample ID: 600-81848-12

Date Collected: 10/28/13 12:10

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 72.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 03:21	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 08:26	MHT	TAL HOU
Total/NA	Prep	3550B			30.02 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.02 g	1.0 mL	119755	11/05/13 02:05	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 01:46	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-02-30'

Lab Sample ID: 600-81848-13

Date Collected: 10/28/13 12:15

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.3

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 03:45	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 08:46	MHT	TAL HOU
Total/NA	Prep	3550B			30.07 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.07 g	1.0 mL	119755	11/05/13 02:39	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 02:04	DAW	TAL HOU

Client Sample ID: CVU295-03-2'

Lab Sample ID: 600-81848-14

Date Collected: 10/28/13 15:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 92.8

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 04:10	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 14:24	MHT	TAL HOU
Total/NA	Prep	3550B			30.05 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.05 g	1.0 mL	119755	11/05/13 03:13	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 02:22	DAW	TAL HOU

Client Sample ID: CVU295-03-5'

Lab Sample ID: 600-81848-15

Date Collected: 10/28/13 15:51

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 04:35	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 09:06	MHT	TAL HOU
Total/NA	Prep	3550B			30.03 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.03 g	1.0 mL	119755	11/05/13 03:47	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 03:17	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-10'

Lab Sample ID: 600-81848-16

Date Collected: 10/28/13 15:52

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 98.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 04:59	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 09:26	MHT	TAL HOU
Total/NA	Prep	3550B			30.02 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.02 g	1.0 mL	119755	11/05/13 04:21	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 03:35	DAW	TAL HOU

Client Sample ID: CVU295-03-15'

Lab Sample ID: 600-81848-17

Date Collected: 10/28/13 15:54

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 89.9

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 06:13	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 09:46	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/05/13 05:29	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 03:53	DAW	TAL HOU

Client Sample ID: CVU295-03-20'

Lab Sample ID: 600-81848-18

Date Collected: 10/28/13 15:55

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.7

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 06:37	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 10:43	MHT	TAL HOU
Total/NA	Prep	3550B			30.00 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.00 g	1.0 mL	119755	11/05/13 06:04	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 14:32	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 04:12	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-03-25'

Lab Sample ID: 600-81848-19

Date Collected: 10/28/13 15:58

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 07:02	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 11:03	MHT	TAL HOU
Total/NA	Prep	3550B			30.02 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.02 g	1.0 mL	119755	11/05/13 06:38	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 04:30	DAW	TAL HOU

Client Sample ID: CVU295-03-30'

Lab Sample ID: 600-81848-20

Date Collected: 10/28/13 16:00

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.8

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119580	10/30/13 11:36	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120175	11/03/13 07:26	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119589	10/31/13 12:39	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120652	11/08/13 11:23	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119380	10/31/13 15:07	RLK	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/05/13 07:12	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 05:24	DAW	TAL HOU

Client Sample ID: CVU295-04-2'

Lab Sample ID: 600-81848-21

Date Collected: 10/28/13 11:20

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 16:48	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 18:30	MHT	TAL HOU
Total/NA	Prep	3550B			30.04 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.04 g	1.0 mL	119755	11/05/13 08:54	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 05:43	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-5'

Lab Sample ID: 600-81848-22

Date Collected: 10/28/13 11:21

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 17:14	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 18:50	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/05/13 13:13	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 06:01	DAW	TAL HOU

Client Sample ID: CVU295-04-10'

Lab Sample ID: 600-81848-23

Date Collected: 10/28/13 11:23

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 96.1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 17:39	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 19:10	MHT	TAL HOU
Total/NA	Prep	3550B			30.00 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.00 g	1.0 mL	119755	11/05/13 14:14	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 06:55	DAW	TAL HOU

Client Sample ID: CVU295-04-15'

Lab Sample ID: 600-81848-24

Date Collected: 10/28/13 11:25

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.4

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 18:04	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 19:30	MHT	TAL HOU
Total/NA	Prep	3550B			30.06 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.06 g	1.0 mL	119755	11/05/13 14:48	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 07:14	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-04-20'

Date Collected: 10/28/13 11:28

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-25

Matrix: Solid

Percent Solids: 94.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 18:29	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 19:50	MHT	TAL HOU
Total/NA	Prep	3550B			30.02 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.02 g	1.0 mL	119755	11/05/13 15:22	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 07:32	DAW	TAL HOU

Client Sample ID: CVU295-04-25'

Date Collected: 10/28/13 11:30

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-26

Matrix: Solid

Percent Solids: 96.6

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 18:54	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 20:10	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/05/13 15:55	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 07:50	DAW	TAL HOU

Client Sample ID: CVU295-04-30'

Date Collected: 10/28/13 11:32

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-27

Matrix: Solid

Percent Solids: 95.5

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 21:00	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 21:49	MHT	TAL HOU
Total/NA	Prep	3550B			30.07 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.07 g	1.0 mL	119755	11/05/13 16:29	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 08:08	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-2'

Lab Sample ID: 600-81848-28

Date Collected: 10/28/13 10:40

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 93.1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 21:25	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 22:09	MHT	TAL HOU
Total/NA	Prep	3550B			30.06 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.06 g	1.0 mL	119755	11/05/13 17:03	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 15:10	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 08:27	DAW	TAL HOU

Client Sample ID: CVU295-05-5'

Lab Sample ID: 600-81848-29

Date Collected: 10/28/13 10:41

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 81.5

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 21:50	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 22:29	MHT	TAL HOU
Total/NA	Prep	3550B			30.05 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.05 g	1.0 mL	119755	11/05/13 17:37	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 16:31	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 09:21	DAW	TAL HOU

Client Sample ID: CVU295-05-10'

Lab Sample ID: 600-81848-30

Date Collected: 10/28/13 10:42

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 95.9

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 22:16	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 22:49	MHT	TAL HOU
Total/NA	Prep	3550B			30.03 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.03 g	1.0 mL	119755	11/05/13 18:11	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 16:31	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 10:52	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-15'

Date Collected: 10/28/13 10:44

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-31

Matrix: Solid

Percent Solids: 95.4

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 22:41	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 23:09	MHT	TAL HOU
Total/NA	Prep	3550B			30.00 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.00 g	1.0 mL	119755	11/05/13 18:45	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 16:31	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 11:10	DAW	TAL HOU

Client Sample ID: CVU295-05-20'

Date Collected: 10/28/13 10:45

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-32

Matrix: Solid

Percent Solids: 94.4

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 23:06	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 23:29	MHT	TAL HOU
Total/NA	Prep	3550B			30.02 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.02 g	1.0 mL	119755	11/05/13 19:18	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 16:31	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 11:29	DAW	TAL HOU

Client Sample ID: CVU295-05-25'

Date Collected: 10/28/13 10:47

Date Received: 10/30/13 10:17

Lab Sample ID: 600-81848-33

Matrix: Solid

Percent Solids: 95.9

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 23:31	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/08/13 23:49	MHT	TAL HOU
Total/NA	Prep	3550B			30.01 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.01 g	1.0 mL	119755	11/05/13 20:27	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 16:31	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 11:47	DAW	TAL HOU

TestAmerica Houston

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81848-1

Client Sample ID: CVU295-05-30'

Lab Sample ID: 600-81848-34

Date Collected: 10/28/13 10:50

Matrix: Solid

Date Received: 10/30/13 10:17

Percent Solids: 94.9

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			10 g	200 mL	119583	10/31/13 12:10	MHT	TAL HOU
Total/NA	Analysis	8015B		1	10 g	200 mL	120330	11/04/13 23:56	MHT	TAL HOU
Total/NA	Prep	5030B			10 g	10 mL	119594	10/31/13 12:50	MHT	TAL HOU
Total/NA	Analysis	8021B		1	10 g	10 mL	120774	11/09/13 00:09	MHT	TAL HOU
Total/NA	Prep	3550B			30.00 g	1.0 mL	119399	10/31/13 18:44	LMB	TAL HOU
Total/NA	Analysis	8015B		1	30.00 g	1.0 mL	119755	11/05/13 21:02	JPS	TAL HOU
Total/NA	Analysis	Moisture		1			119315	10/30/13 17:08	MJB	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119905	11/07/13 16:31	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	120006	11/08/13 12:05	DAW	TAL HOU

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Certification Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81848-1

Project/Site: HES Transfer Sites, Lea County NM

Laboratory: TestAmerica Houston

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arkansas DEQ	State Program	6	88-0759	08-04-13 *
Louisiana	NELAP	6	30643	06-30-14
Oklahoma	State Program	6	9503	08-31-13 *
Texas	NELAP	6	T104704223	10-31-14
USDA	Federal		P330-08-00217	04-01-14
Utah	NELAP	8	TX00083	10-31-13 *

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Houston

ARCADIS Houston
6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record

Client Information		Sample		Lab PM		Carrier Tracking No(s)		COC No.					
Client Contact: Mr. Jonathan Olsen		Phone: 432-312-7687		Kudchadkar, Sachin G				900-23595-3666 1					
Company: ARCADIS U.S., Inc		E-Mail: sachin.kudchadkar@testamericainc.com						Page 1 of 5					
Address: 2929 Briarpark Drive Suite 300		Due Date Requested:						Job #:					
City: Houston		TAT Requested (days):						Preservation Codes:					
State Zip: TX, 77042		PO #:						A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:					
Phone: 432-312-7687		Purchase Order Requested						M - Hexane N - None O - AshNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecalhydrate U - Acetone V - MCAA W - ph 4-5 Z - other (specify)					
Email: Jonathan.olsen@arcadis-us.com		WO #:						Total Number of containers					
Project Name: HES Transfer Sites, Lea County NM		Project #: 60004633						Special Instructions/Note:					
Site: CU295		SSOV#:											
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Viewing, Specul, O-vestibul, etc-Tissue, Asair)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B PRO	9058 28D - Chloride	8015B GRO	8021B-BTEX	Analysis Requested	Preservation Codes	Special Instructions/Note
CU295-01-2'	10/28/13	1250	G	Solid			X	X	X	X			Hold
CU295-01-5'		1252		Solid			X	X	X	X			
CU295-01-10'		1253		Solid			X	X	X	X			
CU295-01-15'		1255		Solid			X	X	X	X			
CU295-01-20'		1255		Solid			X	X	X	X			
CU295-01-25'		1256		Solid			X	X	X	X			
CU295-02-2'		1200		Solid			X	X	X	X			
CU295-02-5'		1202		Solid			X	X	X	X			
CU295-02-10'		1204		Solid			X	X	X	X			
CU295-02-15'		1206		Solid			X	X	X	X			
CU295-02-20'		1208		Solid			X	X	X	X			


600-81848 Chain of Custody

☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Special Instructions/QC Requirements:

Empty Kit Relinquished by: _____ Date: _____ Time: _____

Relinquished by: _____ Date/Time: 10/29/13 1330 Company: A/S

Relinquished by: _____ Date/Time: _____ Company: _____

Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seal Intact: ☐ Yes ☐ No

Custody Seal No.:

TerAmerica Houston

6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5846

Chain of Custody Record

Client Information Client Contact: Mr. Jonathan Olsen Company: ARCADIS U.S., Inc. Address: 2929 Briarpark Drive Suite 300 City: Houston State, Zip: TX, 77042 Phone: 432-312-7687 Email: jonathan.olsen@arcadis-us.com Project Name: HES Transfer Sites Lea County NM Site: CUV255		Sampler: <i>Brett Krenzel</i> Lab PM: Kuchadkar, Sachin G Phone: 432-312-7687 E-Mail: sachin.kuchadkar@testamericainc.com		COC No: 600-23595-8666.1 Page: 2 of 5 Job #:	
Due Date Requested: TAT Requested (days): PO #: 432-312-7687 Purchase Order Requested: WO #:		Analysis Requested			
Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No)		Total Number of Containers		Special Instructions/Note: Hold	
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Aqueous, Solid, or Water, Aqueous)	Preservation Code:
CUV295-02-25'	10/28/13	1210	G	Solid	
CUV295-02-30'		1215		Solid	
CUV295-03-22'		1550		Solid	
CUV295-03-25'		1551		Solid	
CUV295-03-10'		1552		Solid	
CUV295-03-15'		1554		Solid	
CUV295-03-20'		1555		Solid	
CUV295-03-25'		1558		Solid	
CUV295-03-30'		1600		Solid	
CUV295-04-2'		1120		Solid	
CUV295-04-5'		1121		Solid	
Possible Hazard Identification ☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological					
Deliverable Requested: I, II, III, IV, Other (specify)					
Empty Kit Relinquished by:		Date:		Time:	
Relinquished by: <i>[Signature]</i>		Date/Time: 10/29/13 1330		Company: AVS	
Relinquished by:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:	
Custody Seals Intact Δ Yes Δ No		Custody Seal No:		Cooler Temperature(s) °C and Other Remarks:	

TestAmerica Houston
6310 Rothway Street
Houston TX 77040
Phone (713) 690-4444 Fax (713) 690-5846

Chain of Custody Record

Client Information		Lab P/N	Carrier Tracking No(s)	COG No									
Client Contact Mr. Jonathan Olsen Company ARCADIS U.S., Inc		Kudchadkar, Sachin G		600-23595-8866 1									
Address 2929 Briarpark Drive Suite 300 City Houston State, Zip. TX, 77042 Phone 432-312-7637		E-Mail sachin.kudchadkar@testamericainc.com	Page 3 of 5	Job #									
Due Date Requested:		Analysis Requested											
TAT Requested (days):													
PO #													
Purchase Order Requested													
WG #													
Project #													
60004633													
Site													
CVU295													
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Residue, Solid, Semi-solid, Other)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B DRO	9066 2SD - Chloride	8015B GRO	8021B-BTEX	Total Number of containers	Special Instructions/Note:
CVU295-04-10'		10/28/13	1123	G	Solid			X	X	X	X	X	Hold
CVU295-04-15'			1125		Solid			X	X	X	X		
CVU295-04-20'			1128		Solid			X	X	X	X		
CVU295-04-25'			1130		Solid			X	X	X	X		
CVU295-04-30'			1132		Solid			X	X	X	X		
CVU295-05-2'			1040		Solid			X	X	X	X		
CVU295-05-5'			1041		Solid			X	X	X	X		
CVU295-05-10'			1042		Solid			X	X	X	X		
CVU295-05-15'			1044		Solid			X	X	X	X		
CVU295-05-20'			1045		Solid			X	X	X	X		
CVU295-05-25'			1047		Solid			X	X	X	X		
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months													
Special Instructions/QC Requirements:													
Empty Kit Relinquished by _____ Date: _____ Time: _____ Method of Shipment _____													
Relinquished by _____ Date/Time: 10/29/13 1320 Company: AUS													
Relinquished by _____ Date/Time: _____ Company: _____													
Relinquished by _____ Date/Time: _____ Company: _____													
Custody Seals Intact: _____ Custody Seal No: _____ Cooler Temperature(s) °C and Other Remarks _____													

Chain of Custody Record

Client Information Client Contact: Mr. Jonathan Olsen Company: ARCADIS U.S., Inc. Address: 2929 Briarpark Drive, Suite 300 City: Houston State, Zip: TX, 77042 Phone: 432-372-7687 Email: jonathan.olsen@arcadis-us.com Project Name: HES Transfer Sites, Lea County NM Site: CVU295		Sampler: Brett Weisdel Lab PM: Kudchadkar, Sachin G Phone: 432-372-7687 E-Mail: sachin.kudchadkar@testamericainc.com		Carrier Tracking No(s): COC No: 600-23595-8666.1 Page: 4 of 5 Job #:	
Due Date Requested: TAT Requested (days): PO #: Standard Purchase Order Requested: WO #:		Analysis Requested Perform MS/MSD (Yes or No): Field Filtered Sample (Yes or No): Total Number of Containers:			
Sample Identification Sample Date: 10/28/13 Sample Time: 1050 Sample Type: G=grab Matrix: Solid Preservation Code: 6		Special Instructions/Note: Hold			
Sample ID: CVU295-05-20 Sample ID: CVU295-06-25 Sample ID: CVU295-06-5 Sample ID: CVU295-06-10 Sample ID: CVU295-06-15 Sample ID: CVU295-06-20 Sample ID: CVU295-06-25 Sample ID: CVU295-06-30 Sample ID: CVU295-07-2 Sample ID: CVU295-07-5 Sample ID: CVU295-07-10		Special Instructions/Note: 10/28/13 1050 1340 1341 1343 1345 1347 1349 1351 1415 1416 1417			
Possible Hazard Identification ☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months			
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:			
Empty Kit Relinquished by:		Method of Shipment:			
Relinquished by: [Signature] Date/Time: 10/29/13 1330 Company: AUS		Received by: [Signature] Date/Time: 10/29/13 1017 Company:			
Relinquished by: [Signature] Date/Time: 10/29/13 1017 Company:		Received by: [Signature] Date/Time: 10/29/13 1017 Company:			
Relinquished by: [Signature] Date/Time: 10/29/13 1017 Company:		Received by: [Signature] Date/Time: 10/29/13 1017 Company:			
Custody Seals Intact: Δ Yes Δ No		Cooler Temperature(s) °C and Other Remarks:			

TestAmerica Houston

6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5846

Chain of Custody Record

Client Information Client Contact: Mr. Jonathan Olsen Company: ARCADIS U.S., Inc. Address: 2929 Briarpark Drive Suite 300 City: Houston State, Zip: TX, 77042 Phone: 432-312-7687 Email: jonathan.olsen@arcadis-us.com Project Name: HES Transfer Sites, Lea County NM Site: CUU295		Sampler: <i>Boat kreisel</i> Lab PM: Kudchadkar, Sachin G Phone: 432-312-7687 E-Mail: sachin.kudchadkar@testamerica.com		COC No: 600-23595-8666.1 Page: 3 of 5 Job #:																																																																																																																																																							
Analysis Requested Due Date Requested: TAT Requested (days): <i>Standard</i> PO #: <i>432-312-7687</i> Purchase Order Requested WO #: <i>60004633</i> Project #: <i>60004633</i> SSOW#:																																																																																																																																																											
Sample Identification <table border="1"> <thead> <tr> <th>Sample ID</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=comp, G=grab)</th> <th>Matrix (Water, Sediment, Other)</th> <th>Field Filtered Sample (Yes or No)</th> <th>Perform MS/MSD (Yes or No)</th> <th>8015B_DRO</th> <th>9056_28D - Chloride</th> <th>8015B_GRO</th> <th>8021B - BTX</th> <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </tr> </thead> <tbody> <tr> <td>CUU295-07-15'</td> <td>10/28/12</td> <td>1419</td> <td>G</td> <td>Solid</td> <td></td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td rowspan="4"> <i>Hold</i> ↓ </td> </tr> <tr> <td>CUU295-07-20'</td> <td>↓</td> <td>1421</td> <td>↓</td> <td>Solid</td> <td></td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>CUU295-07-25'</td> <td>↓</td> <td>1423</td> <td>↓</td> <td>Solid</td> <td></td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td>CUU295-07-30'</td> <td>↓</td> <td>1425</td> <td>↓</td> <td>Solid</td> <td></td> <td></td> <td>X</td> <td>X</td> <td>X</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>Solid</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						Sample ID	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Sediment, Other)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_DRO	9056_28D - Chloride	8015B_GRO	8021B - BTX	Total Number of Containers	Special Instructions/Note:	CUU295-07-15'	10/28/12	1419	G	Solid			X	X	X	X		<i>Hold</i> ↓	CUU295-07-20'	↓	1421	↓	Solid			X	X	X		CUU295-07-25'	↓	1423	↓	Solid			X	X	X		CUU295-07-30'	↓	1425	↓	Solid			X	X	X						Solid													Solid													Solid													Solid													Solid													Solid													Solid								
Sample ID	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Sediment, Other)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_DRO	9056_28D - Chloride	8015B_GRO	8021B - BTX	Total Number of Containers	Special Instructions/Note:																																																																																																																																															
CUU295-07-15'	10/28/12	1419	G	Solid			X	X	X	X		<i>Hold</i> ↓																																																																																																																																															
CUU295-07-20'	↓	1421	↓	Solid			X	X	X																																																																																																																																																		
CUU295-07-25'	↓	1423	↓	Solid			X	X	X																																																																																																																																																		
CUU295-07-30'	↓	1425	↓	Solid			X	X	X																																																																																																																																																		
				Solid																																																																																																																																																							
				Solid																																																																																																																																																							
				Solid																																																																																																																																																							
				Solid																																																																																																																																																							
				Solid																																																																																																																																																							
				Solid																																																																																																																																																							
				Solid																																																																																																																																																							
Possible Hazard Identification ☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Polson B ☐ Unknown ☐ Radiological Deliverable Requested: I, II, III, IV, Other (specify)																																																																																																																																																											
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months																																																																																																																																																											
Special Instructions/QC Requirements:																																																																																																																																																											
Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____																																																																																																																																																											
Relinquished by: _____ Date/Time: 10/21/13 Company: <i>ms</i>																																																																																																																																																											
Relinquished by: _____ Date/Time: _____ Company: _____																																																																																																																																																											
Relinquished by: _____ Date/Time: _____ Company: _____																																																																																																																																																											
Custody Seals Intact: ☐ Yes ☐ No Custody Seal No.: _____ Cooler Temperature(s) °C and Other Remarks: _____																																																																																																																																																											

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 600-81848-1

Login Number: 81848

List Source: TestAmerica Houston

List Number: 1

Creator: Lopez, Sandro R

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	5.2/4.7
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Attachment 5

Boring Logs (October 2013)

Date Start/Finish: 5/16/2013
Drilling Company: White Drilling Company/ R Dallas

Well/Boring ID: CVU295-01



Drilling Method: Air Rotary
Sampling Method: Shovel

Client: Chevron EMC
Location: Central Vacuum Unit

Borehole Depth: 25' bgs
Descriptions By: B Krehbiel

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AK					CAPROCK CALICHE, Pink Yellow (2.5Y8/1), fractured, dry.
		1	AR	5	7.9	☒		
5	-5		AR		7.5	☒		Same as above, lightly cemented dry.
		2		5				
10	-10		AR		5.8	☒		Same as above, fractured.
		3		5				
15	-15		AR		4.6	☒		SANDY CALICHE, Very Pale Brown (10Y8/2), fine sand, subrounded, dry.
		4		5				
20	-20				2.1	☒		Same as above.
		5	AR	5				
25	-25					☒		



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/28/13
Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: CVU295-02



Drilling Method: Air Rotary
Sampling Method: Shovel

Client: Chevron EMC
Location: Central Vacuum Unit

Borehole Depth: 30' bgs
Descriptions By: B Krehbiel

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR					CAPROCK CALICHE, Pale Yellow (2.5YR8/1), fractured, dry.
1		1	AR	5	3.3			SANDY CALICHE, Very Pale Brown (10YR8/2), fine sand, subrounded, dry.
5	-5				4.3			Same as above.
2		2	AR	5				
10	-10				3.8			CAPROCK CALICHE, Pale Yellow (2.5YR8/1), light cemented, dry.
3		3	AR	5				
15	-15				5.2			SANDY CALICHE, Very Pale Brown (10YR8/2), fine sand, subrounded, dry.
4		4	AR	5				
20	-20				4.6			Same as above.
5		5	AR	5				
25	-25				6.9			SANDY CALICHE, Very Pale Brown (10YR8/2), fine sand, dry.
6		6	AR	5				
30	-30							



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/28/13
Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: CVU295-03



Drilling Method: Air Rotary
Sampling Method: Shovel

Client: Chevron EMC
Location: Central Vacuum Unit

Borehole Depth: 30' bgs
Descriptions By: B Krehbiel

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR					CAPROCK CALICHE, Pale Yellow (2.5YR8/1), fractured, dry.
1		1	AR	5	1.1			Same as above.
5	-5	2	AR	5	1.2			SANDY CALICHE, Very Pale Brown (10YR8/2), fine, dry.
10	-10	3	AR	5	1.1			Same as above, soft.
15	-15	4	AR	5	1.0			Same as above.
20	-20	5	AR	5	1.1			Same as above, lightly cemented, dry.
25	-25	6	AR	5	1.3			No description available.
30	-30							



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/28/13
Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: CVU295-04



Drilling Method: Air Rotary
Sampling Method: Shovel

Client: Chevron EMC
Location: Central Vacuum Unit

Borehole Depth: 30' bgs
Descriptions By: B Krehbiel

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR					CAPROCK CALICHE, Pale Yellow (2.5YR8/1), fractured, dry.
1		1	AR	5	5.2			Same as above.
5	-5				5.3			Same as above, subrounded, lightly cemented, dry.
2		2	AR	5				
10	-10				2.8			Same as above.
3		3	AR	5				
15	-15				4.3			SANDSTONE, Pink (7.5YR8/3), fine grained, dry.
4		4	AR	5				
20	-20				6.1			SANDY CALICHE, Very Pale Brown (10YR8/2), soft, lightly cemented, dry.
5		5	AR	5				
25	-25				3.8			SANDSTONE, Pink (7.5YR8/3), fine grained, subrounded, dry.
6		6		5				
30	-30				3.7			



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/28/13
Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: CVU295-05



Drilling Method: Air Rotary
Sampling Method: Shovel

Client: Chevron EMC
Location: Central Vacuum Unit

Borehole Depth: 30' bgs
Descriptions By: B Krehbiel

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		AR					CAPROCK CALICHE, Pale Yellow (2.5YR8/1), fractured, dry.
1		1	AR	5	2.9			Same as above, subrounded, lightly cemented, dry.
5	-5				10.6			Same as above, fractured.
2		2	AR	5				
10	-10				7.1			Same as above, indurated.
3		3	AR	5				
15	-15				4.6			SANDSTONE, Pink (7.5YR8/3), fine grained, subrounded, dry.
4		4	AR	5				
20	-20				4.7			Same as above.
5		5	AR	5				
25	-25				3.5			SANDY CALICHE, Very Pale Brown (10YR8/2), soft, very lightly cemented, subrounded, dry.
6		6		5				
30	-30				8.8			



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;



Attachment 6

Chloride Multimedia Exposure
Assessment Model Simulated
Soil Screening Levels for the
Protection of Groundwater Memo



ARCADIS U.S., Inc.
2929 Briarpark Drive
Suite 300
Houston
Texas 77042
Tel 713 953 4800
Fax 713 977 4620

MEMO

To:
Kegan Boyer, Chevron Environmental
Management Company

Copies:
Chris Shepherd, ARCADIS
Kathleen Abbott, ARCADIS
David Evans, ARCADIS

From:
Jonathan Olsen

Date:
May 8, 2014

ARCADIS Project No.:
B0048615.0000

Subject:
**Chloride Multimedia Exposure Assessment Model Simulated Soil Screening
Levels for the Protection of Groundwater**
HES Transfer Sites, Lea County, New Mexico

On behalf of Chevron Environmental Management Company, ARCADIS U.S., Inc. (ARCADIS) evaluated chloride remediation action levels for use at the Health Environmental Safety (HES) Transfer Sites near Hobbs, New Mexico. The New Mexico Oil Conservation District (NMOCD) has established soil screening levels (SSLs) for fluid management pits (also known as the "NMOCD PIT RULE" [NMAC 19.15.17]); however, no formal SSLs have been established by the NMOCD or the New Mexico Environmental Department (NMED) for surface releases of production water. The Risk Assessment Guidance for Investigation and Remediation (NMED 2012) states that SSLs should be based on risk to human health and the potential migration to groundwater with respect to the NMED-specific tap water SSL. Chloride is not considered hazardous and the NMED and the United States Environmental Protection Agency (USEPA) have not established tap water screening levels for chloride. However, the NMED has established a chloride standard for groundwater (NMAC 20.6.2.1101) of 250 milligrams per liter (mg/L). Therefore, the SSL for chloride should be based on the soil leaching to groundwater pathway.

To evaluate a chloride SSL for use at the HES Transfer Sites, ARCADIS performed simulations of unsaturated zone flow, transport, and saturated zone mixing of chloride using the Multimedia Exposure Assessment Model Version 2.0 (MULTIMED; USEPA 1996) to evaluate the potential migration of chloride in shallow soil through the unsaturated zone to the underlying groundwater. The initial simulations were intended to estimate a maximum allowable chloride soil concentration (site SSL) to evaluate HES Transfer

Sites in Lea County and eastern Eddy County, New Mexico, and to develop a baseline approach for using the model for potential future evaluations of solute migration at other HES Transfer Sites in New Mexico.

MULTIMED Overview

MULTIMED was originally designed to simulate the movement of solutes leaching from a landfill to various exposure pathways. Due to its general acceptance by the NMOCD and the USEPA and its ability to simulate unsaturated and saturated zone flow and transport, MULTIMED was selected for this evaluation. The model, as designed, simulates one-dimensional vertical transport in the unsaturated zone to the saturated zone based on user-provided input parameters considering vadose zone, saturated zone, and chemical-specific characteristic parameters.

The simulations were performed using both the unsaturated and saturated zone modules available in MULTIMED. The unsaturated zone module performs solutions of the downward flow of infiltrating water to the water table by Darcy's Law:

$$Q = -K_v \cdot K_{rw} \left(\frac{\delta\psi}{\delta z} \right)$$

Where:

ψ is the pressure head (meters [m])

z is the depth (m)

K_v is the saturated hydraulic conductivity (meters per year [m/year])

K_{rw} is the relative hydraulic conductivity

The boundary condition at the water table is:

$$\psi \cdot L = 0$$

Where:

L is the thickness of the unsaturated zone (m)

In the unsaturated zone, it is necessary to specify the relationship between relative hydraulic conductivity, pressure head, and water saturation. This relationship is given by van Genuchten (1976):

$$S_e = \theta_r + \frac{\theta_s - \theta_r}{[1 + (\alpha\psi^\beta)^\gamma]}$$

Where:

θ_r and θ_s are the residual water saturation and total water saturation (dimensionless), respectively

β, γ, α are empirical soil-specific parameters (dimensionless)

ψ is the air pressure entry head (m)

S_e is the effective saturation (fraction)

Source area concentrations are input as leachate concentrations, therefore, the soil/water partition equation was used to convert between total soil concentration in milligrams per kilogram (mg/kg) and the leachate concentration in mg/L:

$$C_t = \frac{C_l \cdot R \cdot \theta_w}{\rho_b}$$

Where:

C_t is the concentration of the chemical of interest in soil (mg/kg)

C_l is the concentration of the chemical of interest in leachate (mg/L)

R is the retardation coefficient (dimensionless, assumed 1 for chloride)

ρ_b is the bulk density of the soil (mg/L or grams per cubic centimeter)

The mass of the chemical of interest that reaches the groundwater is expressed by the simplified steady-state equation (Salhotra et al. 1995) that couples the vadose zone to the groundwater:

$$M_L = A_w \cdot Q_f \cdot C_l$$

Where:

M_L is the chemical of interest mass that leaches from site soil (grams per year [g/year])

A_w is the width of the source area (m²)

Q_f is the percolation rate from the facility/site (m/year)

The mixed groundwater concentration is controlled by the quasi-three-dimensional advection dispersion equations that are evaluated based on the following chemical concentration relationship within the mixing zone (Salhotra et al. 1995):

$$C(x, y, z, t) = \frac{H}{B} C_f(x, y, t) + \Delta C_p(x, y, z, t)$$

Where:

C is the dissolved concentration (mg/L, g/m³)

x, y, z are the spatial coordinates (m)

t is elapsed time (year)

H is the source zone penetration (m), with a maximum equal to B

B is the thickness of the saturated zone (m)

MULTIMED's output concentration is a centerline concentration based on a calculated dilution attenuation factor. Thus, the output concentration is the maximum concentration of the chemical of interest in groundwater at a reasonable distance downgradient from the source area.

Model Design, Inputs, and Assumptions

The required input parameters for the MULTIMED simulations are summarized in Table 1. Input parameters include model structure, unsaturated and saturated zones, and chemical characteristics. Minimal site-specific data regarding the HES sites are available; therefore, numerous input parameters are based on published reports, default NMED values (2012), default values provided in the modeling code, and ARCADIS's experience, as indicated in Table 1. The model values are considered representative of the Lea County, New Mexico area. Due to the intended use of the SSL at multiple sites, more conservative values were generally selected for the given ranges of input parameters.

The general assumptions used in the MULTIMED model design include:

- The unsaturated and saturated zones are a single, homogeneous material.
- The applied recharge and infiltration are constant throughout the simulation.
- Initial chloride concentrations in soil below the source area and in groundwater are equal to 0.
- The model assumes no chemical transformation or adsorption of chloride to soil materials.

The simulations were performed using the transient model capabilities of MULTIMED. Steady-state simulations were not chosen because MULTIMED requires the assumption that the source is continuous and constant throughout the simulation, which is not appropriate for these evaluations. Also, the transient model was selected to provide output that simulates the aquifer concentrations versus time and models a finite source.

Model Simulations and Results

Using the input parameters provided, soil concentrations for chloride were iteratively varied to arrive at an appropriate maximum allowable soil concentration that would be protective of groundwater for each of the scenarios. To calculate the maximum concentration that would be observed given the input concentrations and parameters, the simulation period selected was 1,980 years with 20-year time steps.

To ascertain the maximum allowable chloride concentration for more typical chloride concentration distribution and depth to groundwater scenarios, eight MULTIMED simulations were completed. The scenarios are summarized in Table 2. The input values for the simulations were the same, except for the thickness and width of the chloride-affected soil within the soil column. The first four simulations evaluated homogeneous chloride-affected soil 20 meters wide (400 square meters [m^2]) and varied the chloride-affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters. The remaining four simulations evaluated homogeneous chloride-affected soil 45 meters wide (2,000 m^2) and varied the chloride affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters

The predicted groundwater concentrations versus time are illustrated on Figures 1 through 8. The peak arrival times varied between 540 and 860 years. The simulations indicate the site SSLs for the protection of groundwater ranged from 8,525 to 266,100 mg/kg (Table 2) depending on the scenario and are protective of the New Mexico chloride groundwater standard of 250 mg/L.

The MULTIMED model, like any model, requires the use of simplifying assumptions regarding subsurface conditions and flow processes that result in inherent limitations and uncertainty compared to an actual flow system. In this case, uncertainty may be related to:

- The model assumes homogeneous unsaturated and saturated zones; the actual conditions at the sites likely contain numerous heterogeneities.
- The applied recharge and infiltration rates are constant. The aquifer hydraulic gradient is also assumed to be constant. These rates likely vary with time, and these variations may influence the solute migration and mixing, resulting in short-term changes in aquifer concentrations
- The model is a theoretical simulation of transport processes and is not verified or calibrated against site-specific data.

Conclusions and Recommendations

The model simulations reasonably represent conditions encountered at most of the Lea County and eastern Eddy County HES Transfer Sites. HES Transfer Sites with chloride-affected soil can be screened

against SSLs in Table 2, assuming they meet the specified conditions (source length, source depth, depth to groundwater, and soil concentration). For calculated SSLs greater than 100,000 mg/kg, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the NMED risk assessment guidance (NMED 2012). For sites that meet all of these conditions, no further action is recommended. For the sites that do not meet these conditions, site-specific evaluations should be conducted.

Enclosures:

Tables

Table 1	MULTIMED V2.0 Model Inputs
Table 2	Soil Screening Level Matrix

Figures

Figure 1	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)
Figure 2	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
Figure 3	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)
Figure 4	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)
Figure 5	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)
Figure 6	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
Figure 7	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)
Figure 8	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)

References

- New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).
- Salhotra, A.M., P. Mineart, S. Sharp-Hansen, T. Allison, R. Johns, and W.B. Mills. 1995. Multimedia Exposure Assessment Model (MULTIMED 2.0) for Evaluating the Land Disposal of Wastes--Model Theory. United States Environmental Protection Agency, Athens, GA. Unpublished Report.
- United States Environmental Protection Agency. 1996. A Subtitle D Landfill Application Manual for the Multimedia Exposure Assessment Model (MULTIMED 2.0). Final Report.
- Van Genuchten, M, Th., and P.J. Wierenga. 1976. Mass Transfer Studies in Sorbing Porous Media I. Analytical Solutions. Soil Science Society of America Proceedings. v 40, 473-480.

Tables

Table 1
MULTIMED V2.0 Model Inputs
Chevron HES Transfer Sites
Lea County, New Mexico

Parameters	Value(s)	Units	Notes	
Unsaturated Zone Flow Parameters:				
Depth of Unsaturated Zone	20.0	m	Local water levels (20m & 30.5m)	
Hydraulic Conductivity	0.06	cm/hr	Texas (2011)	
Unsaturated Zone Porosity	0.44	fraction	NMED (2012) Default	
Residual Water Content	0.260	fraction	NMED (2012) Default	
Unsaturated Zone Transport Parameters:				
Thickness of Layer	20 & 30.5	m	Regional water levels	
Percent of Organic Matter	1.5%		NMED (2012) Default (not used)	
Bulk Density	1.5	g/cm ³	NMED (2012) Default	
Biological Decay Coefficient	0	1/yr	(not used)	
Aquifer Parameters:				
Aquifer Porosity	0.43	fraction	NMED (2012) Default	
Bulk Density	1.5	g/cm ³	NMED (2012) Default	
Aquifer Thickness	12.0	m	NMED (2012) Default	
Hydraulic Conductivity	542	m/yr	Texas (2011), Velocity ~ 1/2 NMED Default	
Hydraulic Gradient	0.010	m/m	NMED (2012) Default	
Organic Carbon Content	0.020	fraction	NMED (2012) Default (not used)	
Temperature of Aquifer	15.0	°C	NMED (2012) Default (not used)	
pH	6.2		(not used)	
x-distance Radial Distance from Site to Receptor	12	m	equal to aquifer thickness	
Source Parameters:				
Infiltration Rate	0.013	m/yr	~0.5 in/yr, Texas (2011)	
Area of Waste	400 & 2000	m ²	NMED (2012) Default (~45m x45m)	
Recharge Rate	0.013	m/yr	Texas (2011)	
Duration of Pulse	540 to 840	yr	Varied, set equal to peak arrival time	
Discharge Concentrations	0	mg/L		
Initial Soil Concentrations:				
	Depth (m)			
Chloride leachate concentration	0	varied	mg/L	Calculated for each scenario ¹
Chloride leachate concentration	1 & 3	0	mg/L	
Chloride leachate concentration	20 & 30.5	0	mg/L	
Additional Parameters:				
Method	Gaussian			
New Mexico Environment Department. 2012. Risk	Chloride			
Chemical Parameters:				
Normalized Distribution Coefficient	0.00	mL/g	Model Derived	
Van Genuchten Parameters:				
Alpha Van Genuchten coefficient	0.38	unitless	NCSS Soil Characterization Data ²	
Beta Van Genuchten coefficient	1.2	unitless	NCSS Soil Characterization Data ²	

Notes:

°C - degrees celcius
cm - centimeters
cm³ - cubic centimeters
g - grams
hr - hour
L - liters
m - meters
m² - meter squared
mg - milligrams
mL - milliliters
yr - year

1 - calculated using the soil-water partitioning equation
2 - van Genutchen transport parameters are typical values for caliche-like material

References:

NMED - New Mexico Environmental Department Risk Assessment Guidance for Site Investigations and Remediation. February 2012.
NCSS - National Cooperative Soil Survey, National Cooperative Soil Characterization Database
Texas - Texas Water Development Board 2011. Update of the Groundwater Availability Model for the Edwards-Trinity (Plateau) and Pecos Valley Aquifers of Texas. January 21, 2011

Table 2
Soil Screening Level Matrix
Chevron HES Transfer Sites
Lea County, New Mexico

Scenario	Source Length (m)	Source Area (m)	Source Depth (m)	Depth to Groundwater (m)	SSL _{gw} (mg/Kg)	Notes
1	20	400	0-1	20.0	108,000	1
2	20	400	0-1	30.5	266,100	1
3	20	400	0-3	20.0	23,750	
4	20	400	0-3	30.5	45,000	
5	45	2,000	0-1	20.0	38,800	
6	45	2,000	0-1	30.5	95,500	
7	45	2,000	0-3	20.0	8,525	
8	45	2,000	0-3	30.5	16,100	

NMED SSL Ceiling = 100,000 mg/Kg

Notes:

m - meters

mg/Kg - milligrams per Kilogram

NMED - New Mexico Environmental Department

SSL_{gw} - Site soil screening levels for the migration to groundwater pathway

SSL Ceiling - Soil Screening Level Ceiling (NMED 2012)

1 - the NMED SSL ceiling should be used

References:

New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).

Figures

Figure 1
MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)




Figure 2
MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)




Figure 3

**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)**




Figure 4

**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)**




Figure 5

**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)**




Figure 6
MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)




Figure 7

**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)**




Figure 8

**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater
(Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)**

