

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: Gibson Energy	Contact: Bridget Sedlack
Address: 3819 Towne Crossing, Ste 100 Mesquite, TX 75150	Telephone No.: 214-461-5563
Facility Name: Iron House 19 State #1	Facility Type: CTB

Surface Owner: State	Mineral Owner:	API No.: 30-025-40676
----------------------	----------------	-----------------------

LOCATION OF RELEASE

Unit Letter N	Section 19	Township 18S	Range 35E	Feet from the 200'	North/South Line South	Feet from the 1800'	East/West Line West	County: LEA
------------------	---------------	-----------------	--------------	-----------------------	---------------------------	------------------------	------------------------	-------------

Latitude 32.7266 W Longitude -103.49970 W

NATURE OF RELEASE


Type of Release: OIL	Volume of Release: 19 bbls	Volume Recovered: 5 bbls
Source of Release: Overflow Transport Truck	Date and Hour of Occurrence: 11/9/2014; 4:00 pm	Date and Hour of Discovery: 11/9/2014 4:00 pm
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? NMOCD Hobbs District I	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*


Describe Cause of Problem and Remedial Action Taken.* The transport driver overflowed his truck while loading out oil causing a release of 19 barrels of oil. A vac truck responded same day and recovered 5 barrels of oil. Talon made an emergency One Call with NM 811 to start remedial activities.

Describe Area Affected and Cleanup Action Taken.* The area affected from this release measured approximately 74-feet long by 40-feet wide. Talon mobilized personnel and equipment to the location and the visually impacted area was initially excavated between 0.5-feet to 1.5-feet deep where we encountered a rock shelf in the vicinity of sample location S-1 under the load-outs and towards the pump jack. The area in the vicinity of sample location S-2 was excavated to a depth of 0.5-feet which rock was also encountered. The contaminated soil at S-3 was excavated to a depth of 1.5-feet deep. The contaminated soil was transported to Lea Land, LLC. Confirmation soil sampling was completed on 11/17/2014 and delivered to Cardinal Labs the same day for rush analysis. The lab results are attached along with a site map. The soil testing results are under the Recommended Remedial Action Levels (RRAL's). No further actions are required.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: Bridget Sedlack		Approved by Environmental Specialist:	
Title: <u>Env'tl Manager - US Opa</u>	Approval Date:	Expiration Date:	
E-mail Address: <u>bridget.sedlack@gibson.com</u>	Conditions of Approval:		Attached <input type="checkbox"/>
Date: 12/4/2014	Phone: 214-461-5563		

* Attach Additional Sheets If Necessary



Legend	
	- Sample Location
	- Impacted Area



Date: 11/13/2014

Scale: NTS

Drawn By: TJS

Iron Horse 19 State Com #1H
Gibson Energy LLC
Lea County, New Mexico
Figure 1 - Site Plan



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 13, 2014

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: IRON HOUSE 19 STATE COM #1H

Enclosed are the results of analyses for samples received by the laboratory on 11/10/14 11:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	11/10/2014	Sampling Date:	11/10/2014
Reported:	11/13/2014	Sampling Type:	Soil
Project Name:	IRON HOUSE 19 STATE COM #1H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-1 0' (H403441-01)

BTEX 8021B		mg/kg	Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	52.2	20.0	11/12/2014	ND	1.80	90.1	2.00	5.78	
Toluene*	437	20.0	11/12/2014	ND	1.71	85.5	2.00	6.87	
Ethylbenzene*	628	20.0	11/12/2014	ND	1.65	82.7	2.00	9.28	
Total Xylenes*	711	60.0	11/12/2014	ND	4.94	82.3	6.00	9.77	
Total BTEX	1830	120	11/12/2014	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 61-154

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	11/11/2014	ND	416	104	400	0.00	

TPH 8015M		mg/kg	Analyzed By: ms							S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	19500	200	11/11/2014	ND	186	93.2	200	4.80		
DRO >C10-C28	81700	200	11/11/2014	ND	193	96.4	200	6.00		

Surrogate: 1-Chlorooctane 1140 % 47.2-157

Surrogate: 1-Chlorooctadecane 2110 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	11/10/2014	Sampling Date:	11/10/2014
Reported:	11/13/2014	Sampling Type:	Soil
Project Name:	IRON HOUSE 19 STATE COM #1H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-1 .5' (H403441-02)

BTEX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	54.8	5.00	11/12/2014	ND	1.80	90.1	2.00	5.78	
Toluene*	243	5.00	11/12/2014	ND	1.71	85.5	2.00	6.87	
Ethylbenzene*	191	5.00	11/12/2014	ND	1.65	82.7	2.00	9.28	
Total Xylenes*	209	15.0	11/12/2014	ND	4.94	82.3	6.00	9.77	
Total BTEX	698	30.0	11/12/2014	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 61-154

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/11/2014	ND	416	104	400	0.00	
TPH 8015M		mg/kg		Analyzed By: ms					
				S-06					


Surrogate: 1-Chlorooctane 281 % 47.2-157

Surrogate: 1-Chlorooctadecane 458 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	11/10/2014	Sampling Date:	11/10/2014
Reported:	11/13/2014	Sampling Type:	Soil
Project Name:	IRON HOUSE 19 STATE COM #1H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-2 0' (H403441-03)

BTEX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	33.8	5.00	11/12/2014	ND	1.80	90.1	2.00	5.78	
Toluene*	384	5.00	11/12/2014	ND	1.71	85.5	2.00	6.87	
Ethylbenzene*	328	5.00	11/12/2014	ND	1.65	82.7	2.00	9.28	
Total Xylenes*	362	15.0	11/12/2014	ND	4.94	82.3	6.00	9.77	
Total BTEX	1110	30.0	11/12/2014	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 61-154

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	11/11/2014	ND	416	104	400	0.00	
TPH 8015M		mg/kg		Analyzed By: ms					
				S-06					


Surrogate: 1-Chlorooctane 453 % 47.2-157

Surrogate: 1-Chlorooctadecane 910 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	11/10/2014	Sampling Date:	11/10/2014
Reported:	11/13/2014	Sampling Type:	Soil
Project Name:	IRON HOUSE 19 STATE COM #1H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-2 .5' (H403441-04)

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2014	ND	1.80	90.1	2.00	5.78	
Toluene*	0.279	0.050	11/12/2014	ND	1.71	85.5	2.00	6.87	
Ethylbenzene*	0.246	0.050	11/12/2014	ND	1.65	82.7	2.00	9.28	
Total Xylenes*	0.317	0.150	11/12/2014	ND	4.94	82.3	6.00	9.77	
Total BTX	0.842	0.300	11/12/2014	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 99.8 % 61-154

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/11/2014	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	12.2	10.0	11/11/2014	ND	186	93.2	200	4.80	
DRO >C10-C28	82.9	10.0	11/11/2014	ND	193	96.4	200	6.00	


Surrogate: 1-Chlorooctane 117 % 47.2-157

Surrogate: 1-Chlorooctadecane 125 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	11/10/2014	Sampling Date:	11/10/2014
Reported:	11/13/2014	Sampling Type:	Soil
Project Name:	IRON HOUSE 19 STATE COM #1H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-3 0' (H403441-05)

BTEX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	24.9	1.00	11/12/2014	ND	1.80	90.1	2.00	5.78	
Toluene*	84.5	1.00	11/12/2014	ND	1.71	85.5	2.00	6.87	
Ethylbenzene*	56.4	1.00	11/12/2014	ND	1.65	82.7	2.00	9.28	
Total Xylenes*	64.6	3.00	11/12/2014	ND	4.94	82.3	6.00	9.77	
Total BTEX	230	6.00	11/12/2014	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 61-154

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5120	16.0	11/11/2014	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: ms						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	1750	100	11/11/2014	ND	186	93.2	200	4.80		
DRO >C10-C28	28800	100	11/11/2014	ND	193	96.4	200	6.00		


Surrogate: 1-Chlorooctane 311 % 47.2-157

Surrogate: 1-Chlorooctadecane 827 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:	11/10/2014	Sampling Date:	11/10/2014
Reported:	11/13/2014	Sampling Type:	Soil
Project Name:	IRON HOUSE 19 STATE COM #1H	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	LEA COUNTY, NM		

Sample ID: S-3 .5' (H403441-06)

BTEX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	16.6	1.00	11/12/2014	ND	1.80	90.1	2.00	5.78	
Toluene*	97.3	1.00	11/12/2014	ND	1.71	85.5	2.00	6.87	
Ethylbenzene*	66.4	1.00	11/12/2014	ND	1.65	82.7	2.00	9.28	
Total Xylenes*	72.5	3.00	11/12/2014	ND	4.94	82.3	6.00	9.77	
Total BTEX	253	6.00	11/12/2014	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 107 % 61-154

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3840	16.0	11/11/2014	ND	400	100	400	3.92	
TPH 8015M		mg/kg		Analyzed By: ms					
				S-06					


Surrogate: 1-Chlorooctane 201 % 47.2-157

Surrogate: 1-Chlorooctadecane 177 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILLY

ANALYSIS REQUEST

† Cardinal cannot accept verbal changes. Please read written changes to #54



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 03, 2014

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: IRON HOUSE

Enclosed are the results of analyses for samples received by the laboratory on 11/18/14 8:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 KIMBERLY WILSON
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 11/18/2014
 Reported: 12/03/2014
 Project Name: IRON HOUSE
 Project Number: 701866.001.01
 Project Location: LEA COUNTY, NM

 Sampling Date: 11/17/2014
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S-1 1.5 (H403536-01)

BTEX 8021B			mg/kg		Analyzed By: ms				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2014	ND	1.76	88.1	2.00	7.77	
Toluene*	<0.050	0.050	11/18/2014	ND	1.71	85.4	2.00	8.13	
Ethylbenzene*	<0.050	0.050	11/18/2014	ND	1.67	83.7	2.00	9.31	
Total Xylenes*	<0.150	0.150	11/18/2014	ND	5.02	83.7	6.00	9.55	
Total BTEX	<0.300	0.300	11/18/2014	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 96.8 % 61-154

TPH 8015M			mg/kg		Analyzed By: ms				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/18/2014	ND	198	99.1	200	0.337	
DRO >C10-C28	<10.0	10.0	11/18/2014	ND	202	101	200	0.912	


Surrogate: 1-Chlorooctane 112 % 47.2-157

Surrogate: 1-Chlorooctadecane 122 % 52.1-176

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 11/18/2014
Reported: 12/03/2014
Project Name: IRON HOUSE
Project Number: 701866.001.01
Project Location: LEA COUNTY, NM

Sampling Date: 11/17/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-3 1.5 (H403536-02)

BTEX 8021B			mg/kg		Analyzed By: ms				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/18/2014	ND	1.76	88.1	2.00	7.77	
Toluene*	<0.050	0.050	11/18/2014	ND	1.71	85.4	2.00	8.13	
Ethylbenzene*	<0.050	0.050	11/18/2014	ND	1.67	83.7	2.00	9.31	
Total Xylenes*	<0.150	0.150	11/18/2014	ND	5.02	83.7	6.00	9.55	
Total BTEX	<0.300	0.300	11/18/2014	ND					

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 61-154

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	11/18/2014	ND	400	100	400	0.00	

TPH 8015M			mg/kg		Analyzed By: ms				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/18/2014	ND	198	99.1	200	0.337	
DRO >C10-C28	58.4	10.0	11/18/2014	ND	202	101	200	0.912	

Surrogate: 1-Chlorooctane 116 % 47.2-157

Surrogate: 1-Chlorooctadecane 124 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

† Cardinal's secret verbal Discreet for written reference in 1975 2027

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action


OPERATOR		<input checked="" type="checkbox"/> Initial Report	<input type="checkbox"/> Final Report
Name of Company: Gibson Energy	Contact: Bridget Sedlack		
Address: 3819 Towne Crossing, Ste 100 Mesquite, TX 75150	Telephone No.: 214-461-5563		
Facility Name: Iron House 19 State #1	Facility Type: CTB		
Surface Owner: State	Mineral Owner:	API No.: 30-025-40676	

LOCATION OF RELEASE

Unit Letter N	Section 19	Township 18S	Range 35E	Feet from the 200'	North/South Line South	Feet from the 1800'	East/West Line West	County: LEA
------------------	---------------	-----------------	--------------	-----------------------	---------------------------	------------------------	------------------------	-------------

Latitude 32.7266 W Longitude -103.49970 W

NATURE OF RELEASE

Type of Release: OIL	Volume of Release: 19 bbls	Volume Recovered: 5 bbls
Source of Release: Overflow Transport Truck	Date and Hour of Occurrence: 11/9/2014; 4:00 pm	Date and Hour of Discovery: 11/9/2014 4:00 pm
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? NMOCD Hobbs District I	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* The transport driver overflowed his truck while loading out oil causing a release of 19 barrels of oil. A vac truck responded same day and recovered 5 barrels of oil. Talon made an emergency One Call with NM 811 to start remedial activities.		
Describe Area Affected and Cleanup Action Taken.* The area affected from this release measured approximately 74-feet long by 40-feet wide. Talon mobilized personnel and equipment to the location and the visually impacted area was initially excavated between 0.5-feet to 2-feet deep where we encountered a rock shelf in the vicinity of sample location S-1 under the load-outs and towards the pump jack. Rock was also encountered in the vicinity of sample location S-2. The contaminated soil was transported to Lea Land, LLC. Confirmation soil sampling was completed on 11/11/2014 and delivered to Cardinal Labs the same day for rush analysis. The lab results are attached along with a site map and groundwater data for the area. This battery has a high volume of truck traffic.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 		OIL CONSERVATION DIVISION
Printed Name: Bridget Sedlack		Approved by Environmental Specialist:
Title: Env'tl Manager - US Operations		Approval Date: Expiration Date:
E-mail Address: bridget.sedlack@gibson.com		Conditions of Approval: Attached <input type="checkbox"/>
Date: 11/13/2014 Phone: 214-461-5563		

* Attach Additional Sheets If Necessary