

**MAS Operating Company
B. V. Lynch A #2
Delineation Report and Work Plan**

**Section 34, T20S, R34E
Lea County, New Mexico**

July 31, 2014



Prepared for:

**MAS Operating Company
10 Desta Dr. Suit 300W
Midland, Texas 79705**

By:

**Safety & Environmental Solutions, Inc.
703 East Clinton Street
Hobbs, New Mexico 88240
(575) 397-0510**

TABLE OF CONTENTS

I. COMPANY CONTACTS	1
II. BACKGROUND.....	1
III. SURFACE AND GROUND WATER	1
IV. CHARACTERIZATION.....	1
V. WORK PERFORMED.....	2
VI. ACTION PLAN.....	2
VII. FIGURES & APPENDICES	3
Figure 1 – Vicinity Map	4
Figure 2 – Site Plan.....	5
Figure 3 – Groundwater Map	8
Appendix A – Analytical Results.....	10
Appendix B – Site Photographs.....	14

I. Company Contacts

Representative	Company	Telephone	E-mail
Larry Motes	Parker Energy	575-394-0004	
Bob Allen	SESI	575-397-0510	ballen@sesi-nm.com

II. Background

Safety and Environmental Solutions, Inc. (SESI) was engaged by MAS Operating Company to perform site assessment of an area located in Section 34 of Township 18 South, Range 34 East, Eddy County, New Mexico. In response to a salt water spill that occurred July 15, 2014, the volume of the release was 350 bbls of which 20 bbls was recovered. The cause of the release was the bell nipple broke at the wellhead.

III. Surface and Ground Water

No surface water is present or nearby. The nearest surface water is the Pecos River approximately 33 miles to the southwest.

The nearest groundwater of record is a windmill approximately 950 feet to the west of the site. The New Mexico Office of State Engineer lists the well in the SE/4 SW/4 SE/4, Section 34, Township 20 South, Range 34 East. The reported depth of the well was 100 feet below ground surface (BGS) but no depth to water was reported.

Checking for USGS records for this location found the well listed with four water levels reported between 1976 and 1997. These ranged from 82 to 85 feet BGS with the most recent being 82 feet BGS in 1997.

IV. Characterization

The target cleanup levels are determined using the *Guidelines for Remediation of Leaks, Spills and Releases* published by the NMOCD (August 13, 1993). Based on the ranking criteria presented below, the applicable Recommended Remediation Action Levels (RRAL) are 10 parts per million (ppm) Benzene, 50 ppm combined benzene, toluene, ethylbenzene, and total xylenes (BTEX), and 1,000 ppm Total Petroleum Hydrocarbons (TPH).

Depth to Ground Water:			
(Vertical distance from contaminants to seasonal high water elevation of groundwater)	Less than 50 feet	20 points	
	50 feet to 99 feet	10 points	X
	>100 feet	0 points	
Wellhead Protection Area:			
(Less than 200 feet from a private domestic water source; or less than 1000 feet from all other water sources)	Yes	20 points	
	No	0 points	X
Distance to Surface Water:			
(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet	20 points	
	200 feet to 1000 feet	10 points	
	>1000 feet	0 points	X
RANKING SCORE (TOTAL POINTS)			10

V. Work Performed

On July 16, 2014, SESI arrived on location observed spill area, location was mapped utilizing a Trimble Juno 3D and seven (7) site photos were taken.

On May 17, 2014, SESI was onsite to determine vertical extent of contamination. SESI installed three (3) test trenches. Test Trench #1 was advanced to a depth of 1.5'. Test Trench #2 was advanced to a depth of 5'. Test Trench #3 was advanced to a depth of 5'. The shallow depths of these trenches were due to the small size of the backhoe being used for the excavation.

On July 21, 2014, SESI returned to location to continue excavation in Test Trench #2 which was advanced to a depth of 18'. Samples were taken at 0-6", 2-5', 9-10', 15' and 18.5'. All samples were properly packaged, preserved and transported to Cardinal Laboratories, Hobbs New Mexico and analyzed for Chlorides. The results of the analysis are presented in the table below:

Sample Date	Sample ID	Cl ⁻
7/23/2014	Test Trench #2 0-6 (H402215-01)	6480
7/23/2014	TT #2 2-5' (H402215-02)	6960
7/23/2014	TT#2 9-10' (H402215-03)	1600
7/23/2014	TT#2 15' (H402215-04)	416
7/23/2014	TT #2 18.5' (H402215-05)	368

VI. Action Plan

Due to the results of the samples presented above the spill area will be excavated to a depth of 4' and all contaminated soils will be transported to an approved NMOCDD disposal facility.

The bottom of this excavation will be lined with a layer of compacted clay or caliche to prevent of migration of contaminants being left in place. The remainder of the excavation will be back filled with top soil that has been mixed with mulch and compacted.

The excavation will be slightly domed to encourage runoff to go to the sides of the excavation instead of eroding the newly excavated soil. The area will be planted with with the appropriate BLM seed mix for restoration of site.

VII. Figures & Appendices

Figure 1 – Vicinity Map

Figure 2 – Site Plan

Figure 3 – Groundwater Map

Appendix A – Analytical Results

Appendix B – Site Photographs

Figure 1

Vicinity Map





Figure 2 Site Plan



PAR-14-002 MAS LYNCH A #2

Figure 3

Groundwater Map



Appendix A

Analytical Results



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

July 24, 2014

Bob Allen

Safety & Environmental Solutions

703 East Clinton

Hobbs, NM 88240

RE: LYNCH A #2

Enclosed are the results of analyses for samples received by the laboratory on 07/22/14 8:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab/accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Coley D. Keene".

Coley D. Keene

Lab Director/Quality Manager



Safety & Environmental Solutions
Bob Allen
703 East Clinton
Hobbs NM, 88240
Fax To: (575) 393-4388

Received: 07/22/2014
Reported: 07/24/2014
Project Name: LYNCH A #2
Project Number: PAR-14-002
Project Location: 176

Sampling Date: 07/17/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6480	16.0	07/23/2014	ND	400	100	400	0.00	

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6960	16.0	07/23/2014	ND	400	100	400	0.00	

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1600	16.0	07/23/2014	ND	400	100	400	0.00	

Chloride, SM4500Cl B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	416	16.0	07/23/2014	ND	400	100	400	0.00	

[†] = Accredited Analyte

COVID-19, flu, measles, and Dengue. Cardiac Health and Wellness requires users to give personal, sensitive, and confidential information to the company and its client for analysis of their health and wellness. All users, including those who register and use the online platform, shall be deemed under a user's privacy policy and consent to Cardiac Health and Wellness that, 30 days after the completion of the application, users will be asked to participate in longitudinal studies including various initiatives, including experiments that will be in line with public health or there are substantial differences in outcomes among users or it is related to the performance of the device regardless of whether such data is based upon any of the above stated reasons of relevance. Results obtained by the company described above. The report shall not be disclosed except with written approval of Cardiac Health and Wellness.

Coley D. Keene
Coley D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

Safety & Environmental Solutions
Bob Allen
703 East Clinton
Hobbs NM, 88240
Fax To: (575) 393-4368

Received: 07/22/2014
Reported: 07/24/2014
Project Name: LYNCH A #2
Project Number: PAR-14-002
Project Location: 176

Sampling Date: 07/21/2014
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: TT #2 18.5' (H402215-05)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	368	16.0	07/23/2014	ND	400	100	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid to client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and reported to Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated causes of negligence. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 3 of 5

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature
-	Chloride by SP45000-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages: Cardinal's Analyte and Client's inclusion of items for analysis, whether listed or not, shall be limited to the amount paid to them for analysis. All items, including those for analysis and any other cause whatsoever shall be deemed placed under their sole control by Cardinal within three (3) days after completion of the applicable analysis. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by them. In no event shall Cardinal be liable for any damages arising out of or related to the performance of the services hereunder. No Cardinal, regardless of whether such factor is listed above any of the above stated causes of liabilities. Results shall only be the standard identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 5 of 5

Company Name Safety & Environmental Solutions, Inc.		Project Manager Bob Allen	
Address 703 East Clinton		City Hubbs	
Phone # 575-397-0510		Fax # 575-393-4388	
Project Name PRC 14-002 Lynch A #2		Project Number MS	
Project Location 76		State LA	
Sample Name Set 610 Conting		Date 7/14/00	
Lab ID HAC0215	Sample ID TEST PENCH #20-6"	Material GROUNDWATER	Preserve DATE
1	TEST PENCH #20-6"	GROUNDWATER	7-17-00 0900
2	TEST PENCH #20-6"	GROUNDWATER	7-17-00 1015
3	TEST PENCH #20-6"	GROUNDWATER	7-17-00 0850
4	TEST PENCH #20-6"	GROUNDWATER	7-17-00 1100
5	TEST PENCH #20-6"	GROUNDWATER	7-17-00 1135
Remarks Chlorides		Analysis Required ANALYSIS REQUIRED	

Appendix B Site Photographs







