District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in

Form C-141

Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

accordance with 19.15.29 NMAC.

## Release Notification and Corrective Action **OPERATOR** ☐ Initial Report Name of Company OGRID Number Contact Yates Petroleum Corporation 25575 Robert Asher Address Telephone No. 104 S. 4th Street 575-748-1471 Facility Name Facility Type Jefe BSJ Federal Com #1-H Battery Surface Owner Mineral Owner API No. Federal Federal 30-025-40722 LOCATION OF RELEASE Unit Letter Feet from the North/South Line Section Township Range Feet from the East/West Line County 32 0 25S 32E 330 South 660 East Lea Latitude 32.08039 Longitude 103.69459 NATURE OF RELEASE Type of Release Volume of Release Volume Recovered Oil & Produced Water 5 B/O & 4 B/PW 5 B/O & 3 B/PW Source of Release Date and Hour of Occurrence Date and Hour of Discovery Knock out site glass 5/29/2015; AM 5/29/2015; AM Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☒ Not Required N/A By Whom? Date and Hour N/A N/A Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☒ No RECEIVED If a Watercourse was Impacted, Describe Fully.\* By OCD District 1 at 1:36 pm, Jun 17, 2015 Describe Cause of Problem and Remedial Action Taken.\* The site glass on the knockout broke, causing the release. Vacuum truck(s) and roustabout crews were called. Describe Area Affected and Cleanup Action Taken.\* An approximate area of 45'X 30'. The well was shut in, site glass repaired, approximately 90% of the released oil and water was recovered using a vacuum truck (5 B/O & 3 B/PW). Impacted gravel (with remaining 1 B/PW) was excavated /hauled to a NMOCD approved facility. Depth to Ground Water: >100' (approximately 300', per ChevronTexaco Trend Map), Wellhead Protection Area: No, Distance to Surface Water Body: >1000'. SITE RANKING IS 0. Based on all oil recovered, impacted gravel including 1 B/PW removed and repairs completed, Yates Petroleum Corporation requests closure. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Approved by Environmental Specialist: Printed Name: Robert Asher Approval Date: 06/17/2015 Title: NM Environmental Regulatory Supervisor **Expiration Date:**

Conditions of Approval: //

1RP-<sup>3675</sup>

Phone: 575-748-4217

Date: June 12, 2015

E-mail Address: boba@yatespetroleum.com

Attached



(575) 748-1471

AFE # 12-068-0

06/12/2015





