



Luke Welch  
Project Manager

Upstream Business Unit  
Environmental Management  
Company  
1400 Smith Street  
Room 07069B  
Houston, Texas 77002  
Tel 713-372-0292  
Luke.Welch@chevron.com

December 15, 2014

**RECEIVED**

**By JKeyes at 12:54 pm, Nov 02, 2015**

Dr. Tomas Oberding  
Environmental Specialist  
New Mexico Oil Conservation Division  
1625 N. French Dr.  
Hobbs, New Mexico 88240

Re : Chevron Special Projects – VGWU O-40 Trunkline (RP# 3252)

Dear Dr. Oberding,

Please find enclosed for your records, a copy of the final report documenting the assessment activities at the Vacuum Glorietta West Unit O-40 Trunkline (RP # 3252).

The report was prepared by Arcadis US, Inc. (Arcadis) on behalf of Chevron Environmental Management Company (CEMC) to document activities performed for CEMC at the above referenced site. Please note in the report, Arcadis states the depth to groundwater is less than 100 feet, however this information was obtained from NMOSE records dating back over twenty years ago. Chevron has several environmental projects in the immediate vicinity and has measured groundwater depths in the last year ranging from 120 – 140 feet below grade surface.

The assessment activities identified several locations with soil impacts at levels of regulatory concern. To address these issues, CEMC proposes to conduct further remedial activities where practical, given the limitations of buried and overhead lines. For more information, please see the attached report. Should you have any questions regarding the content of the report or the proposed activities, please do not hesitate to contact me by phone at 713-372-0292 or via e-mail at [luke.welch@chevron.com](mailto:luke.welch@chevron.com).

Sincerely,

Luke Welch  
Environmental Project Manager

Mr. Luke Welch  
Project Manager  
Chevron Environmental Management Company  
1400 Smith Street, Room 07069B  
Houston, Texas 77002

Subject:

**Site Assessment Report**  
O-40 Trunk Line from the Vacuum Glorieta West Unit Battery  
Lea County, New Mexico

Dear Mr. Welch:

On behalf of Chevron Environmental Management Company (CEMC), ARCADIS U.S., Inc. (ARCADIS) prepared this Site Assessment Report (report) to document cleanup actions and soil sampling activities performed at the O-40 Trunk Line from the Vacuum Glorieta West Unit (VGWU) Battery located in Lea County, New Mexico (site; Figure 1). These activities were conducted in response to a release of approximately 149 barrels (bbls) of produced water that occurred at the site on December 5, 2012.

To evaluate the potential impacts related to this release, ARCADIS developed a Site Conceptual Model (SCM; Attachment 1). Based on the SCM, potential impacts to groundwater are not considered possible due to the following:

- Response activities included removal of liquids and impacted soil.
- Local conditions include low rainfall and high evapotranspiration, which minimize potential infiltration.
- The presence of a caliche layer impedes the vertical migration of liquids.
- Groundwater is encountered at significant depth (90 feet below ground surface [bgs]).
- Geochemical modeling using United States Environmental Protection Agency (USEPA) Multimedia Exposure Assessment Model (MULTIMED) Version 2.0 (USEPA 1996) indicates that a significantly larger release would be necessary to cause an exceedance of regulatory criteria in groundwater.

Imagine the result

ARCADIS U.S., Inc.  
2929 Briarpark Drive  
Suite 300  
Houston  
Texas 77042  
Tel 713 953 4800  
Fax 713 977 4620  
[www.arcadis-us.com](http://www.arcadis-us.com)

ENVIRONMENT

Date:  
December 2, 2014

Contact:  
Jonathan Olsen

Phone:  
713.953.4874

Email:  
[Jonathan.Olsen@arcadis-us.com](mailto:Jonathan.Olsen@arcadis-us.com)

Our ref:  
B0048616.0000

This report describes spill response activities for the December 5, 2012 release and follow-up soil assessment activities conducted on October 22 and 23, 2013.

## **Background Information**

This section summarizes the site location and description, as well as the regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

### **Site Location and Description**

The site is located within the Chevron-operated Vacuum Unit, approximately 14 miles southwest of Lovington, New Mexico. New Mexico Highway 238 is located approximately 0.4 mile east of the site.

The site is located in the western edge of the Permian Basin, a 75,000-square-mile area in west Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north and Chaves County to the west. Lovington (the closest town) is approximately 14 miles northeast of the site and the closest agricultural area is 7 miles northeast of the site.

The site is located directly east of the VGWU Battery. The release described below occurred primarily on pasture land.

### **Nearby Water Wells and Surface Water**

Based on review of satellite imagery, no surface-water bodies have been identified within 0.6 mile of the site (GoogleEarth 2014). In October 2013, ARCADIS field verified that there are no surface-water bodies located within 1,000 feet of the site.

In September 2014, ARCADIS reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2011), which indicates that no water-supply wells are located within 1,000 feet of the site. The NMOSE online database identified 312 water-supply wells within a 5-mile radius of the site (NMOSE 2011). A domestic water-supply well, located approximately 1,060 feet northeast (i.e., hydraulically crossgradient) of the site, was identified as the closest designated-use well to the site.

## Climate

Monthly average temperatures near the site vary from a minimum of 27.9 degrees Fahrenheit (°F) in January to a maximum of 93.9°F in July (Western Regional Climate Center [WRCC] Hobbs, New Mexico [294026] weather station). Total average precipitation recorded for the area of the site from the available WRCC period of record between 1912 and 2013 was approximately 15.75 inches per year (WRCC 2014a).

Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. The total average evapotranspiration from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2014b).

## Regional Geology and Hydrogeology

The site elevation is approximately 4,001 feet above mean sea level. The site is located in the Querecho Plains immediately west of the Mescalero Ridge, which demarcates the western boundary of the (Miocene to Pliocene) High Plains Ogallala Formation (Reeves 1972). A rapid drop in elevation of 200 to 250 feet occurs west of the northwest-trending Mescalero Ridge. The Ogallala Formation east of the ridge is predominantly composed of unconsolidated alluvial fan deposits of sand and gravel near the base, overlain by interbedded sand and clay in the upper portion (Seni 1980). Repeated depositional events on the High Plains surface beginning approximately 7 million years ago, followed by aerial exposure, generated a thick sequence of caliche horizons that are competent enough to act as a cliff for the expression of Mescalero Ridge. These hard caliche deposits form the upper portion of the stratigraphic sequence. In the site area, the Ogallala Formation is underlain by red beds of the Upper Triassic-age Dockum Group. The nearest area where the Ogallala is underlain by the Cretaceous-age Trinity Group is approximately 45 miles to the northwest (Fallin 1988).

The Querecho Plain is 80 percent covered by a moderately stable dune field (Reeves 1972) that is deposited on top of Triassic Dockum red beds. The red bed surface, which is 400,000 to 500,000 years old, is relatively flat with minor erosional incisions and a 3- to 13-foot-thick near-surface caliche layer (Bachman 1980). Deposition of sand and formation of the dune field began 60,000 years ago, with additional development beginning 9,000 years ago (Hall 2002). The surface and interior of these dunes do not contain caliche; however, a 1-foot layer of caliche is common at the bottom of the dunes at the contact with the red bed surface. Groundwater in the area is in the Dockum Group at a depth of approximately 100 feet (Summers 1972).

Compared to the Ogallala Formation to the west of the site, the Dockum Group groundwater is not a major resource in the area, with poor potential water production rates and elevated natural dissolved solids.

Water-supply wells located on the southern High Plains east of Mescalero Ridge in central Lea County and near the site, as discussed in the Nearby Water Wells and Surface Water section of this report, are completed in the High Plains Aquifer (HPA). The HPA consists primarily of the Ogallala Formation, and in localized areas, alluvial sediment of Quaternary age. Near the site, the HPA is present directly above the Triassic-age Dockum Group, which occurs at a depth of approximately 140 feet bgs (Ash 1963, Fahlquist 2003, Nativ 1988, Nicholson and Clebsch 1961, Tillery 2008). The regional groundwater flow direction is to the east-southeast (Tillery 2008).

Groundwater near the site is encountered at a depth of approximately 90 feet bgs (NMOSE 2014; Attachment 2).

### **Initial Release Response Activities**

A release of approximately 149 bbls of produced water occurred at the site on December 5, 2012, due to a leak from an underground fiberglass line. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered approximately 35 bbls of fluids (primarily oil) using a vacuum truck. On December 5, 2012, Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected six discrete confirmation soil samples from the base of the excavation. Information regarding the disposal of the excavated soil was not available to ARCADIS.

Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), David Pagano (Chevron MCBU) submitted a Notification of Release and Correction (Form C-141) to the NMOCD, detailing the location, volume of release, and initial and planned cleanup efforts taken for the site. The original C-141 form is included as Attachment 3.

### **Confirmation Soil Sampling**

Six discrete confirmation soil samples were collected from the base of the excavation on January 22, 2013. As reported in the laboratory analytical report (Attachment 4), soil sample containers were transported on ice, under chain of custody procedures, to Cardinal Laboratories Environmental Analytical Services for the following analyses:

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by USEPA Method 8021B.
- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) and total petroleum hydrocarbons as diesel range organics (TPH-DRO) by USEPA Method 8015M.
- Chloride by USEPA Method SM4500Cl-B.

Confirmation soil sample results are presented in Table 1. The complete laboratory analytical results with chain of custody documentation are included in Attachment 4.

### Data Evaluation Approach

Chevron MCBU personnel compared data from the six confirmation soil samples collected in January 2013 to regulatory criteria to provide context for the concentrations of analytes detected and to evaluate the need for additional sampling. The regulatory criteria selected are based on potential receptors near the site and consist of the following:

- NMOCD risk-based soil remediation action levels (SRALs) for benzene, total BTEX, and total petroleum hydrocarbons (TPH) for leaks, spills, and releases (NMOCD 1993). SRALs were calculated using the NMOCD criteria presented in the tables below.

Criteria	Site-Specific Result	Ranking Score
Depth to groundwater	50 to 99 feet	10
Well head protection area	No	0
Distance to surface-water body	>1,000 feet	0
<b>Total Ranking Score</b>		<b>10</b>

SRALs	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH (mg/kg)
	10	50	1,000

**Note:**  
mg/kg = milligrams per kilogram

- New Mexico Administrative Code (NMAC) closure criteria for soil beneath belowgrade tanks, drying pads associated with closed-loop systems, and pits where contents have been removed (NMAC 2009).

Criteria	Site-Specific Result	Chloride (mg/kg)
Depth below bottom of pit to groundwater	50 to 100 feet	500

### Confirmation Soil Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, and chloride for the six discrete confirmation soil samples collected in January 2013 are provided in Table 1 and summarized below:

- Benzene and BTEX were not detected above the laboratory reporting limits (LRLs) or above the SRALs of 10 and 50 mg/kg, respectively.
- TPH-GRO and TPH-DRO were not detected above LRLs.
- TPH (TPH-DRO and TPH-GRO) were not detected above LRLs or above the SRAL of 1,000 mg/kg in the six discrete confirmation soil samples.
- Chloride was detected in all six confirmation samples, at concentrations ranging from 6,480 mg/kg (VGWU #040 Sample #4) to 12,000 mg/kg (VGWU #040 Sample #6). Chloride was detected above the NMAC closure criterion of 500 mg/kg in all six confirmation soil samples.

The complete laboratory analytical results with chain of custody documentation are included in Attachment 4. Chloride concentrations in all six confirmation soil samples were above the regulatory criteria, which prompted additional site assessment activities.

### Site Assessment Activities

In October 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in January 2013, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. The site assessment activities and results are discussed below.

### **Pre-Field Activities**

Prior to initiating field activities, ARCADIS updated the site-specific Health and Safety Plan in accordance with state and federal requirements. Prior to initiating drilling activities, underground utilities and other potential subsurface obstructions near the proposed boring locations were located and marked. A New Mexico One Call ticket was issued for the site and a private third-party utility locator cleared all proposed boring locations for potential on- and off-site utilities that were not otherwise identified. Finally, ARCADIS staff conducted a visual inspection of the site to identify potential utility lines. Boring locations were flagged during the utility locate and coordinates were recorded using a Trimble® global positioning unit with differential capability.

### **Soil Sampling**

To evaluate the potential extent of impacts to soil at the site, ARCADIS advanced nine soil borings (VGWU 40-01, VGWU 40-02, VGWU 40-03, VGWU 40-04, VGWU 40-05, VGWU 40-06, VGWU 40-07, VGWU 40-08, and VGWU 40-09) on October 22 and 23, 2013. Soil sampling locations are shown on Figure 2.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 30 feet bgs using air rotary drilling equipment.

Soil was continuously logged for stratigraphic characteristics. The soil samples were field screened for the presence of volatile organic compounds using a photo ionization detector (PID), in combination with visual and olfactory screening methods, for evidence of petroleum hydrocarbons. The PID used during this investigation was calibrated daily with fresh air and isobutylene gas. Field personnel recorded PID readings, soil types, and other pertinent geologic data on the boring logs (Attachment 5). No staining or elevated PID readings were observed.

Lithologic data indicate that the subsurface material primarily consists of caliche (soil carbonate) profiles including "caprock," nodular, and sandy caliche layers from approximately 0 to 30 feet bgs (Attachment 5).

### **Soil Assessment Sampling**

Six soil samples were collected from each boring location beginning at a depth of 2 feet bgs (the approximate depth of the soil excavation in the initial release response

activities) and continuing at 5-foot intervals from 5 to 30 feet bgs. A total of 63 samples were collected from the site and submitted to the lab for analysis.

The soil samples were retained in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to TestAmerica Laboratories.

### **Soil Assessment Sample Analysis**

Soil samples collected from each boring were analyzed for chloride by USEPA Method 9056.

### **Boring Abandonment**

Following sampling, the boreholes were filled with soil cuttings from the total depth to ground surface. The ground surface was restored to match the surrounding conditions.

### **Soil Assessment Comparison Criteria**

To support site closure, ARCADIS developed a site-specific soil screening level (SSL) for chloride by simulating unsaturated zone flow, transport, and saturated zone mixing of chloride using the MULTIMED model Version 2.0 (USEPA 1996). The NMAC chloride standard for domestic water supply of 250 milligrams per liter (NMAC 2001) was used to estimate a maximum allowable concentration of chloride in soil that would not leach to groundwater at concentrations above the standard. The NMAC chloride standard is consistent with the National Secondary Drinking Water Standard for chloride, addressing taste and odor concerns (USEPA 2010).

Conservative site-specific input parameters were used in the MULTIMED (USEPA 1996) simulations compared to actual site and release conditions. Specifically:

- Modeled source lengths and areas modeled are generally significantly larger than the actual chloride-impacted soil areas.
- Chloride-impacted soil was modeled as having a uniform chloride concentration for the entire volume (i.e., area x depth) of specified soil.
- A reduction in chloride concentrations in subsurface soil due to soil chemical transformation or adsorption mechanisms was not included in the model calculations.

Based on the depth to groundwater and the aerial and vertical extents of each of the MULTIMED (USEPA 1996) simulations, with these conservative site-specific input parameters, modeled peak chloride concentrations will reach groundwater in approximately 540 to 860 years.

A memo, Chloride MULTIMED Simulated Soil Screening Levels for the Protection of Groundwater, is included as Attachment 6. The site-specific SSL was calculated using the input parameters presented in the table below.

<b>Site-Specific Input Parameters</b>	
Source length (m)	45
Source area (m <sup>2</sup> )	2,000
Source depth (m)	0 to 3
Depth to groundwater (m)	20
<b>Chloride SSL (mg/kg)</b>	<b>8,525<sup>1</sup></b>

<sup>1</sup> A chloride SSL of 8,525 mg/kg was calculated using MULTIMED (USEPA 1996).  
m = meter  
m<sup>2</sup> = square meter

### Soil Assessment Sample Results

The analytical results for chloride for the 63 soil assessment samples are provided in Table 1 and summarized below. Laboratory analytical results with chain of custody documentation are provided in Attachment 4.

Chloride was detected in 62 of the 63 soil assessment samples at concentrations ranging from 6 mg/kg (VGWU 40- 05 at 15 feet bgs) to 5,200 mg/kg (VGWU 40- 04 at 5 feet bgs). Chloride was detected above 1,000 mg/kg in 17 of the 63 soil assessment samples. Chloride concentrations were not detected above the site-specific SSL of 8,525 mg/kg.

### Summary and Conclusions

A release of produced water occurred at the site on December 5, 2012 due to a leak from an underground fiberglass line. Chevron MCBU personnel stopped the release

and recovered approximately 35 bbls of fluids using a vacuum truck. Impacted soil was excavated to a depth of approximately 2 feet bgs and six discrete confirmation soil samples were collected from the base of the excavation in January 2013. Concentrations of chloride in all six confirmation soil samples were above regulatory criteria, which prompted an additional investigation. In October 2013, additional soil samples were collected to assess soil impacts within the observed aerial extent of the release. Chloride concentrations in soil samples collected during the 2013 assessment were below the site-specific SSL, which was calculated using the MULTIMED model (USEPA 1996; Attachment 6).

Potential migration of remaining petroleum hydrocarbons or chloride to groundwater is not expected due to the relatively small volume of unrecovered material, low precipitation (WRCC 2014a), high evapotranspiration rates (WRCC 2014b), and fine-grained nature of caliche layers present beneath the site. MULTIMED (USEPA 1996) model results demonstrate that the remaining soil concentrations associated with the release do not pose a significant risk to groundwater resources

Soil data presented in this report support a conclusion that impacted soil associated with the December 5, 2012 release at the site poses no significant threat to groundwater resources or other receptors.

However, to minimize soil exceeding the 1,000 mg/kg chloride concentration discussed during a meeting on August 20, 2014 between CEMC and the NMCOD, ARCADIS proposes that limited excavation be implemented at the site. Shallow soil (up to 4 feet bgs) with chloride concentrations above 1,000 mg/kg will be excavated to provide clean soil to establish potential vegetation at the site in the future.

ARCADIS proposes to collect soil samples (up to 4 feet bgs) to delineate the excavation area to 1,000 mg/kg of chloride. Once the proposed excavation area is defined, soil within the proposed area will be excavated to 4 feet bgs. A liner will be placed within the limits of the excavation footprint and clean fill will be used to backfill the excavation areas. Pre-excavation samples will be used as confirmation samples and no post-excavation soil samples will be collected. The proposed excavation area is presented on Figure 3.

ARCADIS recommends that, upon completion of the excavation plan, CEMC submit a request to the NMOCD that no further investigations or additional cleanup actions need to be performed at the site and that the NMOCD grant No Further Action status to the site.

If you have any questions or comments regarding the information presented in this report, please contact Jonathan Olsen at 713.953.4874 or at Jonathan.Olsen@arcadis-us.com, or Kathleen Abbott at 925.296.7827 or at Kathleen.Abbott@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.



Jonathan Olsen  
Certified Project Manager



Kathleen M. Abbott, PG  
Program Manager

Enclosures:

- |          |   |
|----------|---|
| Table 1  | Soil Sampling Analytical Results                    |
| Figure 1 | Site Location Map – O-40 Trunk Line                 |
| Figure 2 | Release and Soil Boring Locations – O-40 Trunk Line |
| Figure 3 | Proposed Excavation Area – O-40 Trunk Line          |

Attachments:

- |              |  |
|--------------|--|
| Attachment 1 | Site Conceptual Model  |
| Attachment 2 | New Mexico Office of the State Engineer – Depth to Water   |
| Attachment 3 | Release Notification and Corrective Action (C-141 Form)  |
| Attachment 4 | Laboratory Analytical Reports  |
| Attachment 5 | Boring Logs (October 2013)   |
| Attachment 6 | Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater Memo |

References:

- Ash, S.R. 1963. Ground-water conditions in northern Lea County, New Mexico. New Mexico Bureau of Mines and Mineral Resources, Atlas HA-62.
- Bachman, George O. 1980. Regional Geology and Cenozoic History of Pecos Region, Southeastern New Mexico, US Dept. of Interior Geological Survey, Open File Report 80-1099, 120 pp.
- Fahlquist, L. 2003. Ground-water quality of the southern High Plains Aquifer, Texas and New Mexico, 2001. U. S. Geological Survey Open-File Report 03-345, 69 p.

- Fallin, J.A. Tony. 1988. Hydrogeology of Lower Cretaceous Strata Under the Southern High Plains of New Mexico, New Mexico Geology, Vol. 10, No. 1, pp. 6-9, February 1988.
- GoogleEarth. 2014. Lovington, New Mexico, 32\_46\_57.76N, 103\_29\_26.55W, elev 3913 feet, Google Earth Imagery. February 13.
- Hall, Stephen A. 2002. Field Guide to the Geoarcaeology of the Mescalero Sands, Southeastern New Mexico, Report Submitted to the State of New Mexico Historic Preservation Division and New Mexico Bureau of Land Management, Project No. 35-00-15334.11. October 2002.
- Nativ, R. 1988. Hydrogeology and hydrochemistry of the Ogallala aquifer, Southern High Plains, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations no. 177, 64 p.
- New Mexico Administrative Code. 2001. Title 20, Chapter 6 of the New Mexico Administrative Code for Environmental Protection, Water Quality, Ground and Surface Water Protection, 20.6.2.3103 NMAC. January.
- New Mexico Administrative Code. 2009. Title 19, Chapter 15 of the New Mexico Administrative Code concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC. July.
- New Mexico Office of the State Engineer. 2011. Water Information, Maps and Data, Geospatial Data, OSE Well Data, [http://www.ose.state.nm.us/water\\_info\\_data.html](http://www.ose.state.nm.us/water_info_data.html), July.
- New Mexico Office of the State Engineer. 2014. New Mexico Water Rights Reporting System, <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>, May.
- New Mexico Oil Conservation Division. 1993. Guidelines for Remediation of Leaks, Spills and Releases. August 13.
- Nicholson, A., Jr., and A. Clebsch, Jr. 1961. Geology and Ground-Water Conditions in Southern Lea County, New Mexico. ERMS 241583. Ground-Water Report 6. Socorro, NM: New Mexico Bureau of Mines and Mineral Resources.
- Reeves, C.C. Jr. 1972. Tertiary-Quaternary stratigraphy and geomorphology of West Texas and southeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 108-117.

- Seni, S.J. 1980. Sand-body geometry and depositional systems, Ogallala Formation, Texas. University of Texas, Bureau of Economic Geology, Report of Investigations No.105, 40 p.
- Summers, W.K. 1972. Geology and Regional Hydrology of the Pecos River Basin, New Mexico, New Mexico Bureau of Geology and Mineral Resources, Open File Report No. 37, 393 pp. June 1972.
- Tillery, A. 2008. Current (2004-07) conditions and changes in ground-water levels from predevelopment to 2007, Southern High Plains Aquifer, Southeast New Mexico-Lea County Underground Water Basin. U.S. Geological Survey, Scientific Investigations Map 3044.
- United States Environmental Protection Agency. 1996. Multimedia Exposure Assessment Model for exposure assessment, MULTIMED 2.0 Beta. October.
- United States Environmental Protection Agency. 2010. List of Contaminants and their Maximum Contaminant Levels, List of National Secondary Drinking Water Regulations. Online at: <http://water.epa.gov/drink/contaminants/#List>. July 1.
- Western Regional Climate Center. 2014a. Hobbs, New Mexico (294026) weather station. <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm4026>. Viewed on May 5.
- Western Regional Climate Center. 2014b. Artesia, New Mexico, monthly average pan evaporation. [http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW\\_MEXICO](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW_MEXICO). Viewed on May 6.

**Table**

**Table 1**  
**Soil Sampling Analytical Results**

**Site Assessment Report**  
**Vacuum Glorieta West Unit O-40 Trunk Line from Vacuum Glorieta West Unit Battery**  
**Lea County, New Mexico**

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
SRALs <sup>(a)</sup>			10	---	---	---	50	1,000	---	---	---
NMAC Closure Criteria <sup>(b)</sup>			---	---	---	---	---	---	---	500	---
MULTIMED Site-Specific SSL <sup>(c)</sup>			---	---	---	---	---	---	---	8,525	---
VGWU #040 Sample #1	1/22/2013	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	11,000	--
VGWU #040 Sample #2	1/22/2013	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	9,760	--
VGWU #040 Sample #3	1/22/2013	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	11,600	--
VGWU #040 Sample #4	1/22/2013	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	6,480	--
VGWU #040 Sample #5	1/22/2013	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	9,920	--
VGWU #040 Sample #6	1/22/2013	0	<0.050	<0.050	<0.050	<0.150	--	<10.0	<10.0	12,000	--
VGWU 40- 01	10/23/2013	2	--	--	--	--	--	--	--	1,000	5
	10/23/2013	5	--	--	--	--	--	--	--	2,100	4
	10/23/2013	10	--	--	--	--	--	--	--	400	6
	10/23/2013	15	--	--	--	--	--	--	--	350	5
	10/23/2013	20	--	--	--	--	--	--	--	33	8
	10/23/2013	25	--	--	--	--	--	--	--	15	4
	10/23/2013	30	--	--	--	--	--	--	--	180	3
VGWU 40- 02	10/22/2013	2	--	--	--	--	--	--	--	2,600	6
	10/22/2013	5	--	--	--	--	--	--	--	4,300	10
	10/22/2013	10	--	--	--	--	--	--	--	4,700	3
	10/22/2013	15	--	--	--	--	--	--	--	3,900	6
	10/22/2013	20	--	--	--	--	--	--	--	2,600	7
	10/23/2013	25	--	--	--	--	--	--	--	3,100	3
	10/23/2013	30	--	--	--	--	--	--	--	3,600	4
VGWU 40- 03	10/23/2013	2	--	--	--	--	--	--	--	3,600	5
	10/23/2013	5	--	--	--	--	--	--	--	910	3
	10/23/2013	10	--	--	--	--	--	--	--	37	3
	10/23/2013	15	--	--	--	--	--	--	--	23	3
	10/23/2013	20	--	--	--	--	--	--	--	14	1
	10/23/2013	25	--	--	--	--	--	--	--	8	2
	10/23/2013	30	--	--	--	--	--	--	--	27	2
VGWU 40- 04	10/22/2013	2	--	--	--	--	--	--	--	1,700	6
	10/22/2013	5	--	--	--	--	--	--	--	5,200	9
	10/22/2013	10	--	--	--	--	--	--	--	360	6
	10/22/2013	15	--	--	--	--	--	--	--	93	8
	10/22/2013	20	--	--	--	--	--	--	--	23	6
	10/22/2013	25	--	--	--	--	--	--	--	71	12
	10/22/2013	30	--	--	--	--	--	--	--	21	8
VGWU 40- 05	10/23/2013	2	--	--	--	--	--	--	--	54	1
	10/23/2013	5	--	--	--	--	--	--	--	53	8
	10/23/2013	10	--	--	--	--	--	--	--	10	2
	10/23/2013	15	--	--	--	--	--	--	--	6	1
	10/23/2013	20	--	--	--	--	--	--	--	6	2
	10/23/2013	25	--	--	--	--	--	--	--	7	3
	10/23/2013	30	--	--	--	--	--	--	--	7	5
VGWU 40- 06	10/23/2013	2	--	--	--	--	--	--	--	51	2
	10/23/2013	5	--	--	--	--	--	--	--	27	6
	10/23/2013	10	--	--	--	--	--	--	--	7	4
	10/23/2013	15	--	--	--	--	--	--	--	<4.4	9
	10/23/2013	20	--	--	--	--	--	--	--	6	4
	10/23/2013	25	--	--	--	--	--	--	--	7	4
	10/23/2013	30	--	--	--	--	--	--	--	10	4

**Table 1**  
**Soil Sampling Analytical Results**

**Site Assessment Report**  
**Vacuum Glorieta West Unit O-40 Trunk Line from Vacuum Glorieta West Unit Battery**  
**Lea County, New Mexico**

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
SRALs <sup>(a)</sup>			10	---	---	---	50	1,000	---	---	---
NMAC Closure Criteria <sup>(b)</sup>			---	---	---	---	---	---	---	500	---
MULTIMED Site-Specific SSL <sup>(c)</sup>			---	---	---	---	---	---	---	8,525	---
VGWU 40- 07	10/23/2013	2	--	--	--	--	--	--	--	2,400	4
	10/23/2013	5	--	--	--	--	--	--	--	130	2
	10/23/2013	10	--	--	--	--	--	--	--	33	3
	10/23/2013	15	--	--	--	--	--	--	--	96	5
	10/23/2013	20	--	--	--	--	--	--	--	14	3
	10/23/2013	25	--	--	--	--	--	--	--	8	4
	10/23/2013	30	--	--	--	--	--	--	--	9	3
VGWU 40- 08	10/23/2013	2	--	--	--	--	--	--	--	2,000	3
	10/23/2013	5	--	--	--	--	--	--	--	700	6
	10/23/2013	10	--	--	--	--	--	--	--	2,600	8
	10/23/2013	15	--	--	--	--	--	--	--	11	13
	10/23/2013	20	--	--	--	--	--	--	--	46	5
	10/23/2013	25	--	--	--	--	--	--	--	130	4
	10/23/2013	30	--	--	--	--	--	--	--	61	7
VGWU 40- 09	10/23/2013	2	--	--	--	--	--	--	--	2,500	5
	10/23/2013	5	--	--	--	--	--	--	--	1,800	2
	10/23/2013	10	--	--	--	--	--	--	--	900	4
	10/23/2013	15	--	--	--	--	--	--	--	2,300	10
	10/23/2013	20	--	--	--	--	--	--	--	580	9
	10/23/2013	25	--	--	--	--	--	--	--	70	7
	10/23/2013	30	--	--	--	--	--	--	--	130	5

Notes:

- % Percent
- mg/kg Miligram(s) per kilogram
- < Analyte was not detected above the specified method reporting limit
- Not Analyzed/Not Listed
- bgs Below ground surface
- BTEX Benzene, toluene, ethylbenzene, and total xylenes
- MULTIMED Multimedia Exposure Assessment Model
- NMAC New Mexico Administrative Code
- TPH-GRO Total Petroleum Hydrocarbons as Gasoline Range Organics
- TPH-DRO Total Petroleum Hydrocarbons as Diesel Range Organics
- SRAL Soil remediation action level
- SSL Soil screening level


(a) SRALs, for leaks, spills, and releases, New Mexico Oil Conservation Division, August 1993

(b) Title 19, Chapter 15 of the NMAC concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC, July 2009

(c) MULTIMED exposure assessment, 2.0 Beta, United States Environmental Protection Agency, October 1996

## Figures






**LEGEND:**

- OCTOBER 2013 ASSESSMENT SOIL SAMPLING LOCATION
- ① JANUARY 2013 CONFIRMATION SOIL SAMPLING LOCATION
- APPROXIMATE EXTENT OF SPILL
- - - UNDERGROUND UTILITY LINE

**NOTES:**

1. AERIAL PHOTOGRAPH FROM GOOGLE EARTH PRO.
2. COORDINATES FOR ALL OCTOBER 2013 SAMPLE LOCATIONS WERE COLLECTED USING A SUB-METER TRIMBLE GPS UNIT.
3. UTILITIES WERE IDENTIFIED USING GROUND PENETRATING RADAR, RADIO FREQUENCY SURVEY OR VISUAL MEANS.



VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT  
 TEAM UNITS  
 LEA COUNTY, NEW MEXICO  
**SITE ASSESSMENT REPORT**

**RELEASE AND SOIL BORING LOCATIONS  
 O-40 TRUNK LINE**



FIGURE

**2**




**LEGEND:**

- OCTOBER 2013 ASSESSMENT SOIL SAMPLING LOCATION
- ① JANUARY 2013 CONFIRMATION SOIL SAMPLING LOCATION
- APPROXIMATE EXTENT OF SPILL
- - - UNDERGROUND UTILITY LINE
- PROPOSED EXCAVATION AREA

**NOTES:**

1. AERIAL PHOTOGRAPH FROM GOOGLE EARTH PRO.
2. COORDINATES FOR ALL OCTOBER 2013 SAMPLE LOCATIONS WERE COLLECTED USING A SUB-METER TRIMBLE GPS UNIT.
3. UTILITIES WERE IDENTIFIED USING GROUND PENETRATING RADAR, RADIO FREQUENCY SURVEY OR VISUAL MEANS.



VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT  
 TEAM UNITS  
 LEA COUNTY, NEW MEXICO  
**SITE ASSESSMENT REPORT**

**PROPOSED EXCAVATION AREA  
 O-40 TRUNK LINE**




FIGURE

**3**




## **Attachment 1**


Site Conceptual Model



The site is located in the western edge of the Permian Basin with Lovington (the closest town) located approximately 14 miles northeast of the site. Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. According to information obtained from the NMOSE online database, groundwater near the site is encountered at a depth of approximately 90 feet bgs.



A release of approximately 149 bbls of produced water occurred at the site on December 5, 2012, due to a leak from an underground fiberglass line. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered approximately 35 bbls of fluids (primarily oil) using a vacuum truck. On December 5, 2012, Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected six discrete confirmation soil samples from the base of the excavation. Analyte concentrations in one or more confirmation soil samples were above regulatory criteria, which prompted additional site assessment activities.



In October 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in December 2012, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. Analyte concentrations in samples collected during the 2013 assessment were reported below site-specific criteria. Site assessment activities demonstrate that remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.

VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT TEAM UNITS  
LEA COUNTY, NEW MEXICO

**SITE ASSESSMENT REPORT**

**Site Conceptual Model  
VGWU O-40**



## **Attachment 2**

New Mexico Office of the State  
Engineer – Depth to Water



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
<a href="#">L 05003</a>	L	LE		1	36	17S	34E			638742	3629538*	608	135	105	30
<a href="#">L 02308</a>	L	LE		4	4	25	17S	34E		639736	3630168*	694	130	76	54
<a href="#">L 07481</a>	L	LE		3	3	30	17S	35E		640138	3630176*	982	145	105	40
<a href="#">L 07481 S</a>	L	LE		3	3	30	17S	35E		640138	3630176*	982	200	80	120
<a href="#">L 07481 S</a>	R	L	LE	3	3	30	17S	35E		640138	3630176*	982	200	80	120
<a href="#">L 05025</a>	L	LE		3	3	25	17S	34E		638530	3630143*	986	157	95	62

Average Depth to Water: **90 feet**  
 Minimum Depth: **76 feet**  
 Maximum Depth: **105 feet**

Record Count: 6

**UTMNAD83 Radius Search (in meters):**

**Easting (X):** 639348.13

**Northing (Y):** 3629591.54

**Radius:** 1000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



### **Attachment 3**

Release Notification and Corrective  
Action (C-141 Form)

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised August 8, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

Name of Company CHEVRON U.S.A Inc.	Contact David Pagano
Address 56 Texas Camp Road, Lovington, NM 88260	Telephone No. Office: 575-396-4414 ext 275 Cellular: 505-787-9816
Facility Name Vacuum Glorietta West Unit Battery SWD trunk line	Facility Type Production Tank Battery

Surface Owner State of New Mexico	Mineral Owner State of New Mexico	API No.	OGRID No. B-155
-----------------------------------	-----------------------------------	---------	-----------------

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
G	36	17.0S	34.0E					Lea

Latitude 32.795081 Longitude -103.511756

**NATURE OF RELEASE**

Type of Release Spill to Land	Volume of Release 149bbbls of Produced Water	Volume Recovered 35bbbls of Produced Water
Source of Release Water Injection Station Pump	Date and Hour of Occurrence 12/5/12 04:00 AM	Date and Hour of Discovery 12/5/12 08:00AM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Geoffrey Leking	
By Whom? David Pagano	Date and Hour 11/5/12 2:20	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*  
N/A

Describe Cause of Problem and Remedial Action Taken.\*

6" buried fiberglass trunk line from VGWU Battery to the O-40SWD leaked underground approx 700 feet west/southwest of the battery. Cause of leak will be determined when line is excavated.

Describe Area Affected and Cleanup Action Taken.\*

Release occurred in pasture area just 100 feet north of CVU 457 well. On discovery, vacuum truck contacted and vacuumed up the standing fluids. Recovered 35bbbls of fluids and recovered liquids placed hauled off to disposal. Next steps are for the visually contaminated soil to be excavated up to 2 feet and sent off for disposal.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:	<b>OIL CONSERVATION DIVISION</b>		
Printed Name: David Pagano	Approved by Environmental Specialist:		
Title: Health & Environmental Specialist	Approval Date:	Expiration Date:	
E-mail Address: david.pagano@chevron.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date: 12/12/12 Phone: 505-787-9816			

\* Attach Additional Sheets If Necessary



## **Attachment 4**

Laboratory Analytical Reports

January 29, 2013

DAVID PAGANO

Chevron - Lovington

HCR 60 Box 423

Lovington, NM 88260

RE: SOIL SAMPLES

Enclosed are the results of analyses for samples received by the laboratory on 01/22/13 16:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 01/22/2013  
 Reported: 01/29/2013  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 01/22/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU #040 SAMPLE #1 (H300179-05)**

<b>BTEX 8021B</b>		<b>mg/kg</b>		<b>Analyzed By: AP</b>						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/29/2013	ND	1.81	90.3	2.00	13.2		
Toluene*	<0.050	0.050	01/29/2013	ND	1.92	96.0	2.00	13.2		
Ethylbenzene*	<0.050	0.050	01/29/2013	ND	1.99	99.7	2.00	13.4		
Total Xylenes*	<0.150	0.150	01/29/2013	ND	6.04	101	6.00	13.5		
Total BTEX	<0.300	0.300	01/29/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 89.4-126

<b>Chloride, SM4500Cl-B</b>		<b>mg/kg</b>		<b>Analyzed By: AP</b>						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>Chloride</b>	<b>11000</b>	16.0	01/25/2013	ND	400	100	400	0.00		

<b>TPH 8015M</b>		<b>mg/kg</b>		<b>Analyzed By: MS</b>						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	01/26/2013	ND	205	103	200	19.4		
DRO >C10-C28	<10.0	10.0	01/26/2013	ND	198	99.0	200	15.1		

Surrogate: 1-Chlorooctane 90.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 96.4 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 01/22/2013  
 Reported: 01/29/2013  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 01/22/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU #040 SAMPLE #2 (H300179-06)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/26/2013	ND	1.81	90.3	2.00	13.2		
Toluene*	<0.050	0.050	01/26/2013	ND	1.92	96.0	2.00	13.2		
Ethylbenzene*	<0.050	0.050	01/26/2013	ND	1.99	99.7	2.00	13.4		
Total Xylenes*	<0.150	0.150	01/26/2013	ND	6.04	101	6.00	13.5		
Total BTEX	<0.300	0.300	01/26/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	9760	16.0	01/25/2013	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	01/24/2013	ND	205	103	200	19.4		
DRO >C10-C28	<10.0	10.0	01/24/2013	ND	198	99.0	200	15.1		

Surrogate: 1-Chlorooctane 65.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 80.1 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 01/22/2013  
 Reported: 01/29/2013  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 01/22/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU #040 SAMPLE #3 (H300179-07)**

<b>BTEX 8021B</b>		<b>mg/kg</b>		<b>Analyzed By: AP</b>					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2013	ND	1.81	90.3	2.00	13.2	
Toluene*	<0.050	0.050	01/26/2013	ND	1.92	96.0	2.00	13.2	
Ethylbenzene*	<0.050	0.050	01/26/2013	ND	1.99	99.7	2.00	13.4	
Total Xylenes*	<0.150	0.150	01/26/2013	ND	6.04	101	6.00	13.5	
Total BTEX	<0.300	0.300	01/26/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 89.4-126

<b>Chloride, SM4500Cl-B</b>		<b>mg/kg</b>		<b>Analyzed By: AP</b>					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>11600</b>	16.0	01/25/2013	ND	400	100	400	0.00	

<b>TPH 8015M</b>		<b>mg/kg</b>		<b>Analyzed By: MS</b>					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/24/2013	ND	205	103	200	19.4	
DRO >C10-C28	<10.0	10.0	01/24/2013	ND	198	99.0	200	15.1	

Surrogate: 1-Chlorooctane 82.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 97.2 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 01/22/2013  
 Reported: 01/29/2013  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 01/22/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU #040 SAMPLE #4 (H300179-08)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/26/2013	ND	1.81	90.3	2.00	13.2		
Toluene*	<0.050	0.050	01/26/2013	ND	1.92	96.0	2.00	13.2		
Ethylbenzene*	<0.050	0.050	01/26/2013	ND	1.99	99.7	2.00	13.4		
Total Xylenes*	<0.150	0.150	01/26/2013	ND	6.04	101	6.00	13.5		
Total BTEX	<0.300	0.300	01/26/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	6480	16.0	01/25/2013	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	01/26/2013	ND	205	103	200	19.4		
DRO >C10-C28	<10.0	10.0	01/26/2013	ND	198	99.0	200	15.1		

Surrogate: 1-Chlorooctane 89.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 01/22/2013  
 Reported: 01/29/2013  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 01/22/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU #040 SAMPLE #5 (H300179-09)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/26/2013	ND	1.81	90.3	2.00	13.2		
Toluene*	<0.050	0.050	01/26/2013	ND	1.92	96.0	2.00	13.2		
Ethylbenzene*	<0.050	0.050	01/26/2013	ND	1.99	99.7	2.00	13.4		
Total Xylenes*	<0.150	0.150	01/26/2013	ND	6.04	101	6.00	13.5		
Total BTEX	<0.300	0.300	01/26/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	9920	16.0	01/25/2013	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	01/24/2013	ND	205	103	200	19.4		
DRO >C10-C28	<10.0	10.0	01/24/2013	ND	198	99.0	200	15.1		

Surrogate: 1-Chlorooctane 68.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 77.8 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 01/22/2013  
 Reported: 01/29/2013  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 01/22/2013  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU #040 SAMPLE #6 (H300179-10)**

BTEX 8021B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	01/26/2013	ND	1.81	90.3	2.00	13.2		
Toluene*	<0.050	0.050	01/26/2013	ND	1.92	96.0	2.00	13.2		
Ethylbenzene*	<0.050	0.050	01/26/2013	ND	1.99	99.7	2.00	13.4		
Total Xylenes*	<0.150	0.150	01/26/2013	ND	6.04	101	6.00	13.5		
Total BTEX	<0.300	0.300	01/26/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	12000	16.0	01/25/2013	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	01/26/2013	ND	205	103	200	19.4		
DRO >C10-C28	<10.0	10.0	01/26/2013	ND	198	99.0	200	15.1		

Surrogate: 1-Chlorooctane 92.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 100 % 63.6-154

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

### Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report



---

Celey D. Keene, Lab Director/Quality Manager

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240  
(575) 393-2326 FAX (575) 393-2476

<b>Company Name:</b> <u>Chevron</u> <b>Project Manager:</b> <u>David Pagano</u> <b>Address:</b> <u>56 Texas Camp Rd.</u> <b>City:</b> <u>Livingston</u> <b>State:</b> <u>NM</u> <b>Zip:</b> <u>88260</u> <b>Phone #:</b> <u>505-787-9816</u> <b>Fax #:</b> _____ <b>Project #:</b> _____ <b>Project Owner:</b> _____ <b>Project Name:</b> _____ <b>Project Location:</b> _____ <b>Sampler Name:</b> _____	<div style="text-align: center;"><b>BILL TO</b></div> <b>P.O. #:</b> _____ <b>Company:</b> <u>Chevron</u> <b>Attn:</b> <u>Nick Moschetti</u> <b>Address:</b> <u>56 Texas Camp Rd.</u> <b>City:</b> <u>Livingston</u> <b>State:</b> <u>NM</u> <b>Zip:</b> <u>88260</u> <b>Phone #:</b> <u>575-396-4414 x201</u> <b>Fax #:</b> _____
---	---

FOR LAB USE ONLY		LABORATORY USE ONLY	CONTAINERS	MATRIX					PRESERV.		SAMPLING		TAP	BTEX	Chlorides
Lab I.D.	Sample I.D.			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE/COOL	OTHER			
H300179															
1	V6WU #85 Sample #1	6	1			✓			✓		1/20/13	13:20	✓	✓	✓
2	V6WU #85 Sample #2	6	1			✓			✓			13:25			
3	V6WU #85 Sample #3	6	1			✓			✓			13:30			
4	V6WU #85 Sample #4	6	1			✓			✓			13:35			
5	V6WU #40 Sample #1	6	1			✓			✓			14:00			
6	V6WU #40 Sample #2	6	1			✓			✓			14:05			
7	V6WU #40 Sample #3	6	1			✓			✓			14:10			
8	V6WU #40 Sample #4	6	1			✓			✓			14:15			
9	V6WU #40 Sample #5	6	1			✓			✓			14:20			
10	V6WU #40 Sample #6	6	1			✓			✓			14:25			

PLEASE NOTE: Liability and Damages. Cardinal Laboratories and Client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the Client for the analyses. All claims, including those for transportation and any other cause whatsoever shall be deemed waived unless a claim is written and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claims are based upon any of the above stated reasons or otherwise.

<b>Relinquished By:</b> <u>David Pagano</u> <b>Relinquished By:</b> _____ <b>Delivered By:</b> (Circle One) Sampler - UPS - Bus - Other: _____	<b>Date:</b> <u>1/20/13</u> <b>Time:</b> <u>4:55</u> <b>Date:</b> _____ <b>Time:</b> _____	<b>Received By:</b> <u>Jodi Hanson</u> <b>Received By:</b> _____ <b>Sample Condition:</b> Cool/Intact: <u>50c</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No	<b>Phone Result:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <b>Add'l Phone #:</b> _____ <b>Fax Result:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No <b>Add'l Fax #:</b> _____ <b>REMARKS:</b> _____
---	---	--	---

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Houston  
6310 Rothway Street  
Houston, TX 77040  
Tel: (713)690-4444

TestAmerica Job ID: 600-81631-1

Client Project/Site: HES Transfer Sites, Lea County NM

For:

ARCADIS U.S., Inc.  
2929 Briarpark Drive  
Suite 300  
Houston, Texas 77042

Attn: Mr. Jonathan Olsen



Authorized for release by:

11/5/2013 2:16:31 PM

Cathy Upton, Data Delivery Analyst  
(713)690-4444

[cathy.upton@testamericainc.com](mailto:cathy.upton@testamericainc.com)

Designee for

Sachin Kudchadkar, Senior Project Manager  
(713)690-4444

[sachin.kudchadkar@testamericainc.com](mailto:sachin.kudchadkar@testamericainc.com)

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

1

2

3

4

5

6

7

8

9

10

11

12

13



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Case Narrative . . . . .	3
Method Summary . . . . .	4
Sample Summary . . . . .	5
Client Sample Results . . . . .	7
Definitions/Glossary . . . . .	23
QC Sample Results . . . . .	24
QC Association Summary . . . . .	29
Lab Chronicle . . . . .	35
Certification Summary . . . . .	48
Chain of Custody . . . . .	49
Receipt Checklists . . . . .	59

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Job ID: 600-81631-1**

**Laboratory: TestAmerica Houston**

## Narrative

**Job Narrative  
600-81631-1**

### Comments

No additional comments.

### Receipt

The samples were received on 10/25/2013 9:57 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.2° C and 5.6° C.

### General Chemistry

Method(s) 9056: The matrix spike (MS) recovery for batch 119258 was outside control limits for Chloride. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method(s) 9056: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 119258 were outside control limits for Chloride. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method(s) 9056: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 119606 were outside control limits for Chloride. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

### Industrial Hygiene

No analytical or quality issues were noted.



# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

Method	Method Description	Protocol	Laboratory
9056	Anions, Ion Chromatography	SW846	TAL HOU
Moisture	Percent Moisture	EPA	TAL HOU

**Protocol References:**

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444



# Sample Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-81631-15	VGWU 040-04 (102213) 2'	Solid	10/22/13 15:36	10/25/13 09:57
600-81631-16	VGWU 040-04 (102213) 5'	Solid	10/22/13 15:38	10/25/13 09:57
600-81631-17	VGWU 040-04 (102213) 10'	Solid	10/22/13 15:42	10/25/13 09:57
600-81631-18	VGWU 040-04 (102213) 15'	Solid	10/22/13 15:45	10/25/13 09:57
600-81631-19	VGWU 040-04 (102213) 20'	Solid	10/22/13 15:48	10/25/13 09:57
600-81631-20	VGWU 040-04 (102213) 25'	Solid	10/22/13 15:50	10/25/13 09:57
600-81631-21	VGWU 040-04 (102213) 30'	Solid	10/22/13 15:55	10/25/13 09:57
600-81631-22	VGWU 040-02 (102213) 2'	Solid	10/22/13 16:06	10/25/13 09:57
600-81631-23	VGWU 040-02 (102213) 5'	Solid	10/22/13 16:07	10/25/13 09:57
600-81631-24	VGWU 040-02 (102213) 10'	Solid	10/22/13 16:10	10/25/13 09:57
600-81631-25	VGWU 040-02 (102213) 15'	Solid	10/22/13 16:14	10/25/13 09:57
600-81631-26	VGWU 040-02 (102213) 20'	Solid	10/22/13 16:18	10/25/13 09:57
600-81631-27	VGWU 040-02 (102313) 25'	Solid	10/23/13 09:57	10/25/13 09:57
600-81631-28	VGWU 040-02 (102313) 30'	Solid	10/23/13 10:20	10/25/13 09:57
600-81631-29	VGWU 040-01 (102313) 2'	Solid	10/23/13 10:29	10/25/13 09:57
600-81631-30	VGWU 040-01 (102313) 5'	Solid	10/23/13 10:31	10/25/13 09:57
600-81631-31	VGWU 040-01 (102313) 10'	Solid	10/23/13 10:33	10/25/13 09:57
600-81631-32	VGWU 040-01 (102313) 15'	Solid	10/23/13 10:36	10/25/13 09:57
600-81631-33	VGWU 040-01 (102313) 20'	Solid	10/23/13 10:38	10/25/13 09:57
600-81631-34	VGWU 040-01 (102313) 25'	Solid	10/23/13 10:41	10/25/13 09:57
600-81631-35	VGWU 040-01 (102313) 30'	Solid	10/23/13 10:45	10/25/13 09:57
600-81631-36	VGWU 040-03 (102313) 2'	Solid	10/23/13 10:59	10/25/13 09:57
600-81631-37	VGWU 040-03 (102313) 5'	Solid	10/23/13 11:01	10/25/13 09:57
600-81631-38	VGWU 040-03 (102313) 10'	Solid	10/23/13 11:03	10/25/13 09:57
600-81631-39	VGWU 040-03 (102313) 15'	Solid	10/23/13 11:07	10/25/13 09:57
600-81631-40	VGWU 040-03 (102313) 20'	Solid	10/23/13 11:10	10/25/13 09:57
600-81631-41	VGWU 040-03 (102313) 25'	Solid	10/23/13 11:15	10/25/13 09:57
600-81631-42	VGWU 040-03 (102313) 30'	Solid	10/23/13 11:18	10/25/13 09:57
600-81631-50	VGWU 040-06 (102313) 2'	Solid	10/23/13 12:13	10/25/13 09:57
600-81631-51	VGWU 040-06 (102313) 5'	Solid	10/23/13 12:15	10/25/13 09:57
600-81631-52	VGWU 040-06 (102313) 10'	Solid	10/23/13 12:18	10/25/13 09:57
600-81631-53	VGWU 040-06 (102313) 15'	Solid	10/23/13 12:24	10/25/13 09:57
600-81631-54	VGWU 040-06 (102313) 20'	Solid	10/23/13 12:26	10/25/13 09:57
600-81631-55	VGWU 040-06 (102313) 25'	Solid	10/23/13 12:28	10/25/13 09:57
600-81631-56	VGWU 040-06 (102313) 30'	Solid	10/23/13 12:30	10/25/13 09:57
600-81631-57	VGWU 040-05 (102313) 2'	Solid	10/23/13 12:46	10/25/13 09:57
600-81631-58	VGWU 040-05 (102313) 5'	Solid	10/23/13 12:47	10/25/13 09:57
600-81631-59	VGWU 040-05 (102313) 10'	Solid	10/23/13 12:49	10/25/13 09:57
600-81631-60	VGWU 040-05 (102313) 15'	Solid	10/23/13 12:53	10/25/13 09:57
600-81631-61	VGWU 040-05 (102313) 20'	Solid	10/23/13 12:55	10/25/13 09:57
600-81631-62	VGWU 040-05 (102313) 25'	Solid	10/23/13 12:56	10/25/13 09:57
600-81631-63	VGWU 040-05 (102313) 30'	Solid	10/23/13 12:58	10/25/13 09:57
600-81631-64	VGWU 040-07 (102313) 2'	Solid	10/23/13 13:14	10/25/13 09:57
600-81631-65	VGWU 040-07 (102313) 5'	Solid	10/23/13 13:16	10/25/13 09:57
600-81631-66	VGWU 040-07 (102313) 10'	Solid	10/23/13 13:17	10/25/13 09:57
600-81631-67	VGWU 040-07 (102313) 15'	Solid	10/23/13 13:18	10/25/13 09:57
600-81631-68	VGWU 040-07 (102313) 20'	Solid	10/23/13 13:20	10/25/13 09:57
600-81631-69	VGWU 040-07 (102313) 25'	Solid	10/23/13 13:24	10/25/13 09:57
600-81631-70	VGWU 040-07 (102313) 30'	Solid	10/23/13 13:27	10/25/13 09:57
600-81631-85	VGWU 040-08 (102313) 2'	Solid	10/23/13 14:43	10/25/13 09:57
600-81631-86	VGWU 040-08 (102313) 5'	Solid	10/23/13 14:44	10/25/13 09:57
600-81631-87	VGWU 040-08 (102313) 10'	Solid	10/23/13 14:48	10/25/13 09:57
600-81631-88	VGWU 040-08 (102313) 15'	Solid	10/23/13 14:50	10/25/13 09:57

TestAmerica Houston

# Sample Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-81631-89	VGWU 040-08 (102313) 20'	Solid	10/23/13 14:54	10/25/13 09:57
600-81631-90	VGWU 040-08 (102313) 25'	Solid	10/23/13 14:57	10/25/13 09:57
600-81631-91	VGWU 040-08 (102313) 30'	Solid	10/23/13 14:58	10/25/13 09:57
600-81631-99	VGWU 040-09 (102313) 2'	Solid	10/23/13 15:47	10/25/13 09:57
600-81631-100	VGWU 040-09 (102313) 5'	Solid	10/23/13 15:48	10/25/13 09:57
600-81631-101	VGWU 040-09 (102313) 10'	Solid	10/23/13 15:50	10/25/13 09:57
600-81631-102	VGWU 040-09 (102313) 15'	Solid	10/23/13 15:53	10/25/13 09:57
600-81631-103	VGWU 040-09 (102313) 20'	Solid	10/23/13 15:56	10/25/13 09:57
600-81631-104	VGWU 040-09 (102313) 25'	Solid	10/23/13 15:58	10/25/13 09:57
600-81631-105	VGWU 040-09 (102313) 30'	Solid	10/23/13 16:00	10/25/13 09:57

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-04 (102213) 2'

Lab Sample ID: 600-81631-15

Date Collected: 10/22/13 15:36

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.0		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1700		43		mg/Kg	☼		10/29/13 23:49	10

## Client Sample ID: VGWU 040-04 (102213) 5'

Lab Sample ID: 600-81631-16

Date Collected: 10/22/13 15:38

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.9		1.0		%			10/28/13 08:43	1
Percent Solids	91		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5200		440		mg/Kg	☼		10/30/13 00:44	100

## Client Sample ID: VGWU 040-04 (102213) 10'

Lab Sample ID: 600-81631-17

Date Collected: 10/22/13 15:42

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.9		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	360		4.3		mg/Kg	☼		10/30/13 01:02	1

## Client Sample ID: VGWU 040-04 (102213) 15'

Lab Sample ID: 600-81631-18

Date Collected: 10/22/13 15:45

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.5		1.0		%			10/28/13 08:43	1
Percent Solids	92		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	93		4.3		mg/Kg	☼		10/30/13 01:20	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-04 (102213) 20'

Lab Sample ID: 600-81631-19

Date Collected: 10/22/13 15:48

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.3		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23		4.3		mg/Kg	☼		10/30/13 01:38	1

## Client Sample ID: VGWU 040-04 (102213) 25'

Lab Sample ID: 600-81631-20

Date Collected: 10/22/13 15:50

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	12		1.0		%			10/28/13 08:43	1
Percent Solids	88		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	71		4.5		mg/Kg	☼		10/30/13 01:57	1

## Client Sample ID: VGWU 040-04 (102213) 30'

Lab Sample ID: 600-81631-21

Date Collected: 10/22/13 15:55

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.6		1.0		%			10/28/13 08:43	1
Percent Solids	92		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21		4.3		mg/Kg	☼		10/30/13 02:51	1

## Client Sample ID: VGWU 040-02 (102213) 2'

Lab Sample ID: 600-81631-22

Date Collected: 10/22/13 16:06

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.6		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2600		42		mg/Kg	☼		10/30/13 03:09	10

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-02 (102213) 5'

Lab Sample ID: 600-81631-23

Date Collected: 10/22/13 16:07

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	9.6		1.0		%			10/28/13 08:43	1
Percent Solids	90		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4300		440		mg/Kg	☼		10/30/13 03:28	100

## Client Sample ID: VGWU 040-02 (102213) 10'

Lab Sample ID: 600-81631-24

Date Collected: 10/22/13 16:10

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.7		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4700		410		mg/Kg	☼		10/30/13 03:46	100

## Client Sample ID: VGWU 040-02 (102213) 15'

Lab Sample ID: 600-81631-25

Date Collected: 10/22/13 16:14

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.7		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3900		420		mg/Kg	☼		10/30/13 04:04	100

## Client Sample ID: VGWU 040-02 (102213) 20'

Lab Sample ID: 600-81631-26

Date Collected: 10/22/13 16:18

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.6		1.0		%			10/28/13 08:43	1
Percent Solids	93		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2600		43		mg/Kg	☼		10/30/13 04:59	10

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-02 (102313) 25'

Lab Sample ID: 600-81631-27

Date Collected: 10/23/13 09:57

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.5		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3100		210		mg/Kg	☼		10/30/13 05:17	50

## Client Sample ID: VGWU 040-02 (102313) 30'

Lab Sample ID: 600-81631-28

Date Collected: 10/23/13 10:20

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.9		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3600		210		mg/Kg	☼		10/30/13 05:35	50

## Client Sample ID: VGWU 040-01 (102313) 2'

Lab Sample ID: 600-81631-29

Date Collected: 10/23/13 10:29

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.9		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1000		21		mg/Kg	☼		10/30/13 06:30	5

## Client Sample ID: VGWU 040-01 (102313) 5'

Lab Sample ID: 600-81631-30

Date Collected: 10/23/13 10:31

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.0		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2100		21		mg/Kg	☼		10/30/13 06:48	5

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-01 (102313) 10'**  
 Date Collected: 10/23/13 10:33  
 Date Received: 10/25/13 09:57

**Lab Sample ID: 600-81631-31**  
 Matrix: Solid

**General Chemistry**

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.3		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

**General Chemistry - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	400		8.5		mg/Kg	☼		10/30/13 07:06	2

**Client Sample ID: VGWU 040-01 (102313) 15'**  
 Date Collected: 10/23/13 10:36  
 Date Received: 10/25/13 09:57

**Lab Sample ID: 600-81631-32**  
 Matrix: Solid

**General Chemistry**

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.3		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

**General Chemistry - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	350		4.2		mg/Kg	☼		10/30/13 07:24	1

**Client Sample ID: VGWU 040-01 (102313) 20'**  
 Date Collected: 10/23/13 10:38  
 Date Received: 10/25/13 09:57

**Lab Sample ID: 600-81631-33**  
 Matrix: Solid

**General Chemistry**

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.6		1.0		%			10/28/13 08:43	1
Percent Solids	92		1.0		%			10/28/13 08:43	1

**General Chemistry - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33		4.3		mg/Kg	☼		10/30/13 07:42	1

**Client Sample ID: VGWU 040-01 (102313) 25'**  
 Date Collected: 10/23/13 10:41  
 Date Received: 10/25/13 09:57

**Lab Sample ID: 600-81631-34**  
 Matrix: Solid

**General Chemistry**

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.8		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

**General Chemistry - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15		4.2		mg/Kg	☼		10/30/13 08:01	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-01 (102313) 30'

Lab Sample ID: 600-81631-35

Date Collected: 10/23/13 10:45

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.5		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	180		4.1		mg/Kg	☼		10/30/13 08:55	1

## Client Sample ID: VGWU 040-03 (102313) 2'

Lab Sample ID: 600-81631-36

Date Collected: 10/23/13 10:59

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.8		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3600		210		mg/Kg	☼		10/30/13 10:26	50

## Client Sample ID: VGWU 040-03 (102313) 5'

Lab Sample ID: 600-81631-37

Date Collected: 10/23/13 11:01

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.7		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	910		8.2		mg/Kg	☼		10/30/13 10:45	2

## Client Sample ID: VGWU 040-03 (102313) 10'

Lab Sample ID: 600-81631-38

Date Collected: 10/23/13 11:03

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.7		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	37		4.1		mg/Kg	☼		10/30/13 11:03	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-03 (102313) 15'

Lab Sample ID: 600-81631-39

Date Collected: 10/23/13 11:07

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.8		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23		4.1		mg/Kg	☼		10/31/13 21:21	1

## Client Sample ID: VGWU 040-03 (102313) 20'

Lab Sample ID: 600-81631-40

Date Collected: 10/23/13 11:10

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	1.4		1.0		%			10/28/13 08:43	1
Percent Solids	99		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		4.1		mg/Kg	☼		10/31/13 22:16	1

## Client Sample ID: VGWU 040-03 (102313) 25'

Lab Sample ID: 600-81631-41

Date Collected: 10/23/13 11:15

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.0		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.5		4.1		mg/Kg	☼		10/31/13 22:34	1

## Client Sample ID: VGWU 040-03 (102313) 30'

Lab Sample ID: 600-81631-42

Date Collected: 10/23/13 11:18

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	1.8		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27		4.1		mg/Kg	☼		10/31/13 22:52	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-06 (102313) 2'

Lab Sample ID: 600-81631-50

Date Collected: 10/23/13 12:13

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.2		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	51		4.1		mg/Kg	☼		10/31/13 23:10	1

## Client Sample ID: VGWU 040-06 (102313) 5'

Lab Sample ID: 600-81631-51

Date Collected: 10/23/13 12:15

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.8		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27		8.5		mg/Kg	☼		10/31/13 23:28	2

## Client Sample ID: VGWU 040-06 (102313) 10'

Lab Sample ID: 600-81631-52

Date Collected: 10/23/13 12:18

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.8		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.9		4.2		mg/Kg	☼		11/01/13 00:23	1

## Client Sample ID: VGWU 040-06 (102313) 15'

Lab Sample ID: 600-81631-53

Date Collected: 10/23/13 12:24

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.9		1.0		%			10/28/13 08:43	1
Percent Solids	91		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.4		mg/Kg	☼		11/01/13 00:41	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-06 (102313) 20'

Lab Sample ID: 600-81631-54

Date Collected: 10/23/13 12:26

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.8		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.0		4.2		mg/Kg	☼		11/01/13 00:59	1

## Client Sample ID: VGWU 040-06 (102313) 25'

Lab Sample ID: 600-81631-55

Date Collected: 10/23/13 12:28

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.3		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.1		4.2		mg/Kg	☼		11/01/13 01:18	1

## Client Sample ID: VGWU 040-06 (102313) 30'

Lab Sample ID: 600-81631-56

Date Collected: 10/23/13 12:30

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.8		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		4.2		mg/Kg	☼		11/01/13 01:36	1

## Client Sample ID: VGWU 040-05 (102313) 2'

Lab Sample ID: 600-81631-57

Date Collected: 10/23/13 12:46

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	1.0		1.0		%			10/28/13 08:43	1
Percent Solids	99		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	54		4.0		mg/Kg	☼		11/01/13 02:31	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-05 (102313) 5'

Lab Sample ID: 600-81631-58

Date Collected: 10/23/13 12:47

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.8		1.0		%			10/28/13 08:43	1
Percent Solids	92		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	53		4.3		mg/Kg	☼		11/01/13 02:49	1

## Client Sample ID: VGWU 040-05 (102313) 10'

Lab Sample ID: 600-81631-59

Date Collected: 10/23/13 12:49

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.5		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.5		4.1		mg/Kg	☼		11/01/13 03:07	1

## Client Sample ID: VGWU 040-05 (102313) 15'

Lab Sample ID: 600-81631-60

Date Collected: 10/23/13 12:53

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	1.4		1.0		%			10/28/13 08:43	1
Percent Solids	99		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.7		4.1		mg/Kg	☼		11/01/13 04:02	1

## Client Sample ID: VGWU 040-05 (102313) 20'

Lab Sample ID: 600-81631-61

Date Collected: 10/23/13 12:55

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.2		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.0		4.1		mg/Kg	☼		11/01/13 04:20	1

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-05 (102313) 25'

Lab Sample ID: 600-81631-62

Date Collected: 10/23/13 12:56

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.5		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.1		4.1		mg/Kg	☼		11/01/13 04:38	1

## Client Sample ID: VGWU 040-05 (102313) 30'

Lab Sample ID: 600-81631-63

Date Collected: 10/23/13 12:58

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.9		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.8		4.2		mg/Kg	☼		11/01/13 04:56	1

## Client Sample ID: VGWU 040-07 (102313) 2'

Lab Sample ID: 600-81631-64

Date Collected: 10/23/13 13:14

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.2		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2400		21		mg/Kg	☼		11/01/13 05:14	5

## Client Sample ID: VGWU 040-07 (102313) 5'

Lab Sample ID: 600-81631-65

Date Collected: 10/23/13 13:16

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	1.6		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	130		4.1		mg/Kg	☼		11/01/13 05:51	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-07 (102313) 10'

Lab Sample ID: 600-81631-66

Date Collected: 10/23/13 13:17

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.5		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33		4.1		mg/Kg	☼		11/01/13 06:45	1

## Client Sample ID: VGWU 040-07 (102313) 15'

Lab Sample ID: 600-81631-67

Date Collected: 10/23/13 13:18

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.4		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	96		4.2		mg/Kg	☼		11/01/13 08:16	1

## Client Sample ID: VGWU 040-07 (102313) 20'

Lab Sample ID: 600-81631-68

Date Collected: 10/23/13 13:20

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.1		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		4.1		mg/Kg	☼		11/01/13 08:35	1

## Client Sample ID: VGWU 040-07 (102313) 25'

Lab Sample ID: 600-81631-69

Date Collected: 10/23/13 13:24

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.9		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.1		4.2		mg/Kg	☼		11/01/13 08:53	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-07 (102313) 30'

Lab Sample ID: 600-81631-70

Date Collected: 10/23/13 13:27

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.3		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.3		4.1		mg/Kg	☼		11/02/13 00:33	1

## Client Sample ID: VGWU 040-08 (102313) 2'

Lab Sample ID: 600-81631-85

Date Collected: 10/23/13 14:43

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	3.3		1.0		%			10/28/13 08:43	1
Percent Solids	97		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2000		21		mg/Kg	☼		11/02/13 01:28	5

## Client Sample ID: VGWU 040-08 (102313) 5'

Lab Sample ID: 600-81631-86

Date Collected: 10/23/13 14:44

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.1		1.0		%			10/28/13 08:43	1
Percent Solids	94		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	700		8.5		mg/Kg	☼		11/02/13 01:46	2

## Client Sample ID: VGWU 040-08 (102313) 10'

Lab Sample ID: 600-81631-87

Date Collected: 10/23/13 14:48

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.3		1.0		%			10/28/13 08:43	1
Percent Solids	92		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2600		44		mg/Kg	☼		11/02/13 02:04	10

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-08 (102313) 15'

Lab Sample ID: 600-81631-88

Date Collected: 10/23/13 14:50

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	13		1.0		%			10/28/13 08:43	1
Percent Solids	87		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		4.6		mg/Kg	☼		11/02/13 02:23	1

## Client Sample ID: VGWU 040-08 (102313) 20'

Lab Sample ID: 600-81631-89

Date Collected: 10/23/13 14:54

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.7		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	46		4.2		mg/Kg	☼		11/02/13 02:41	1

## Client Sample ID: VGWU 040-08 (102313) 25'

Lab Sample ID: 600-81631-90

Date Collected: 10/23/13 14:57

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.5		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	130		4.2		mg/Kg	☼		11/02/13 03:35	1

## Client Sample ID: VGWU 040-08 (102313) 30'

Lab Sample ID: 600-81631-91

Date Collected: 10/23/13 14:58

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	7.4		1.0		%			10/28/13 08:43	1
Percent Solids	93		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	61		4.3		mg/Kg	☼		11/02/13 03:54	1

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-09 (102313) 2'

Lab Sample ID: 600-81631-99

Date Collected: 10/23/13 15:47

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.5		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2500		42		mg/Kg	☼		11/02/13 04:12	10

## Client Sample ID: VGWU 040-09 (102313) 5'

Lab Sample ID: 600-81631-100

Date Collected: 10/23/13 15:48

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	2.3		1.0		%			10/28/13 08:43	1
Percent Solids	98		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1800		20		mg/Kg	☼		11/02/13 04:30	5

## Client Sample ID: VGWU 040-09 (102313) 10'

Lab Sample ID: 600-81631-101

Date Collected: 10/23/13 15:50

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	4.3		1.0		%			10/28/13 08:43	1
Percent Solids	96		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	900		8.4		mg/Kg	☼		11/02/13 04:48	2

## Client Sample ID: VGWU 040-09 (102313) 15'

Lab Sample ID: 600-81631-102

Date Collected: 10/23/13 15:53

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	9.8		1.0		%			10/28/13 08:43	1
Percent Solids	90		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2300		22		mg/Kg	☼		11/02/13 05:43	5

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-09 (102313) 20'

Lab Sample ID: 600-81631-103

Date Collected: 10/23/13 15:56

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	8.9		1.0		%			10/28/13 08:43	1
Percent Solids	91		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	580		8.8		mg/Kg	☼		11/02/13 06:01	2

## Client Sample ID: VGWU 040-09 (102313) 25'

Lab Sample ID: 600-81631-104

Date Collected: 10/23/13 15:58

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	6.6		1.0		%			10/28/13 08:43	1
Percent Solids	93		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	70		4.3		mg/Kg	☼		11/02/13 06:19	1

## Client Sample ID: VGWU 040-09 (102313) 30'

Lab Sample ID: 600-81631-105

Date Collected: 10/23/13 16:00

Matrix: Solid

Date Received: 10/25/13 09:57

### General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	5.5		1.0		%			10/28/13 08:43	1
Percent Solids	95		1.0		%			10/28/13 08:43	1

### General Chemistry - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	130		4.2		mg/Kg	☼		11/02/13 07:14	1

# Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Qualifiers

### General Chemistry

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F	MS/MSD Recovery and/or RPD exceeds the control limits

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Method: 9056 - Anions, Ion Chromatography

**Lab Sample ID: MB 600-119139/1-A**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: Method Blank**

**Prep Type: Soluble**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			10/29/13 23:13	1

**Lab Sample ID: MB 600-119139/27-A**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: Method Blank**

**Prep Type: Soluble**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			10/30/13 08:19	1

**Lab Sample ID: LCS 600-119139/28-A**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: Lab Control Sample**

**Prep Type: Soluble**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	197		mg/Kg		98	90 - 110

**Lab Sample ID: LCS 600-119139/2-A**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: Lab Control Sample**

**Prep Type: Soluble**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	198		mg/Kg		99	90 - 110

**Lab Sample ID: 600-81631-15 MS**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: VGWU 040-04 (102213) 2'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	1700		1060	2570	F	mg/Kg	☼	78	80 - 120

**Lab Sample ID: 600-81631-15 MSD**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: VGWU 040-04 (102213) 2'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	1700		1060	2600		mg/Kg	☼	82	80 - 120	1	20

**Lab Sample ID: 600-81631-25 MS**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: VGWU 040-02 (102213) 15'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3900		10600	13500		mg/Kg	☼	90	80 - 120

**Lab Sample ID: 600-81631-25 MSD**

**Matrix: Solid**

**Analysis Batch: 119258**

**Client Sample ID: VGWU 040-02 (102213) 15'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3900		10600	13400		mg/Kg	☼	90	80 - 120	1	20

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Lab Sample ID: 600-81631-35 MS**  
**Matrix: Solid**  
**Analysis Batch: 119258**

**Client Sample ID: VGWU 040-01 (102313) 30'**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	180		104	254	F	mg/Kg	☼	75	80 - 120

**Lab Sample ID: 600-81631-35 MSD**  
**Matrix: Solid**  
**Analysis Batch: 119258**

**Client Sample ID: VGWU 040-01 (102313) 30'**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	180		104	257	F	mg/Kg	☼	78	80 - 120	1	20

**Lab Sample ID: MB 600-119229/1-A**  
**Matrix: Solid**  
**Analysis Batch: 119416**

**Client Sample ID: Method Blank**  
**Prep Type: Soluble**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			10/31/13 20:45	1

**Lab Sample ID: MB 600-119229/27-A**  
**Matrix: Solid**  
**Analysis Batch: 119416**

**Client Sample ID: Method Blank**  
**Prep Type: Soluble**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			11/01/13 06:09	1

**Lab Sample ID: LCS 600-119229/28-A**  
**Matrix: Solid**  
**Analysis Batch: 119416**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Soluble**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	187		mg/Kg		94	90 - 110

**Lab Sample ID: LCS 600-119229/2-A**  
**Matrix: Solid**  
**Analysis Batch: 119416**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Soluble**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	196		mg/Kg		98	90 - 110

**Lab Sample ID: 600-81631-39 MS**  
**Matrix: Solid**  
**Analysis Batch: 119416**

**Client Sample ID: VGWU 040-03 (102313) 15'**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	23		103	111		mg/Kg	☼	86	80 - 120

**Lab Sample ID: 600-81631-39 MSD**  
**Matrix: Solid**  
**Analysis Batch: 119416**

**Client Sample ID: VGWU 040-03 (102313) 15'**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	23		103	110		mg/Kg	☼	85	80 - 120	1	20

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Method: 9056 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: 600-81631-56 MS**

**Matrix: Solid**

**Analysis Batch: 119416**

**Client Sample ID: VGWU 040-06 (102313) 30'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10		104	96.9		mg/Kg	☼	84	80 - 120

**Lab Sample ID: 600-81631-56 MSD**

**Matrix: Solid**

**Analysis Batch: 119416**

**Client Sample ID: VGWU 040-06 (102313) 30'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10		104	97.7		mg/Kg	☼	84	80 - 120	1	20

**Lab Sample ID: 600-81631-66 MS**

**Matrix: Solid**

**Analysis Batch: 119416**

**Client Sample ID: VGWU 040-07 (102313) 10'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	33		104	115		mg/Kg	☼	80	80 - 120

**Lab Sample ID: 600-81631-66 MSD**

**Matrix: Solid**

**Analysis Batch: 119416**

**Client Sample ID: VGWU 040-07 (102313) 10'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	33		104	116		mg/Kg	☼	81	80 - 120	1	20

**Lab Sample ID: MB 600-119474/1-A**

**Matrix: Solid**

**Analysis Batch: 119606**

**Client Sample ID: Method Blank**

**Prep Type: Soluble**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		4.0		mg/Kg			11/01/13 23:57	1

**Lab Sample ID: LCS 600-119474/2-A**

**Matrix: Solid**

**Analysis Batch: 119606**

**Client Sample ID: Lab Control Sample**

**Prep Type: Soluble**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	200	197		mg/Kg		98	90 - 110

**Lab Sample ID: 600-81631-70 MS**

**Matrix: Solid**

**Analysis Batch: 119606**

**Client Sample ID: VGWU 040-07 (102313) 30'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	9.3		103	96.9		mg/Kg	☼	85	80 - 120

**Lab Sample ID: 600-81631-70 MSD**

**Matrix: Solid**

**Analysis Batch: 119606**

**Client Sample ID: VGWU 040-07 (102313) 30'**

**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	9.3		103	98.1		mg/Kg	☼	86	80 - 120	1	20

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Lab Sample ID: 600-81631-101 MS**  
**Matrix: Solid**  
**Analysis Batch: 119606**

**Client Sample ID: VGWU 040-09 (102313) 10'**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	900		209	998	4	mg/Kg	☼	47	80 - 120

**Lab Sample ID: 600-81631-101 MSD**  
**Matrix: Solid**  
**Analysis Batch: 119606**

**Client Sample ID: VGWU 040-09 (102313) 10'**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	900		209	1010	4	mg/Kg	☼	51	80 - 120	1	20

## Method: Moisture - Percent Moisture

**Lab Sample ID: 600-81631-16 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-04 (102213) 5'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	8.9		10		%		11	20
Percent Solids	91		90		%		1	20

**Lab Sample ID: 600-81631-25 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-02 (102213) 15'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	5.7		4.8		%		17	20
Percent Solids	94		95		%		0.9	20

**Lab Sample ID: 600-81631-36 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-03 (102313) 2'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	4.8		4.6		%		4	20
Percent Solids	95		95		%		0.2	20

**Lab Sample ID: 600-81631-53 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-06 (102313) 15'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	8.9		8.8		%		0.5	20
Percent Solids	91		91		%		0.05	20

**Lab Sample ID: 600-81631-63 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-05 (102313) 30'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	4.9		5.1		%		4	20
Percent Solids	95		95		%		0.2	20

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Method: Moisture - Percent Moisture (Continued)

**Lab Sample ID: 600-81631-87 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-08 (102313) 10'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU		Unit	D	RPD	RPD Limit
			Result	Qualifier				
Percent Moisture	8.3		7.9		%		4	20
Percent Solids	92		92		%		0.4	20

**Lab Sample ID: 600-81631-104 DU**  
**Matrix: Solid**  
**Analysis Batch: 119025**

**Client Sample ID: VGWU 040-09 (102313) 25'**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	DU		Unit	D	RPD	RPD Limit
			Result	Qualifier				
Percent Moisture	6.6		6.5		%		1	20
Percent Solids	93		93		%		0.08	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

## General Chemistry

### Analysis Batch: 119025

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-15	VGWU 040-04 (102213) 2'	Total/NA	Solid	Moisture	
600-81631-16	VGWU 040-04 (102213) 5'	Total/NA	Solid	Moisture	
600-81631-16 DU	VGWU 040-04 (102213) 5'	Total/NA	Solid	Moisture	
600-81631-17	VGWU 040-04 (102213) 10'	Total/NA	Solid	Moisture	
600-81631-18	VGWU 040-04 (102213) 15'	Total/NA	Solid	Moisture	
600-81631-19	VGWU 040-04 (102213) 20'	Total/NA	Solid	Moisture	
600-81631-20	VGWU 040-04 (102213) 25'	Total/NA	Solid	Moisture	
600-81631-21	VGWU 040-04 (102213) 30'	Total/NA	Solid	Moisture	
600-81631-22	VGWU 040-02 (102213) 2'	Total/NA	Solid	Moisture	
600-81631-23	VGWU 040-02 (102213) 5'	Total/NA	Solid	Moisture	
600-81631-24	VGWU 040-02 (102213) 10'	Total/NA	Solid	Moisture	
600-81631-25	VGWU 040-02 (102213) 15'	Total/NA	Solid	Moisture	
600-81631-25 DU	VGWU 040-02 (102213) 15'	Total/NA	Solid	Moisture	
600-81631-26	VGWU 040-02 (102213) 20'	Total/NA	Solid	Moisture	
600-81631-27	VGWU 040-02 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-28	VGWU 040-02 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-29	VGWU 040-01 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-30	VGWU 040-01 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-31	VGWU 040-01 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-32	VGWU 040-01 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-33	VGWU 040-01 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-34	VGWU 040-01 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-35	VGWU 040-01 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-36	VGWU 040-03 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-36 DU	VGWU 040-03 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-37	VGWU 040-03 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-38	VGWU 040-03 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-39	VGWU 040-03 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-40	VGWU 040-03 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-41	VGWU 040-03 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-42	VGWU 040-03 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-50	VGWU 040-06 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-51	VGWU 040-06 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-52	VGWU 040-06 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-53	VGWU 040-06 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-53 DU	VGWU 040-06 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-54	VGWU 040-06 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-55	VGWU 040-06 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-56	VGWU 040-06 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-57	VGWU 040-05 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-58	VGWU 040-05 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-59	VGWU 040-05 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-60	VGWU 040-05 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-61	VGWU 040-05 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-62	VGWU 040-05 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-63	VGWU 040-05 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-63 DU	VGWU 040-05 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-64	VGWU 040-07 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-65	VGWU 040-07 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-66	VGWU 040-07 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-67	VGWU 040-07 (102313) 15'	Total/NA	Solid	Moisture	

TestAmerica Houston



# QC Association Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## General Chemistry (Continued)

### Analysis Batch: 119025 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-68	VGWU 040-07 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-69	VGWU 040-07 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-70	VGWU 040-07 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-85	VGWU 040-08 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-86	VGWU 040-08 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-87	VGWU 040-08 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-87 DU	VGWU 040-08 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-88	VGWU 040-08 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-89	VGWU 040-08 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-90	VGWU 040-08 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-91	VGWU 040-08 (102313) 30'	Total/NA	Solid	Moisture	
600-81631-99	VGWU 040-09 (102313) 2'	Total/NA	Solid	Moisture	
600-81631-100	VGWU 040-09 (102313) 5'	Total/NA	Solid	Moisture	
600-81631-101	VGWU 040-09 (102313) 10'	Total/NA	Solid	Moisture	
600-81631-102	VGWU 040-09 (102313) 15'	Total/NA	Solid	Moisture	
600-81631-103	VGWU 040-09 (102313) 20'	Total/NA	Solid	Moisture	
600-81631-104	VGWU 040-09 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-104 DU	VGWU 040-09 (102313) 25'	Total/NA	Solid	Moisture	
600-81631-105	VGWU 040-09 (102313) 30'	Total/NA	Solid	Moisture	

### Leach Batch: 119139

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-15	VGWU 040-04 (102213) 2'	Soluble	Solid	DI Leach	
600-81631-15 MS	VGWU 040-04 (102213) 2'	Soluble	Solid	DI Leach	
600-81631-15 MSD	VGWU 040-04 (102213) 2'	Soluble	Solid	DI Leach	
600-81631-16	VGWU 040-04 (102213) 5'	Soluble	Solid	DI Leach	
600-81631-17	VGWU 040-04 (102213) 10'	Soluble	Solid	DI Leach	
600-81631-18	VGWU 040-04 (102213) 15'	Soluble	Solid	DI Leach	
600-81631-19	VGWU 040-04 (102213) 20'	Soluble	Solid	DI Leach	
600-81631-20	VGWU 040-04 (102213) 25'	Soluble	Solid	DI Leach	
600-81631-21	VGWU 040-04 (102213) 30'	Soluble	Solid	DI Leach	
600-81631-22	VGWU 040-02 (102213) 2'	Soluble	Solid	DI Leach	
600-81631-23	VGWU 040-02 (102213) 5'	Soluble	Solid	DI Leach	
600-81631-24	VGWU 040-02 (102213) 10'	Soluble	Solid	DI Leach	
600-81631-25	VGWU 040-02 (102213) 15'	Soluble	Solid	DI Leach	
600-81631-25 MS	VGWU 040-02 (102213) 15'	Soluble	Solid	DI Leach	
600-81631-25 MSD	VGWU 040-02 (102213) 15'	Soluble	Solid	DI Leach	
600-81631-26	VGWU 040-02 (102213) 20'	Soluble	Solid	DI Leach	
600-81631-27	VGWU 040-02 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-28	VGWU 040-02 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-29	VGWU 040-01 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-30	VGWU 040-01 (102313) 5'	Soluble	Solid	DI Leach	
600-81631-31	VGWU 040-01 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-32	VGWU 040-01 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-33	VGWU 040-01 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-34	VGWU 040-01 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-35	VGWU 040-01 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-35 MS	VGWU 040-01 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-35 MSD	VGWU 040-01 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-36	VGWU 040-03 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-37	VGWU 040-03 (102313) 5'	Soluble	Solid	DI Leach	

TestAmerica Houston



# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

## General Chemistry (Continued)

### Leach Batch: 119139 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-38	VGWU 040-03 (102313) 10'	Soluble	Solid	DI Leach	
LCS 600-119139/28-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCS 600-119139/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
MB 600-119139/1-A	Method Blank	Soluble	Solid	DI Leach	
MB 600-119139/27-A	Method Blank	Soluble	Solid	DI Leach	

### Leach Batch: 119229

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-39	VGWU 040-03 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-39 MS	VGWU 040-03 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-39 MSD	VGWU 040-03 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-40	VGWU 040-03 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-41	VGWU 040-03 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-42	VGWU 040-03 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-50	VGWU 040-06 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-51	VGWU 040-06 (102313) 5'	Soluble	Solid	DI Leach	
600-81631-52	VGWU 040-06 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-53	VGWU 040-06 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-54	VGWU 040-06 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-55	VGWU 040-06 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-56	VGWU 040-06 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-56 MS	VGWU 040-06 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-56 MSD	VGWU 040-06 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-57	VGWU 040-05 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-58	VGWU 040-05 (102313) 5'	Soluble	Solid	DI Leach	
600-81631-59	VGWU 040-05 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-60	VGWU 040-05 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-61	VGWU 040-05 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-62	VGWU 040-05 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-63	VGWU 040-05 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-64	VGWU 040-07 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-65	VGWU 040-07 (102313) 5'	Soluble	Solid	DI Leach	
600-81631-66	VGWU 040-07 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-66 MS	VGWU 040-07 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-66 MSD	VGWU 040-07 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-67	VGWU 040-07 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-68	VGWU 040-07 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-69	VGWU 040-07 (102313) 25'	Soluble	Solid	DI Leach	
LCS 600-119229/28-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCS 600-119229/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
MB 600-119229/1-A	Method Blank	Soluble	Solid	DI Leach	
MB 600-119229/27-A	Method Blank	Soluble	Solid	DI Leach	

### Analysis Batch: 119258

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-15	VGWU 040-04 (102213) 2'	Soluble	Solid	9056	119139
600-81631-15 MS	VGWU 040-04 (102213) 2'	Soluble	Solid	9056	119139
600-81631-15 MSD	VGWU 040-04 (102213) 2'	Soluble	Solid	9056	119139
600-81631-16	VGWU 040-04 (102213) 5'	Soluble	Solid	9056	119139
600-81631-17	VGWU 040-04 (102213) 10'	Soluble	Solid	9056	119139
600-81631-18	VGWU 040-04 (102213) 15'	Soluble	Solid	9056	119139

TestAmerica Houston



# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

## General Chemistry (Continued)

### Analysis Batch: 119258 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-19	VGWU 040-04 (102213) 20'	Soluble	Solid	9056	119139
600-81631-20	VGWU 040-04 (102213) 25'	Soluble	Solid	9056	119139
600-81631-21	VGWU 040-04 (102213) 30'	Soluble	Solid	9056	119139
600-81631-22	VGWU 040-02 (102213) 2'	Soluble	Solid	9056	119139
600-81631-23	VGWU 040-02 (102213) 5'	Soluble	Solid	9056	119139
600-81631-24	VGWU 040-02 (102213) 10'	Soluble	Solid	9056	119139
600-81631-25	VGWU 040-02 (102213) 15'	Soluble	Solid	9056	119139
600-81631-25 MS	VGWU 040-02 (102213) 15'	Soluble	Solid	9056	119139
600-81631-25 MSD	VGWU 040-02 (102213) 15'	Soluble	Solid	9056	119139
600-81631-26	VGWU 040-02 (102213) 20'	Soluble	Solid	9056	119139
600-81631-27	VGWU 040-02 (102313) 25'	Soluble	Solid	9056	119139
600-81631-28	VGWU 040-02 (102313) 30'	Soluble	Solid	9056	119139
600-81631-29	VGWU 040-01 (102313) 2'	Soluble	Solid	9056	119139
600-81631-30	VGWU 040-01 (102313) 5'	Soluble	Solid	9056	119139
600-81631-31	VGWU 040-01 (102313) 10'	Soluble	Solid	9056	119139
600-81631-32	VGWU 040-01 (102313) 15'	Soluble	Solid	9056	119139
600-81631-33	VGWU 040-01 (102313) 20'	Soluble	Solid	9056	119139
600-81631-34	VGWU 040-01 (102313) 25'	Soluble	Solid	9056	119139
600-81631-35	VGWU 040-01 (102313) 30'	Soluble	Solid	9056	119139
600-81631-35 MS	VGWU 040-01 (102313) 30'	Soluble	Solid	9056	119139
600-81631-35 MSD	VGWU 040-01 (102313) 30'	Soluble	Solid	9056	119139
600-81631-36	VGWU 040-03 (102313) 2'	Soluble	Solid	9056	119139
600-81631-37	VGWU 040-03 (102313) 5'	Soluble	Solid	9056	119139
600-81631-38	VGWU 040-03 (102313) 10'	Soluble	Solid	9056	119139
LCS 600-119139/28-A	Lab Control Sample	Soluble	Solid	9056	119139
LCS 600-119139/2-A	Lab Control Sample	Soluble	Solid	9056	119139
MB 600-119139/1-A	Method Blank	Soluble	Solid	9056	119139
MB 600-119139/27-A	Method Blank	Soluble	Solid	9056	119139

### Analysis Batch: 119416

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-39	VGWU 040-03 (102313) 15'	Soluble	Solid	9056	119229
600-81631-39 MS	VGWU 040-03 (102313) 15'	Soluble	Solid	9056	119229
600-81631-39 MSD	VGWU 040-03 (102313) 15'	Soluble	Solid	9056	119229
600-81631-40	VGWU 040-03 (102313) 20'	Soluble	Solid	9056	119229
600-81631-41	VGWU 040-03 (102313) 25'	Soluble	Solid	9056	119229
600-81631-42	VGWU 040-03 (102313) 30'	Soluble	Solid	9056	119229
600-81631-50	VGWU 040-06 (102313) 2'	Soluble	Solid	9056	119229
600-81631-51	VGWU 040-06 (102313) 5'	Soluble	Solid	9056	119229
600-81631-52	VGWU 040-06 (102313) 10'	Soluble	Solid	9056	119229
600-81631-53	VGWU 040-06 (102313) 15'	Soluble	Solid	9056	119229
600-81631-54	VGWU 040-06 (102313) 20'	Soluble	Solid	9056	119229
600-81631-55	VGWU 040-06 (102313) 25'	Soluble	Solid	9056	119229
600-81631-56	VGWU 040-06 (102313) 30'	Soluble	Solid	9056	119229
600-81631-56 MS	VGWU 040-06 (102313) 30'	Soluble	Solid	9056	119229
600-81631-56 MSD	VGWU 040-06 (102313) 30'	Soluble	Solid	9056	119229
600-81631-57	VGWU 040-05 (102313) 2'	Soluble	Solid	9056	119229
600-81631-58	VGWU 040-05 (102313) 5'	Soluble	Solid	9056	119229
600-81631-59	VGWU 040-05 (102313) 10'	Soluble	Solid	9056	119229
600-81631-60	VGWU 040-05 (102313) 15'	Soluble	Solid	9056	119229
600-81631-61	VGWU 040-05 (102313) 20'	Soluble	Solid	9056	119229

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

## General Chemistry (Continued)

### Analysis Batch: 119416 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-62	VGWU 040-05 (102313) 25'	Soluble	Solid	9056	119229
600-81631-63	VGWU 040-05 (102313) 30'	Soluble	Solid	9056	119229
600-81631-64	VGWU 040-07 (102313) 2'	Soluble	Solid	9056	119229
600-81631-65	VGWU 040-07 (102313) 5'	Soluble	Solid	9056	119229
600-81631-66	VGWU 040-07 (102313) 10'	Soluble	Solid	9056	119229
600-81631-66 MS	VGWU 040-07 (102313) 10'	Soluble	Solid	9056	119229
600-81631-66 MSD	VGWU 040-07 (102313) 10'	Soluble	Solid	9056	119229
600-81631-67	VGWU 040-07 (102313) 15'	Soluble	Solid	9056	119229
600-81631-68	VGWU 040-07 (102313) 20'	Soluble	Solid	9056	119229
600-81631-69	VGWU 040-07 (102313) 25'	Soluble	Solid	9056	119229
LCS 600-119229/28-A	Lab Control Sample	Soluble	Solid	9056	119229
LCS 600-119229/2-A	Lab Control Sample	Soluble	Solid	9056	119229
MB 600-119229/1-A	Method Blank	Soluble	Solid	9056	119229
MB 600-119229/27-A	Method Blank	Soluble	Solid	9056	119229

### Leach Batch: 119474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-70	VGWU 040-07 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-70 MS	VGWU 040-07 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-70 MSD	VGWU 040-07 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-85	VGWU 040-08 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-86	VGWU 040-08 (102313) 5'	Soluble	Solid	DI Leach	
600-81631-87	VGWU 040-08 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-88	VGWU 040-08 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-89	VGWU 040-08 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-90	VGWU 040-08 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-91	VGWU 040-08 (102313) 30'	Soluble	Solid	DI Leach	
600-81631-99	VGWU 040-09 (102313) 2'	Soluble	Solid	DI Leach	
600-81631-100	VGWU 040-09 (102313) 5'	Soluble	Solid	DI Leach	
600-81631-101	VGWU 040-09 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-101 MS	VGWU 040-09 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-101 MSD	VGWU 040-09 (102313) 10'	Soluble	Solid	DI Leach	
600-81631-102	VGWU 040-09 (102313) 15'	Soluble	Solid	DI Leach	
600-81631-103	VGWU 040-09 (102313) 20'	Soluble	Solid	DI Leach	
600-81631-104	VGWU 040-09 (102313) 25'	Soluble	Solid	DI Leach	
600-81631-105	VGWU 040-09 (102313) 30'	Soluble	Solid	DI Leach	
LCS 600-119474/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
MB 600-119474/1-A	Method Blank	Soluble	Solid	DI Leach	

### Analysis Batch: 119606

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-70	VGWU 040-07 (102313) 30'	Soluble	Solid	9056	119474
600-81631-70 MS	VGWU 040-07 (102313) 30'	Soluble	Solid	9056	119474
600-81631-70 MSD	VGWU 040-07 (102313) 30'	Soluble	Solid	9056	119474
600-81631-85	VGWU 040-08 (102313) 2'	Soluble	Solid	9056	119474
600-81631-86	VGWU 040-08 (102313) 5'	Soluble	Solid	9056	119474
600-81631-87	VGWU 040-08 (102313) 10'	Soluble	Solid	9056	119474
600-81631-88	VGWU 040-08 (102313) 15'	Soluble	Solid	9056	119474
600-81631-89	VGWU 040-08 (102313) 20'	Soluble	Solid	9056	119474
600-81631-90	VGWU 040-08 (102313) 25'	Soluble	Solid	9056	119474
600-81631-91	VGWU 040-08 (102313) 30'	Soluble	Solid	9056	119474

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-81631-1

Project/Site: HES Transfer Sites, Lea County NM

## General Chemistry (Continued)

### Analysis Batch: 119606 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-81631-99	VGWU 040-09 (102313) 2'	Soluble	Solid	9056	119474
600-81631-100	VGWU 040-09 (102313) 5'	Soluble	Solid	9056	119474
600-81631-101	VGWU 040-09 (102313) 10'	Soluble	Solid	9056	119474
600-81631-101 MS	VGWU 040-09 (102313) 10'	Soluble	Solid	9056	119474
600-81631-101 MSD	VGWU 040-09 (102313) 10'	Soluble	Solid	9056	119474
600-81631-102	VGWU 040-09 (102313) 15'	Soluble	Solid	9056	119474
600-81631-103	VGWU 040-09 (102313) 20'	Soluble	Solid	9056	119474
600-81631-104	VGWU 040-09 (102313) 25'	Soluble	Solid	9056	119474
600-81631-105	VGWU 040-09 (102313) 30'	Soluble	Solid	9056	119474
LCS 600-119474/2-A	Lab Control Sample	Soluble	Solid	9056	119474
MB 600-119474/1-A	Method Blank	Soluble	Solid	9056	119474

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-04 (102213) 2'

Lab Sample ID: 600-81631-15

Date Collected: 10/22/13 15:36

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		10	5 mL	5 mL	119258	10/29/13 23:49	DAW	TAL HOU

## Client Sample ID: VGWU 040-04 (102213) 5'

Lab Sample ID: 600-81631-16

Date Collected: 10/22/13 15:38

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		100	5 mL	5 mL	119258	10/30/13 00:44	DAW	TAL HOU

## Client Sample ID: VGWU 040-04 (102213) 10'

Lab Sample ID: 600-81631-17

Date Collected: 10/22/13 15:42

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 01:02	DAW	TAL HOU

## Client Sample ID: VGWU 040-04 (102213) 15'

Lab Sample ID: 600-81631-18

Date Collected: 10/22/13 15:45

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 01:20	DAW	TAL HOU

## Client Sample ID: VGWU 040-04 (102213) 20'

Lab Sample ID: 600-81631-19

Date Collected: 10/22/13 15:48

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 01:38	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-04 (102213) 25'

Lab Sample ID: 600-81631-20

Date Collected: 10/22/13 15:50

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 01:57	DAW	TAL HOU

## Client Sample ID: VGWU 040-04 (102213) 30'

Lab Sample ID: 600-81631-21

Date Collected: 10/22/13 15:55

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 02:51	DAW	TAL HOU

## Client Sample ID: VGWU 040-02 (102213) 2'

Lab Sample ID: 600-81631-22

Date Collected: 10/22/13 16:06

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		10	5 mL	5 mL	119258	10/30/13 03:09	DAW	TAL HOU

## Client Sample ID: VGWU 040-02 (102213) 5'

Lab Sample ID: 600-81631-23

Date Collected: 10/22/13 16:07

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		100	5 mL	5 mL	119258	10/30/13 03:28	DAW	TAL HOU

## Client Sample ID: VGWU 040-02 (102213) 10'

Lab Sample ID: 600-81631-24

Date Collected: 10/22/13 16:10

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		100	5 mL	5 mL	119258	10/30/13 03:46	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-02 (102213) 15'

Lab Sample ID: 600-81631-25

Date Collected: 10/22/13 16:14

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		100	5 mL	5 mL	119258	10/30/13 04:04	DAW	TAL HOU

## Client Sample ID: VGWU 040-02 (102213) 20'

Lab Sample ID: 600-81631-26

Date Collected: 10/22/13 16:18

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		10	5 mL	5 mL	119258	10/30/13 04:59	DAW	TAL HOU

## Client Sample ID: VGWU 040-02 (102313) 25'

Lab Sample ID: 600-81631-27

Date Collected: 10/23/13 09:57

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		50	5 mL	5 mL	119258	10/30/13 05:17	DAW	TAL HOU

## Client Sample ID: VGWU 040-02 (102313) 30'

Lab Sample ID: 600-81631-28

Date Collected: 10/23/13 10:20

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		50	5 mL	5 mL	119258	10/30/13 05:35	DAW	TAL HOU

## Client Sample ID: VGWU 040-01 (102313) 2'

Lab Sample ID: 600-81631-29

Date Collected: 10/23/13 10:29

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		5	5 mL	5 mL	119258	10/30/13 06:30	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-01 (102313) 5'

Lab Sample ID: 600-81631-30

Date Collected: 10/23/13 10:31

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		5	5 mL	5 mL	119258	10/30/13 06:48	DAW	TAL HOU

## Client Sample ID: VGWU 040-01 (102313) 10'

Lab Sample ID: 600-81631-31

Date Collected: 10/23/13 10:33

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		2	5 mL	5 mL	119258	10/30/13 07:06	DAW	TAL HOU

## Client Sample ID: VGWU 040-01 (102313) 15'

Lab Sample ID: 600-81631-32

Date Collected: 10/23/13 10:36

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 07:24	DAW	TAL HOU

## Client Sample ID: VGWU 040-01 (102313) 20'

Lab Sample ID: 600-81631-33

Date Collected: 10/23/13 10:38

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 07:42	DAW	TAL HOU

## Client Sample ID: VGWU 040-01 (102313) 25'

Lab Sample ID: 600-81631-34

Date Collected: 10/23/13 10:41

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 08:01	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-01 (102313) 30'**

**Lab Sample ID: 600-81631-35**

Date Collected: 10/23/13 10:45

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 08:55	DAW	TAL HOU

**Client Sample ID: VGWU 040-03 (102313) 2'**

**Lab Sample ID: 600-81631-36**

Date Collected: 10/23/13 10:59

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		50	5 mL	5 mL	119258	10/30/13 10:26	DAW	TAL HOU

**Client Sample ID: VGWU 040-03 (102313) 5'**

**Lab Sample ID: 600-81631-37**

Date Collected: 10/23/13 11:01

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		2	5 mL	5 mL	119258	10/30/13 10:45	DAW	TAL HOU

**Client Sample ID: VGWU 040-03 (102313) 10'**

**Lab Sample ID: 600-81631-38**

Date Collected: 10/23/13 11:03

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119139	10/29/13 09:39	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119258	10/30/13 11:03	DAW	TAL HOU

**Client Sample ID: VGWU 040-03 (102313) 15'**

**Lab Sample ID: 600-81631-39**

Date Collected: 10/23/13 11:07

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	10/31/13 21:21	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-03 (102313) 20'**

**Lab Sample ID: 600-81631-40**

Date Collected: 10/23/13 11:10

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	10/31/13 22:16	DAW	TAL HOU

**Client Sample ID: VGWU 040-03 (102313) 25'**

**Lab Sample ID: 600-81631-41**

Date Collected: 10/23/13 11:15

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	10/31/13 22:34	DAW	TAL HOU

**Client Sample ID: VGWU 040-03 (102313) 30'**

**Lab Sample ID: 600-81631-42**

Date Collected: 10/23/13 11:18

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	10/31/13 22:52	DAW	TAL HOU

**Client Sample ID: VGWU 040-06 (102313) 2'**

**Lab Sample ID: 600-81631-50**

Date Collected: 10/23/13 12:13

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	10/31/13 23:10	DAW	TAL HOU

**Client Sample ID: VGWU 040-06 (102313) 5'**

**Lab Sample ID: 600-81631-51**

Date Collected: 10/23/13 12:15

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		2	5 mL	5 mL	119416	10/31/13 23:28	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-06 (102313) 10'**

**Lab Sample ID: 600-81631-52**

Date Collected: 10/23/13 12:18

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 00:23	DAW	TAL HOU

**Client Sample ID: VGWU 040-06 (102313) 15'**

**Lab Sample ID: 600-81631-53**

Date Collected: 10/23/13 12:24

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 00:41	DAW	TAL HOU

**Client Sample ID: VGWU 040-06 (102313) 20'**

**Lab Sample ID: 600-81631-54**

Date Collected: 10/23/13 12:26

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 00:59	DAW	TAL HOU

**Client Sample ID: VGWU 040-06 (102313) 25'**

**Lab Sample ID: 600-81631-55**

Date Collected: 10/23/13 12:28

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 01:18	DAW	TAL HOU

**Client Sample ID: VGWU 040-06 (102313) 30'**

**Lab Sample ID: 600-81631-56**

Date Collected: 10/23/13 12:30

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 01:36	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-05 (102313) 2'

Lab Sample ID: 600-81631-57

Date Collected: 10/23/13 12:46

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 02:31	DAW	TAL HOU

## Client Sample ID: VGWU 040-05 (102313) 5'

Lab Sample ID: 600-81631-58

Date Collected: 10/23/13 12:47

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 02:49	DAW	TAL HOU

## Client Sample ID: VGWU 040-05 (102313) 10'

Lab Sample ID: 600-81631-59

Date Collected: 10/23/13 12:49

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 03:07	DAW	TAL HOU

## Client Sample ID: VGWU 040-05 (102313) 15'

Lab Sample ID: 600-81631-60

Date Collected: 10/23/13 12:53

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 04:02	DAW	TAL HOU

## Client Sample ID: VGWU 040-05 (102313) 20'

Lab Sample ID: 600-81631-61

Date Collected: 10/23/13 12:55

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 04:20	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-05 (102313) 25'

Lab Sample ID: 600-81631-62

Date Collected: 10/23/13 12:56

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 04:38	DAW	TAL HOU

## Client Sample ID: VGWU 040-05 (102313) 30'

Lab Sample ID: 600-81631-63

Date Collected: 10/23/13 12:58

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 04:56	DAW	TAL HOU

## Client Sample ID: VGWU 040-07 (102313) 2'

Lab Sample ID: 600-81631-64

Date Collected: 10/23/13 13:14

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		5	5 mL	5 mL	119416	11/01/13 05:14	DAW	TAL HOU

## Client Sample ID: VGWU 040-07 (102313) 5'

Lab Sample ID: 600-81631-65

Date Collected: 10/23/13 13:16

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 05:51	DAW	TAL HOU

## Client Sample ID: VGWU 040-07 (102313) 10'

Lab Sample ID: 600-81631-66

Date Collected: 10/23/13 13:17

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 06:45	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-07 (102313) 15'**

**Lab Sample ID: 600-81631-67**

Date Collected: 10/23/13 13:18

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 08:16	DAW	TAL HOU

**Client Sample ID: VGWU 040-07 (102313) 20'**

**Lab Sample ID: 600-81631-68**

Date Collected: 10/23/13 13:20

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 08:35	DAW	TAL HOU

**Client Sample ID: VGWU 040-07 (102313) 25'**

**Lab Sample ID: 600-81631-69**

Date Collected: 10/23/13 13:24

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119229	10/30/13 10:09	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119416	11/01/13 08:53	DAW	TAL HOU

**Client Sample ID: VGWU 040-07 (102313) 30'**

**Lab Sample ID: 600-81631-70**

Date Collected: 10/23/13 13:27

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 00:33	DAW	TAL HOU

**Client Sample ID: VGWU 040-08 (102313) 2'**

**Lab Sample ID: 600-81631-85**

Date Collected: 10/23/13 14:43

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		5	5 mL	5 mL	119606	11/02/13 01:28	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Client Sample ID: VGWU 040-08 (102313) 5'

Lab Sample ID: 600-81631-86

Date Collected: 10/23/13 14:44

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		2	5 mL	5 mL	119606	11/02/13 01:46	DAW	TAL HOU

## Client Sample ID: VGWU 040-08 (102313) 10'

Lab Sample ID: 600-81631-87

Date Collected: 10/23/13 14:48

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		10	5 mL	5 mL	119606	11/02/13 02:04	DAW	TAL HOU

## Client Sample ID: VGWU 040-08 (102313) 15'

Lab Sample ID: 600-81631-88

Date Collected: 10/23/13 14:50

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 02:23	DAW	TAL HOU

## Client Sample ID: VGWU 040-08 (102313) 20'

Lab Sample ID: 600-81631-89

Date Collected: 10/23/13 14:54

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 02:41	DAW	TAL HOU

## Client Sample ID: VGWU 040-08 (102313) 25'

Lab Sample ID: 600-81631-90

Date Collected: 10/23/13 14:57

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 03:35	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-08 (102313) 30'**

**Lab Sample ID: 600-81631-91**

Date Collected: 10/23/13 14:58

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 03:54	DAW	TAL HOU

**Client Sample ID: VGWU 040-09 (102313) 2'**

**Lab Sample ID: 600-81631-99**

Date Collected: 10/23/13 15:47

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		10	5 mL	5 mL	119606	11/02/13 04:12	DAW	TAL HOU

**Client Sample ID: VGWU 040-09 (102313) 5'**

**Lab Sample ID: 600-81631-100**

Date Collected: 10/23/13 15:48

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		5	5 mL	5 mL	119606	11/02/13 04:30	DAW	TAL HOU

**Client Sample ID: VGWU 040-09 (102313) 10'**

**Lab Sample ID: 600-81631-101**

Date Collected: 10/23/13 15:50

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		2	5 mL	5 mL	119606	11/02/13 04:48	DAW	TAL HOU

**Client Sample ID: VGWU 040-09 (102313) 15'**

**Lab Sample ID: 600-81631-102**

Date Collected: 10/23/13 15:53

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		5	5 mL	5 mL	119606	11/02/13 05:43	DAW	TAL HOU

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

**Client Sample ID: VGWU 040-09 (102313) 20'**

**Lab Sample ID: 600-81631-103**

Date Collected: 10/23/13 15:56

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		2	5 mL	5 mL	119606	11/02/13 06:01	DAW	TAL HOU

**Client Sample ID: VGWU 040-09 (102313) 25'**

**Lab Sample ID: 600-81631-104**

Date Collected: 10/23/13 15:58

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 06:19	DAW	TAL HOU

**Client Sample ID: VGWU 040-09 (102313) 30'**

**Lab Sample ID: 600-81631-105**

Date Collected: 10/23/13 16:00

Matrix: Solid

Date Received: 10/25/13 09:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			119025	10/28/13 08:43	AYS	TAL HOU
Soluble	Leach	DI Leach			5 g	50 mL	119474	11/01/13 14:54	DAW	TAL HOU
Soluble	Analysis	9056		1	5 mL	5 mL	119606	11/02/13 07:14	DAW	TAL HOU

**Laboratory References:**

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

# Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-81631-1

## Laboratory: TestAmerica Houston

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arkansas DEQ	State Program	6	88-0759	08-04-13 *
Louisiana	NELAP	6	01967	06-30-14
Oklahoma	State Program	6	9503	08-31-13 *
Texas	NELAP	6	T104704223-10-6-TX	10-31-13 *
USDA	Federal		P330-08-00217	04-01-14
Utah	NELAP	8	GULF	10-31-13 *

\* Expired certification is currently pending renewal and is considered valid.

TestAmerica Houston

6310 Rothway Street  
Houston, TX 77040  
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record

**Client Information**  
 Client Contact: Mr. Jonathan Olsen  
 Company: ARCADIS U.S., Inc.  
 Address: 2929 Bharppark Drive Suite 300  
 City: Houston  
 State Zip: TX, 77042  
 Phone: (617) 251-8741  
 Email: jonathan.olsen@arcadis-us.com

**Sampler:** Ryan Wang  
**Phone:** (617) 251-8741  
**E-Mail:** sachin.kudchadkar@testamericainc.com

**Lab P/N:** Kudchadkar, Sachin G  
**Carrier Tracking No(s):**

**COC No:** 600-23695-8666-1  
**Page:** 1 of 10  
**Job #:** 10048616.000

**Analysis Requested**

**Due Date Requested:**  
**TAT Requested (days):**  
**PO #:**  
**Purchase Order Requested:**  
**W/O #:**

**Field Filtered Sample (Yes or No)**  
**Perform MS/MSD (Yes or No)**

8015B\_DRO  
 9056\_28D - Chloride  
 8015B\_GRO  
 8021B - BTEX

600-81631 Chain of Custody

**Preservation Codes:**  
 A - HCL  
 B - NaOH  
 C - Zn Acetate  
 D - Nitric Acid  
 E - NaHSO4  
 F - MeOH  
 G - Amnolur  
 H - Ascorbic Acid  
 I - Ice  
 J - DI Water  
 K - EDTA  
 L - EDTA  
 M - Hexane  
 N - None  
 O - AsNaO2  
 P - Na2O4S  
 Q - Na2SO3  
 R - Na2S2O3  
 S - H2SO4  
 T - TSP Dodecahydrate  
 U - Acetone  
 V - MCAA  
 W - pH 4.5  
 Z - other (specify)

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=soil, BT=Tissue, AA=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total Number of containers	Special Instructions/Note:
V6WU 040-10 (102213) 2'	10-22-13	1431	G	Solid	X	X	1	Hold
V6WU 040-10 (102213) 5'	10-22-13	1432	G	Solid	X	X	1	Hold
V6WU 040-10 (102213) 10'	10-22-13	1435	G	Solid	X	X	1	Hold
V6WU 040-10 (102213) 15'	10-22-13	1437	G	Solid	X	X	1	Hold
V6WU 040-10 (102213) 20'	10-22-13	1438	G	Solid	X	X	1	Hold
V6WU 040-10 (102213) 25'	10-22-13	1442	G	Solid	X	X	1	Hold
V6WU 040-10 (102213) 30'	10-22-13	1445	G	Solid	X	X	1	Hold
V6WU 040-12 (102213) 2'	10-22-13	1506	G	Solid	X	X	1	Hold
V6WU 040-12 (102213) 5'	10-22-13	1508	G	Solid	X	X	1	Hold
V6WU 040-12 (102213) 10'	10-22-13	1512	G	Solid	X	X	1	Hold
V6WU 040-12 (102213) 15'	10-22-13	1514	G	Solid	X	X	1	Hold

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

**Deliverable Requested:** I, II, III, IV, Other (specify)

**Empty Kit Relinquished by:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Relinquished by:** \_\_\_\_\_ **Date/Time:** 10-24-13/1700 **Company:** ARCADIS US

**Relinquished by:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_ **Company:** \_\_\_\_\_

**Custody Seats Intact:**  Yes  No **Custody Seal No.:** \_\_\_\_\_

**Received by:** \_\_\_\_\_ **Date/Time:** 10/25/13 0957 **Company:** \_\_\_\_\_

**Received by:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_ **Company:** \_\_\_\_\_

**Special Instructions/Note:**  
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements:

**Method of Shipment:** \_\_\_\_\_

**TestAmerica Houston**

6310 Rothway Street  
Houston, TX 77040  
Phone (713) 690-4444 Fax (713) 690-5646

**Chain of Custody Record**

**Client Information**  
Client Contact: Mr. Jonathan Olsen  
Company: ARCADIS U.S., Inc.  
Address: 2929 Briarpark Drive Suite 300  
City: Houston  
State, Zip: TX, 77042  
Phone: (617) 251-8741  
Email: jonathan.olsen@arcadis-us.com  
Project Name: HES Transfer Sites, Lea County NM  
Site: UGW 10-40 Truck Liner  
SSON#:         

**Sample Information**  
Sample: Ryan Henry  
Phone: (617) 251-8741  
Lab P/N:           
E-Mail: sachin.kudchadkar@testamericainc.com  
Carrier Tracking No(s):         

**Analysis Requested**  
Due Date Requested:           
TAT Requested (days): Standard  
PO #:           
Purchase Order Requested:           
W/O #:           
Field Filtered Sample (Yes or No)  Yes  No  
Perform MS/MSD (Yes or No)  Yes  No

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, Other)	Preservation Code:	8016B_DRO	9066_28D - Chloride	8016B_GRO	8021B-BTEX	Total Number of containers	Special Instructions/Note:
UGW 040-12 (102213)	10-22-13	1516	G	Solid		X				1	Hold
UGW 040-12 (102213)	10-22-13	1518	G	Solid		X				1	Hold
UGW 040-12 (102213)	10-22-13	1520	G	Solid		X				1	Hold
UGW 040-04 (102213)	10-22-13	1536	G	Solid						1	
UGW 040-04 (102213)	10-22-13	1538	G	Solid						1	
UGW 040-04 (102213)	10-22-13	1542	G	Solid						1	
UGW 040-04 (102213)	10-22-13	1545	G	Solid						1	
UGW 040-04 (102213)	10-22-13	1548	G	Solid						1	
UGW 040-04 (102213)	10-22-13	1550	G	Solid						1	
UGW 040-04 (102213)	10-22-13	1555	G	Solid						1	
UGW 040-02 (102213)	10-22-13	1606	G	Solid						1	

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological  
 Deliverable Requested: I, II, III, IV, Other (specify)           
 Empty Kit Relinquished by:          Date:           
 Relinquished by:          Date/Time: 10-24-13/1700 Company: ARCADIS-US  
 Relinquished by:          Date/Time:          Company:           
 Custody Seals Intact:          Custody Seal No.:           
 A Yes Δ No  
 Received by:          Date/Time: 10/25/13 0857 Company:           
 Cooler Temperature(s) °C and Other Remarks:         

**Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)**  
 Return To Client  Disposal By Lab  Archive For          Months  
 Special Instructions/QC Requirements:           
 Method of Shipment:          Date/Time:          Company:         

**Preservation Codes:**  
 A - HCL M - Hexane  
 B - NaOH N - None  
 C - Zn Acetate O - AsNaO2  
 D - Nitric Acid P - Na2O4S  
 E - NaHSO4 Q - Na2SO3  
 F - MeOH R - Na2S2O3  
 G - Anchor S - H2SO4  
 H - Ascorbic Acid T - TSP Dodecylhydrate  
 I - Ice U - Acetone  
 J - DI Water V - MCAA  
 K - EDTA W - pH 4.5  
 L - EDTA Z - other (specify)  
 Other:         

**Page 2 of 10**  
 Page: 600-23595-8666\_1  
 Page: 13004816\_0000

**TestAmerica Houston**  
 6310 Rothway Street  
 Houston, TX 77040  
 Phone (713) 690-4444 Fax (713) 690-5646

**Chain of Custody Record**

**Client Information**  
 Client Contact: Mr. Jonathan Olsen  
 Company: ARCADIS U.S., Inc.  
 Address: 2929 Briarpark Drive Suite 300  
 City: Houston  
 State, Zip: TX, 77042  
 Phone: (617) 251-8741  
 Email: jonathan.olsen@arcadis-us.com  
 Project Name: HES Transfer Sites, Lea County NM  
 Site: VGWL D-40 Trunk Line  
 SSGW#:         

Sampler: Ryan Wang  
 Phone: (617) 251-8741  
 Lab P/N:           
 Lab Name:           
 E-Mail: sachin.kudchadkar@testamericainc.com  
 Carrier Tracking No(s):         

Due Date Requested:           
 TAT Requested (day(s)): Standard  
 PO #:           
 Purchase Order Requested:           
 WO #:           
 Project #: 60004633  
 SSGW#:         

**Analysis Requested**  
 Field Filtered Sample (Yes or No)   
 Perform MS/MSD (Yes or No)   
 8015B\_PRO   
 9056\_28D - Chloride   
 8015B\_GRO   
 8021B - BTEX

Job #: 15ae48416.0000  
 Page: 3 of 10  
 Preservation Codes:  
 A - HCL  
 B - NaOH  
 C - Zn Acetate  
 D - Nitric Acid  
 E - NaHSO4  
 F - MeOH  
 G - Anchor  
 H - Ascrobic Acid  
 I - Ice  
 J - DI Water  
 K - EDTA  
 L - EDA  
 M - Hexane  
 N - None  
 O - AshNo2  
 P - Na2OAS  
 Q - Na2SO3  
 R - Na2S2O3  
 S - H2SO4  
 T - TSP Dodecahydrate  
 U - Acetone  
 V - MCAA  
 W - pH 4.5  
 Z - other (Specify)

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=Soil, O=Organic, A=Asphalt)	Preservation Code	Total Number of containers	Special Instructions/Note:
VGWL 040-02 (102213) 5'	10-22-13	1607	G	Solid		1	
VGWL 040-02 (102213) 10'	10-22-13	1610	G	Solid		1	
VGWL 040-02 (102213) 15'	10-22-13	1614	G	Solid		1	
VGWL 040-02 (102213) 20'	10-22-13	1618	G	Solid		1	
VGWL 040-02 (102213) 25'	10-23-13	0957	G	Solid		1	
VGWL 040-02 (102313) 30'	10-23-13	1020	G	Solid		1	
VGWL 040-01 (102313) 2'	10-23-13	1029	G	Solid		1	
VGWL 040-01 (102313) 5'	10-23-13	1031	G	Solid		1	
VGWL 040-01 (102313) 10'	10-23-13	1033	G	Solid		1	
VGWL 040-01 (102313) 15'	10-23-13	1036	G	Solid		1	
VGWL 040-01 (102313) 20'	10-23-13	1038	G	Solid		1	

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological  
 Deliverable Requested: I, II, III, IV, Other (Specify):           
 Empty Kit Relinquished by:          Date:           
 Relinquished by:          Date/Time: 10-24-13/1700 Company: ARCADIS  
 Relinquished by:          Date/Time:          Company:         

Custody Seals Intact:          Custody Seal No.:           
 A Yes A No  
 Received by:          Date/Time:          Company:           
 Received by:          Date/Time: 10/25/13 0957 Company:           
 Cooler Temperature(s) °C and Other Remarks:



**TestAmerica Houston**

6310 Rothway Street  
Houston, TX 77040  
Phone (713) 690-4444 Fax (713) 690-5646

**Chain of Custody Record**

**Client Information**  
 Client Contact: Mr. Jonathan Olsen  
 Company: ARCADIS U.S., Inc.  
 Address: 2929 Briarpark Drive Suite 300  
 City: Houston  
 State, Zip: TX, 77042  
 Phone: (617) 251-8741  
 Email: jonathan.olsen@arcadis-us.com  
 Project Name: HES Transfer Sites, Lea County NM  
 Site: V6WU 0-40 Trunk Line

**Sample Information**  
 Sample: Ryan Nanny  
 Phone: (617) 251-8741  
 Due Date Requested:  
 TAT Requested (days): Standard  
 PO #: Purchase Order Requested  
 WO #:  
 Job #: 10048616.0000

**Analysis Requested**  
 Lab PM: Kudchadkar, Sachin G  
 E-Mail: sachin.kudchadkar@testamericainc.com  
 Carrier Tracking Note:  
 COC No: 600-23595-8666-1  
 Page: 5 of 10

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=ore/sed, BT=bitumen, AA=air)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_DRO	9056_28D - Chloride	8016B_GRO	8021B- BTEX	Total Number of containers	Special Instructions/Note:
V6WU 040-11 (102313) 10'	10-23-13	1138	G	Solid		X	N	X				1	Hold.
V6WU 040-11 (109313) 15'	10-23-13	1140	G	Solid		X	N	X				1	Hold.
V6WU 040-11 (102313) 20'	10-23-13	1145	G	Solid		X	N	X				1	Hold.
V6WU 040-11 (102313) 25'	10-23-13	1150	G	Solid		X	N	X				1	Hold.
V6WU 040-06 (102313) 2'	10-23-13	1213	G	Solid		X	N	X				1	Hold.
V6WU 040-06 (102313) 5'	10-23-13	1215	G	Solid		X	N	X				1	Hold.
V6WU 040-06 (102313) 10'	10-23-13	1218	G	Solid		X	N	X				1	Hold.
V6WU 040-06 (102313) 15'	10-23-13	1224	G	Solid		X	N	X				1	Hold.
V6WU 040-06 (102313) 20'	10-23-13	1226	G	Solid		X	N	X				1	Hold.
V6WU 040-06 (102313) 25'	10-23-13	1228	G	Solid		X	N	X				1	Hold.

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological  
 Deliverable Requested: I, II, III, IV, Other (specify):  
 Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: 10-24-13 1700  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Custody Seals Intact:  Yes  No  
 Custody Seal No.: \_\_\_\_\_

**Sample Disposal** (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements:  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Cooler Temperature(s) °C and Other Remarks:

**Method of Shipment:** \_\_\_\_\_  
 Date/Time: 10/25/13 0557  
 Company: \_\_\_\_\_

**Method of Shipment:** \_\_\_\_\_  
 Date/Time: \_\_\_\_\_  
 Company: \_\_\_\_\_

**Method of Shipment:** \_\_\_\_\_  
 Date/Time: \_\_\_\_\_  
 Company: \_\_\_\_\_





**TestAmerica Houston**  
 6310 Rothway Street  
 Houston, TX 77040  
 Phone (713) 690-4444 Fax (713) 690-5646

**Chain of Custody Record**

**Client Information**  
 Client Contact: Mr. Jonathan Olsen  
 Company: ARCADIS U.S., Inc.  
 Address: 2929 Briarpark Drive Suite 300  
 City: Houston  
 State, Zip: TX, 77042  
 Phone: (617) 251-8741  
 Email: jonathan.olsen@arcadis-us.com  
 Project Name: HES Transfer Sites, Lea County NM  
 Site: V6WU 0-40 Trunk Line

Sampler: Ryan Manning  
 Phone: (617) 251-8741  
 Lab P/N: Kudchadkar, Sachin G  
 E-Mail: sachin.kudchadkar@testamericainc.com  
 Carrier Tracking No(s):  
 COC No: 600-23595-8666\_1  
 Page 8 of 10  
 Job # B0048616.0000

**Analysis Requested**  
 Due Date Requested:  
 TAT Requested (days):  
 Standard  
 PO #  
 Purchase Order Requested  
 W/O #  
 Project # 60004633  
 SSO#

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=soil, BR=tissue, AA=)	Preservation Code:	File: 1 Filtrated Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_DRO	9056_28D - Chloride	8015B_GRO	8021B- BTEX	Total Number of containers	Special Instructions/Note:
V6WU 040-14 (102313) 2'	10-23-13	1416	G	Solid		X						1	Hold
V6WU 040-14 (102313) 5'	10-23-13	1418	G	Solid		X						1	Hold
V6WU 040-14 (102313) 10'	10-23-13	1420	G	Solid		X						1	Hold
V6WU 040-14 (102313) 15'	10-23-13	1422	G	Solid		X						1	Hold
V6WU 040-14 (102313) 20'	10-23-13	1424	G	Solid		X						1	Hold
V6WU 040-14 (102313) 25'	10-23-13	1426	G	Solid		X						1	Hold
V6WU 040-08 (102313) 2'	10-23-13	1443	G	Solid		X						1	Hold
V6WU 040-08 (102313) 5'	10-23-13	1444	G	Solid		X						1	Hold
V6WU 040-08 (102313) 10'	10-23-13	1448	G	Solid		X						1	Hold
V6WU 040-08 (102313) 15'	10-23-13	1450	G	Solid		X						1	Hold

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological  
 Deliverable Requested: I, II, III, IV, Other (specify):  
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements:

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: 10-24-13/1700 Company: Arcadis-us  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_  
 Custody Seals Intact: \_\_\_\_\_ Custody Seal No.: \_\_\_\_\_  
 Δ Yes Δ No

Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Method of Shipment: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date/Time: 10/25/13 0857 Company: \_\_\_\_\_  
 Cooler Temperature(s) °C and Other Remarks:

**Client Information**  
 Client Contact: Mr. Jonathan Olsen  
 Company: ARCADIS U.S., Inc.  
 Address: 2929 Briarpark Drive Suite 300  
 City: Houston  
 State, Zip: TX, 77042  
 Phone: (617) 251-8741  
 Email: jonathan.olsen@arcadis-us.com  
 Project Name: HES Transfer Sites, Lea County NM  
 Site: USWU 0-40 Frank Line

Sample #: Ryan Kenny  
 Project #: (617) 251-8741  
 Lab P#: Kuchchadkar, Sachin G  
 E-Mail: sachin.kuchchadkar@testamericainc.com  
 Carrier Tracking No(s):  
 COC No: 600-23595-8666.1  
 Page 9 of 10  
 Job # 18048616, 0000

Due Date Requested:  
 TAT Requested (days):  
 Analysis Requested:  
 Purchase Order Requested  
 PO #:  
 WO #:  
 Project #: 60004633  
 SSOV#:  
 Field Filtered Sample (Yes or No)  
 Perform MS/MSD (Yes or No)  
 8015B\_DRO  
 9056\_28D - Chloride  
 8015B\_GRO  
 8021B- BTEX  
 Total Number of containers  
 Special Instructions/Note:  
 Preservation Codes:  
 A - HCL  
 B - NaOH  
 C - Zn Acetate  
 D - Nitric Acid  
 E - NaHSO4  
 F - MeOH  
 G - Amchlor  
 H - Ascorbic Acid  
 I - Ice  
 J - DI Water  
 K - EDTA  
 L - EDTA  
 M - Hexane  
 N - None  
 O - AsNaO2  
 P - Na2O4S  
 Q - Na2SO3  
 R - Na2S2O3  
 S - H2SO4  
 T - TSP Dodecahydrate  
 U - Acetone  
 V - MCAA  
 W - pH 4.5  
 Z - other (Specify)  
 Other:

Sample Identification	Sample Date	Sample Time	Sample Type (G=Comp, G=grab)	Matrix (Water, Soil, Overstall, BT-Tissue, Ash)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Carrier Tracking No(s)	COC No	Page
USWU 040-08 (102313) 20'	10-23-13	1454	G	Solid	X	X		600-23595-8666.1	9 of 10
USWU 040-08 (102313) 25'	10-23-13	1457	G	Solid	X	X			
USWU 040-08 (102313) 30'	10-23-13	1458	G	Solid	X	X			
USWU 040-15 (102313) 2'	10-23-13	1513	G	Solid	X	X			
USWU 040-15 (102313) 5'	10-23-13	1514	G	Solid	X	X			
USWU 040-15 (102313) 10'	10-23-13	1516	G	Solid	X	X			
USWU 040-15 (102313) 15'	10-23-13	1518	G	Solid	X	X			
USWU 040-15 (102313) 20'	10-23-13	1522	G	Solid	X	X			
USWU 040-15 (102313) 25'	10-23-13	1524	G	Solid	X	X			
USWU 040-15 (102313) 30'	10-23-13	1527	G	Solid	X	X			
USWU 040-09 (102313) 2'	10-23-13	1547	G	Solid	X	X			

Possible Hazard Identification  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological  
 Deliverable Requested: I, II, III, IV, Other (Specify):  
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements:

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: 10-24-13 1700 Company: Arcadis-us  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_  
 Custody Seats Intact: \_\_\_\_\_ Custody Seal No.: \_\_\_\_\_  
 Δ Yes Δ No  
 Received by: \_\_\_\_\_ Date/Time: 10/25/13 0957 Company: \_\_\_\_\_  
 Resealed by: \_\_\_\_\_  
 Cover Tape (Seal) (s) "C" and Other Remarks:

**Client Information**  
Client Contact: Ryan Barry  
Mr. Jonathan Olsen  
Company: ARCADIS U.S., Inc.  
Address: 2929 Briarpark Drive Suite 300  
City: Houston  
State/Zip: TX, 77042  
Phone: (617) 251-8741  
Email: jonathan.olsen@arcadis-us.com  
Project Name: HES Transfer Sites, Lea County NM  
Site: V6WU 0-40 Trunk Line

Sampler: Ryan Barry  
Phone: (617) 251-8741  
Lab Pin: Kudchadkar, Sachin G  
E-Mail: sachin.kudchadkar@testamericainc.com  
Carrier Tracking No(s):  
COC No: 800-23595-8666.1  
Page: 10  
Page/Total: 10/16  
Job #: 13024816.0000

Due Date Requested:  
TAT Requested (days):  
Purchase Order Requested  
PO #:  
WO #:  
Project #: 60004633  
SSOW#:  
Analysis Requested  
Field Filtered Sample (Yes or No)  
Perform MS/MSD (Yes or No)  
8015B\_DRO  
8015B\_GRO  
8021B-BTEX  
Preservation Codes:  
A - HCL  
B - NaOH  
C - Zn Acetate  
D - Nitric Acid  
E - NaHSO4  
F - MeOH  
G - Arsenic  
H - Ascorbic Acid  
I - Ice  
J - DI Water  
K - EDTA  
L - EDA  
M - Hexane  
N - None  
O - AsNaO2  
P - Na2OAS  
Q - Na2SO3  
R - Na2S2O3  
S - H2SO4  
T - TSP Dodecylhydrate  
U - Acetone  
V - MCAA  
W - pH 4-5  
Z - other (specify)  
Other:

Sample Identification	Sample Date	Sample Time	Sample Type (G=Comp, G=grab)	Matrix (Monomer, Specific, Oxidation, Br-Tissue, AA/AF)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Total Number of containers	Special Instructions/Note:
<del>V6WU 040-09(102313) 5'</del>	<del>10-23-13</del>	<del>1548</del>	<del>G</del>	<del>Solid</del>	<del>X</del>	<del>N</del>	<del>1</del>	
<del>V6WU 040-09(102313) 10'</del>	<del>10-23-13</del>	<del>1550</del>	<del>G</del>	<del>Solid</del>	<del>X</del>	<del>N</del>	<del>1</del>	
<del>V6WU 040-09(102313) 15'</del>	<del>10-23-13</del>	<del>1553</del>	<del>G</del>	<del>Solid</del>	<del>X</del>	<del>N</del>	<del>1</del>	
<del>V6WU 040-09(102313) 20'</del>	<del>10-23-13</del>	<del>1556</del>	<del>G</del>	<del>Solid</del>	<del>X</del>	<del>N</del>	<del>1</del>	
<del>V6WU 040-09(102313) 25'</del>	<del>10-23-13</del>	<del>1558</del>	<del>G</del>	<del>Solid</del>	<del>X</del>	<del>N</del>	<del>1</del>	
<del>V6WU 040-09(102313) 30'</del>	<del>10-23-13</del>	<del>1600</del>	<del>G</del>	<del>Solid</del>	<del>X</del>	<del>N</del>	<del>1</del>	

**Possible Hazard Identification**  
 Non-Hazard  
 Flammable  
 Skin Irritant  
 Poison B  
 Unknown  
 Radiological  
**Sample Disposal (A Fee may be assessed if samples are retained longer than 1 month)**  
 Return To Client  
 Disposal By Lab  
 Archive For \_\_\_\_\_ Months  
**Special Instructions/QC Requirements:**

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: 10-24-13 1700 Company: Arcadis-us  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_  
 Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Custody Seals Intact: \_\_\_\_\_ Custody Seal No.: \_\_\_\_\_  
 Cooler Temperature(s) °C and Other Remarks:  
 Method of Shipment:  
 Date/Time: 10/25/13 0957 Company: \_\_\_\_\_

## Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 600-81631-1

**Login Number: 81631**

**List Source: TestAmerica Houston**

**List Number: 1**

**Creator: Lopez, Sandro R**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	5.6/2.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





## **Attachment 5**

Boring Logs

Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-01



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					SANDY CLAY (Topsoil), Brown (10YR4/2), firm, blocky, subangular, sand is silt to fine grained, poorly sorted, roots in sample, dry.
1		1	AR	5	24.5	☒		CAPROCK CALICHE, White (2.5Y8/1) to Pale Yellow (2.5Y7/3), indurated, fractured, laminated, dry, siliceous budding.
5	-5				21.6	☒		
2		2	AR	5				
10	-10				22.4	☒		SANDY CALICHE, Very Pale Brown (10YR8/2), soft, very lightly cemented, dry, very fine subrounded, moderately sorted.
3		3	AR	5				
15	-15				16.3	☒		SANDSTONE, Pink (7.5YR8/3), fine to medium grained, subrounded, moderately sorted, friable to firmly cemented, calcareous. Formation becomes less calcareous with increasing depth.
4		4	AR	5				
20	-20				27.7	☒		
5		5	AR	5				
25	-25				22.7	☒		
6		6	AR	5				
30	-30				11.2			

Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac



Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-02



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					SANDY CLAY, Brown (7.5YR4/2), firm, blocky, subrounded to subangular, silt to fine grained, poorly sorted, roots in sample, dry.
1		1	AR	5	13.2	☒		CAPROCK CALICHE, White (2.5Y8/1) to Pale Yellow (2.5Y7/3), indurated, fractured, laminated, siliceous budding.
5	-5				13.8	☒		
2		2	AR	5				
10	-10				11.3	☒		
3		3	AR	5				SANDY CALICHE, Very Pale Brown (10YR8/2), soft, very lightly cemented, dry, very fine, subrounded, moderately sorted.
15	-15				16.1	☒		
4		4	AR	5				SANDSTONE, Pink (7.5YR8/3), fine grained, subrounded, moderately sorted, calcareous, friable, dry.
20	-20				12.1	☒		
5		5	AR	5				
25	-25				70.8*	☒		
6		6	AR	5				
30	-30				870*			



**Remarks:** ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac; \* - Possible false PID readings due to instrument error.

Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-03



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					SANDY CLAY, Brown (7.5YR4/2), firm, blocky, dry, subrounded to subangular, sand is silt to fine grained, poorly sorted.
1		1	AR	5	5.7	☒		CAPROCK CALICHE, White (2.5Y8/1) to Pale Yellow (2.5Y7/3), indurated, fractured, laminated, dry, siliceous budding.
5	-5				9.6	☒		
2		2	AR	5				
10	-10				11.7	☒		SANDY CALICHE, Very Pale Brown (10YR8/2), firm, dry, very fine to fine grained, subrounded, moderately sorted.
3		3	AR	5				
15	-15				8.6	☒		SANDSTONE, Pink (7.5YR8/3), very fine to medium grained, subangular to subrounded, poorly sorted, dry, firm.
4		4	AR	5				
20	-20				6.3	☒		Same as above, formation became weakly cemented, sand became fine grained, subrounded, moderately sorted.
5		5	AR	5				
25	-25				9.2	☒		Same as above, formation became strongly calcareous Pinkish White (7.5Y8/2)
6		6	AR	5				
30	-30				14.3	☒		

**Remarks:** ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac

Date Start/Finish: 10/22/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-04




Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 25' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac



Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-05



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					SANDY CLAY, Brown (10YR4/2), firm, blocky, subrounded to subangular, sand is silt to fine grained, poorly sorted, roots in sample, dry.
1		1	AR	5	6.8	☒		CAPROCK CALICHE, White (2.5Y8/1) to Light Yellowish Brown (10YR6/4), indurated, fractured, laminated, dry, siliceous bedding.
5	-5				8.1	☒		CALICHE, White (2.5Y8/1), firm, powdery, dry, trace sand, very fine to fine grained, subrounded to subangular, poorly sorted, formation becomes less cemented and sand grains increase in size with increasing depth.
2		2	AR	5				
10	-10				4.8	☒		
3		3	AR	5				
15	-15				3.8	☒		SANDY CALICHE, Very Pale Brown (10YR8/2), firm, powdery, dry, sand is very fine to fine grained, subrounded, moderately sorted.
4		4	AR	5				
20	-20				8.3	☒		
5		5	AR	5				
25	-25				5.8	☒		SANDSTONE, Very Pale Brown (10YR8/3), fine grained, subrounded, moderately sorted, firmly cemented, dry, calcareous.
6		6	AR	5				
30	-30				5.8			

Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac



Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-06



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0	1	HV AR	5	6.4	☒		CLAYEY SAND, , Brown (10YR5/3), very fine to fine grained, subrounded to subangular, poorly sorted, dry, friable, trace caliche, White (2.5YR8/1), indurated nodules, 0.3 cm to 0.5 cm, roots in sample. CAPROCK CALICHE, White (2.5Y8/1) to Light Yellowish Brown (10YR6/4), indurated, fractured, laminated, dry, siliceous bedding.
5	-5	2	AR	5	5.7	☒		CALICHE, White (2.5Y8/1), firm, powdery, dry, trace sand, very fine to fine grained, subrounded to subangular, poorly sorted, formation becomes less cemented and sand grains are increasing in size with increasing depth.
10	-10	3	AR	5	5.8	☒		
15	-15	4	AR	5	6.0	☒		SANDY CALICHE, Very Pale Brown (10YR8/2), soft, dry, sand is very fine to fine grained, subrounded, poorly sorted, loose.
20	-20	5	AR	5	4.6	☒		SANDSTONE, Very Pale Brown (10YR8/3), fine grained, subrounded, moderately sorted, friable to firmly cemented, dry, slightly calcareous.
25	-25	6	AR	5	4.6	☒		
30	-30				4.0	☒		Same as above, becoming moderately calcareous at 30' bgs.

	<p><b>Remarks:</b> ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac</p>
--	---

Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-07



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					SANDY CLAY (TOPSOIL), Brown (7.5YR4/2), firm, blocky, dry, sand is silt to fine grained, sub-angular, poorly sorted.
1		1	AR	5	4.4	☒		CAPROCK CALICHE, White (2.5Y8/1) to Light Yellowish Brown (10YR6/4), indurated, fractured, laminated, dry, siliceous bedding.
5	-5				3.5	☒		CALICHE, White (2.5Y8/1), firm, powdery, dry, trace sand, very fine to fine grained, subrounded to subangular, poorly sorted, formation becomes less cemented and sand grains are increasing in size and amount with increasing depth.
2		2	AR	5				
10	-10				4.8	☒		
3		3	AR	5				
15	-15				5.9	☒		CLAYEY SANDY CALICHE, Pink (7.5YR8/3), firm, dry, slightly powdery, sand is very fine to fine grained, sub-rounded, poorly sorted, trace intergranular clay, dry, powdery.
4		4	AR	5				
20	-20				2.8	☒		SANDSTONE, Very Pale Brown (10YR8/3), fine grained, subrounded, moderately sorted, friable to firmly cemented, dry, slightly calcareous at 20' becoming less calcareous at 25'.
5		5	AR	5				
25	-25				3.3	☒		
6		6	AR	5				
30	-30				2.5	☒		

Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac



Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-08



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					CLAYEY SAND (TOPSOIL), Brown (10YR5/3), silt to fine grained, sub-angular, poorly sorted, loose to slightly firm, powdery roots in sample.
1		1	AR	5	6.2	☒		CAPROCK CALICHE, White (2.5Y8/1) to Light Yellowish Brown (10YR6/4), indurated, fractured, laminated, dry, siliceous bedding.
5	-5				7.1	☒		CALICHE, White (2.5Y8/1), firm, powdery, dry, trace sand, very fine to fine grained, subangular, poorly sorted.
2		2	AR	5				
10	-10				2.8	☒		
3		3	AR	5				
15	-15				4.9	☒		SANDSTONE, Pink (7.5YR8/4), fine grained, sub-rounded, moderately sorted, weakly cemented, dry.
4		4	AR	5				
20	-20				5.1	☒		SAND, Reddish Yellow (7.5YR7/6), fine grained, moderately sorted, weakly cemented, dry.
5		5	AR	5				
25	-25				5.9	☒		SANDSTONE, Very Pale Brown (10YR8/3), fine grained, sub-rounded, moderately sorted, firmly cemented, dry, calcareous.
6		6	AR	5				
30	-30				4.8	☒		

Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac



Date Start/Finish: 10/23/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: VGWUO40-09



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Client: Chevron EMC  
 Location: VGWUO40- Trunk Line from VGWU Battery

Borehole Depth: 30' bgs  
 Descriptions By: R.Nanny

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-------	-----------	-------------------	-----------------	-----------------	---------------------	-------------------	-----------------	---------------------------

0	0		HV					SANDY CLAY (TOPSOIL), Brown (10YR5/3), silt to fine grained, trace medium grains in sample, loose becoming blocky at 0.5' in depth, roots in sample, dry.
1		1	AR	5	3.2	☒		CAPROCK CALICHE, White (2.5Y8/1) to Light Yellowish Brown (10YR6/4), indurated, fractured, laminated, dry, siliceous bedding.
5	-5	2	AR	5	3.3	☒		CALICHE, White (2.5Y8/1), vrey firm to indurated, powdery, dry, trace sand, very fine grained, sub-rounded, poorly sorted.
10	-10	3	AR	5	1.8	☒		CALICHE SAND, Very Pale Brown (10YR8/2), firm grained, sub-rounded, poorly sorted, weakly to slightly firm cementation, dry, strongly calcareous.
15	-15	4	AR	5	1.6	☒		
20	-20	5	AR	5	2.7	☒		SANDSTONE, Very Pale Brown (10YR8/3), fine grained, sub-rounded, moderately sorted, firmly cemented, dry, calcareous.
25	-25	6	AR	5	2.1	☒		
30	-30				3.5	☒		

	<p><b>Remarks:</b> ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; HV=Hydrovac</p>
--	---



## **Attachment 6**

Chloride Multimedia Exposure  
Assessment Model Simulated Soil  
Screening Levels for the Protection of  
Groundwater Memo



ARCADIS U.S., Inc.  
2929 Briarpark Drive  
Suite 300  
Houston  
Texas 77042  
Tel 713 953 4800  
Fax 713 977 4620

**MEMO**

To:  
Kegan Boyer, Chevron Environmental  
Management Company

Copies:  
Chris Shepherd, ARCADIS  
Kathleen Abbott, ARCADIS  
David Evans, ARCADIS

From:  
Jonathan Olsen

Date:  
May 8, 2014

ARCADIS Project No.:  
B0048615.0000

Subject:  
**Chloride Multimedia Exposure Assessment Model Simulated Soil Screening  
Levels for the Protection of Groundwater**  
HES Transfer Sites, Lea County, New Mexico

---

On behalf of Chevron Environmental Management Company, ARCADIS U.S., Inc. (ARCADIS) evaluated chloride remediation action levels for use at the Health Environmental Safety (HES) Transfer Sites near Hobbs, New Mexico. The New Mexico Oil Conservation District (NMOCD) has established soil screening levels (SSLs) for fluid management pits (also known as the "NMOCD PIT RULE" [NMAC 19.15.17]); however, no formal SSLs have been established by the NMOCD or the New Mexico Environmental Department (NMED) for surface releases of production water. The Risk Assessment Guidance for Investigation and Remediation (NMED 2012) states that SSLs should be based on risk to human health and the potential migration to groundwater with respect to the NMED-specific tap water SSL. Chloride is not considered hazardous and the NMED and the United States Environmental Protection Agency (USEPA) have not established tap water screening levels for chloride. However, the NMED has established a chloride standard for groundwater (NMAC 20.6.2.1101) of 250 milligrams per liter (mg/L). Therefore, the SSL for chloride should be based on the soil leaching to groundwater pathway.

To evaluate a chloride SSL for use at the HES Transfer Sites, ARCADIS performed simulations of unsaturated zone flow, transport, and saturated zone mixing of chloride using the Multimedia Exposure Assessment Model Version 2.0 (MULTIMED; USEPA 1996) to evaluate the potential migration of chloride in shallow soil through the unsaturated zone to the underlying groundwater. The initial simulations were intended to estimate a maximum allowable chloride soil concentration (site SSL) to evaluate HES Transfer

Sites in Lea County and eastern Eddy County, New Mexico, and to develop a baseline approach for using the model for potential future evaluations of solute migration at other HES Transfer Sites in New Mexico.

**MULTIMED Overview**

MULTIMED was originally designed to simulate the movement of solutes leaching from a landfill to various exposure pathways. Due to its general acceptance by the NMOCD and the USEPA and its ability to simulate unsaturated and saturated zone flow and transport, MULTIMED was selected for this evaluation. The model, as designed, simulates one-dimensional vertical transport in the unsaturated zone to the saturated zone based on user-provided input parameters considering vadose zone, saturated zone, and chemical-specific characteristic parameters.

The simulations were performed using both the unsaturated and saturated zone modules available in MULTIMED. The unsaturated zone module performs solutions of the downward flow of infiltrating water to the water table by Darcy's Law:

$$Q = -K_v \cdot K_{rw} \left( \frac{\delta\psi}{\delta z} \right)$$

Where:

$\psi$  is the pressure head (meters [m])

$z$  is the depth (m)

$K_v$  is the saturated hydraulic conductivity (meters per year [m/year])

$K_{rw}$  is the relative hydraulic conductivity

The boundary condition at the water table is:

$$\psi \cdot L = 0$$

Where:

$L$  is the thickness of the unsaturated zone (m)

In the unsaturated zone, it is necessary to specify the relationship between relative hydraulic conductivity, pressure head, and water saturation. This relationship is given by van Genuchten (1976):

$$S_e = \theta_r + \frac{\theta_s - \theta_r}{[1 + (\alpha\psi^\beta)^\gamma]}$$

Where:

$\theta_r$  and  $\theta_s$  are the residual water saturation and total water saturation (dimensionless), respectively

$\beta, \gamma, \alpha$  are empirical soil-specific parameters (dimensionless)

$\psi$  is the air pressure entry head (m)

$S_e$  is the effective saturation (fraction)

Source area concentrations are input as leachate concentrations, therefore, the soil/water partition equation was used to convert between total soil concentration in milligrams per kilogram (mg/kg) and the leachate concentration in mg/L:

$$C_t = \frac{C_l \cdot R \cdot \theta_w}{\rho_b}$$

Where:

$C_t$  is the concentration of the chemical of interest in soil (mg/kg)

$C_l$  is the concentration of the chemical of interest in leachate (mg/L)

$R$  is the retardation coefficient (dimensionless, assumed 1 for chloride)

$\rho_b$  is the bulk density of the soil (mg/L or grams per cubic centimeter)

The mass of the chemical of interest that reaches the groundwater is expressed by the simplified steady-state equation (Salhotra et al. 1995) that couples the vadose zone to the groundwater:

$$M_L = A_w \cdot Q_f \cdot C_l$$

Where:

$M_L$  is the chemical of interest mass that leaches from site soil (grams per year [g/year])

$A_w$  is the width of the source area (m<sup>2</sup>)

$Q_f$  is the percolation rate from the facility/site (m/year)

The mixed groundwater concentration is controlled by the quasi-three-dimensional advection dispersion equations that are evaluated based on the following chemical concentration relationship within the mixing zone (Salhotra et al. 1995):

$$C(x, y, z, t) = \frac{H}{B} C_f(x, y, t) + \Delta C_p(x, y, z, t)$$

Where:

$C$  is the dissolved concentration (mg/L, g/m<sup>3</sup>)

$x,y,z$  are the spatial coordinates (m)

$t$  is elapsed time (year)

$H$  is the source zone penetration (m), with a maximum equal to  $B$

$B$  is the thickness of the saturated zone (m)

MULTIMED's output concentration is a centerline concentration based on a calculated dilution attenuation factor. Thus, the output concentration is the maximum concentration of the chemical of interest in groundwater at a reasonable distance downgradient from the source area.

### Model Design, Inputs, and Assumptions

The required input parameters for the MULTIMED simulations are summarized in Table 1. Input parameters include model structure, unsaturated and saturated zones, and chemical characteristics. Minimal site-specific data regarding the HES sites are available; therefore, numerous input parameters are based on published reports, default NMED values (2012), default values provided in the modeling code, and ARCADIS's experience, as indicated in Table 1. The model values are considered representative of the Lea County, New Mexico area. Due to the intended use of the SSL at multiple sites, more conservative values were generally selected for the given ranges of input parameters.

The general assumptions used in the MULTIMED model design include:

- The unsaturated and saturated zones are a single, homogeneous material.
- The applied recharge and infiltration are constant throughout the simulation.
- Initial chloride concentrations in soil below the source area and in groundwater are equal to 0.
- The model assumes no chemical transformation or adsorption of chloride to soil materials.

The simulations were performed using the transient model capabilities of MULTIMED. Steady-state simulations were not chosen because MULTIMED requires the assumption that the source is continuous and constant throughout the simulation, which is not appropriate for these evaluations. Also, the transient model was selected to provide output that simulates the aquifer concentrations versus time and models a finite source.

## Model Simulations and Results

Using the input parameters provided, soil concentrations for chloride were iteratively varied to arrive at an appropriate maximum allowable soil concentration that would be protective of groundwater for each of the scenarios. To calculate the maximum concentration that would be observed given the input concentrations and parameters, the simulation period selected was 1,980 years with 20-year time steps.

To ascertain the maximum allowable chloride concentration for more typical chloride concentration distribution and depth to groundwater scenarios, eight MULTIMED simulations were completed. The scenarios are summarized in Table 2. The input values for the simulations were the same, except for the thickness and width of the chloride-affected soil within the soil column. The first four simulations evaluated homogeneous chloride-affected soil 20 meters wide (400 square meters [m<sup>2</sup>]) and varied the chloride-affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters. The remaining four simulations evaluated homogeneous chloride-affected soil 45 meters wide (2,000 m<sup>2</sup>) and varied the chloride affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters

The predicted groundwater concentrations versus time are illustrated on Figures 1 through 8. The peak arrival times varied between 540 and 860 years. The simulations indicate the site SSLs for the protection of groundwater ranged from 8,525 to 266,100 mg/kg (Table 2) depending on the scenario and are protective of the New Mexico chloride groundwater standard of 250 mg/L.

The MULTIMED model, like any model, requires the use of simplifying assumptions regarding subsurface conditions and flow processes that result in inherent limitations and uncertainty compared to an actual flow system. In this case, uncertainty may be related to:

- The model assumes homogeneous unsaturated and saturated zones; the actual conditions at the sites likely contain numerous heterogeneities.
- The applied recharge and infiltration rates are constant. The aquifer hydraulic gradient is also assumed to be constant. These rates likely vary with time, and these variations may influence the solute migration and mixing, resulting in short-term changes in aquifer concentrations
- The model is a theoretical simulation of transport processes and is not verified or calibrated against site-specific data.

## Conclusions and Recommendations

The model simulations reasonably represent conditions encountered at most of the Lea County and eastern Eddy County HES Transfer Sites. HES Transfer Sites with chloride-affected soil can be screened

against SSLs in Table 2, assuming they meet the specified conditions (source length, source depth, depth to groundwater, and soil concentration). For calculated SSLs greater than 100,000 mg/kg, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the NMED risk assessment guidance (NMED 2012). For sites that meet all of these conditions, no further action is recommended. For the sites that do not meet these conditions, site-specific evaluations should be conducted.

Enclosures:

**Tables**

- Table 1 MULTIMED V2.0 Model Inputs
- Table 2 Soil Screening Level Matrix

**Figures**

- Figure 1 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)
- Figure 2 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
- Figure 3 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)
- Figure 4 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)
- Figure 5 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)
- Figure 6 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
- Figure 7 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)
- Figure 8 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)

## References

- New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).
- Salhotra, A.M., P. Mineart, S. Sharp-Hansen, T. Allison, R. Johns, and W.B. Mills. 1995. Multimedia Exposure Assessment Model (MULTIMED 2.0) for Evaluating the Land Disposal of Wastes--Model Theory. United States Environmental Protection Agency, Athens, GA. Unpublished Report.
- United States Environmental Protection Agency. 1996. A Subtitle D Landfill Application Manual for the Multimedia Exposure Assessment Model (MULTIMED 2.0). Final Report.
- Van Genuchten, M, Th., and P.J. Wierenga. 1976. Mass Transfer Studies in Sorbing Porous Media I. Analytical Solutions. Soil Science Society of America Proceedings. v 40, 473-480.



**Tables**

**Table 1**  
**MULTIMED V2.0 Model Inputs**  
**Chevron HES Transfer Sites**  
**Lea County, New Mexico**

Parameters	Value(s)	Units	Notes
<b>Unsaturated Zone Flow Parameters:</b>			
Depth of Unsaturated Zone	20.0	m	Local water levels (20m & 30.5m)
Hydraulic Conductivity	0.06	cm/hr	Texas (2011)
Unsaturated Zone Porosity	0.44	fraction	NMED (2012) Default
Residual Water Content	0.260	fraction	NMED (2012) Default
<b>Unsaturated Zone Transport Parameters:</b>			
Thickness of Layer	20 & 30.5	m	Regional water levels
Percent of Organic Matter	1.5%		NMED (2012) Default (not used)
Bulk Density	1.5	g/cm <sup>3</sup>	NMED (2012) Default
Biological Decay Coefficient	0	1/yr	(not used)
<b>Aquifer Parameters:</b>			
Aquifer Porosity	0.43	fraction	NMED (2012) Default
Bulk Density	1.5	g/cm <sup>3</sup>	NMED (2012) Default
Aquifer Thickness	12.0	m	NMED (2012) Default
Hydraulic Conductivity	542	m/yr	Texas (2011), Velocity ~ 1/2 NMED Default
Hydraulic Gradient	0.010	m/m	NMED (2012) Default
Organic Carbon Content	0.020	fraction	NMED (2012) Default (not used)
Temperature of Aquifer	15.0	°C	NMED (2012) Default (not used)
pH	6.2		(not used)
x-distance Radial Distance from Site to Receptor	12	m	equal to aquifer thickness
<b>Source Parameters:</b>			
Infiltration Rate	0.013	m/yr	~0.5 in/yr, Texas (2011)
Area of Waste	400 & 2000	m <sup>2</sup>	NMED (2012) Default (~45m x45m)
Recharge Rate	0.013	m/yr	Texas (2011)
Duration of Pulse	540 to 840	yr	Varied, set equal to peak arrival time
Discharge Concentrations	0	mg/L	
<b>Initial Soil Concentrations:</b>			
	<i>Depth (m)</i>		
Chloride leachate concentration	0	varied	mg/L Calculated for each scenario <sup>1</sup>
Chloride leachate concentration	1 & 3	0	mg/L
Chloride leachate concentration	20 & 30.5	0	mg/L
<b>Additional Parameters:</b>			
Method	Gaussian		
New Mexico Environment Department. 2012. Risk	Chloride		
<b>Chemical Parameters:</b>			
Normalized Distribution Coefficient	0.00	mL/g	Model Derived
<b>Van Genuchten Parameters:</b>			
Alpha Van Genuchten coefficient	0.38	unitless	NCSS Soil Characterization Data <sup>2</sup>
Beta Van Genuchten coefficient	1.2	unitless	NCSS Soil Characterization Data <sup>2</sup>

**Notes:**

°C - degrees celcius  
cm - centimeters  
cm<sup>3</sup> - cubic centimeters  
g - grams  
hr - hour  
L - liters  
m - meters  
m<sup>2</sup> - meter squared  
mg - milligrams  
mL - milliliters  
yr - year

1 - calculated using the soil-water partitioning equation  
2 - van Genuchten transport parameters are typical values for caliche-like material

**References:**

NMED - New Mexico Environmental Department Risk Assessment Guidance for Site Investigations and Remediation. February 2012.  
NCSS - National Cooperative Soil Survey, National Cooperative Soil Characterization Database  
Texas - Texas Water Development Board 2011. Update of the Groundwater Availability Model for the Edwards-Trinity (Plateau) and Pecos Valley Aquifers of Texas. January 21, 2011

**Table 2**  
**Soil Screening Level Matrix**  
**Chevron HES Transfer Sites**  
**Lea County, New Mexico**

Scenario	Source Length (m)	Source Area (m)	Source Depth (m)	Depth to Groundwater (m)	SSL <sub>gw</sub> (mg/Kg)	Notes
1	20	400	0-1	20.0	108,000	1
2	20	400	0-1	30.5	266,100	1
3	20	400	0-3	20.0	23,750	
4	20	400	0-3	30.5	45,000	
5	45	2,000	0-1	20.0	38,800	
6	45	2,000	0-1	30.5	95,500	
7	45	2,000	0-3	20.0	8,525	
8	45	2,000	0-3	30.5	16,100	

NMED SSL Ceiling = 100,000 mg/Kg

Notes:

m - meters

mg/Kg - milligrams per Kilogram

NMED - New Mexico Environmental Department

SSL<sub>gw</sub> - Site soil screening levels for the migration to groundwater pathway

SSL Ceiling - Soil Screening Level Ceiling (NMED 2012)

1 - the NMED SSL ceiling should be used


References:

New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).




**Figures**


**Figure 1**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)**




**Figure 2**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)**




**Figure 3**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)**




**Figure 4**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)**




**Figure 5**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)**



**Figure 6**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)**



**Figure 7**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)**



**Figure 8**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)**

