



**Robert Speer**  
Portfolio Manager,  
Upstream Business Unit  
Remediation Team

**Chevron Environmental  
Management Company**  
1400 Smith St. 07049  
Houston, TX 77002  
Tel (731) 372-6117  
Cell (713) 301-7274  
rspeer@chevron.com

April 11, 2016

Jamie Keyes  
Environmental Specialist, District 1  
New Mexico Oil Conservation Division  
1625 N. French Drive  
Hobbs, NM 88240

**RECEIVED**

**By JKeyes at 7:37 am, Apr 11, 2016**

**APPROVED**

Re: New Mexico E-State NCT-1-007 Wellhead Release Soil Assessment and Delineation Activities Report

Dear Mr. Keyes:

Please find enclosed for your files copies of the following report for the New Mexico E-State Wellhead Release project site.

- *New Mexico E-State NCT-1-007 Wellhead Release Soil Assessment and Delineation Activities Report, Unit E - Section 1 – Township 20 South – Range 36 East, Lea County, NM*

This report was prepared by GHD (formally Conestoga Rovers, Associates) on behalf of Chevron Environmental Management Company (CEMC) to document assessment activities for a release of 10 bbls of oil and produced water as documented in our January 2010 submittal of form C-141. Soil sampling in the release area indicate that vertical and horizontal delineation of TPH has been achieved, however samples at three locations exceeded the Site RRALs for Chlorides, and therefore further investigation is warranted. A proposed workplan for your review for the follow-up assessment is included with this report

Should you have any questions regarding the content of this report and proposed path forward, please do not hesitate to contact me. I look forward to working with you in the future.

Sincerely,

Rob Speer  
Environmental Project Manager



# **Soil Assessment and Delineation Activities Report**

New Mexico E State NCT-1 007  
Wellhead Release  
Lea County, New Mexico

Chevron Environmental Management Company

A blue ink signature of Scott Foord, written in a cursive style, positioned above a horizontal line.

Scott Foord  
Project Manager

A blue ink signature of Bernie Bockisch, written in a cursive style, positioned above a horizontal line.

Bernie Bockisch  
Senior Project Manager

6320 Rothway, Suite 100 Houston Texas USA  
089861 | Report No 1 | January 15, 2016

## Table of Contents

1.	Introduction.....	1
2.	Project Information and Background.....	1
3.	Recommended Remediation Action Limits .....	1
4.	Soil Sampling .....	2
4.1	Soil Sampling Analytical Results .....	2
5.	Conclusions .....	2
6.	Path Forward – Delineation.....	2

## Figure Index

Figure 1	Site Location Map
Figure 2	Site Aerial Map
Figure 3	Site Details and Analytical Results Map
Figure 4	Proposed Boring Location Map

## Table Index

Table 1	Soil Analytical Summary
---------	-------------------------

## Appendices

Appendix A	Original Form C-141
Appendix B	Soil Laboratory Analytical Report

## 1. Introduction

GHD is pleased to present this Soil Assessment and Delineation Activities Report to Chevron Environmental Management Company (CEMC). The project is the New Mexico E State NCT-1 007 wellhead release location (hereafter referred to as the “Site”).

## 2. Project Information and Background

The Site is located in Unit N, Section 1, Township 20 South, Range 36 East, approximately 3.2 miles southwest of Monument, New Mexico, in eastern Lea County (Figure 1 and Figure 2).

On November 17, 2010 well NM E NCT-1 #7 was in the process of being plugged and abandoned when unexpected wellhead pressure caused tubing in the well to damage the wellhead nipple connection resulting in a release of gas and well fluids around the well pad/tank battery location. The volume of fluids released was estimated at five to ten barrels of an unknown fluid. Chevron submitted an initial C-141 Form (Appendix A) to the New Mexico Oil Conservation Division (NMOCD) on November 18, 2010. The C-141 reported zero volume recovered. The wellhead and deadman anchors have been removed and surface casing cut off several feet below surface grade. GHD understands the surface owner is the State of New Mexico.

In 2015, Chevron contracted GHD to perform a soil assessment at the Site by implementing a soil boring program. On September 17, 2015, GHD advanced eight soil borings utilizing a hand auger to depths ranging from approximately 0.5-feet to 4-feet below ground surface (bgs). The results of these activities are provided herein.

## 3. Recommended Remediation Action Limits

Information available on the Petroleum Recovery Research Center (PRRC) Mapping Portal, current (GHD) managed groundwater site(s) data, and the United States Geological Survey (USGS) Current Water Database for the Nation indicate:

- The depth to groundwater at the Site is in the range of 50-99-feet bgs.
- The nearest private domestic water source is greater than 200-feet from the release site.
- The nearest public/municipal water source is greater than 1,000-feet from the release site.
- The release site lies more than 1,000 horizontal feet from the nearest surface water body.

Consequently, the NMOCD total ranking criteria score is ten (10) for the Site. The anticipated site-specific Recommended Remediation Action Levels (RRALs) to be applied to this location by the NMOCD are 10 milligrams per kilogram (mg/kg) for benzene; 50 mg/kg for total benzene, toluene, ethylbenzene, and xylenes (BTEX); 1,000 mg/kg for total petroleum hydrocarbons (TPH); and an NMOCD accepted 250 mg/kg for chlorides.

## 4. Soil Sampling

On September 17, 2015, GHD mobilized to the Site to begin soil boring activities. GHD developed and submitted a Mid-Continental Business Unit (MCBU) Chevron Dig Plan with appropriate attachments for review and approval prior to ground disturbance. Eight soil borings were advanced across the Site by hand auger techniques on September 17, 2015 to depths ranging from 0.5 to 4-feet bgs each. Hand auger refusal was encountered at soil boring SB-1 at 0.5 feet bgs. A Site Details and Analytical Results Map representing the sample locations and corresponding analytical results is presented on Figure 3.

Soil samples were collected for laboratory analysis from each boring (SB-1 through SB-8) at 1-foot intervals (when possible) beginning at the surface (0 to 2-inches bgs). Soil samples were packed into laboratory prepared jars and stored in a cooler with ice. The soil samples were sent to Xenco Laboratories (Xenco) in Odessa, Texas for analysis of total petroleum hydrocarbons (TPH) (gasoline range organics (GRO) and diesel range organics (DRO)) by EPA Method SW 8015B Modified and chlorides by EPA Method 300.0. A summary of soil analytical data is summarized in Table 1. The laboratory analytical report is included as Appendix B.

### 4.1 Soil Sampling Analytical Results

Soil boring samples (SB-1 through SB-8) collected from the Site for laboratory analyses were below the Site RRALs for TPH concentrations (1000 mg/kg). Soil boring samples SB-3, SB-4, SB-6, SB-7 and SB-8 collected from the Site for laboratory analyses were below the Site RRALs for chloride concentrations (250 mg/kg). Soil boring samples SB-1, SB-2, and SB-5 exceeded the Site RRAL for chloride concentrations at the four sampled intervals within each boring (maximum depth of 4 feet bgs). Concentrations exceeding the RRAL for chlorides ranged from 508 mg/kg (SB-5 - 1') to 17,000 mg/kg (SB-2 - 0') at these locations. Soil laboratory analytical results are summarized in Table 1. Soil laboratory analytical reports are included as Appendix B. A Site Details and Analytical Results Map are presented as Figure 3.

## 5. Conclusions

The analytical data obtained from the soil assessment and delineation activities performed in September of 2015 indicates that vertical and horizontal delineation of chloride impacts in soil have not been achieved at the Site. Based on data provided in this report, additional delineation and/or remedial efforts are warranted at this time. Ensuing assessment activities will be inclusive of horizontal and vertical chloride delineation. Details of the proposed additional assessment activities are described below.

## 6. Path Forward – Delineation

GHD proposes to advance seven additional soil borings in the northern and western portions of the Site (Figure 4). Field screening of soil cuttings for chlorides will be performed to guide drilling activities, and the terminal depth of each boring will be based on these field screening results. The following outlines basic project details that will be completed by GHD and GHD subcontractors:

## ***Field Program***

The field program will consist of the following:

### **Soil Boring Installation:**

- Prior to mobilizing the drilling equipment to the Site, a site visit will be performed by GHD. GHD will mark the proposed boring locations for New Mexico 811 notification. A One Call ticket will be initiated by the driller to identify subsurface hazards within the proposed drilling areas. Chevron will spot locate any underground utilities and/or pipelines within the assessment area;
- A ground penetrating radar (GPR) survey will be conducted across the Site for additional utility clearance assurance and the findings of the survey will be marked, as appropriate;
- GHD will coordinate all field work with management personnel of the Chevron Eunice FMT. A MCBU Dig Plan and Eunice FMT excavation permit will be acquired before performing the proposed tasks;
- A post-hole digger, hydro-excavation methods or similar borehole clearance equipment will be utilized to clear each boring location to a depth of approximately 5-feet bgs (or refusal) and approximately 8-inches in diameter. An air-rotary drilling rig, operated by a licensed State of New Mexico water well driller, will be utilized to advance the proposed borings;
- A geologist will record the subsurface lithology and sample data on soil boring logs. At a minimum, soil samples will be collected at ten foot intervals. A chloride field sampling kit will be used to field test intervals during boring activities. The total depth and nature of any sampling of soils will be based on results of the chloride field screening and the professional judgment of the GHD geologist with the intent to establish the depth at which soil concentrations are below the Site RRAL's.
- Selected soil samples will be submitted to Xenco Laboratories, Midland, Texas for analysis of chlorides by EPA Method 300.0; and
- The soil borings will be properly plugged with bentonite.

## ***Health and Safety Considerations***

Personal protective equipment, including fire-retardant clothing, steel-toed work boots, gloves, safety glasses, and hard hats will be required during all field tasks. The project health and safety plan will be maintained on Site and will be reviewed and signed by on-Site personnel, subcontractors, and authorized visitors.

## ***Quality Assurance/ Quality Control***

Confirmation soil sampling will be completed in accordance with our standard Quality Assurance/ Quality Control procedures designed to minimize cross-contamination between samples and to provide reliable laboratory results.

## ***Reporting***


A short letter report summarizing remediation activities will be submitted. The letter report will include a Site description, project history, description of field events, a discussion of results, and recommendations (if any).

The report will include:

- A scaled Site plan showing the locations of the soil borings and other Site features;
- Soil boring logs;
- Tabulation of field screening and laboratory analytical results;
- Copies of landfill manifests; and
- Geotagged photographic documentation of field activities.

# Figures





Source: Bing Maps Imagery

Lat/Long: 32.597728° North, 103.310388° West

0 250 500ft

Coordinate System:  
NAD 1983 StatePlane-  
New Mexico East (US Feet)



CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY  
LEA COUNTY, NEW MEXICO  
NEW MEXICO E STATE NCT-1 007

089861-00  
Dec 14, 2015

SITE AERIAL MAP


FIGURE 2





Source: Bing Maps Imagery

Lat/Long: 32.597728° North, 103.310388° West



CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY  
LEA COUNTY, NEW MEXICO  
NEW MEXICO E STATE NCT-1 007

089861-00  
Jan 8, 2016

PROPOSED BORING LOCATION MAP

FIGURE 4

# Tables

**Soil Analytical Summary**  
**New Mexico East State NCT-1 007**  
**Lea County, New Mexico**

Sample ID	Depth (bgs)	Sample Date	TPH (SW 8015 Modified)			Chlorides
			GRO	DRO	(GRO+DRO)	
NMOCD Recommended Remediation Action Levels			---	---	1,000	250
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
SB-1	0'	9/17/15	<10.1	<10.1	<10.1	11300
SB-1	0.5'	9/17/15	<10.6	<10.6	<10.6	11700
SB-2	0'	9/17/15	<10.1	<10.1	<10.1	17000
SB-2	1'	9/17/15	<10.7	<10.7	<10.7	2920
SB-2	2'	9/17/15	<10.9	<10.9	<10.9	3150
SB-2	3'	9/17/15	<10.8	<10.8	<10.8	1960
SB-2	4'	9/17/15	<10.3	<10.3	<10.3	1330
SB-3	0'	9/17/15	<10.3	<10.3	<10.3	11.7
SB-3	1'	9/17/15	<10.2	<10.2	<10.2	137
SB-3	2'	9/17/15	<10.3	<10.3	<10.3	140
SB-3	3'	9/17/15	<10.0	<10.0	<10.0	14.6
SB-3	4'	9/17/15	<10.1	<10.1	<10.1	12.6
SB-4	0'	9/17/15	<10.2	<10.2	<10.2	22.2
SB-4	1'	9/17/15	<10.4	<10.4	<10.4	2.33
SB-4	2'	9/17/15	<10.6	<10.6	<10.6	4.49
SB-4	3'	9/17/15	<10.6	<10.6	<10.6	3.98
SB-4	4'	9/17/15	<10.6	<10.6	<10.6	4.58
SB-5	0'	9/17/15	<10.1	<10.1	<10.1	569
SB-5	1'	9/17/15	<10.1	<10.1	<10.1	508
SB-5	2'	9/17/15	<10.1	<10.1	<10.1	600
SB-5	3'	9/17/15	<10.1	<10.1	<10.1	581
SB-5	4'	9/17/15	<10.2	<10.2	<10.2	598
SB-6	0'	9/17/15	<9.88	<9.88	<9.88	24.0
SB-6	1'	9/17/15	<9.95	<9.95	<9.95	11.4
SB-6	2'	9/17/15	<10.0	<10.0	<10.0	27.9
SB-6	3'	9/17/15	<9.95	<9.95	<9.95	31.8
SB-6	4'	9/17/15	<10.0	<10.0	<10.0	51.7
SB-7	0'	9/17/15	<9.91	<9.91	<9.91	1.79
SB-7	1'	9/17/15	<9.99	<9.99	<9.99	23.2
SB-7	2'	9/17/15	<9.99	<9.99	<9.99	18.1
SB-7	3'	9/17/15	<10.0	<10.0	<10.0	19.1
SB-7	4'	9/17/15	<9.96	<9.96	<9.96	8.73
SB-8	0'	9/17/15	<9.96	<9.96	<9.96	2.23
SB-8	1'	9/17/15	<10.1	<10.1	<10.1	16.1
SB-8	2'	9/17/15	<10.2	<10.2	<10.2	5.05
SB-8	3'	9/17/15	<10.3	<10.3	<10.3	15.1
SB-8	4'	9/17/15	<11.2	<11.2	<11.2	83.3

## Notes:

1. All analytical results reported in (mg/kg) milligrams per kilogram
2. Chloride analyses by Method EPA 300/300.1
3. TPH analysis by Method SW 8015B Modified
4. bgs - below ground surface
5. < indicates below laboratory Reporting Limit (RL)
6. (SB) indicates Soil Borings
7. Highlighted cells indicate exceedance of NMOCD RRALs

# Appendices

# Appendix A

## Original Form C-141

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

## Release Notification and Corrective Action

### OPERATOR

☒ Initial Report ☐ Final Report



Name of Company <b>Chevron USA</b>	Contact <b>Kevin Behrens</b>	
Address <b>1400 Smith Street, Room 07080, Houston, TX 77002</b>	Telephone No. <b>713-372-0206</b>	
Facility Name <b>New Mexico "E" State NCT-1 #7</b>	Facility Type <b>Well</b>	
Surface Owner <b>State of New Mexico</b>	Mineral Owner <b>Chevron USA</b>	Lease No. <b>State of New Mexico B-154 LSE</b>

### LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the At the well- site	North/South Line	Feet from the	East/West Line	County
N	1	20S	36E		SW4	NA	NA	LEA

Latitude **32.5977277226** Longitude **-103.310387595** NAD 1983

### NATURE OF RELEASE

Type of Release <b>Gas and Drilling Fluids From Original Drilling Completion</b>	Volume of Release <b>~5-10 bbls fluid, unknown amount of gas</b>	Volume Recovered <b>0</b>
Source of Release <b>Wellbore (damaged nipple on wellhead connections)</b>	Date and Hour of Occurrence <b>10:00 AM, 11/17/10</b>	Date and Hour of Discovery <b>10:00 AM, 11/17/10</b>
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? <b>Mark Whitaker, OCD was on-site at time of release</b>	
By Whom? <b>Greg Foster, Chevron Well Rep</b>	Date and Hour <b>10:00 AM, 11/17/10</b>	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. <b>NA</b>	
If a Watercourse was Impacted, Describe Fully.* <b>NA</b>		
Describe Cause of Problem and Remedial Action Taken.* <b>Well was in the process of being P&amp;A. During the P&amp;A, unforeseen well pressure after perforating the casing caused the tubing to rise out of the wellbore and damage the wellhead nipple connection, causing a release of gas and well fluids (e.g., drilling fluids that were previously left in the well). The well was brought under control and shut-in.</b>		
Describe Area Affected and Cleanup Action Taken.* <b>The release affected approximately 7,500 sq ft in and around the well pad (light coating of well fluid that was "sprayed" from the damaged nipple). Plan is to sample surface soil in representative areas (~3 to 6 locations, 0-6" depth) and analyze for TPH, BTEX, PAHs, RCRA Metals, and Chloride.</b>		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 		<b>OIL CONSERVATION DIVISION</b>
Printed Name: <b>Kevin Behrens</b>		Approved by District Supervisor: 
Title: <b>Environmental Project Manager</b>		Approval Date: _____ Expiration Date: _____
E-mail Address: <a href="mailto:kbehrens@chevron.com">kbehrens@chevron.com</a>		Conditions of Approval: _____
Date: <b>11/18/10</b> Phone: <b>713-372-0206, cell 281-851-5142</b>		Attached <input type="checkbox"/> <b>IRP 4239</b>

\* Attach Additional Sheets If Necessary

nJXK1610227079  
pJXK1610227303

# Appendix B

## Soil Laboratory Analytical Report

# **Analytical Report 515865**

**for**

**GHD Services, INC- Midland**

**Project Manager: Jake Ferenz**

**New Mexico East State**

**089861**

**30-SEP-15**

Collected By: Client



**12600 West I-20 East Odessa, Texas 79765**

Xenco-Houston (EPA Lab code: TX00122):

Texas (T104704215-15-19), Arizona (AZ0765), Florida (E871002), Louisiana (03054)  
Oklahoma (9218)

Xenco-Atlanta (EPA Lab Code: GA00046):

Florida (E87429), North Carolina (483), South Carolina (98015), Kentucky (85), DoD ( L10-135)  
Texas (T104704477), Louisiana (04176), USDA (P330-07-00105)

Xenco-Lakeland: Florida (E84098)

Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-TX)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-TX)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)

Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)

Xenco Tucson (EPA Lab code:AZ000989): Arizona (AZ0758)



30-SEP-15

Project Manager: **Jake Ferenz**  
**GHD Services, INC- Midland**  
2135 S Loop 250 W  
Midland, TX 79703

Reference: XENCO Report No(s): **515865**  
**New Mexico East State**  
Project Address: MONUMENT, NM

**Jake Ferenz:**

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 515865. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 515865 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

---

**Kelsey Brooks**

Project Manager

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

*A Small Business and Minority Status Company that delivers SERVICE and QUALITY*

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America

## GHD Services, INC- Midland, Midland, TX

New Mexico East State

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SB1 @ 0'-091715	S	09-17-15 11:30	- 0 ft	515865-001
SB1 @ 6"-091715	S	09-17-15 11:35	- 6 In	515865-002
SB2 @ 0'-091715	S	09-17-15 11:43	- 0 ft	515865-003
SB2 @ 1'-091715	S	09-17-15 11:53	- 1 ft	515865-004
SB2 @ 2'-091715	S	09-17-15 11:56	- 2 ft	515865-005
SB2 @ 3'-091715	S	09-17-15 11:59	- 3 ft	515865-006
SB2 @ 4'-091715	S	09-17-15 12:02	- 4 ft	515865-007
SB3 @ 0'-091715	S	09-17-15 12:10	- 0 ft	515865-008
SB3 @ 1'-091715	S	09-17-15 12:13	- 1 ft	515865-009
SB3 @ 2'-091715	S	09-17-15 12:15	- 2 ft	515865-010
SB3 @ 3'-091715	S	09-17-15 12:17	- 3 ft	515865-011
SB3 @ 4'-091715	S	09-17-15 12:19	- 4 ft	515865-012
SB4 @ 0'-091715	S	09-17-15 12:27	- 0 ft	515865-013
SB4 @ 1'-091715	S	09-17-15 12:34	- 1 ft	515865-014
SB4 @ 2'-091715	S	09-17-15 12:37	- 2 ft	515865-015
SB4 @ 3'-091715	S	09-17-15 12:41	- 3 ft	515865-016
SB4 @ 4'-091715	S	09-17-15 12:43	- 4 ft	515865-017
SB5 @ 0'-091715	S	09-17-15 12:52	- 0 ft	515865-018
SB5 @ 1'-091715	S	09-17-15 12:56	- 1 ft	515865-019
SB5 @ 2'-091715	S	09-17-15 12:58	- 2 ft	515865-020
SB5 @ 3'-091715	S	09-17-15 13:00	- 3 ft	515865-021
SB5 @ 4'-091715	S	09-17-15 13:03	- 4 ft	515865-022
SB6 @ 0'-091715	S	09-17-15 13:17	- 0 ft	515865-023
SB6 @ 1'-091715	S	09-17-15 13:19	- 1 ft	515865-024
SB6 @ 2'-091715	S	09-17-15 13:22	- 2 ft	515865-025
SB6 @ 3'-091715	S	09-17-15 13:24	- 3 ft	515865-026
SB6 @ 4'-091715	S	09-17-15 13:25	- 4 ft	515865-027
SB7 @ 0'-091715	S	09-17-15 13:49	- 0 ft	515865-028
SB7 @ 1'-091715	S	09-17-15 13:53	- 1 ft	515865-029
SB7 @ 2'-091715	S	09-17-15 13:55	- 2 ft	515865-030
SB7 @ 3'-091715	S	09-17-15 13:57	- 3 ft	515865-031
SB7 @ 4'-091715	S	09-17-15 13:59	- 4 ft	515865-032
SB8 @ 0'-091715	S	09-17-15 14:02	- 0 ft	515865-033
SB8 @ 1'-091715	S	09-17-15 14:05	- 1 ft	515865-034
SB8 @ 2'-091715	S	09-17-15 14:07	- 2 ft	515865-035
SB8 @ 3'-091715	S	09-17-15 14:09	- 3 ft	515865-036
SB8 @ 4'-091715	S	09-17-15 14:12	- 4 ft	515865-037



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB1 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-001

Date Collected: 09.17.15 11.30

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 2.92

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	11300	412	14.6	mg/kg	09.29.15 04:32		200

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.92

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.4	10.1	mg/kg	09.25.15 12:55	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.4	10.1	mg/kg	09.25.15 12:55	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.25.15 12:55	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	110	70 - 135	%		
o-Terphenyl	109	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB1 @ 6"-091715**

Matrix: Soil

Sample Depth: 6 In

Lab Sample Id: 515865-002

Date Collected: 09.17.15 11.35

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 7

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	11700	430	15.2	mg/kg	09.29.15 04:55		200

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 7

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.1	10.6	mg/kg	09.25.15 13:18	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.1	10.6	mg/kg	09.25.15 13:18	U	1
Total TPH	PHC635	ND		10.6	mg/kg	09.25.15 13:18	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	99	70 - 135	%		
o-Terphenyl	98	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB2@ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-003

Date Collected: 09.17.15 11.43

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 2.6

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	17000	411	14.5	mg/kg	09.29.15 06:03		200

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.6

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.4	10.1	mg/kg	09.24.15 19:11	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.4	10.1	mg/kg	09.24.15 19:11	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.24.15 19:11	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	199	70 - 135	%		**
o-Terphenyl	199	70 - 135	%		**



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB2 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-004

Date Collected: 09.17.15 11.53

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 7.68

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	2920	108	3.83	mg/kg	09.29.15 06:25		50

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 7.68

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.2	10.7	mg/kg	09.24.15 19:59	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.2	10.7	mg/kg	09.24.15 19:59	U	1
Total TPH	PHC635	ND		10.7	mg/kg	09.24.15 19:59	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	125	70 - 135	%		
o-Terphenyl	125	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB2 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-005

Date Collected: 09.17.15 11.56

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 9.31

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	3150	221	7.81	mg/kg	09.29.15 06:48		100

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 9.31

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.5	10.9	mg/kg	09.24.15 20:24	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.5	10.9	mg/kg	09.24.15 20:24	U	1
Total TPH	PHC635	ND		10.9	mg/kg	09.24.15 20:24	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	104	70 - 135	%		
o-Terphenyl	104	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB2 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-006

Date Collected: 09.17.15 11.59

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 8.16

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	1960	109	3.85	mg/kg	09.29.15 07:11		50

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 8.16

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.3	10.8	mg/kg	09.24.15 20:48	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.3	10.8	mg/kg	09.24.15 20:48	U	1
Total TPH	PHC635	ND		10.8	mg/kg	09.24.15 20:48	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	93	70 - 135	%		
o-Terphenyl	94	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB2 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-007

Date Collected: 09.17.15 12.02

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 4.43

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	1330	105	3.70	mg/kg	09.29.15 07:33		50

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 4.43

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.7	10.3	mg/kg	09.24.15 21:12	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.7	10.3	mg/kg	09.24.15 21:12	U	1
Total TPH	PHC635	ND		10.3	mg/kg	09.24.15 21:12	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	108	70 - 135	%		
o-Terphenyl	108	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB3 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-008

Date Collected: 09.17.15 12.10

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 4.86

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	11.7	2.10	0.0744	mg/kg	09.29.15 08:19		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 4.86

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.7	10.3	mg/kg	09.24.15 21:36	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.7	10.3	mg/kg	09.24.15 21:36	U	1
Total TPH	PHC635	ND		10.3	mg/kg	09.24.15 21:36	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	109	70 - 135	%		
o-Terphenyl	108	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB3 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-009

Date Collected: 09.17.15 12.13

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 3.59

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	137	2.07	0.0734	mg/kg	09.29.15 08:41		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 3.59

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.5	10.2	mg/kg	09.24.15 22:00	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.5	10.2	mg/kg	09.24.15 22:00	U	1
Total TPH	PHC635	ND		10.2	mg/kg	09.24.15 22:00	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	97	70 - 135	%		
o-Terphenyl	98	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB3 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-010

Date Collected: 09.17.15 12.15

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 4.15

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	140	2.09	0.0739	mg/kg	09.29.15 09:04		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 4.15

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.6	10.3	mg/kg	09.24.15 22:24	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.6	10.3	mg/kg	09.24.15 22:24	U	1
Total TPH	PHC635	ND		10.3	mg/kg	09.24.15 22:24	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	100	70 - 135	%		
o-Terphenyl	99	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB3 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-011

Date Collected: 09.17.15 12.17

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 1.8

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	14.6	2.04	0.0721	mg/kg	09.29.15 09:27		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 1.8

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.2	10.0	mg/kg	09.24.15 22:48	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.2	10.0	mg/kg	09.24.15 22:48	U	1
Total TPH	PHC635	ND		10.0	mg/kg	09.24.15 22:48	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	101	70 - 135	%		
o-Terphenyl	102	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB3 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-012

Date Collected: 09.17.15 12.19

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 2.56

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	12.6	2.05	0.0727	mg/kg	09.29.15 10:34		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.56

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.4	10.1	mg/kg	09.24.15 23:11	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.4	10.1	mg/kg	09.24.15 23:11	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.24.15 23:11	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	91	70 - 135	%		
o-Terphenyl	92	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB4 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-013

Date Collected: 09.17.15 12.27

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 3.56

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	22.2	2.07	0.0734	mg/kg	09.29.15 10:57		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 3.56

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.5	10.2	mg/kg	09.24.15 23:35	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.5	10.2	mg/kg	09.24.15 23:35	U	1
Total TPH	PHC635	ND		10.2	mg/kg	09.24.15 23:35	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	95	70 - 135	%		
o-Terphenyl	93	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB4 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-014

Date Collected: 09.17.15 12.34

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 4.99

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	2.33	2.11	0.0745	mg/kg	09.29.15 11:20		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 4.99

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.8	10.4	mg/kg	09.25.15 00:23	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.8	10.4	mg/kg	09.25.15 00:23	U	1
Total TPH	PHC635	ND		10.4	mg/kg	09.25.15 00:23	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	96	70 - 135	%		
o-Terphenyl	96	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB4 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-015

Date Collected: 09.17.15 12.37

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 6.78

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	4.49	2.15	0.0759	mg/kg	09.29.15 11:42		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 6.78

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.1	10.6	mg/kg	09.25.15 00:47	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.1	10.6	mg/kg	09.25.15 00:47	U	1
Total TPH	PHC635	ND		10.6	mg/kg	09.25.15 00:47	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	99	70 - 135	%		
o-Terphenyl	98	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB4 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-016

Date Collected: 09.17.15 12.41

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist: 6.82

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	3.98	2.15	0.0760	mg/kg	09.29.15 12:05		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 6.82

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.1	10.6	mg/kg	09.25.15 01:11	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.1	10.6	mg/kg	09.25.15 01:11	U	1
Total TPH	PHC635	ND		10.6	mg/kg	09.25.15 01:11	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	100	70 - 135	%		
o-Terphenyl	100	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB4 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-017

Date Collected: 09.17.15 12.43

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 6.63

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	4.58	2.14	0.0758	mg/kg	09.29.15 14:46		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 6.63

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	16.0	10.6	mg/kg	09.25.15 01:36	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	16.0	10.6	mg/kg	09.25.15 01:36	U	1
Total TPH	PHC635	ND		10.6	mg/kg	09.25.15 01:36	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	129	70 - 135	%		
o-Terphenyl	131	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB5 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-018

Date Collected: 09.17.15 12.52

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 2.09

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	569	40.9	1.45	mg/kg	09.29.15 15:31		20

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.09

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.3	10.1	mg/kg	09.25.15 02:00	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.3	10.1	mg/kg	09.25.15 02:00	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.25.15 02:00	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	96	70 - 135	%		
o-Terphenyl	94	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB5 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-019

Date Collected: 09.17.15 12.56

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 2.56

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	508	20.5	0.727	mg/kg	09.29.15 15:54		10

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.56

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.3	10.1	mg/kg	09.25.15 13:42	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.3	10.1	mg/kg	09.25.15 13:42	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.25.15 13:42	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	96	70 - 135	%		
o-Terphenyl	95	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB5 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-020

Date Collected: 09.17.15 12.58

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 2.5

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	600	20.5	0.726	mg/kg	09.29.15 16:17		10

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.5

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.4	10.1	mg/kg	09.25.15 03:14	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.4	10.1	mg/kg	09.25.15 03:14	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.25.15 03:14	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	101	70 - 135	%		
o-Terphenyl	102	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB5 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-021

Date Collected: 09.17.15 13.00

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 2.47

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	581	20.5	0.726	mg/kg	09.29.15 16:39		10

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.47

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.3	10.1	mg/kg	09.27.15 07:34	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.3	10.1	mg/kg	09.27.15 07:34	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.27.15 07:34	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	80	70 - 135	%		
o-Terphenyl	79	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB5 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-022

Date Collected: 09.17.15 13.03

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 2.77

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	598	20.6	0.728	mg/kg	09.29.15 17:02		10

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.77

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.4	10.2	mg/kg	09.27.15 08:00	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.4	10.2	mg/kg	09.27.15 08:00	U	1
Total TPH	PHC635	ND		10.2	mg/kg	09.27.15 08:00	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	117	70 - 135	%		
o-Terphenyl	116	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB6 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-023

Date Collected: 09.17.15 13.17

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: .42

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	24.0	2.01	0.0711	mg/kg	09.29.15 18:10		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: .42

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.0	9.88	mg/kg	09.27.15 08:25	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.0	9.88	mg/kg	09.27.15 08:25	U	1
Total TPH	PHC635	ND		9.88	mg/kg	09.27.15 08:25	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	103	70 - 135	%		
o-Terphenyl	103	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB6 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-024

Date Collected: 09.17.15 13.19

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: .84

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	11.4	2.02	0.0714	mg/kg	09.29.15 18:32		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: .84

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.1	9.95	mg/kg	09.27.15 08:49	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.1	9.95	mg/kg	09.27.15 08:49	U	1
Total TPH	PHC635	ND		9.95	mg/kg	09.27.15 08:49	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	96	70 - 135	%		
o-Terphenyl	98	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB6 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-025

Date Collected: 09.17.15 13.22

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 1.23

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	27.9	2.02	0.0717	mg/kg	09.29.15 18:55		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 1.23

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.2	10.0	mg/kg	09.27.15 09:14	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.2	10.0	mg/kg	09.27.15 09:14	U	1
Total TPH	PHC635	ND		10.0	mg/kg	09.27.15 09:14	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	99	70 - 135	%		
o-Terphenyl	101	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB6 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-026

Date Collected: 09.17.15 13.24

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: .96

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	31.8	2.02	0.0715	mg/kg	09.29.15 19:18		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: .96

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.1	9.95	mg/kg	09.27.15 09:38	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.1	9.95	mg/kg	09.27.15 09:38	U	1
Total TPH	PHC635	ND		9.95	mg/kg	09.27.15 09:38	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	111	70 - 135	%		
o-Terphenyl	107	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB6 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-027

Date Collected: 09.17.15 13.25

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 1.69

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	51.7	10.2	0.360	mg/kg	09.29.15 19:40		5

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 1.69

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.2	10.0	mg/kg	09.27.15 10:03	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.2	10.0	mg/kg	09.27.15 10:03	U	1
Total TPH	PHC635	ND		10.0	mg/kg	09.27.15 10:03	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	110	70 - 135	%		
o-Terphenyl	114	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB7 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-028

Date Collected: 09.17.15 13.49

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: .37

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	1.79	2.01	0.0711	mg/kg	09.29.15 20:27	J	1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: .37

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.0	9.91	mg/kg	09.27.15 10:27	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.0	9.91	mg/kg	09.27.15 10:27	U	1
Total TPH	PHC635	ND		9.91	mg/kg	09.27.15 10:27	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	105	70 - 135	%		
o-Terphenyl	106	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB7 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-029

Date Collected: 09.17.15 13.53

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 1.09

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	23.2	2.02	0.0716	mg/kg	09.29.15 20:50		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 1.09

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.2	9.99	mg/kg	09.27.15 10:51	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.2	9.99	mg/kg	09.27.15 10:51	U	1
Total TPH	PHC635	ND		9.99	mg/kg	09.27.15 10:51	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	97	70 - 135	%		
o-Terphenyl	99	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB7 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-030

Date Collected: 09.17.15 13.55

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 1.23

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	18.1	2.02	0.0717	mg/kg	09.29.15 21:12		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 1.23

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.2	9.99	mg/kg	09.27.15 11:16	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.2	9.99	mg/kg	09.27.15 11:16	U	1
Total TPH	PHC635	ND		9.99	mg/kg	09.27.15 11:16	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	106	70 - 135	%		
o-Terphenyl	108	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB7 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-031

Date Collected: 09.17.15 13.57

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 1.4

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	19.1	2.03	0.0718	mg/kg	09.29.15 21:35		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 1.4

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.2	10.0	mg/kg	09.27.15 12:04	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.2	10.0	mg/kg	09.27.15 12:04	U	1
Total TPH	PHC635	ND		10.0	mg/kg	09.27.15 12:04	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	91	70 - 135	%		
o-Terphenyl	93	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB7 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-032

Date Collected: 09.17.15 13.59

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: .93

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	8.73	2.02	0.0715	mg/kg	09.29.15 22:43		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: .93

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.1	9.96	mg/kg	09.27.15 12:28	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.1	9.96	mg/kg	09.27.15 12:28	U	1
Total TPH	PHC635	ND		9.96	mg/kg	09.27.15 12:28	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	97	70 - 135	%		
o-Terphenyl	101	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB8 @ 0'-091715**

Matrix: Soil

Sample Depth: 0 ft

Lab Sample Id: 515865-033

Date Collected: 09.17.15 14.02

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: .97

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	2.23	2.02	0.0715	mg/kg	09.29.15 23:06		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: .97

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.1	9.96	mg/kg	09.27.15 12:52	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.1	9.96	mg/kg	09.27.15 12:52	U	1
Total TPH	PHC635	ND		9.96	mg/kg	09.27.15 12:52	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	95	70 - 135	%		
o-Terphenyl	95	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB8 @ 1'-091715**

Matrix: Soil

Sample Depth: 1 ft

Lab Sample Id: 515865-034

Date Collected: 09.17.15 14.05

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 2.31

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	16.1	2.05	0.0725	mg/kg	09.29.15 23:28		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 2.31

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.4	10.1	mg/kg	09.27.15 13:16	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.4	10.1	mg/kg	09.27.15 13:16	U	1
Total TPH	PHC635	ND		10.1	mg/kg	09.27.15 13:16	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	102	70 - 135	%		
o-Terphenyl	104	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB8 @ 2'-091715**

Matrix: Soil

Sample Depth: 2 ft

Lab Sample Id: 515865-035

Date Collected: 09.17.15 14.07

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 3.5

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	5.05	2.07	0.0734	mg/kg	09.29.15 23:51		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 3.5

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.5	10.2	mg/kg	09.27.15 13:40	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.5	10.2	mg/kg	09.27.15 13:40	U	1
Total TPH	PHC635	ND		10.2	mg/kg	09.27.15 13:40	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	93	70 - 135	%		
o-Terphenyl	93	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB8 @ 3'-091715**

Matrix: Soil

Sample Depth: 3 ft

Lab Sample Id: 515865-036

Date Collected: 09.17.15 14.09

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 4.44

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	15.1	2.09	0.0741	mg/kg	09.30.15 00:14		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 4.44

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.6	10.3	mg/kg	09.27.15 14:04	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.6	10.3	mg/kg	09.27.15 14:04	U	1
Total TPH	PHC635	ND		10.3	mg/kg	09.27.15 14:04	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	75	70 - 135	%		
o-Terphenyl	74	70 - 135	%		



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **SB8 @ 4'-091715**

Matrix: Soil

Sample Depth: 4 ft

Lab Sample Id: 515865-037

Date Collected: 09.17.15 14.12

Date Received: 09.18.15 14.37

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist: 12.14

Tech: JUM

Seq Number: 978001

Date Prep: 09.29.15 19.00

Prep seq: 698777

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	83.3	2.28	0.0806	mg/kg	09.30.15 02:30		1

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist: 12.14

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	17.1	11.2	mg/kg	09.27.15 14:28	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	17.1	11.2	mg/kg	09.27.15 14:28	U	1
Total TPH	PHC635	ND		11.2	mg/kg	09.27.15 14:28	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	81	70 - 135	%		
o-Terphenyl	80	70 - 135	%		



# Certificate of Analytical Results

## 515865



### GHD Services, INC- Midland, Midland, TX

New Mexico East State

Sample Id: **698674-1-BLK**

Matrix: Solid

Sample Depth:

Lab Sample Id: 698674-1-BLK

Date Collected:

Date Received:

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist:

Tech: PJB

Seq Number: 977784

Date Prep: 09.24.15 18.30

Prep seq: 698674

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.0	9.88	mg/kg	09.25.15 12:09	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.0	9.88	mg/kg	09.25.15 12:09	U	1
Total TPH	PHC635	ND		9.88	mg/kg	09.25.15 12:09	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	102	70 - 135	%		
o-Terphenyl	102	70 - 135	%		

Sample Id: **698692-1-BLK**

Matrix: Solid

Sample Depth:

Lab Sample Id: 698692-1-BLK

Date Collected:

Date Received:

Analytical Method: TPH By SW8015B Mod

Prep Method: 1005

Analyst: PJB

% Moist:

Tech: PJB

Seq Number: 977819

Date Prep: 09.26.15 18.00

Prep seq: 698692

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	15.0	9.88	mg/kg	09.28.15 12:56	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	15.0	9.88	mg/kg	09.28.15 12:56	U	1
Total TPH	PHC635	ND		9.88	mg/kg	09.28.15 12:56	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	101	70 - 135	%		
o-Terphenyl	101	70 - 135	%		

Sample Id: **698744-1-BLK**

Matrix: Solid

Sample Depth:

Lab Sample Id: 698744-1-BLK

Date Collected:

Date Received:

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: MNR

% Moist:

Tech: MNR

Seq Number: 977878

Date Prep: 09.28.15 16.00

Prep seq: 698744

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	ND	2.00	0.0708	mg/kg	09.29.15 01:31	U	1



# Certificate of Analytical Results

## 515865



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State

Sample Id: **698776-1-BLK**

Matrix: Solid

Sample Depth:

Lab Sample Id: 698776-1-BLK

Date Collected:

Date Received:

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist:

Tech: JUM

Seq Number: 977999

Date Prep: 09.29.15 14.00

Prep seq: 698776

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	ND	2.00	0.0708	mg/kg	09.29.15 13:38	U	1

Sample Id: **698777-1-BLK**

Matrix: Solid

Sample Depth:

Lab Sample Id: 698777-1-BLK

Date Collected:

Date Received:

Analytical Method: Inorganic Anions by EPA 300/300.1

Prep Method: E300P

Analyst: JUM

% Moist:

Tech: JUM

Seq Number: 978001

Date Prep: 09.29.15 19.00

Prep seq: 698777

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	ND	2.00	0.0708	mg/kg	09.30.15 01:22	U	1

Analytical Method : Percent Moisture

Client : GHD Services, INC- Midland

Work Order #: 515865

Project ID: 089861

Field Sample ID	Date Collected	Date Received	Date Extracted	Max Holding Time Extracted (Days)	Time Held Extracted (Days)	Date Analyzed	Max Holding Time Analyzed (Days)	Time Held Analyzed (Days)	Q
SB5 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB6 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB6 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB8 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB1 @ 6'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB2 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB2 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB4 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB5 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB8 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB2 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB3 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB3 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB8 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB3 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB4 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB4 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB5 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB6 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB6 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB6 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB8 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB2 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB3 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB5 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB7 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB2 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB7 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB7 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB8 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB3 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB4 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB4 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB5 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P
SB7 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P



**XENCO Laboratories**  
**CHRONOLOGY OF HOLDING TIMES**



Analytical Method : Percent Moisture

GHD Services, INC- Midland

Work Order #: **515865**

Project ID: 089861

Field Sample ID	Date Collected	Date Received	Date Extracted	Max Holding Time Extracted (Days)	Time Held Extracted (Days)	Date Analyzed	Max Holding Time Analyzed (Days)		Q
SB7 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.23, 2015	45	6	P
SB1 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.21, 2015	45	4	P



**XENCO Laboratories**  
**CHRONOLOGY OF HOLDING TIMES**



Analytical Method : Inorganic Anions by EPA 300/300.1

Client : GHD Services, INC- Midland

Work Order #: 515865

Project ID: 089861

Field Sample ID	Date Collected	Date Received	Date Extracted	Max Holding Time Extracted (Days)	Time Held Extracted (Days)	Date Analyzed	Max Holding Time Analyzed (Days)	Time Held Analyzed (Days)	Q
SB4 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB5 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB6 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB7 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB5 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB2 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB2 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB3 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB3 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB4 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB4 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB4 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB5 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB6 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB8 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.30, 2015	28	13	P
SB3 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB5 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB6 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB1 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB2 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB3 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB4 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB5 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB6 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB7 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB7 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB7 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB8 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB8 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB8 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB1 @ 6'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB3 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB2 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB2 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB6 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P



**XENCO Laboratories**  
**CHRONOLOGY OF HOLDING TIMES**



Analytical Method : Inorganic Anions by EPA 300/300.1

GHD Services, INC- Midland

Work Order #: **515865**

Project ID: 089861

Field Sample ID	Date Collected	Date Received	Date Extracted	Max Holding Time Extracted (Days)	Time Held Extracted (Days)	Date Analyzed	Max Holding Time Analyzed (Days)		Q
SB7 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.29, 2015	28	12	P
SB8 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015				Sep.30, 2015	28	13	P

Analytical Method : TPH By SW8015B Mod

Client : GHD Services, INC- Midland

Work Order #: 515865

Project ID: 089861

Field Sample ID	Date Collected	Date Received	Date Extracted	Max Holding Time Extracted (Days)	Time Held Extracted (Days)	Date Analyzed	Max Holding Time Analyzed (Days)	Time Held Analyzed (Days)	Q
SB2 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB5 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB5 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB1 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB3 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB7 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB7 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB4 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB4 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB5 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB6 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB7 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB8 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB8 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB6 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB2 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB7 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB7 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB3 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB3 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB3 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB4 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB6 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB8 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB2 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB2 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB3 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB4 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB5 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB6 @ 4'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB4 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB5 @ 0'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB1 @ 6'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.25, 2015	14	1	P
SB2 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 24, 2015	14	7	Sep.24, 2015	14	0	P
SB6 @ 1'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P



**XENCO Laboratories**  
**CHRONOLOGY OF HOLDING TIMES**



Analytical Method : TPH By SW8015B Mod

GHD Services, INC- Midland

Work Order #: **515865**

Project ID: 089861

Field Sample ID	Date Collected	Date Received	Date Extracted	Max Holding Time Extracted (Days)	Time Held Extracted (Days)	Date Analyzed	Max Holding Time Analyzed (Days)		Q
SB8 @ 2'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P
SB8 @ 3'-091715	Sep. 17, 2015	Sep. 18, 2015	Sep. 26, 2015	14	9	Sep.27, 2015	14	1	P

F = These samples were analyzed outside the recommended holding time.

P = Samples analyzed within the recommended holding time.

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

\*\* Surrogate recovered outside laboratory control limit.

**BRL** Below Reporting Limit.

**RL** Reporting Limit

**MDL** Method Detection Limit      **SDL** Sample Detection Limit      **LOD** Limit of Detection

**PQL** Practical Quantitation Limit      **MQL** Method Quantitation Limit      **LOQ** Limit of Quantitation

**DL** Method Detection Limit

**NC** Non-Calculable

+ NELAC certification not offered for this compound.

\* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

***Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.***

*Certified and approved by numerous States and Agencies.*

***A Small Business and Minority Status Company that delivers SERVICE and QUALITY***

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4143 Greenbriar Dr, Stafford, TX 77477  
 9701 Harry Hines Blvd, Dallas, TX 75220  
 5332 Blackberry Drive, San Antonio TX 78238  
 2505 North Falkenburg Rd, Tampa, FL 33619  
 12600 West I-20 East, Odessa, TX 79765  
 6017 Financial Drive, Norcross, GA 30071  
 3725 E. Atlanta Ave, Phoenix, AZ 85040

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(813) 620-2000	(813) 620-2033
(432) 563-1800	(432) 563-1713
(770) 449-8800	(770) 449-5477
(602) 437-0330	



Analytical Log

Analytical Method:

Percent Moisture

Batch #:

977749

Project Name:

New Mexico East State

Project ID:

089861

Client Name:

GHD Services, INC- Midland

WO Number:

515865

Client Sample Id	Lab Sample Id	QC Types
SB1 @ 0'-091715	515865-001	SMP
SB1 @ 6"-091715	515865-002	SMP
SB2@ 0'-091715	515865-003	SMP
	515851-014 D	MD
	515851-024 D	MD
	977749-1-BLK	BLK



## Analytical Log

Analytical Method:	<u>Percent Moisture</u>	Batch #:	<u>977757</u>
Project Name:	<u>New Mexico East State</u>	Project ID:	<u>089861</u>
Client Name:	<u>GHD Services, INC- Midland</u>	WO Number:	<u>515865</u>

Client Sample Id	Lab Sample Id	QC Types
SB2 @ 1'-091715	515865-004	SMP
SB2 @ 2'-091715	515865-005	SMP
SB2 @ 3'-091715	515865-006	SMP
SB2 @ 4'-091715	515865-007	SMP
SB3 @ 0'-091715	515865-008	SMP
SB3 @ 1'-091715	515865-009	SMP
SB3 @ 2'-091715	515865-010	SMP
SB3 @ 3'-091715	515865-011	SMP
SB3 @ 4'-091715	515865-012	SMP
SB4 @ 0'-091715	515865-013	SMP
SB4 @ 1'-091715	515865-014	SMP
SB4 @ 2'-091715	515865-015	SMP
SB4 @ 3'-091715	515865-016	SMP
SB4 @ 4'-091715	515865-017	SMP
SB5 @ 0'-091715	515865-018	SMP
SB5 @ 1'-091715	515865-019	SMP
SB5 @ 2'-091715	515865-020	SMP
SB5 @ 3'-091715	515865-021	SMP
SB5 @ 4'-091715	515865-022	SMP
SB6 @ 0'-091715	515865-023	SMP
	515865-004 D	MD
	515865-014 D	MD
	977757-1-BLK	BLK



## Analytical Log

Analytical Method:	<u>Percent Moisture</u>	Batch #:	<u>977758</u>
Project Name:	<u>New Mexico East State</u>	Project ID:	<u>089861</u>
Client Name:	<u>GHD Services, INC- Midland</u>	WO Number:	<u>515865</u>

Client Sample Id	Lab Sample Id	QC Types
<u>SB6 @ 1'-091715</u>	<u>515865-024</u>	<u>SMP</u>
<u>SB6 @ 2'-091715</u>	<u>515865-025</u>	<u>SMP</u>
<u>SB6 @ 3'-091715</u>	<u>515865-026</u>	<u>SMP</u>
<u>SB6 @ 4'-091715</u>	<u>515865-027</u>	<u>SMP</u>
<u>SB7 @ 0'-091715</u>	<u>515865-028</u>	<u>SMP</u>
<u>SB7 @ 1'-091715</u>	<u>515865-029</u>	<u>SMP</u>
<u>SB7 @ 2'-091715</u>	<u>515865-030</u>	<u>SMP</u>
<u>SB7 @ 3'-091715</u>	<u>515865-031</u>	<u>SMP</u>
<u>SB7 @ 4'-091715</u>	<u>515865-032</u>	<u>SMP</u>
<u>SB8 @ 0'-091715</u>	<u>515865-033</u>	<u>SMP</u>
<u>SB8 @ 1'-091715</u>	<u>515865-034</u>	<u>SMP</u>
<u>SB8 @ 2'-091715</u>	<u>515865-035</u>	<u>SMP</u>
<u>SB8 @ 3'-091715</u>	<u>515865-036</u>	<u>SMP</u>
<u>SB8 @ 4'-091715</u>	<u>515865-037</u>	<u>SMP</u>
<u> </u>	<u>515865-024 D</u>	<u>MD</u>
<u> </u>	<u>515865-033 D</u>	<u>MD</u>
<u> </u>	<u>977758-1-BLK</u>	<u>BLK</u>



## Analytical Log

Analytical Method:	<u>TPH By SW8015B Mod</u>	Batch #:	<u>977784</u>
Project Name:	<u>New Mexico East State</u>	Project ID:	<u>089861</u>
Client Name:	<u>GHD Services, INC- Midland</u>	WO Number:	<u>515865</u>

Client Sample Id	Lab Sample Id	QC Types
<u>SB1 @ 0'-091715</u>	<u>515865-001</u>	<u>SMP</u>
<u>SB1 @ 6"-091715</u>	<u>515865-002</u>	<u>SMP</u>
<u>SB2 @ 1'-091715</u>	<u>515865-004</u>	<u>SMP</u>
<u>SB2 @ 2'-091715</u>	<u>515865-005</u>	<u>SMP</u>
<u>SB2 @ 3'-091715</u>	<u>515865-006</u>	<u>SMP</u>
<u>SB2 @ 4'-091715</u>	<u>515865-007</u>	<u>SMP</u>
<u>SB2@ 0'-091715</u>	<u>515865-003</u>	<u>SMP</u>
<u>SB3 @ 0'-091715</u>	<u>515865-008</u>	<u>SMP</u>
<u>SB3 @ 1'-091715</u>	<u>515865-009</u>	<u>SMP</u>
<u>SB3 @ 2'-091715</u>	<u>515865-010</u>	<u>SMP</u>
<u>SB3 @ 3'-091715</u>	<u>515865-011</u>	<u>SMP</u>
<u>SB3 @ 4'-091715</u>	<u>515865-012</u>	<u>SMP</u>
<u>SB4 @ 0'-091715</u>	<u>515865-013</u>	<u>SMP</u>
<u>SB4 @ 1'-091715</u>	<u>515865-014</u>	<u>SMP</u>
<u>SB4 @ 2'-091715</u>	<u>515865-015</u>	<u>SMP</u>
<u>SB4 @ 3'-091715</u>	<u>515865-016</u>	<u>SMP</u>
<u>SB4 @ 4'-091715</u>	<u>515865-017</u>	<u>SMP</u>
<u>SB5 @ 0'-091715</u>	<u>515865-018</u>	<u>SMP</u>
<u>SB5 @ 1'-091715</u>	<u>515865-019</u>	<u>SMP</u>
<u>SB5 @ 2'-091715</u>	<u>515865-020</u>	<u>SMP</u>
<u> </u>	<u>515865-001 S</u>	<u>MS</u>
<u> </u>	<u>515865-001 SD</u>	<u>MSD</u>
<u> </u>	<u>698674-1-BKS</u>	<u>BKS</u>
<u> </u>	<u>698674-1-BLK</u>	<u>BLK</u>
<u> </u>	<u>698674-1-BSD</u>	<u>BSD</u>



## Analytical Log

Analytical Method:	<u>TPH By SW8015B Mod</u>	Batch #:	<u>977819</u>
Project Name:	<u>New Mexico East State</u>	Project ID:	<u>089861</u>
Client Name:	<u>GHD Services, INC- Midland</u>	WO Number:	<u>515865</u>

Client Sample Id	Lab Sample Id	QC Types
<u>SB5 @ 3'-091715</u>	<u>515865-021</u>	<u>SMP</u>
<u>SB5 @ 4'-091715</u>	<u>515865-022</u>	<u>SMP</u>
<u>SB6 @ 0'-091715</u>	<u>515865-023</u>	<u>SMP</u>
<u>SB6 @ 1'-091715</u>	<u>515865-024</u>	<u>SMP</u>
<u>SB6 @ 2'-091715</u>	<u>515865-025</u>	<u>SMP</u>
<u>SB6 @ 3'-091715</u>	<u>515865-026</u>	<u>SMP</u>
<u>SB6 @ 4'-091715</u>	<u>515865-027</u>	<u>SMP</u>
<u>SB7 @ 0'-091715</u>	<u>515865-028</u>	<u>SMP</u>
<u>SB7 @ 1'-091715</u>	<u>515865-029</u>	<u>SMP</u>
<u>SB7 @ 2'-091715</u>	<u>515865-030</u>	<u>SMP</u>
<u>SB7 @ 3'-091715</u>	<u>515865-031</u>	<u>SMP</u>
<u>SB7 @ 4'-091715</u>	<u>515865-032</u>	<u>SMP</u>
<u>SB8 @ 0'-091715</u>	<u>515865-033</u>	<u>SMP</u>
<u>SB8 @ 1'-091715</u>	<u>515865-034</u>	<u>SMP</u>
<u>SB8 @ 2'-091715</u>	<u>515865-035</u>	<u>SMP</u>
<u>SB8 @ 3'-091715</u>	<u>515865-036</u>	<u>SMP</u>
<u>SB8 @ 4'-091715</u>	<u>515865-037</u>	<u>SMP</u>
<u> </u>	<u>515865-037 S</u>	<u>MS</u>
<u> </u>	<u>515865-037 SD</u>	<u>MSD</u>
<u> </u>	<u>698692-1-BKS</u>	<u>BKS</u>
<u> </u>	<u>698692-1-BLK</u>	<u>BLK</u>
<u> </u>	<u>698692-1-BSD</u>	<u>BSD</u>



## Analytical Log

Analytical Method: Inorganic Anions by EPA 300/300.1  
Project Name: New Mexico East State  
Client Name: GHD Services, INC- Midland

Batch #: 977878  
Project ID: 089861  
WO Number: 515865

Client Sample Id	Lab Sample Id	QC Types
SB1 @ 0'-091715	515865-001	SMP
SB1 @ 6"-091715	515865-002	SMP
SB2 @ 1'-091715	515865-004	SMP
SB2 @ 2'-091715	515865-005	SMP
SB2 @ 3'-091715	515865-006	SMP
SB2 @ 4'-091715	515865-007	SMP
SB2@ 0'-091715	515865-003	SMP
SB3 @ 0'-091715	515865-008	SMP
SB3 @ 1'-091715	515865-009	SMP
SB3 @ 2'-091715	515865-010	SMP
SB3 @ 3'-091715	515865-011	SMP
SB3 @ 4'-091715	515865-012	SMP
SB4 @ 0'-091715	515865-013	SMP
SB4 @ 1'-091715	515865-014	SMP
SB4 @ 2'-091715	515865-015	SMP
SB4 @ 3'-091715	515865-016	SMP
	515865-007 S	MS
	516015-001 S	MS
	698744-1-BKS	BKS
	698744-1-BLK	BLK
	698744-1-BSD	BSD



## Analytical Log

Analytical Method:	<u>Inorganic Anions by EPA 300/300.1</u>	Batch #:	<u>977999</u>
Project Name:	<u>New Mexico East State</u>	Project ID:	<u>089861</u>
Client Name:	<u>GHD Services, INC- Midland</u>	WO Number:	<u>515865</u>

Client Sample Id	Lab Sample Id	QC Types
SB4 @ 4'-091715	515865-017	SMP
SB5 @ 0'-091715	515865-018	SMP
SB5 @ 1'-091715	515865-019	SMP
SB5 @ 2'-091715	515865-020	SMP
SB5 @ 3'-091715	515865-021	SMP
SB5 @ 4'-091715	515865-022	SMP
SB6 @ 0'-091715	515865-023	SMP
SB6 @ 1'-091715	515865-024	SMP
SB6 @ 2'-091715	515865-025	SMP
SB6 @ 3'-091715	515865-026	SMP
SB6 @ 4'-091715	515865-027	SMP
SB7 @ 0'-091715	515865-028	SMP
SB7 @ 1'-091715	515865-029	SMP
SB7 @ 2'-091715	515865-030	SMP
SB7 @ 3'-091715	515865-031	SMP
SB7 @ 4'-091715	515865-032	SMP
SB8 @ 0'-091715	515865-033	SMP
SB8 @ 1'-091715	515865-034	SMP
SB8 @ 2'-091715	515865-035	SMP
SB8 @ 3'-091715	515865-036	SMP
	515865-017 S	MS
	515865-027 S	MS
	698776-1-BKS	BKS
	698776-1-BLK	BLK
	698776-1-BSD	BSD



Analytical Log

Analytical Method:

Inorganic Anions by EPA 300/300.1

Batch #:

978001

Project Name:

New Mexico East State

Project ID:

089861

Client Name:

GHD Services, INC- Midland

WO Number:

515865

Client Sample Id	Lab Sample Id	QC Types
SB8 @ 4'-091715	515865-037	SMP
	515865-037 S	MS
	698777-1-BKS	BKS
	698777-1-BLK	BLK
	698777-1-BSD	BSD

## Form 2 - Surrogate Recoveries

Project Name: New Mexico East State

Work Orders : 515865,

Project ID: 089861

Lab Batch #: 977784

Sample: 698674-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 09/24/15 01:27		SURROGATE RECOVERY STUDY			
TPH By SW8015B Mod		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R
Analytes					
1-Chlorooctane		100	100	100	70-135
o-Terphenyl		42.8	50.0	86	70-135

Lab Batch #: 977784

Sample: 698674-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 09/24/15 01:51		SURROGATE RECOVERY STUDY			
TPH By SW8015B Mod		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R
Analytes					
1-Chlorooctane		113	100	113	70-135
o-Terphenyl		47.6	50.0	95	70-135

Lab Batch #: 977784

Sample: 515865-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: 09/24/15 11:44		SURROGATE RECOVERY STUDY			
TPH By SW8015B Mod		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R
Analytes					
1-Chlorooctane		119	99.9	119	70-135
o-Terphenyl		49.7	50.0	99	70-135

Lab Batch #: 977784

Sample: 515865-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: 09/25/15 03:38		SURROGATE RECOVERY STUDY			
TPH By SW8015B Mod		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R
Analytes					
1-Chlorooctane		132	99.8	132	70-135
o-Terphenyl		61.3	49.9	123	70-135

Lab Batch #: 977784

Sample: 698674-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 09/25/15 12:09		SURROGATE RECOVERY STUDY			
TPH By SW8015B Mod		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R
Analytes					
1-Chlorooctane		102	100	102	70-135
o-Terphenyl		51.1	50.0	102	70-135

\* Surrogate outside of Laboratory QC limits

\*\* Surrogates outside limits; data and surrogates confirmed by reanalysis

\*\*\* Poor recoveries due to dilution

Surrogate Recovery [D] =  $100 * A / B$

All results are based on MDL and validated for QC purposes.

# Form 2 - Surrogate Recoveries

Project Name: New Mexico East State

Work Orders : 515865,

Project ID: 089861

Lab Batch #: 977819

Sample: 698692-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 09/27/15 06:46

## SURROGATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	98.2	100	98	70-135	
o-Terphenyl	44.1	50.0	88	70-135	

Lab Batch #: 977819

Sample: 515865-037 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 09/27/15 14:52

## SURROGATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	91.0	100	91	70-135	
o-Terphenyl	40.1	50.0	80	70-135	

Lab Batch #: 977819

Sample: 515865-037 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 09/27/15 15:16

## SURROGATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	99.8	101	70-135	
o-Terphenyl	43.1	49.9	86	70-135	

Lab Batch #: 977819

Sample: 698692-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 09/28/15 12:56

## SURROGATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	100	101	70-135	
o-Terphenyl	50.6	50.0	101	70-135	

Lab Batch #: 977819

Sample: 698692-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 09/28/15 17:04

## SURROGATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	115	100	115	70-135	
o-Terphenyl	47.5	50.0	95	70-135	

\* Surrogate outside of Laboratory QC limits

\*\* Surrogates outside limits; data and surrogates confirmed by reanalysis

\*\*\* Poor recoveries due to dilution

Surrogate Recovery [D] =  $100 * A / B$

All results are based on MDL and validated for QC purposes.



# BS / BSD Recoveries



Project Name: New Mexico East State

Work Order #: 515865

Project ID: 089861

Analyst: MNR

Date Prepared: 09/28/2015

Date Analyzed: 09/29/2015

Lab Batch ID: 977878

Sample: 698744-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	U	50.0	49.8	100	50.0	49.2	98	1	90-110	20	

Analyst: JUM

Date Prepared: 09/29/2015

Date Analyzed: 09/29/2015

Lab Batch ID: 977999

Sample: 698776-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	U	50.0	49.6	99	50.0	48.8	98	2	90-110	20	

Analyst: JUM

Date Prepared: 09/29/2015

Date Analyzed: 09/30/2015

Lab Batch ID: 978001

Sample: 698777-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	U	50.0	49.2	98	50.0	49.2	98	0	90-110	20	

Relative Percent Difference RPD =  $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] =  $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] =  $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



# BS / BSD Recoveries



Project Name: New Mexico East State

Work Order #: 515865

Project ID: 089861

Analyst: PJB

Date Prepared: 09/24/2015

Date Analyzed: 09/24/2015

Lab Batch ID: 977784

Sample: 698674-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015B Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
C6-C10 Gasoline Range Hydrocarbons	U	1000	822	82	1000	934	93	13	70-135	35	
C10-C28 Diesel Range Hydrocarbons	U	1000	704	70	1000	805	81	13	70-135	35	

Analyst: PJB

Date Prepared: 09/26/2015

Date Analyzed: 09/27/2015

Lab Batch ID: 977819

Sample: 698692-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

## BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015B Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
C6-C10 Gasoline Range Hydrocarbons	U	1000	913	91	1000	952	95	4	70-135	35	
C10-C28 Diesel Range Hydrocarbons	U	1000	732	73	1000	843	84	14	70-135	35	

Relative Percent Difference RPD =  $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] =  $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] =  $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



# Form 3 - MS Recoveries

Project Name: New Mexico East State



Work Order #: 515865

Lab Batch #: 977878

Date Analyzed: 09/29/2015

QC- Sample ID: 515865-007 S

Reporting Units: mg/kg

Date Prepared: 09/28/2015

Batch #: 1

Project ID: 089861

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	1330	2620	4250	111	80-120	

Lab Batch #: 977878

Date Analyzed: 09/29/2015

QC- Sample ID: 516015-001 S

Reporting Units: mg/kg

Date Prepared: 09/28/2015

Batch #: 1

Analyst: MNR

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	4510	2500	7000	100	80-120	

Lab Batch #: 977999

Date Analyzed: 09/29/2015

QC- Sample ID: 515865-017 S

Reporting Units: mg/kg

Date Prepared: 09/29/2015

Batch #: 1

Analyst: JUM

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	4.58	53.6	56.5	97	80-120	

Lab Batch #: 977999

Date Analyzed: 09/29/2015

QC- Sample ID: 515865-027 S

Reporting Units: mg/kg

Date Prepared: 09/29/2015

Batch #: 1

Analyst: JUM

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	51.7	254	303	99	80-120	

Matrix Spike Percent Recovery [D] =  $100 \times (C-A)/B$

Relative Percent Difference [E] =  $200 \times (C-A)/(C+B)$

All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit



# Form 3 - MS Recoveries

Project Name: New Mexico East State



Work Order #: 515865

Lab Batch #: 978001

Date Analyzed: 09/30/2015

QC- Sample ID: 515865-037 S

Reporting Units: mg/kg

Date Prepared: 09/29/2015

Batch #: 1

Project ID: 089861

Analyst: JUM

Matrix: Soil

MATRIX / MATRIX SPIKE RECOVERY STUDY						
Inorganic Anions by EPA 300	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	%R [D]	Control Limits %R	Flag
Analytes						
Chloride	83.3	56.9	141	101	80-120	

Matrix Spike Percent Recovery [D] =  $100 \times (C-A)/B$   
Relative Percent Difference [E] =  $200 \times (C-A)/(C+B)$   
All Results are based on MDL and Validated for QC Purposes

BRL - Below Reporting Limit



# Form 3 - MS / MSD Recoveries



Project Name: New Mexico East State

Work Order # : 515865

Project ID: 089861

Lab Batch ID: 977784

QC- Sample ID: 515865-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/24/2015

Date Prepared: 09/24/2015

Analyst: PJB

Reporting Units: mg/kg

## MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
C6-C10 Gasoline Range Hydrocarbons	U	1030	1020	99	1030	1180	115	15	70-135	35	
C10-C28 Diesel Range Hydrocarbons	U	1030	832	81	1030	952	92	13	70-135	35	

Lab Batch ID: 977819

QC- Sample ID: 515865-037 S

Batch #: 1 Matrix: Soil

Date Analyzed: 09/27/2015

Date Prepared: 09/26/2015

Analyst: PJB

Reporting Units: mg/kg

## MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015B Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
C6-C10 Gasoline Range Hydrocarbons	U	1140	906	79	1140	978	86	8	70-135	35	
C10-C28 Diesel Range Hydrocarbons	U	1140	799	70	1140	864	76	8	70-135	35	

Matrix Spike Percent Recovery [D] =  $100 \times (C-A)/B$   
Relative Percent Difference RPD =  $200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery [G] =  $100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

**Project Name:** New Mexico East State

**Work Order #:** 515865

**Lab Batch #:** 977749

**Project ID:** 089861

**Date Analyzed:** 09/21/2015 14:30

**Date Prepared:** 09/21/2015

**Analyst:** WRU

**QC- Sample ID:** 515851-014 D

**Batch #:** 1

**Matrix:** Soil

**Reporting Units:** %

## SAMPLE / SAMPLE DUPLICATE RECOVERY

Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	5.14	4.63	10	20	

**Lab Batch #:** 977749

**Date Analyzed:** 09/21/2015 14:30

**Date Prepared:** 09/21/2015

**Analyst:** WRU

**QC- Sample ID:** 515851-024 D

**Batch #:** 1

**Matrix:** Soil

**Reporting Units:** %

## SAMPLE / SAMPLE DUPLICATE RECOVERY

Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	1.20	1.09	10	20	

**Lab Batch #:** 977757

**Date Analyzed:** 09/21/2015 14:30

**Date Prepared:** 09/21/2015

**Analyst:** WRU

**QC- Sample ID:** 515865-004 D

**Batch #:** 1

**Matrix:** Soil

**Reporting Units:** %

## SAMPLE / SAMPLE DUPLICATE RECOVERY

Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	7.68	7.50	2	20	

**Lab Batch #:** 977757

**Date Analyzed:** 09/21/2015 14:30

**Date Prepared:** 09/21/2015

**Analyst:** WRU

**QC- Sample ID:** 515865-014 D

**Batch #:** 1

**Matrix:** Soil

**Reporting Units:** %

## SAMPLE / SAMPLE DUPLICATE RECOVERY

Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	4.99	5.17	4	20	

Spike Relative Difference RPD  $200 * |(B-A)/(B+A)|$   
 All Results are based on MDL and validated for QC purposes.  
 BRL - Below Reporting Limit

**Project Name:** New Mexico East State

**Work Order #:** 515865

**Lab Batch #:** 977758

**Project ID:** 089861

**Date Analyzed:** 09/23/2015 17:30

**Date Prepared:** 09/23/2015

**Analyst:** WRU

**QC- Sample ID:** 515865-024 D

**Batch #:** 1

**Matrix:** Soil

**Reporting Units:** %

## SAMPLE / SAMPLE DUPLICATE RECOVERY

Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	U	U	0	20	U

**Lab Batch #:** 977758

**Date Analyzed:** 09/23/2015 17:30

**Date Prepared:** 09/23/2015

**Analyst:** WRU

**QC- Sample ID:** 515865-033 D

**Batch #:** 1

**Matrix:** Soil

**Reporting Units:** %

## SAMPLE / SAMPLE DUPLICATE RECOVERY

Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	U	1.13	NC	20	

Spike Relative Difference RPD  $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

BRL - Below Reporting Limit

# Attachment A Laboratory Data Package Cover Page

Project Name: **New Mexico East State**

Laboratory Number: **515865**

This Data package consists of : Laboratory Batch No(s) **977757, 977758, 698777, 698776, 977749, 6**


This signature page, the laboratory review checklist, and the following reportable data:

- ☐ R1 Field chain-of-custody documentation;
- ☐ R2 Sample identification cross-reference;
- ☐ R3 Test reports (analytical data sheets) for each environmental sample that includes:
- Items consistent with NELAC 5
  - dilution factors,
  - preparation methods,
  - cleanup methods, and
  - if required for the project, tentatively identified compounds (TICs).
- ☐ R4 Surrogate Recovery data including:
- Calculated recovery (%R), and
  - The laboratory's surrogate QC limits.
- ☐ R5 Test reports/summary forms for blank samples;
- ☐ R6 Test reports/summary forms for laboratory control samples (LCSs) including:
- LCS spiking amounts,
  - Calculated %R for each analyte, and
  - The laboratory's LCS QC limits.
- ☐ R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
- Samples associated with the MS/MSD clearly identified,
  - MS/MSD spiking amounts,
  - Concentration of each MS/MSD analyte measured in the parent and spiked samples,
  - Calculated %Rs and relative percent differences (RPDs) and
  - The laboratory's MS/MSD QC limits
- ☐ R8 Laboratory analytical duplicate (if applicable) recovery and precision:
- the amount of analyte measured in the duplicate,
  - the calculated RPD, and
  - the laboratory's QC limits for analytical duplicates.
- ☐ R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix;
- ☐ R10 Other problems or anomalies.
- ☐ Exception Report for every "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

**Release Statement:** I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies, observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

**Check, if applicable:** ☐ This laboratory meets an exception under 30 TAC 25.6 and was last inspection by ☐ TCEQ or ☐ \_\_\_\_\_ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.

**Kelsey Brooks**  
Name (Printed)

  
Signature

**Project Manager**  
Official Title (printed)

**30-SEP-15**  
Date

Attachment A (cont'd) : Laboratory Review Checklist: Reportable Data									
Laboratory Name:		XENCO LABORATORIES		LRC Date :		30-SEP-15			
Project Name:		New Mexico East State		Laboratory Job Number :		515865			
Reviewer Name:		KEB		Batch Number(s) :		977757, 977758, 698777, 698776, 977749, 698744, 698692, 698674			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>		
R1	OI	<b>Chain-of-Custody (COC)</b>							
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X						
		Were all departures from standard conditions described in an exception report?			X				
R2	OI	<b>Sample and Quality Control (QC) Identification</b>							
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X						
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X						
R3	OI	<b>Test Reports</b>							
		Were all samples prepared and analyzed within holding times?	X						
		Other than those results <MQL, were all other raw values bracketed by calibration standards?	X						
		Were calculations checked by a peer or supervisor?	X						
		Were all analyte identifications checked by a peer or supervisor?	X						
		Were sample detection limits reported for all analytes not detected?	X						
		Were all results for soil and sediment samples reported on a dry weight basis?	X						
		Were % moisture (or solids) reported for all soil and sediment samples?	X						
		Were bulk soil/solid samples for volatile analysis extracted with methanol per SW846 Method 5035?	X						
		If required for the project, were TICs reported?			X				
R4	O	<b>Surrogate Recovery Data</b>							
		Were surrogates added prior to extraction?	X						
		Were surrogates added prior to extraction?			X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X						
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X				1	
		Were surrogate percent recoveries in all samples within the laboratory QC limits?			X				
R5	OI	<b>Test Reports/Summary Forms for Blank Samples</b>							
		Were appropriate type(s) of blanks analyzed?	X						
		Were blanks analyzed at the appropriate frequency ?	X						
		Were method blanks taken through the entire analytical procedure, including preparation and, if applicable, cleanup procedures ?	X						
		Were Blank Concentrations <MQL?	X						
R6	OI	<b>Laboratory Control Samples (LCS):</b>							
		Were all COCs included in the LCS?	X						
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X						
		Were LCSs analyzed at the required frequency?	X						
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X						
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X						
		Was the LCSD RPD within the QC limits?	X						
		Was the LCSD RPD within the QC limits?			X				
R7	OI	<b>Matrix Spike (MS) and Matrix Spike Duplicate (MSD) data</b>							
		Were the project/method specified analytes included in the MS and MSD?	X						
		Were the project/method specified analytes included in the MS and MSD?			X				
		Were MS/MSD analyzed at the appropriate frequency?	X						
		Were MS/MSD analyzed at the appropriate frequency?			X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X						
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?			X				
		Were MS/MSD RPDs within the laboratory QC limits?	X						
		Were MS/MSD RPDs within the laboratory QC limits?			X				
R8	OI	<b>Analytical Duplicate Data</b>							
		Were appropriate analytical duplicates analyzed for each matrix?	X						
		Were appropriate analytical duplicates analyzed for each matrix?			X				
		Were analytical duplicates analyzed at the appropriate frequency?	X						
		Were analytical duplicates analyzed at the appropriate frequency?			X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X						
		Were RPDs or relative standard deviations within the laboratory QC limits?			X				

R9	OI	<b>Method Quantitation Limits (MQLs)</b>							
		Are the MQLs for each method analyte included in the laboratory data package?	X						
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X						
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X						
R10	OI	<b>Other Problems/Anomalies</b>							
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X						
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X						
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X						

1. Items identified by the letter "R" must be included in the laboratory data package submitted to the TCEQ-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable).
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report Identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Attachment A (cont'd) : Laboratory Review Checklist: Reportable Data									
Laboratory Name:		XENCO LABORATORIES		LRC Date :		30-SEP-15			
Project Name:		New Mexico East State		Laboratory Job Number :		515865			
Reviewer Name:		KEB		Batch Number(s) :		977757, 977758, 698777, 698776, 977749, 698744, 698692, 698674			
# <sup>1</sup>	A <sup>2</sup>	Description	Yes	No	NA <sup>3</sup>	NR <sup>4</sup>	ER# <sup>5</sup>		
S1	OI	<b>Initial Calibration (ICAL)</b>							
		Were response factors and/or relative response factors for each analyte within QC limits?	X						
		Were percent RSDs or correlation coefficient criteria met?	X						
		Was the number of standards recommended in the method used for all analytes?	X						
		Were all points generated between the lowest and the highest standard used to calculate the curve?	X						
		Are ICAL data available for all instruments used?	X						
		Has the initial calibration curve been verified using an appropriate second source standard?	X						
S2	OI	<b>Initial and Continuing Calibration Verification (ICCV and CCV) and continuing calibration blank</b>							
		Was the CCV analyzed at the method-required frequency?	X						
		Were percent differences for each analyte within the method-required QC limits?	X						
		Was the ICAL curve verified for each analyte?	X						
		Was the absolute value of the analyte concentration in the inorganic CCB <MDL?			X				
S3	O	<b>Mass Spectral Tuning</b>							
		Was the appropriate compound for the method used for tuning?			X				
		Were ion abundance data within the method-required QC limits?			X				
S4	O	<b>Internal Standard (IS)</b>							
		Were IS area counts and retention times within the method-required QC limits?			X				
S5	OI	<b>Raw Data (NELAC 5.5.10)</b>							
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X						
		Were data associated with manual integrations flagged on the raw data?	X						
S6	O	<b>Dual Column Confirmation</b>							
		Did dual column confirmation results meet the method-required QC?			X				
S7	O	<b>Tentatively Identified Compounds (TICs)</b>							
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X				
S8	I	<b>Interference Check Sample (ICS) Results</b>							
		Were percent recoveries within method QC limits?			X				
S9	I	<b>Serial Dilutions, Post Digestions Spikes, and Method of Standard Additions</b>							
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X				
S10	OI	<b>Method Detection Limit (MDL) Studies</b>							
		Was a MDL study performed for each reported analyte?	X						
		Is the MDL either adjusted or supported by the analysis of DCSs?	X						
S11	OI	<b>Proficiency Test Reports</b>							
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X						
S12	OI	<b>Standards Documentation</b>							
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X						
S13	OI	<b>Compound/Analyte Identification Procedures</b>							
		Are the procedures for compound/analyte identification documented?	X						
S14	OI	<b>Demonstration of Analyst Competency (DOC)</b>							
		Was DOC conducted consistent with NELAC Chapter 5?	X						
		Is documentation of the analyst's competency up-to-date and on file?	X						
S15	OI	<b>Verification/Validation Documentation for Methods (NELAC Chapter 5)</b>							
		Are all methods used to generate the data documented, verified, and validated, where applicable?	X						
S16	OI	<b>Laboratory Standard Operating Procedures (SOPs)</b>							
		Are laboratory SOPs current and on file for each method performed?	X						

- Items identified by the letter "R" must be included in the laboratory data package submitted to the TCEQ-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
- O = organic analyses; I = inorganic analyses (and general chemistry, when applicable).
- NA = Not applicable;
- NR = Not reviewed;
- ER# = Exception Report Identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Attachment A (cont'd): Laboratory Review Checklist: Exception Reports	
Laboratory Name: XENCO LABORATORIES	LRC Date: 30-SEP-15
Project Name: New Mexico East State	Laboratory Job Number: 515865
Reviewer Name: KEB	Batch Number(s) : 977757, 977758, 698777, 698776, 977749, 698744, 698692, 698674
ER# 1	DESCRIPTION
1	SW8015B_NM Batch 977784, Surrogate 1-Chlorooctane, Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis. Samples affected are: 515865-003.

1 ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No is checked on the LRC).



**GHD Services, INC- Midland, Midland, TX**  
New Mexico East State



Setting the Standard since 1990  
Stafford, Texas (281-240-4200)  
Dallas, Texas (214-902-0300)  
Service Center - San Antonio, Texas (210-509-3334)

# CHAIN OF CUSTODY

Page 1 of 4

Odessa, Texas (432-583-1800)  
Norcross, Georgia (770-449-8800)  
Lakeland, Florida (888-646-8526)  
Tampa, Florida (813-620-2000)

## Client / Reporting Information

Company Name / Branch: **CHD Dallas**  
Company Address: **1755 W. Highway 175**  
Email: **dallas@chd.com** Phone No:  
Project Contact: **Jake Ferent**  
Sample Name: **Joe Mirches**

## Project Information

Project Name/Number: **089861**  
Project Location: **Monument, NM**  
Invoice To:  
PO Number: **34001060**

## Analytical Information

Matrix Codes

- A = Air
- S = Solid/Sediment
- GW = Ground Water
- DW = Drinking Water
- P = Product
- SW = Surface Water
- SL = Sludge
- WW = Waste Water
- W = Wipe
- O = Oil
- WW = Waste Water

## No. Field ID / Point of Collection

## Collection

## Number of preserved bottles

TPH DRO GRO 8015  
chloride 9252

## Field Comments

No.	Field ID / Point of Collection	Sample Depth	Date	Time	Meters	# of bottles	HCl	NuCH <sub>2</sub> N Acetate	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	NaHSO <sub>4</sub>	MeOH	NONE	Notes
1	SB1 000' - 091715	0'	9-17	1130	5	1									
2	SB1 000' - 091715	6"	9-17	1135											
3	SB2 001' - 091715	0'	9-17	1145											
4	SB2 001' - 091715	1'	9-17	1153											
5	SB3 002' - 091715	2'	9-17	1156											
6	SB3 003' - 091715	3'	9-17	1159											
7	SB2 004' - 091715	4'	9-17	1202											
8	SB3 000' - 091715	0'	9-17	1240											
9	SB3 001' - 091715	1'	9-17	1243											
10	SB3 002' - 091715	2'	9-17	1245											

## Des Deliverable Information

## Notes

Please reference SSOW

- ☐ Same Day TAT
- ☒ 5 Day TAT
- ☐ Next Day EMERGENCY
- ☐ 7 Day TAT
- ☐ 2 Day EMERGENCY
- ☐ Contact TAT
- ☐ 3 Day EMERGENCY
- ☐ TRRP Checklist

TAT Starts Day received by Lab, if received by 3:00 pm

## SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY

## FED-EX / UPS Tracking #

Relinquished by Sampler:

Date Time:

Received By:

Date Time:

Relinquished By:

Date Time:

Received By:

Date Time:

Received By:

Date Time:

Received By:

Date Time:

Relinquished by:

Date Time:

Received By:

Date Time:

Relinquished By:

Date Time:

Received By:

Date Time:

Received By:

Date Time:

Received By:

Date Time:

Received By:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client to XENCO Laboratories and its affiliates, subcontractors and assigns. XENCO's standard terms and conditions of service unless previously negotiated under a fully executed client contract.



Setting the Standard since 1990  
Stafford, Texas (281-240-4200)  
Dallas, Texas (214-902-0300)  
Service Center - San Antonio, Texas (210-509-3334)

www.xencolab.com

Odessa, Texas (432-563-1800)  
Norcross, Georgia (770-448-8800)  
Lakeland, Florida (888-646-8526)  
Tampa, Florida (813-420-2000)

# CHAIN OF CUSTODY

Page 2 of 4

Client / Reporting Information		Project Information		Analytical Information		Matrix Codes										
Company Name / Branch: <b>CHD Dallas</b>		Project Name/Number: <b>DB9861</b>														
Company Address: <b>1755 Wittington Ave #500</b>		Project Location: <b>Monument, NM</b>														
Email: <b>1-972-351-7500</b>		Invoice To:														
Phone No.:																
Project Contact: <b>Jake Fenech</b>		PO Number: <b>34 00 1060</b>														
Sample's Name: <b>Joe Miricles</b>																
No.	Field ID / Point of Collection	Sample Depth	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MeOH	NONE	Notes	Field Comments
1	SB3 @ 3' - 091715	3'	9-17	1247	5	1										TPHGRD DRO 8/8015 chloride 9252
2	SB3 @ 4' - 091715	4'		1219												
3	SB4 @ 0' - 091715	0'		1234												
4	SB4 @ 1' - 091715	1'		1237												
5	SB4 @ 2' - 091715	2'		1241												
6	SB4 @ 3' - 091715	3'		1243												
7	SB4 @ 4' - 091715	4'		1252												
8	SB5 @ 0' - 091715	0'		1256												
9	SB5 @ 1' - 091715	1'		1258												
10	SB5 @ 2' - 091715	2'	9-17	1258	5	1										
Turnaround Time (Business days)																
Data Deliverable Information																
Notes:																
Matrix Codes																
A = Air S = Soil/Sed/Solid GW = Ground Water DW = Drinking Water P = Product SW = Surface water SL = Sludge WW = Waste Water W = Wipe O = Oil WW = Waste Water																
Field Comments																
TAT Starts Day received by Lab, if received by 3:00 pm																
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY																
FED-EX / UPS / Tracking #																
Relinquished by Sampler: <b>Joe Miricles</b>																
Relinquished By: <b>9/18/15 10:00 (courtesy)</b>																
Date Time: <b>9/18/15</b>																
Received By: <b>2</b>																
Custody Seal #																
Preserved where applicable																
On Ice																
Cooler Temp.																
Thermo. Corr. Factor																



Setting the Standard since 1990  
Stafford, Texas (281-240-4200)  
Dallas, Texas (214-902-0300)

Service Center - San Antonio, Texas (210-509-3334)

# CHAIN OF CUSTODY

Page 3 of 4

www.xenco.com

Odessa, Texas (432-563-1800)

Norcross, Georgia (770-449-8900)

Lakeland, Florida (863-646-5526)  
Tampa, Florida (813-620-2000)

Matrix Codes

A = Air  
S = Soil/Sed/Solid  
GW = Ground Water  
DW = Drinking Water  
P = Product  
SW = Surface water  
SL = Sludge  
WW = Waste Water  
W = Wipe  
O = Oil  
WW = Waste Water

Analytical Information

Xenon Quote #

Xenon Job #

515865

Matrix Codes

Analytical Information

Client / Reporting Information

Project Information

Company Name / Branch

Project Name/Number

Company Address

Project Location

Email

Invoice To

Phone No.

PO Number

Project Contact

Project Name

Sample Name

Field ID / Point of Collection

Sample ID

Sample Depth

Sample Date

Sample Time

Sample Matrix

Sample # of bottles

Sample HCl

Sample NaOH/Zn Acetate

Sample HNO3

Sample H2SO4

Sample NaOH

Sample NaHSO4

Sample MECH

Sample NONE

Sample TAPGRD DRO 8015

Sample Chloride 9252

Sample Field Comments

Sample Notes

Sample Turnaround Time (Business days)

Sample Data Deliverable Information

Sample Same Day TAT

Sample Level II Std QC

Sample Next Day EMERGENCY

Sample Level III Std QC + Forms

Sample 2 Day EMERGENCY

Sample Level 3 (CLP Forms)

Sample 3 Day EMERGENCY

Sample TRRP Checklist

Sample TAT Starts Day received by Lab, if received by 3:00 pm

Sample SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING CARRIER DELIVERY

Sample Relinquished by Sampler

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By

Sample Relinquished by

Sample Relinquished By



# CHAIN OF CUSTODY

Page 4 of 4

Setting the Standard since 1990  
Stafford, Texas (281-240-4200)  
Dallas, Texas (214-902-0300)

Service Center - San Antonio, Texas (210-509-3334)

www.xenco.com

Odessa, Texas (432-563-1800)  
Norcross, Georgia (770-449-8900)

Lakeland, Florida (863-646-8526)  
Tampa, Florida (813-620-2000)

Xenco Quote #

Xenco Job #

515865

Analytical Information

Matrix Codes

## Client / Reporting Information

## Project Information

Company Name / Branch:

CHD / Dallas

Company Address:

1755 Wittington Place #500

Email: 1-977-334-8500 Phone No:

Project Contact: Jake Perenz

Project Contact: Jake Perenz

Sample Name:

Joe Miralles

PO Number:

34001060

Project Name/Number:

089861

Project Location:

Monument NM

Invoice To:

TPH-GRO DRO 8015  
chlorides 9252

A = Air  
S = Soil/Sed/Solid  
GW = Ground Water  
DW = Drinking Water  
P = Product  
SW = Surface water  
SL = Sludge  
WW = Waste Water  
W = Wipe  
O = Oil  
WW = Waste Water

## Field ID / Point of Collection

## Field Comments

No

Field ID / Point of Collection

1 507031-091715

2 507041-091715

3 508001-091715

4 508001-091715

5 508002-091715

6 508003-091715

7 508004-091715

8

9

10

Turnaround Time (Business days)

Same Day TAT

Next Day EMERGENCY

2 Day EMERGENCY

3 Day EMERGENCY

TAT Starts Day received by Lab, if received by 3:00 pm

SAFELY CUSTODY MUST BE DOCUMENTED ON EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

Relinquished by:

Joe Miralles

## Collection

Sample Depth

3'

4'

1'

2'

3'

4'

5'

6'

7'

8'

9'

10'

Time

1357

1359

1402

1405

1407

1409

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

1412

## Matrix

# of bottles

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

## Number of preserved bottles

NaOH/Zn

Acetate

HNO3

H2SO4

NaOH

NaHSO4

MEOH

NONE

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

## Notes

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

## Relinquished by:

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

## Relinquished by:

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

## Relinquished by:

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles

Joe Miralles



# XENCO Laboratories

## Prelogin/Nonconformance Report- Sample Log-In



**Client:** GHD Services, INC- Midland

**Date/ Time Received:** 09/18/2015 02:37:00 PM

**Work Order #:** 515865

**Acceptable Temperature Range:** 0 - 6 degC

**Air and Metal samples Acceptable Range:** Ambient

**Temperature Measuring device used :**

Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?	8	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	No	samples received out of appropriate temperature range
#4 *Custody Seals intact on shipping container/ cooler?	N/A	
#5 Custody Seals intact on sample bottles?	N/A	
#6 *Custody Seals Signed and dated?	N/A	
#7 *Chain of Custody present?	Yes	
#8 Sample instructions complete on Chain of Custody?	Yes	
#9 Any missing/extra samples?	No	
#10 Chain of Custody signed when relinquished/ received?	Yes	
#11 Chain of Custody agrees with sample label(s)?	Yes	
#12 Container label(s) legible and intact?	Yes	
#13 Sample matrix/ properties agree with Chain of Custody?	Yes	
#14 Samples in proper container/ bottle?	Yes	
#15 Samples properly preserved?	Yes	
#16 Sample container(s) intact?	Yes	
#17 Sufficient sample amount for indicated test(s)?	Yes	
#18 All samples received within hold time?	Yes	
#19 Subcontract of sample(s)?	No	
#20 VOC samples have zero headspace (less than 1/4 inch bubble)?	N/A	
#21 <2 for all samples preserved with HNO <sub>3</sub> , HCL, H <sub>2</sub> SO <sub>4</sub> ? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	N/A	
#22 >10 for all samples preserved with NaAsO <sub>2</sub> +NaOH, ZnAc+NaOH?	N/A	

**\* Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

### NonConformance:

samples received out of appropriate temperature range

### Corrective Action Taken:

### Nonconformance Documentation

**Contact:** \_\_\_\_\_ **Contacted by :** \_\_\_\_\_ **DateTime :** \_\_\_\_\_

**Checklist completed by:**

Julian Martinez

Date: 09/19/2015

**Checklist reviewed by:**

Julian Martinez

Date: 09/19/2015