



Luke Welch  
Project Manager

Upstream Business Unit  
Environmental Management  
Company  
1400 Smith Street  
Room 07069B  
Houston, Texas 77002  
Tel 713-372-0292  
Luke.Welch@chevron.com

**APPROVED**

December 5, 2014

Mr. Tomas Oberding  
Environmental Specialist  
New Mexico Oil Conservation Division  
1625 N. French Dr.  
Hobbs, New Mexico 88240

Re : Chevron Special Projects – WLU 76 (RP# 3262)

Dear Mr. Oberding,

Please find enclosed for your records, a copy of the final report documenting the final closure activities at the West Lovington Unit No. 76 (RP #3262).

The report was prepared by Arcadis US, Inc. (Arcadis) on behalf of Chevron Environmental Management Company (CEMC) to document remedial activities performed for CEMC at the above referenced site. Please note in the report, Arcadis states the depth to groundwater is less than 100 feet, however this information was obtained from NMOSE records dating back over twenty years ago. Chevron has several environmental projects in the immediate vicinity and has measured groundwater depths in the last year ranging from 120 – 140 feet below grade surface.

The assessment did not identify any residual impacts in soils above regulatory limits and as such, CEMC now considers project activities to be complete and respectfully requests the NMOCD to grant a no further action status. Should you have any questions regarding the content of the report, please do not hesitate to contact me by phone at 713-372-0292 or via e-mail at [luke.welch@chevron.com](mailto:luke.welch@chevron.com).

Sincerely,

Luke Welch  
Environmental Project Manager

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised August 8, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

|   |  |
|---|--|
| Name of Company: CHEVRON U.S.A. Inc.            | Contact: Luke Welch  |
| Address: 56 Texas Camp Road, Lovington NM 88260 | Telephone No.: Office: Office: (713) 372-0292 Mobile: (832) 627-9171 |
| Facility Name: West Lovington Unit #76          | Facility Type: Producing Well  |

|                |                |         |
|----------------|----------------|---------|
| Surface Owner: | Mineral Owner: | API No. |
|----------------|----------------|---------|

**LOCATION OF RELEASE**

| Unit Letter | Section | Township | Range | Feet from the | North/South Line | Feet from the | East/West Line | County |
|-------------|---------|----------|-------|---------------|------------------|---------------|----------------|--------|
| 1           | 5       | 17.0S    | 36E   |               |                  |               |                | Lea    |

Latitude 32.8636493138° Longitude -103.368394812°

**NATURE OF RELEASE**

|  |   |  |
|--|---|--|
| Type of Release: Crude Oil and produced Water Spill  | Volume of Release: 4.5 bbls of produced water and 0.75 bbl of oil | Volume Recovered: 5.25 bbls fluid recovered  |
| Source of Release: Flow Line   | Date and Hour of Occurrence: 12/6/11 09:00 AM                     | Date and Hour of Discovery: 12/6/11 10:00 AM |
| Was Immediate Notice Given?<br><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required   | If YES, To Whom?<br>Mr. Leking via email                          |  |
| By Whom?   |   |  |
| Was a Watercourse Reached?<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  | If YES, Volume Impacting the Watercourse.                         |  |
| If a Watercourse was Impacted, Describe Fully.*<br>N/A   |   |  |
| Describe Cause of Problem and Remedial Action Taken.*<br>Poly Line froze in cold weather and caused release of 4.5 bbls of produced water and 0.75 bbls of oil.  |   |  |
| Describe Area Affected and Cleanup Action Taken.*<br>Fluids were recovered with a vacuum truck (approximately 5.25 bbls). Visually impacted soils in the area were excavated to a depth of approximately two feet bgs and sent off for disposal.<br><br>Three discrete soil confirmation samples were collected from the base of the excavation. These sampling results indicated the presence of chloride concentrations in shallow soils at levels of regulatory concern.<br><br>In response to the sampling results, an additional site assessment was conducted to confirm the extents of soil impacts.<br><br>Results of the additional assessment activities are provided in the attached report.  |   |  |
| I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. |   |  |

**OIL CONSERVATION DIVISION**

|  |                                       |                  |
|--|---------------------------------------|------------------|
| Signature:  | Approved by Environmental Specialist: |                  |
| Printed Name: Luke Welch   | Approval Date:                        | Expiration Date: |
| Title: Project Manager   | Conditions of Approval:               |                  |
| E-mail Address: L.Welch@chevron.com  | Attached <input type="checkbox"/>     |                  |
| Date: 11-19-14 Phone: (713) 372-0292   |                                       |                  |

\* Attach Additional Sheets If Necessary

Mr. Luke Welch  
Project Manager  
Chevron Environmental Management Company  
1400 Smith Street, Room 07069B  
Houston, Texas 77002

Subject:

**Site Assessment Report**  
West Lovington Unit #76  
Lea County, New Mexico

Dear Mr. Welch:

On behalf of Chevron Environmental Management Company (CEMC), ARCADIS U.S., Inc. (ARCADIS) prepared this Site Assessment Report (report) to document cleanup actions and soil sampling activities performed at the West Lovington Unit (WLU) #76 located in Lea County, New Mexico (site; Figure 1). These activities were conducted in response to a release of approximately 5.30 barrels (bbls) of produced water and oil that occurred on December 6, 2011.

To evaluate the potential for this release to impact groundwater, ARCADIS developed a Site Conceptual Model (SCM; Attachment 1). Based on the SCM, potential impacts to groundwater are not considered possible due to the following:

- The small volume of material released (5.30 bbls).
- Response activities included removal of liquids and impacted soil.
- Local conditions include low rainfall and high evapotranspiration which minimize potential infiltration.
- The presence of a caliche layer impedes the vertical migration of liquids.
- Groundwater is encountered at significant depth (92 feet below ground surface [bgs]).
- Geochemical modeling using the United States Environmental Protection Agency (USEPA) Multimedia Exposure Assessment Model (MULTIMED) Version 2.0

Imagine the result

ARCADIS U.S., Inc.  
2929 Briarpark Drive  
Suite 300  
Houston  
Texas 77042  
Tel 713 953 4800  
Fax 713 977 4620  
[www.arcadis-us.com](http://www.arcadis-us.com)

ENVIRONMENT

Date:  
December 2, 2014

Contact:  
Jonathan Olsen

Phone:  
713.953.4874

Email:  
[Jonathan.Olsen@arcadis-us.com](mailto:Jonathan.Olsen@arcadis-us.com)

Our ref:  
B0048614.0000

(USEPA 1996) indicates that a significantly larger release would be necessary to cause an exceedance of regulatory criteria in groundwater.

This report describes spill response activities for the December 6, 2011 release and follow-up soil assessment activities conducted on October 31, 2013.

## **Background Information**

This section summarizes the site location and description, as well as the regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

### **Site Location and Description**

The site is located in the Chevron-operated WLU, approximately 5 miles southwest of Lovington, New Mexico. New Mexico Highway 483 (Arkansas Junction) is located approximately 1 mile east of the site.

The site is located in the western edge of the Permian Basin, a 75,000-square-mile area in west Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north, and Chaves County to the west. Lovington (the closest town) is located approximately 5 miles northeast of the site and the closest agricultural area is 3.5 miles south of the site.

The site is located southeast of the WLU #76 wellhead. The release described in the following sections occurred in the field next to the well pad.

### **Nearby Water Wells and Surface Water**

Based on satellite imagery, no surface-water bodies were identified within 5 miles of the site (GoogleEarth 2014). In October 2013, ARCADIS field verified that there are no surface-water bodies located within 1,000 feet of the site.

In June 2014, ARCADIS reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2011), which indicated that no water-supply wells are located within 1,000 feet of the site. The NMOSE online database identified 512 water-supply wells within a 5-mile radius of the site (NMOSE 2011). An irrigation well, located approximately 1,700 feet southwest (i.e., hydraulically crossgradient) of the site, was identified as the closest designated-use well to the site.

## Climate

Monthly average temperatures near the site vary from a minimum of 27.9 degrees Fahrenheit (°F) in January to a maximum of 93.9°F in July (Western Regional Climate Center [WRCC] Hobs, New Mexico (294026) weather station). Total average precipitation recorded for the area of the site from the available WRCC period of record between 1912 and 2013 was approximately 15.75 inches per year (WRCC 2014a).

Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. The total average evapotranspiration from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2014b).

## Regional Geology and Hydrogeology

The site elevation is approximately 3,894 feet above mean sea level. The site is located in the Querecho Plains immediately west of the Mescalero Ridge, which demarcates the western boundary of the (Miocene to Pliocene) High Plains Ogallala Formation (Reeves 1972). A rapid drop in elevation of 200 to 250 feet occurs west of the northwest-trending Mescalero Ridge. East of the ridge, the Ogallala Formation is predominantly composed of unconsolidated alluvial fan deposits of sand and gravel near the base, overlain by interbedded sand and clay in the upper portion (Seni 1980). Repeated depositional events on the High Plains surface beginning approximately 7 million years ago, followed by aerial exposure, generated a thick sequence of caliche horizons that are competent enough to act as a cliff for the expression of Mescalero Ridge. These hard caliche deposits form the upper portion of the stratigraphic sequence. In the site area, the Ogallala Formation is underlain by red beds of the Upper Triassic-age Dockum Group. The nearest area where the Ogallala is underlain by the Cretaceous-age Trinity Group is approximately 55 miles to the northwest (Fallin 1988).

The Querecho Plain is 80 percent covered by a moderately stable dune field (Reeves 1972) that is deposited on top of Triassic Dockum red beds. The red bed surface, which is 400,000 to 500,000 years old, is relatively flat with minor erosional incisions and a 3- to 13-foot-thick near-surface caliche layer (Bachman 1980). Deposition of sand and the formation of the dune field began 60,000 years ago, with additional development beginning 9,000 years ago (Hall 2002). The surface and interior of these dunes do not contain caliche; however, a 1-foot layer of caliche is common at the bottom of the dunes at the contact with the red bed surface. Groundwater in the area is in the Dockum Group at a depth of approximately 100 feet (Summers 1972).

Compared to the Ogallala Formation to the west of the site, the Dockum Group groundwater is not a major resource in the area, with poor potential water production rates and elevated natural dissolved solids.

Water-supply wells located on the southern High Plains east of Mescalero Ridge in central Lea County and near the site, as discussed in the Nearby Water Wells and Surface Water section of this report, are completed in the High Plains Aquifer (HPA). The HPA consists primarily of the Ogallala Formation, and in localized areas, alluvial sediment of Quaternary age. Near the site, the HPA is present directly above the Triassic-age Dockum Group, which occurs at a depth of approximately 140 feet bgs (Ash 1963, Fahlquist 2003, Nativ 1988, Nicholson and Clebsch 1961, Tillery 2008). The regional groundwater flow direction is to the east-southeast (Tillery 2008).

Groundwater near the site is encountered at a depth of approximately 92 feet bgs (NMOSE 2014; Attachment 2).

### **Initial Release Response Activities**

A release of approximately 4.5 bbls of produced water and 0.75 bbls of oil occurred at the site on December 6, 2011 due to a release from a high-density polyethylene gas line. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered approximately 5.25 bbls of fluids using a vacuum truck. On May 7, 2012, Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected three discrete confirmation soil samples from the base of the excavation. Information regarding the disposal of the excavated soil was not available to ARCADIS. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil.

Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), a Notification of Release and Correction (Form C-141) detailing the location, volume of release, and initial and planned cleanup efforts taken was submitted for the site by David Pagano (Chevron MCBU). The original and updated C-141 forms are included as Attachment 3.

### **Confirmation Soil Sampling**

Three discrete confirmation soil samples were collected from the base of the excavation on May 7, 2012. As reported in the laboratory analytical report (Attachment 4), soil sample containers were transported on ice, under chain of custody procedures, to Cardinal Laboratories Environmental Analytical Services for the following analyses:

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by USEPA Method 8021B
- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) and total petroleum hydrocarbons as diesel range organics (TPH-DRO) by USEPA Method 8015M
- Chloride by USEPA Method SM4500Cl-B

Confirmation soil sample results are presented in Table 1. The complete laboratory analytical results with chain of custody documentation are included in Attachment 4.

### Data Evaluation Approach

Chevron MCBU personnel compared data from the three confirmation soil samples collected in May 2012 to regulatory criteria to provide context for the concentrations of analytes detected and to evaluate if additional sampling was necessary. The regulatory criteria selected are based on potential receptors near the site and consist of the following:

- NMOCD risk-based soil remediation action levels (SRALs) for benzene, total BTEX, and total petroleum hydrocarbons (TPH) for leaks, spills, and releases (NMOCD 1993). SRALs were calculated using the NMOCD criteria presented in the tables below.

| Criteria                       | Site-Specific Result | Ranking Score |
|--------------------------------|----------------------|---------------|
| Depth to groundwater           | 50 to 99 feet        | 10            |
| Wellhead protection area       | No                   | 0             |
| Distance to surface-water body | >1,000 feet          | 0             |
| <b>Total Ranking Score</b>     |                      | <b>10</b>     |

| SRALs | Benzene (mg/kg) | Total BTEX (mg/kg) | TPH (mg/kg) |
|-------|-----------------|--------------------|-------------|
|       | 10              | 50                 | 1,000       |

**Note:**

mg/kg = milligrams per kilogram

- New Mexico Administrative Code (NMAC) closure criteria for soil beneath belowgrade tanks, drying pads associated with closed-loop systems, and pits where contents have been removed (NMAC 2009).

| Criteria                                 | Site-Specific Result | Chloride (mg/kg) |
|--|----------------------|------------------|
| Depth below bottom of pit to groundwater | 50 to 100 feet       | 500              |

### Confirmation Soil Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, and chloride for the three discrete confirmation soil samples collected in May 2012 are provided in Table 1 and summarized below:

- Of the three confirmation soil samples collected, toluene was detected above the laboratory reporting limit (LRL) in only one soil sample collected at WLU #76 SS#1 (0.053 mg/kg). Benzene and BTEX were not detected above the SRALs of 10 and 50 mg/kg, respectively.
- TPH-GRO was not detected above LRLs. TPH-DRO and TPH (TPH-DRO and TPH-GRO) were detected in only one of the three soil samples (WLU #76 SS#1; 33 mg/kg). TPH was not detected above the SRAL of 1,000 mg/kg in the composite confirmation sample.
- Chloride was detected in all three confirmation samples at concentrations ranging from 2,400 mg/kg (WLU #76 SS#3) to 12,000 mg/kg (WLU #76 SS#1). Chloride was detected above the NMAC closure criterion of 500 mg/kg in the three discrete confirmation soil samples.

The complete laboratory analytical results with chain of custody documentation are included in Attachment 4. Chloride concentrations in confirmation soil samples WLU #76 SS#1, WLU #76 SS#2, and WLU #76 SS#3 were above the regulatory criteria, which prompted additional site assessment activities.

### Site Assessment Activities

In October 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of potential impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in

May 2012, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. The site assessment activities and results are discussed below.

#### **Pre-Field Activities**

Prior to initiating field activities, ARCADIS updated the site-specific Health and Safety Plan in accordance with state and federal requirements. Prior to initiating drilling activities, underground utilities and other potential subsurface obstructions near the proposed boring locations were located and marked. A New Mexico One Call ticket was issued for the site, and a private third-party utility locator cleared all proposed boring locations for potential on- and off-site utilities that were not otherwise identified. Finally, ARCADIS staff conducted a visual inspection of the site to identify potential utility lines. Boring locations were flagged during the utility locate and coordinates were recorded using a Trimble® global positioning unit with differential capability.

#### **Soil Sampling**

To evaluate the presence of impacts to soil at the site, ARCADIS advanced four soil borings (WLU76-01, WLU76-02, WLU76-03, and WLU76-04) on October 31, 2013. Soil sampling locations are shown on Figure 2.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs, due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 25 feet bgs using air rotary drilling equipment.

Soil was continuously logged for stratigraphic characteristics. The soil samples were field screened for the presence of volatile organic compounds using a photo ionization detector (PID) in combination with visual and olfactory screening methods for evidence of petroleum hydrocarbons. The PID used during this investigation was calibrated daily with fresh air and isobutylene gas. Field personnel recorded PID readings, soil types, and other pertinent geologic data on the boring logs (Attachment 5). No staining or elevated PID readings were observed.

Lithologic data indicate that the subsurface material primarily consists of caliche (soil carbonate) profiles including "caprock," nodular, and sandy caliche layers from approximately 0 to 25 feet bgs (Attachment 5).

### **Soil Assessment Sampling**

Six soil samples were collected from each of the four boring locations (for a total of 24 soil samples) at a depth of 2 feet bgs (the approximate depth of the soil excavation in the initial release response activities) and continuing at 5-foot intervals from 5 to 25 feet bgs.

The assessment soil samples were retained in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to TestAmerica Laboratories.

### **Soil Assessment Sample Analysis**

Soil samples collected from each boring were analyzed for the following constituents:

- BTEX by USEPA Method 8021B
- TPH-GRO by USEPA Method 8015B
- TPH-DRO by USEPA Method 8015B
- Chloride by USEPA Method 9056
- Percent moisture by ASTM International Method D2216

### **Boring Abandonment**

Following sampling, the boreholes were filled with soil cuttings from the total depth to ground surface. The ground surface was restored to match the surrounding conditions.

### **Soil Assessment Comparison Criteria**

ARCADIS evaluated soil assessment analytical results for benzene, total BTEX, and TPH by comparing the data with the NMOCD SRALs (NMOCD 1993), as presented in the Data Evaluation Approach section of this report.

As additional evidence in support of site closure, ARCADIS developed a site-specific soil screening level (SSL) for chloride, by simulating unsaturated zone flow, transport, and saturated zone mixing of chloride using the MULTIMED model Version 2.0 (USEPA 1996). The NMAC chloride standard for domestic water supply of 250 milligrams per liter (NMAC 2001) was used to estimate a maximum allowable concentration of chloride in soil that would not leach to groundwater above the standard. The NMAC chloride standard is consistent with the National Secondary

Drinking Water Standard for chloride, addressing taste and odor concerns (USEPA 2010).

Conservative site-specific input parameters were used in the MULTIMED (USEPA 1996) simulations compared to actual site and release conditions. Specifically:

- Modeled source lengths and areas modeled are generally significantly larger than the actual chloride-impacted soil areas.
- Chloride-impacted soil was modeled as having a uniform chloride concentration for the entire volume (i.e., area x depth) of specified soil.
- A reduction in chloride concentrations in subsurface soil due to soil chemical transformation or adsorption mechanisms was not included in the model calculations.

Based on the depth to groundwater and the aerial and vertical extents of each of the MULTIMED (USEPA 1996) simulations, with these conservative site-specific input parameters, modeled peak chloride concentrations will reach groundwater in approximately 540 to 860 years.

The Chloride MULTIMED Simulated Soil Screening Levels for the Protection of Groundwater memo is included as Attachment 6. The site-specific SSL was calculated using the input parameters presented in the table below.

| <b>Site-Specific Input Parameters</b> |                            |
|---------------------------------------|----------------------------|
| Source length (m)                     | 20                         |
| Source area (m <sup>2</sup> )         | 400                        |
| Source depth (m)                      | 0 to 1                     |
| Depth to groundwater (m)              | 20                         |
| <b>Chloride SSL (mg/kg)</b>           | <b>100,000<sup>1</sup></b> |

<sup>1</sup> A chloride SSL of 108,000 mg/kg was calculated using MULTIMED (USEPA 1996); however, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the New Mexico Environment Department (NMED) risk assessment guidance (NMED 2012).

m = meter  
m<sup>2</sup> = square meter

## Soil Assessment Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, chloride, and moisture for the 24 soil assessment samples are provided in Table 1 and summarized below:

- Of the 24 soil assessment samples collected, total xylenes (0.056 mg/kg) were detected above the LRLs in only one soil sample collected at 2 feet bgs at WLU76-01.
- Benzene, ethylbenzene, toluene, TPH-GRO, TPH-DRO, and TPH (TPH-GRO and TPH-DRO) were not detected above LRLs in any of the 24 soil samples. BTEX and TPH were not detected above the SRALs of 50 and 1,000 mg/kg, respectively.
- Chloride was detected in all soil samples, at concentrations ranging from 9 mg/kg (WLU76-04 at 10 feet bgs) to 670 mg/kg (WLU76-01 at 2 feet bgs). Chloride concentrations were not detected above the site SSL of 100,000 mg/kg.

Laboratory analytical results with chain of custody documentation are provided in Attachment 4.

## Summary and Conclusions

A release of produced water and oil occurred at the site on December 6, 2011 due to a polyethylene gas line release. Visually impacted soil was excavated to a depth of approximately 2 feet bgs and five discrete confirmation soil samples were collected from the base of the excavation in May 2012. Three confirmation soil samples had chloride concentrations above regulatory criteria, which prompted an additional investigation. In October 2013, additional soil samples were collected to assess soil impacts within the observed aerial extent of the release. None of the soil samples collected during the 2013 assessment exceeded the NMOCD SRALs. In addition, chloride concentrations were reported below the site-specific SSL which was calculated using the MULTIMED model (USEPA 1996).

Although not all chloride concentrations were reported below the NMAC closure criterion of 250 mg/kg (Table 1; NMAC 2009), all chloride concentrations in samples collected during the 2013 assessment were below 1,000 mg/kg and the site-specific SSL (Attachment 6). Chloride impacts in shallow soil potentially associated with the release were delineated.

Potential migration of remaining petroleum hydrocarbons or chloride to groundwater is not expected due to the small size of the release, low precipitation (WRCC 2014a), high evapotranspiration rates (WRCC 2014b), and fine-grained nature of caliche layers present beneath the site. MULTIMED model results demonstrate that the remaining soil concentrations associated with the release do not pose a significant risk to groundwater resources or other receptors.

Soil data presented in this report support a conclusion that impacted soil associated with the December 6, 2011 release at the site poses no significant threat to groundwater resources or other receptors. ARCADIS recommends that CEMC submit a request to the NMOCD that no further investigations or additional cleanup actions need to be performed at the site and that the NMOCD grant No Further Action status to the site.

If you have any questions or comments regarding the information presented in this report, please contact Jonathan Olsen at 713.953.4874 or Jonathan.Olsen@arcadis-us.com, or Kathleen Abbott at 925.296.7827 or Kathleen.Abbott@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.



Jonathan Olsen  
Certified Project Manager



Kathleen M. Abbott, PG  
Program Manager

Enclosures:

- |          |   |
|----------|---|
| Table 1  | Soil Sampling Analytical Results            |
| Figure 1 | Site Location Map – WLU #76                 |
| Figure 2 | Release and Soil Boring Locations – WLU #76 |

Attachments:

- |              |  |
|--------------|--|
| Attachment 1 | Site Conceptual Model  |
| Attachment 2 | New Mexico Office of the State Engineer – Depth to Water   |
| Attachment 3 | Release Notification and Corrective Action (C-141 Form)  |
| Attachment 4 | Laboratory Analytical Reports  |
| Attachment 5 | Boring Logs (October 2013)   |
| Attachment 6 | Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater Memo |

References:

Ash, S.R. 1963. Ground-water conditions in northern Lea County, New Mexico. New Mexico Bureau of Mines and Mineral Resources, Atlas HA-62.

Bachman, George O. 1980. Regional Geology and Cenozoic History of Pecos Region, Southeastern New Mexico, US Dept. of Interior Geological Survey, Open File Report 80-1099, 120 pp.

Fahlquist, L. 2003. Ground-water quality of the southern High Plains Aquifer, Texas and New Mexico, 2001. U. S. Geological Survey Open-File Report 03-345, 69 p.

Fallin, J.A. Tony. 1988. Hydrogeology of Lower Cretaceous Strata Under the Southern High Plains of New Mexico, New Mexico Geology, Vol. 10, No. 1, pp. 6-9. February 1988.

Google Earth. 2014. Lovington, New Mexico, 32\_46\_57.76N, 103\_29\_26.55W, elev 3913 feet, Google Earth Imagery. February 13.

Hall, Stephen A. 2002. Field Guide to the Geomorphology of the Mescalero Sands, Southeastern New Mexico, Report Submitted to the State of New Mexico Historic Preservation Division and New Mexico Bureau of Land Management, Project No. 35-00-15334.11. October 2002.

Nativ, R. 1988. Hydrogeology and hydrochemistry of the Ogallala aquifer, Southern High Plains, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations no. 177, 64 p.

New Mexico Administrative Code. 2001. Title 20, Chapter 6 of the New Mexico Administrative Code for Environmental Protection, Water Quality, Ground and Surface Water Protection, 20.6.2.3103 NMAC. January.

New Mexico Administrative Code. 2009. Title 19, Chapter 15 of the New Mexico Administrative Code concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC. July.

New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).

- New Mexico Office of the State Engineer. 2011. Water Information, Maps and Data, Geospatial Data, OSE Well Data, [http://www.ose.state.nm.us/water\\_info\\_data.html](http://www.ose.state.nm.us/water_info_data.html), July.
- New Mexico Office of the State Engineer. 2014. New Mexico Water Rights Reporting System, <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>, May.
- New Mexico Oil Conservation Division. 1993. Guidelines for Remediation of Leaks, Spills and Releases. August 13.
- Nicholson, A., Jr., and A. Clebsch, Jr. 1961. Geology and Ground-Water Conditions in Southern Lea County, New Mexico. ERMS 241583. Ground-Water Report 6. Socorro, NM: New Mexico Bureau of Mines and Mineral Resources.
- Reeves, C.C. Jr. 1972. Tertiary-Quaternary stratigraphy and geomorphology of West Texas and southeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 108-117.
- Seni, S.J. 1980. Sand-body geometry and depositional systems, Ogallala Formation, Texas. University of Texas, Bureau of Economic Geology, Report of Investigations No.105, 40 p.
- Summers, W.K. 1972. Geology and Regional Hydrology of the Pecos River Basin, New Mexico, New Mexico Bureau of Geology and Mineral Resources, Open File Report No. 37, 393 pp. June 1972.
- Tillery, A. 2008. Current (2004-07) conditions and changes in ground-water levels from predevelopment to 2007, Southern High Plains Aquifer, Southeast New Mexico-Lea County Underground Water Basin. U.S. Geological Survey, Scientific Investigations Map 3044.
- United States Environmental Protection Agency. 1996. Multimedia Exposure Assessment Model for exposure assessment, MULTIMED 2.0 Beta. October.
- United States Environmental Protection Agency. 2010. List of Contaminants and their Maximum Contaminant Levels, List of National Secondary Drinking Water Regulations. Online at: <http://water.epa.gov/drink/contaminants/#List>, July 1.
- Western Regional Climate Center. 2014a. Hobbs, New Mexico (294026) weather station. <http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm4026>. Viewed on May 5.

Western Regional Climate Center. 2014b. Artesia, New Mexico, monthly average pan evaporation. [http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW\\_MEXICO](http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW_MEXICO). Viewed on May 6.



**Table**

**Table 1**  
**Soil Sampling Analytical Results**

**Site Assessment Report**  
**West Lovington Unit #76**  
**Lea County, New Mexico**

| Boring Location ID                        | Sample Date | Sample Depth (feet bgs) | Benzene (mg/kg) | Toluene (mg/kg) | Ethylbenzene (mg/kg) | Total Xylenes (mg/kg) | Total BTEX (mg/kg) | TPH-GRO (mg/kg) | TPH-DRO (mg/kg) | Chloride (mg/kg) | % Moisture |
|---|-------------|-------------------------|-----------------|-----------------|----------------------|-----------------------|--------------------|-----------------|-----------------|------------------|------------|
| SRALs <sup>(a)</sup>                      |             |                         | 10              | ---             | ---                  | ---                   | 50                 | 1,000           |                 | ---              | ---        |
| NMAC Closure Criteria <sup>(b)</sup>      |             |                         | ---             | ---             | ---                  | ---                   | ---                | ---             | ---             | 500              | ---        |
| MULTIMED Site-Specific SSL <sup>(c)</sup> |             |                         | ---             | ---             | ---                  | ---                   | ---                | ---             | ---             | 100,000          | ---        |
| WLU #76 SS#1                              | 5/7/2012    | 0                       | <0.050          | 0.053           | <0.050               | <0.150                | --                 | <10.0           | 33.0            | 12,000           | --         |
| WLU #76 SS#2                              | 5/7/2012    | 0                       | <0.050          | <0.050          | <0.050               | <0.150                | --                 | <10.0           | <10.0           | 7,600            | --         |
| WLU #76 SS#3                              | 5/7/2012    | 0                       | <0.050          | <0.050          | <0.050               | <0.150                | --                 | <10.0           | <10.0           | 2,440            | --         |
| WLU76-01                                  | 10/31/2013  | 2                       | <0.021          | <0.021          | <0.021               | 0.056                 | 0.056              | <1.1            | <8.9            | 670              | 6          |
|   | 10/31/2013  | 5                       | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 360              | 6          |
|   | 10/31/2013  | 10                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 32               | 6          |
|   | 10/31/2013  | 15                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 14               | 6          |
|   | 10/31/2013  | 20                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.9            | 39               | 7          |
|   | 10/31/2013  | 25                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 25               | 6          |
| WLU76-02                                  | 10/31/2013  | 2                       | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.0            | <8.6            | 290              | 3          |
|   | 10/31/2013  | 5                       | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.0            | <8.5            | 240              | 3          |
|   | 10/31/2013  | 10                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.0            | <8.5            | 33               | 3          |
|   | 10/31/2013  | 15                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 67               | 5          |
|   | 10/31/2013  | 20                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 10               | 6          |
|   | 10/31/2013  | 25                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 18               | 6          |
| WLU76-03                                  | 10/31/2013  | 2                       | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 23               | 6          |
|   | 10/31/2013  | 5                       | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.0            | <8.7            | 85               | 4          |
|   | 10/31/2013  | 10                      | <0.020          | <0.020          | <0.020               | <0.020                | <0.08              | <1.0            | <8.4            | 10               | 2          |
|   | 10/31/2013  | 15                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 15               | 6          |
|   | 10/31/2013  | 20                      | <0.0011         | <0.0011         | <0.0011              | <0.0011               | <0.0044            | <1.1            | <9.0            | 29               | 8          |
|   | 10/31/2013  | 25                      | <0.0014         | <0.0014         | <0.0014              | <0.0014               | <0.0056            | <1.4            | <12             | 30               | 29         |
| WLU76-04                                  | 10/31/2013  | 2                       | <0.0010         | <0.0010         | <0.0010              | <0.0010               | <0.004             | <1.0            | <8.7            | 170              | 4          |
|   | 10/31/2013  | 5                       | <0.0010         | <0.0010         | <0.0010              | <0.0010               | <0.004             | <1.0            | <8.4            | 38               | 1          |
|   | 10/31/2013  | 10                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 9                | 6          |
|   | 10/31/2013  | 15                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.0            | <8.7            | 11               | 5          |
|   | 10/31/2013  | 20                      | <0.021          | <0.021          | <0.021               | <0.021                | <0.084             | <1.1            | <8.8            | 20               | 5          |
|   | 10/31/2013  | 25                      | <0.022          | <0.022          | <0.022               | <0.022                | <0.088             | <1.1            | <9.1            | 25               | 9          |

Notes:

- % Percent
- mg/kg Miligram(s) per kilogram
- < Analyte was not detected above the specified method reporting limit
- Not Analyzed/Not Listed
- bgs Below ground surface
- BTEX Benzene, toluene, ethylbenzene, and total xylenes
- MULTIMED Multimedia Exposure Assessment Model
- NMAC New Mexico Administrative Code
- TPH-GRO Total Petroleum Hydrocarbons as Gasoline Range Organics
- TPH-DRO Total Petroleum Hydrocarbons as Diesel Range Organics
- SRAL Soil remediation action level
- SSL Soil screening level

(a) SRALs, for leaks, spills, and releases, New Mexico Oil Conservation Division, August 1993

(b) Title 19, Chapter 15 of the NMAC concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC, July 2009

(c) MULTIMED exposure assessment, 2.0 Beta, United States Environmental Protection Agency, October 1996

## Figures






**LEGEND:**

- OCTOBER 2013 ASSESSMENT SOIL SAMPLING LOCATION
- ① MAY 2012 CONFIRMATION SOIL SAMPLING LOCATION
- APPROXIMATE EXTENT OF SPILL

**NOTES:**

1. AERIAL PHOTOGRAPH FROM GOOGLE EARTH PRO.
2. COORDINATES FOR ALL OCTOBER 2013 SAMPLE LOCATIONS WERE COLLECTED USING A SUB-METER TRIMBLE GPS UNIT.
3. UTILITIES WERE IDENTIFIED USING GROUND PENETRATING RADAR, RADIO FREQUENCY SURVEY OR VISUAL MEANS.



VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT  
 TEAM UNITS  
 LEA COUNTY, NEW MEXICO  
**SITE ASSESSMENT REPORT**

**RELEASE AND SOIL BORING LOCATIONS  
 WLU #76**




FIGURE  
**2**




## **Attachment 1**


Site Conceptual Model



The site is located in the western edge of the Permian Basin with Lovington (the closest town) located approximately 5 miles northeast of the site. Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. According to information obtained from the NMOSE online database, groundwater near the site is encountered at a depth of approximately 92 feet bgs.



A release of approximately 4.5 bbls of produced water and 0.75 bbls of oil occurred at the site on December 6, 2011 due to a release from a high-density polyethylene gas line. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered approximately 5.25 bbls of fluids using a vacuum truck. Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected three discrete confirmation soil samples from the base of the excavation on May 7, 2012. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil. Analyte concentrations in one or more confirmation soil samples were above regulatory criteria, which prompted additional site assessment activities.



In October 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in May 2012, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. Analyte concentrations in samples collected during the 2013 assessment were reported below site-specific criteria. Site assessment activities demonstrate that remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.



## **Attachment 2**

New Mexico Office of the State  
Engineer – Depth to Water



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

| POD Number                   | POD Sub-Code | basin | County | Q 64 | Q 16 | Q 4 | Sec | Tws | Rng | X      | Y        | Distance | Depth Well | Depth Water | Water Column |
|------------------------------|--------------|-------|--------|------|------|-----|-----|-----|-----|--------|----------|----------|------------|-------------|--------------|
| <a href="#">L 05616</a>      | L            | LE    |        | 2    | 3    | 04  | 17S | 36E |     | 653280 | 3637194* | 605      | 130        | 65          | 65           |
| <a href="#">L 05481</a>      | L            | LE    |        |      | 2    | 04  | 17S | 36E |     | 653879 | 3637806* | 1281     | 140        | 115         | 25           |
| <a href="#">L 06979</a>      | L            | LE    |        | 4    | 4    | 3   | 32  | 16S | 36E | 651749 | 3638267* | 1329     | 125        | 60          | 65           |
| <a href="#">L 00095 POD2</a> | L            | LE    |        | 2    | 4    | 3   | 33  | 16S | 36E | 653363 | 3638496* | 1348     | 150        | 130         | 20           |
| <a href="#">L 00381</a>      | R            | L     | LE     | 3    | 3    | 2   | 08  | 17S | 36E | 651989 | 3635859* | 1627     | 110        |             |              |

Average Depth to Water: **92 feet**  
 Minimum Depth: **60 feet**  
 Maximum Depth: **130 feet**

**Record Count: 5**

**UTMNAD83 Radius Search (in meters):**

**Easting (X):** 652689.83

**Northing (Y):** 3637327.47

**Radius:** 2000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



### **Attachment 3**

Release Notification and Corrective  
Action (C-141 Form)

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised March 17, 1999

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

X Initial Report Final Report

|  |   |
|--|---|
| Name of Company <b>CHEVRON</b>                           | Contact <b>David Pagano</b>   |
| Address<br><b>56 Texas Camp Road, Lovington NM 88260</b> | Telephone No. Office: <b>575-396-4414 ext 275</b> Cellular: <b>505-787-9816</b> |
| Facility Name: <b>West Lovington Unit #76</b>            | Facility Type: <b>Producing Well</b>  |

|                |               |           |
|----------------|---------------|-----------|
| Surface Owner: | Mineral Owner | Lease No. |
|----------------|---------------|-----------|

**LOCATION OF RELEASE-API #**

**Latitude: 32.8636493138 Longitude: -103.368394812**

| Unit Letter | Section | Township | Range | Feet from the | North/South Line | Feet from the | East/West Line | County | Lea |
|-------------|---------|----------|-------|---------------|------------------|---------------|----------------|--------|-----|
| I           | 5       | 17.0S    | 36E   |               |                  |               |                |        |     |

**NATURE OF RELEASE-**

**Latitude = 32.86364931; Long. = -103.3683948**

|  |  |   |
|--|--|---|
| Type of Release <b>Crude Oil and produced Water Spill</b>  | Volume of Release <b>4.5bbls of produced water and 0.75 bbl of oil</b> | Volume Recovered <b>5.25 bbls fluid recovered</b>       |
| Source of Release : <b>Flow Line</b>   | Date and Hour of Occurrence<br><b>12/6/2011 09:00 am</b>               | Date and Hour of Discovery<br><b>12/6/2011 10:00 am</b> |
| Was Immediate Notice Given?<br><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required | If YES, To Whom? <b>Mr. Leking by E- Mail</b>                          |   |
| By Whom?   |  |   |
| Was a Watercourse Reached?<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  | If YES, Volume Impacting the Watercourse.                              |   |

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\*  
  
Poly Line froze in cold weather and caused release of 4.5bb.s of produced water and 0.75 bbls of oil.

Describe Area Affected and Cleanup Action Taken.\*  
  
Fluids were vacuumed up with vac truck and contaminated soil is being excavated up to 2 feet, once complete the soil will be evaluated to determine the extent of remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|   |                                  |                  |                                   |
|---|----------------------------------|------------------|-----------------------------------|
| Signature:  | <b>OIL CONSERVATION DIVISION</b> |                  |                                   |
| Printed Name: <b>David Pagano</b>                   | Approved by District Supervisor: |                  |                                   |
| Title: <b>Health &amp; Environmental Specialist</b> | Approval Date:                   | Expiration Date: |                                   |
| Date: <b>12/7/11</b> Phone: <b>505-787-9816</b>     | Conditions of Approval:          |                  | Attached <input type="checkbox"/> |

\* Attach Additional Sheets If Necessary

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised August 8, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

|   |  |
|---|--|
| Name of Company: CHEVRON U.S.A. Inc.            | Contact: Luke Welch  |
| Address: 56 Texas Camp Road, Lovington NM 88260 | Telephone No.: Office: Office: (713) 372-0292 Mobile: (832) 627-9171 |
| Facility Name: West Lovington Unit #76          | Facility Type: Producing Well  |

|                |                |         |
|----------------|----------------|---------|
| Surface Owner: | Mineral Owner: | API No. |
|----------------|----------------|---------|

**LOCATION OF RELEASE**

| Unit Letter | Section | Township | Range | Feet from the | North/South Line | Feet from the | East/West Line | County |
|-------------|---------|----------|-------|---------------|------------------|---------------|----------------|--------|
| 1           | 5       | 17.0S    | 36E   |               |                  |               |                | Lea    |

Latitude 32.8636493138° Longitude -103.368394812°

**NATURE OF RELEASE**

|  |   |  |
|--|---|--|
| Type of Release: Crude Oil and produced Water Spill  | Volume of Release: 4.5 bbls of produced water and 0.75 bbl of oil | Volume Recovered: 5.25 bbls fluid recovered  |
| Source of Release: Flow Line   | Date and Hour of Occurrence: 12/6/11 09:00 AM                     | Date and Hour of Discovery: 12/6/11 10:00 AM |
| Was Immediate Notice Given?<br><input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required   | If YES, To Whom?<br>Mr. Leking via email                          |  |
| By Whom?   |   |  |
| Was a Watercourse Reached?<br><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  | If YES, Volume Impacting the Watercourse.                         |  |
| If a Watercourse was Impacted, Describe Fully.*<br>N/A   |   |  |
| Describe Cause of Problem and Remedial Action Taken.*<br>Poly Line froze in cold weather and caused release of 4.5 bbls of produced water and 0.75 bbls of oil.  |   |  |
| Describe Area Affected and Cleanup Action Taken.*<br>Fluids were recovered with a vacuum truck (approximately 5.25 bbls). Visually impacted soils in the area were excavated to a depth of approximately two feet bgs and sent off for disposal.<br><br>Three discrete soil confirmation samples were collected from the base of the excavation. These sampling results indicated the presence of chloride concentrations in shallow soils at levels of regulatory concern.<br><br>In response to the sampling results, an additional site assessment was conducted to confirm the extents of soil impacts.<br><br>Results of the additional assessment activities are provided in the attached report.  |   |  |
| I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. |   |  |

|  |  |   |                                   |
|--|--|---|-----------------------------------|
| Signature:  |  | <b>OIL CONSERVATION DIVISION</b>  |                                   |
| Printed Name: Luke Welch   |  | Approved by Environmental Specialist:  |                                   |
| Title: Project Manager   |  | Approval Date: 07/27/2016   | Expiration Date: ///              |
| E-mail Address: L.Welch@chevron.com  |  | Conditions of Approval:<br>///  | Attached <input type="checkbox"/> |
| Date: 11-19-14 Phone: (713) 372-0292   |  |   | IRP 3262                          |

\* Attach Additional Sheets If Necessary



## **Attachment 4**

Laboratory Analytical Reports

May 15, 2012

DAVID PAGANO

Chevron - Lovington

HCR 60 Box 423

Lovington, NM 88260

RE: SOIL SAMPLES

Enclosed are the results of analyses for samples received by the laboratory on 05/07/12 17:10.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

|                  |                              |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5)     |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3)  |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 05/07/2012  
 Reported: 05/15/2012  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 05/07/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU BTY #1 (H201037-01)**
**BTEX 8260B**

mg/kg

Analyzed By: CMS

| Analyte               | Result       | Reporting Limit | Analyzed   | Method Blank | BS   | % Recovery | True Value QC | RPD  | Qualifier |
|-----------------------|--------------|-----------------|------------|--------------|------|------------|---------------|------|-----------|
| <b>Benzene*</b>       | <b>0.177</b> | 0.050           | 05/14/2012 | ND           | 2.39 | 119        | 2.00          | 3.06 |           |
| <b>Toluene*</b>       | <b>0.902</b> | 0.050           | 05/14/2012 | ND           | 2.17 | 108        | 2.00          | 2.09 |           |
| <b>Ethylbenzene*</b>  | <b>1.02</b>  | 0.050           | 05/14/2012 | ND           | 2.04 | 102        | 2.00          | 2.42 |           |
| <b>Total Xylenes*</b> | <b>1.54</b>  | 0.150           | 05/14/2012 | ND           | 6.52 | 109        | 6.00          | 2.17 |           |

Surrogate: Dibromofluoromethane 91.5 % 61.3-142

Surrogate: Toluene-d8 93.0 % 71.3-129

Surrogate: 4-Bromofluorobenzene 112 % 65.7-141

**Chloride, SM4500Cl-B**

mg/kg

Analyzed By: AP

| Analyte         | Result      | Reporting Limit | Analyzed   | Method Blank | BS  | % Recovery | True Value QC | RPD  | Qualifier |
|-----------------|-------------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| <b>Chloride</b> | <b>4040</b> | 16.0            | 05/09/2012 | ND           | 400 | 100        | 400           | 0.00 |           |

**TPH 8015M**

mg/kg

Analyzed By: MS

S-06

| Analyte                | Result      | Reporting Limit | Analyzed   | Method Blank | BS  | % Recovery | True Value QC | RPD  | Qualifier |
|------------------------|-------------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| <b>GRO C6-C10</b>      | <b>68.4</b> | 50.0            | 05/10/2012 | ND           | 189 | 94.3       | 200           | 2.57 |           |
| <b>DRO &gt;C10-C28</b> | <b>5420</b> | 50.0            | 05/10/2012 | ND           | 180 | 90.2       | 200           | 1.12 |           |

Surrogate: 1-Chlorooctane 101 % 55.5-154

Surrogate: 1-Chlorooctadecane 205 % 57.6-158

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 05/07/2012  
 Reported: 05/15/2012  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 05/07/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU BTY #2 (H201037-02)**

| BTEX 8260B     |        | mg/kg           |            | Analyzed By: CMS |      |            |               |      |           |  |
|----------------|--------|-----------------|------------|------------------|------|------------|---------------|------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank     | BS   | % Recovery | True Value QC | RPD  | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 05/14/2012 | ND               | 2.39 | 119        | 2.00          | 3.06 |           |  |
| Toluene*       | <0.050 | 0.050           | 05/14/2012 | ND               | 2.17 | 108        | 2.00          | 2.09 |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 05/14/2012 | ND               | 2.04 | 102        | 2.00          | 2.42 |           |  |
| Total Xylenes* | <0.150 | 0.150           | 05/14/2012 | ND               | 6.52 | 109        | 6.00          | 2.17 |           |  |

Surrogate: Dibromofluoromethane 88.7 % 61.3-142

Surrogate: Toluene-d8 98.4 % 71.3-129

Surrogate: 4-Bromofluorobenzene 86.7 % 65.7-141

| Chloride, SM4500Cl-B |              | mg/kg           |            | Analyzed By: AP |     |            |               |      |           |  |
|----------------------|--------------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result       | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| <b>Chloride</b>      | <b>19600</b> | 16.0            | 05/09/2012 | ND              | 400 | 100        | 400           | 0.00 |           |  |

| TPH 8015M              |            | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |  |
|------------------------|------------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte                | Result     | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10             | <10.0      | 10.0            | 05/10/2012 | ND              | 189 | 94.3       | 200           | 2.57 |           |  |
| <b>DRO &gt;C10-C28</b> | <b>152</b> | 10.0            | 05/10/2012 | ND              | 180 | 90.2       | 200           | 1.12 |           |  |

Surrogate: 1-Chlorooctane 84.5 % 55.5-154

Surrogate: 1-Chlorooctadecane 94.8 % 57.6-158

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 05/07/2012  
 Reported: 05/15/2012  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 05/07/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: VGWU BTY #3 (H201037-03)**
**BTEX 8260B**

mg/kg

Analyzed By: CMS

| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank | BS   | % Recovery | True Value QC | RPD  | Qualifier |
|----------------|--------|-----------------|------------|--------------|------|------------|---------------|------|-----------|
| Benzene*       | <0.050 | 0.050           | 05/14/2012 | ND           | 2.39 | 119        | 2.00          | 3.06 |           |
| Toluene*       | <0.050 | 0.050           | 05/14/2012 | ND           | 2.17 | 108        | 2.00          | 2.09 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 05/14/2012 | ND           | 2.04 | 102        | 2.00          | 2.42 |           |
| Total Xylenes* | <0.150 | 0.150           | 05/14/2012 | ND           | 6.52 | 109        | 6.00          | 2.17 |           |

*Surrogate: Dibromofluoromethane* 87.8 % 61.3-142

*Surrogate: Toluene-d8* 96.2 % 71.3-129

*Surrogate: 4-Bromofluorobenzene* 83.6 % 65.7-141

**Chloride, SM4500Cl-B**

mg/kg

Analyzed By: AP

| Analyte         | Result       | Reporting Limit | Analyzed   | Method Blank | BS  | % Recovery | True Value QC | RPD  | Qualifier |
|-----------------|--------------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| <b>Chloride</b> | <b>13800</b> | 16.0            | 05/09/2012 | ND           | 400 | 100        | 400           | 0.00 |           |

**TPH 8015M**

mg/kg

Analyzed By: MS

| Analyte                | Result     | Reporting Limit | Analyzed   | Method Blank | BS  | % Recovery | True Value QC | RPD  | Qualifier |
|------------------------|------------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| GRO C6-C10             | <10.0      | 10.0            | 05/10/2012 | ND           | 189 | 94.3       | 200           | 2.57 |           |
| <b>DRO &gt;C10-C28</b> | <b>370</b> | 10.0            | 05/10/2012 | ND           | 180 | 90.2       | 200           | 1.12 |           |

*Surrogate: 1-Chlorooctane* 88.3 % 55.5-154

*Surrogate: 1-Chlorooctadecane* 101 % 57.6-158

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 05/07/2012  
 Reported: 05/15/2012  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 05/07/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: WLU #76 SS #1 (H201037-04)**

| <b>BTEX 8260B</b> |              | <b>mg/kg</b>    |            | <b>Analyzed By: CMS</b> |      |            |               |      |           |
|-------------------|--------------|-----------------|------------|-------------------------|------|------------|---------------|------|-----------|
| Analyte           | Result       | Reporting Limit | Analyzed   | Method Blank            | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*          | <0.050       | 0.050           | 05/14/2012 | ND                      | 2.39 | 119        | 2.00          | 3.06 |           |
| <b>Toluene*</b>   | <b>0.053</b> | 0.050           | 05/14/2012 | ND                      | 2.17 | 108        | 2.00          | 2.09 |           |
| Ethylbenzene*     | <0.050       | 0.050           | 05/14/2012 | ND                      | 2.04 | 102        | 2.00          | 2.42 |           |
| Total Xylenes*    | <0.150       | 0.150           | 05/14/2012 | ND                      | 6.52 | 109        | 6.00          | 2.17 |           |

Surrogate: Dibromofluoromethane 89.2 % 61.3-142

Surrogate: Toluene-d8 96.0 % 71.3-129

Surrogate: 4-Bromofluorobenzene 84.5 % 65.7-141

| <b>Chloride, SM4500Cl-B</b> |              | <b>mg/kg</b>    |            | <b>Analyzed By: AP</b> |     |            |               |      |           |
|-----------------------------|--------------|-----------------|------------|------------------------|-----|------------|---------------|------|-----------|
| Analyte                     | Result       | Reporting Limit | Analyzed   | Method Blank           | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| <b>Chloride</b>             | <b>12000</b> | 16.0            | 05/09/2012 | ND                     | 400 | 100        | 400           | 3.92 |           |

| <b>TPH 8015M</b>       |             | <b>mg/kg</b>    |            | <b>Analyzed By: MS</b> |     |            |               |      |           |
|------------------------|-------------|-----------------|------------|------------------------|-----|------------|---------------|------|-----------|
| Analyte                | Result      | Reporting Limit | Analyzed   | Method Blank           | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10             | <10.0       | 10.0            | 05/10/2012 | ND                     | 189 | 94.3       | 200           | 2.57 |           |
| <b>DRO &gt;C10-C28</b> | <b>33.0</b> | 10.0            | 05/10/2012 | ND                     | 180 | 90.2       | 200           | 1.12 |           |

Surrogate: 1-Chlorooctane 91.6 % 55.5-154

Surrogate: 1-Chlorooctadecane 103 % 57.6-158

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 05/07/2012  
 Reported: 05/15/2012  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 05/07/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: WLU #76 SS #2 (H201037-05)**

| <b>BTEX 8260B</b> |        | <b>mg/kg</b>    |            | <b>Analyzed By: CMS</b> |      |            |               |      |           |
|-------------------|--------|-----------------|------------|-------------------------|------|------------|---------------|------|-----------|
| Analyte           | Result | Reporting Limit | Analyzed   | Method Blank            | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*          | <0.050 | 0.050           | 05/14/2012 | ND                      | 2.39 | 119        | 2.00          | 3.06 |           |
| Toluene*          | <0.050 | 0.050           | 05/14/2012 | ND                      | 2.17 | 108        | 2.00          | 2.09 |           |
| Ethylbenzene*     | <0.050 | 0.050           | 05/14/2012 | ND                      | 2.04 | 102        | 2.00          | 2.42 |           |
| Total Xylenes*    | <0.150 | 0.150           | 05/14/2012 | ND                      | 6.52 | 109        | 6.00          | 2.17 |           |

*Surrogate: Dibromofluoromethane* 88.1 % 61.3-142

*Surrogate: Toluene-d8* 96.5 % 71.3-129

*Surrogate: 4-Bromofluorobenzene* 85.0 % 65.7-141

| <b>Chloride, SM4500Cl-B</b> |             | <b>mg/kg</b>    |            | <b>Analyzed By: AP</b> |     |            |               |      |           |
|-----------------------------|-------------|-----------------|------------|------------------------|-----|------------|---------------|------|-----------|
| Analyte                     | Result      | Reporting Limit | Analyzed   | Method Blank           | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| <b>Chloride</b>             | <b>7600</b> | 16.0            | 05/09/2012 | ND                     | 400 | 100        | 400           | 3.92 |           |

| <b>TPH 8015M</b> |        | <b>mg/kg</b>    |            | <b>Analyzed By: MS</b> |     |            |               |      |           |
|------------------|--------|-----------------|------------|------------------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank           | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10       | <10.0  | 10.0            | 05/10/2012 | ND                     | 189 | 94.3       | 200           | 2.57 |           |
| DRO >C10-C28     | <10.0  | 10.0            | 05/10/2012 | ND                     | 180 | 90.2       | 200           | 1.12 |           |

*Surrogate: 1-Chlorooctane* 85.7 % 55.5-154

*Surrogate: 1-Chlorooctadecane* 96.1 % 57.6-158

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

 Chevron - Lovington  
 DAVID PAGANO  
 HCR 60 Box 423  
 Lovington NM, 88260  
 Fax To: None

 Received: 05/07/2012  
 Reported: 05/15/2012  
 Project Name: SOIL SAMPLES  
 Project Number: NONE GIVEN  
 Project Location: NOT GIVEN

 Sampling Date: 05/07/2012  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Jodi Henson

**Sample ID: WLU #76 SS #3 (H201037-06)**

| <b>BTEX 8260B</b> |        | <b>mg/kg</b>    |            | <b>Analyzed By: CMS</b> |      |            |               |      |           |
|-------------------|--------|-----------------|------------|-------------------------|------|------------|---------------|------|-----------|
| Analyte           | Result | Reporting Limit | Analyzed   | Method Blank            | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*          | <0.050 | 0.050           | 05/14/2012 | ND                      | 2.39 | 119        | 2.00          | 3.06 |           |
| Toluene*          | <0.050 | 0.050           | 05/14/2012 | ND                      | 2.17 | 108        | 2.00          | 2.09 |           |
| Ethylbenzene*     | <0.050 | 0.050           | 05/14/2012 | ND                      | 2.04 | 102        | 2.00          | 2.42 |           |
| Total Xylenes*    | <0.150 | 0.150           | 05/14/2012 | ND                      | 6.52 | 109        | 6.00          | 2.17 |           |

*Surrogate: Dibromofluoromethane* 86.9 % 61.3-142

*Surrogate: Toluene-d8* 97.0 % 71.3-129

*Surrogate: 4-Bromofluorobenzene* 86.9 % 65.7-141

| <b>Chloride, SM4500Cl-B</b> |             | <b>mg/kg</b>    |            | <b>Analyzed By: AP</b> |     |            |               |      |           |
|-----------------------------|-------------|-----------------|------------|------------------------|-----|------------|---------------|------|-----------|
| Analyte                     | Result      | Reporting Limit | Analyzed   | Method Blank           | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| <b>Chloride</b>             | <b>2440</b> | 16.0            | 05/09/2012 | ND                     | 400 | 100        | 400           | 3.92 |           |

| <b>TPH 8015M</b> |        | <b>mg/kg</b>    |            | <b>Analyzed By: MS</b> |     |            |               |      |           |
|------------------|--------|-----------------|------------|------------------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank           | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10       | <10.0  | 10.0            | 05/10/2012 | ND                     | 189 | 94.3       | 200           | 2.57 |           |
| DRO >C10-C28     | <10.0  | 10.0            | 05/10/2012 | ND                     | 180 | 90.2       | 200           | 1.12 |           |

*Surrogate: 1-Chlorooctane* 68.5 % 55.5-154

*Surrogate: 1-Chlorooctadecane* 77.7 % 57.6-158

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Notes and Definitions**

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager



**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

101 East Marland, Hobbs, NM 88240  
 (575) 393-2326 FAX (575) 393-2476

|                                      |  |                     |  |                                   |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
|--------------------------------------|--|---------------------|--|-----------------------------------|-------------|-----------------------------|----------|---|----------|--------|------------|------------|--------|------------|--|--------------|--|--|--|-------------------|--|--|--|--|--|--|--|--|--|
| Company Name: <i>Chevron</i>         |  |                     |  | <b>BILL TO</b>                    |             |                             |          | <b>ANALYSIS REQUEST</b>   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Project Manager: <i>David Pagano</i> |  |                     |  | P.O. #:                           |             |                             |          | <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">STEX</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Chlorides</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TPH</div> </div> |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Address: <i>56 Texas Camp Rd.</i>    |  |                     |  | Company: <i>Chevron</i>           |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| City: <i>Lovington</i>               |  | State: <i>NM</i>    |  | Zip: <i>88260</i>                 |             | Attn: <i>Nick Moschetti</i> |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Phone #: <i>505-787-9816</i>         |  | Fax #:              |  | Address: <i>56 Texas Camp Rd.</i> |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Project #:                           |  | Project Owner:      |  | City: <i>Lovington</i>            |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Project Name:                        |  |                     |  | State: <i>NM</i>                  |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  | Zip: <i>88260</i> |  |  |  |  |  |  |  |  |  |
| Project Location:                    |  |                     |  | Phone #: <i>575-396-4414 x201</i> |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Sampler Name:                        |  |                     |  | Fax #:                            |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| FOR LAB USE ONLY                     |  |                     |  |                                   |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| Lab I.D.                             |  | Sample I.D.         |  | # CONTAINERS                      | MATRIX      |                             |          |   | PRESERV. |        | SAMPLING   |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
|                                      |  |                     |  | (G/RABOR (C)OMP.                  | GROUNDWATER | WASTEWATER                  | SOIL     | OIL   | SLUDGE   | OTHER: | ACID/BASE: | ICE / COOL | OTHER: | DATE       |  | TIME         |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>H201037</i>                       |  |                     |  |                                   |             |                             |          |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>1</i>                             |  | <i>V6WU BTY #1</i>  |  | <i>6</i>                          |             |                             | <i>✓</i> |   |          |        |            |            |        | <i>5/7</i> |  | <i>11:55</i> |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>2</i>                             |  | <i>V6WU BTY #2</i>  |  | <i>6</i>                          |             |                             | <i>✓</i> |   |          |        |            |            |        | <i>1</i>   |  | <i>12:00</i> |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>3</i>                             |  | <i>V6WU BTY #3</i>  |  | <i>6</i>                          |             |                             | <i>✓</i> |   |          |        |            |            |        |            |  | <i>12:05</i> |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>4</i>                             |  | <i>WLU #76 SS#1</i> |  | <i>6</i>                          |             |                             | <i>✓</i> |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>5</i>                             |  | <i>WLU #76 SS#2</i> |  | <i>6</i>                          |             |                             | <i>✓</i> |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |
| <i>6</i>                             |  | <i>WLU #76 SS#3</i> |  | <i>6</i>                          |             |                             | <i>✓</i> |   |          |        |            |            |        |            |  |              |  |  |  |                   |  |  |  |  |  |  |  |  |  |

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

|                                      |  |                   |   |  |  |  |                |  |
|--------------------------------------|--|-------------------|---|--|--|--|----------------|--|
| Relinquished By: <i>David Pagano</i> |  | Date: <i>5/7</i>  | Received By: <i>Jodi Jensen</i>                                     |  | Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No |  | Add'l Phone #: |  |
|                                      |  | Time: <i>5:10</i> |   |  | Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No   |  | Add'l Fax #:   |  |
| Relinquished By:                     |  | Date:             | Received By:  |  | REMARKS:   |  |                |  |
|                                      |  | Time:             |   |  |  |  |                |  |
| Delivered By: (Circle One)           |  |                   | Sample Condition  |  | CHECKED BY:  |  |                |  |
| Sampler - UPS - Bus - Other:         |  |                   | Cool / Intact   |  | (Initials)   |  |                |  |
|                                      |  |                   | <i>1.5°C</i>  |  | <i>JH</i>  |  |                |  |
|                                      |  |                   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |  |  |  |                |  |
|                                      |  |                   | <input type="checkbox"/> No <input type="checkbox"/> No             |  |  |  |                |  |

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Houston  
6310 Rothway Street  
Houston, TX 77040  
Tel: (713)690-4444

TestAmerica Job ID: 600-82104-1

Client Project/Site: HES Transfer Sites, Lea County NM

For:

ARCADIS U.S., Inc.  
2929 Briarpark Drive  
Suite 300  
Houston, Texas 77042

Attn: Mr. Jonathan Olsen

*Sachin Kudchadkar*

---

Authorized for release by:  
11/20/2013 6:09:19 PM

Sachin Kudchadkar, Senior Project Manager  
(713)690-4444  
[sachin.kudchadkar@testamericainc.com](mailto:sachin.kudchadkar@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Case Narrative . . . . .         | 3  |
| Method Summary . . . . .         | 4  |
| Sample Summary . . . . .         | 5  |
| Client Sample Results . . . . .  | 6  |
| Definitions/Glossary . . . . .   | 24 |
| Surrogate Summary . . . . .      | 25 |
| QC Sample Results . . . . .      | 28 |
| QC Association Summary . . . . . | 34 |
| Lab Chronicle . . . . .          | 41 |
| Certification Summary . . . . .  | 49 |
| Chain of Custody . . . . .       | 50 |
| Receipt Checklists . . . . .     | 55 |

# Case Narrative

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Job ID: 600-82104-1**

**Laboratory: TestAmerica Houston**

## Narrative

**Job Narrative**  
**600-82104-1**

### Comments

No additional comments.

### Receipt

The samples were received on 11/4/2013 2:42 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 4.1° C, 4.4° C and 4.8° C.

### GC/MS VOA

No analytical or quality issues were noted.

### GC VOA

No analytical or quality issues were noted.

### GC Semi VOA

Method(s) 8015B: Surrogate recovery for the following sample(s) was outside the upper control limit: (600-82031-1 MSD).

No other analytical or quality issues were noted.

### General Chemistry

Method(s) 9056: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 120730 were outside control limits for Chloride. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

### Industrial Hygiene

No analytical or quality issues were noted.

### Organic Prep

No analytical or quality issues were noted.

# Method Summary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

| Method   | Method Description               | Protocol | Laboratory |
|----------|----------------------------------|----------|------------|
| 8015B    | Gasoline Range Organics - (GC)   | SW846    | TAL HOU    |
| 8021B    | Volatile Organic Compounds (GC)  | SW846    | TAL HOU    |
| 8015B    | Diesel Range Organics (DRO) (GC) | SW846    | TAL HOU    |
| 9056     | Anions, Ion Chromatography       | SW846    | TAL HOU    |
| Moisture | Percent Moisture                 | EPA      | TAL HOU    |

**Protocol References:**

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444



# Sample Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-82104-1

Project/Site: HES Transfer Sites, Lea County NM

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 600-82104-1   | WLU76-01-02      | Solid  | 10/31/13 14:50 | 11/04/13 14:42 |
| 600-82104-2   | WLU76-01-05      | Solid  | 10/31/13 14:52 | 11/04/13 14:42 |
| 600-82104-3   | WLU76-01-10      | Solid  | 10/31/13 15:54 | 11/04/13 14:42 |
| 600-82104-4   | WLU76-01-15      | Solid  | 10/31/13 15:46 | 11/04/13 14:42 |
| 600-82104-5   | WLU76-01-20      | Solid  | 10/31/13 14:58 | 11/04/13 14:42 |
| 600-82104-6   | WLU76-01-25      | Solid  | 10/31/13 15:00 | 11/04/13 14:42 |
| 600-82104-7   | WLU76-02-02      | Solid  | 10/31/13 13:10 | 11/04/13 14:42 |
| 600-82104-8   | WLU76-02-05      | Solid  | 10/31/13 13:12 | 11/04/13 14:42 |
| 600-82104-9   | WLU76-02-10      | Solid  | 10/31/13 13:14 | 11/04/13 14:42 |
| 600-82104-10  | WLU76-02-15      | Solid  | 10/31/13 13:16 | 11/04/13 14:42 |
| 600-82104-11  | WLU76-02-20      | Solid  | 10/31/13 13:18 | 11/04/13 14:42 |
| 600-82104-12  | WLU76-02-25      | Solid  | 10/31/13 13:20 | 11/04/13 14:42 |
| 600-82104-13  | WLU76-03-02      | Solid  | 10/31/13 12:22 | 11/04/13 14:42 |
| 600-82104-14  | WLU76-03-05      | Solid  | 10/31/13 12:24 | 11/04/13 14:42 |
| 600-82104-15  | WLU76-03-10      | Solid  | 10/31/13 12:26 | 11/04/13 14:42 |
| 600-82104-16  | WLU76-03-15      | Solid  | 10/31/13 12:29 | 11/04/13 14:42 |
| 600-82104-17  | WLU76-03-20      | Solid  | 10/31/13 12:30 | 11/04/13 14:42 |
| 600-82104-18  | WLU76-03-25      | Solid  | 10/31/13 12:32 | 11/04/13 14:42 |
| 600-82104-19  | WLU76-04-02      | Solid  | 10/31/13 11:46 | 11/04/13 14:42 |
| 600-82104-20  | WLU76-04-05      | Solid  | 10/31/13 11:48 | 11/04/13 14:42 |
| 600-82104-21  | WLU76-04-10      | Solid  | 10/31/13 11:50 | 11/04/13 14:42 |
| 600-82104-22  | WLU76-04-15      | Solid  | 10/31/13 11:02 | 11/04/13 14:42 |
| 600-82104-23  | WLU76-04-20      | Solid  | 10/31/13 11:04 | 11/04/13 14:42 |
| 600-82104-24  | WLU76-04-25      | Solid  | 10/31/13 11:06 | 11/04/13 14:42 |

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-01-02**

**Lab Sample ID: 600-82104-1**

Date Collected: 10/31/13 14:50

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 93.5

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/06/13 09:18  | 11/06/13 19:58  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 107              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 19:58  | 1              |
| 4-Bromofluorobenzene                | 100              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 19:58  | 1              |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 14:55  | 1              |
| Toluene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 14:55  | 1              |
| Ethylbenzene           | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 14:55  | 1              |
| <b>Xylenes, Total</b>  | <b>0.056</b>     |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 14:55  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 87               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 14:55  | 1              |
| a,a,a-Trifluorotoluene | 92               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 14:55  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.9           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 00:10  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 129              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 00:10  | 1              |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Percent Moisture | 6.5    |           | 1.0 |     | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |     | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|----|-----|-------|---|----------|----------------|---------|
| Chloride | 670    |           | 21 |     | mg/Kg | ☼ |          | 11/16/13 03:41 | 5       |

**Client Sample ID: WLU76-01-05**

**Lab Sample ID: 600-82104-2**

Date Collected: 10/31/13 14:52

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/06/13 09:18  | 11/06/13 20:23  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 106              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 20:23  | 1              |
| 4-Bromofluorobenzene                | 98               |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 20:23  | 1              |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte      | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 15:15 | 1       |
| Toluene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 15:15 | 1       |
| Ethylbenzene | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 15:15 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-01-05**

**Lab Sample ID: 600-82104-2**

Date Collected: 10/31/13 14:52

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

**Method: 8021B - Volatile Organic Compounds (GC) (Continued)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:15  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 91               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 15:15  | 1              |
| a,a,a-Trifluorotoluene | 93               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 15:15  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 00:43  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 130              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 00:43  | 1              |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.9    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 360    |           | 8.5 |     | mg/Kg | ☼ |          | 11/16/13 03:54 | 2       |

**Client Sample ID: WLU76-01-10**

**Lab Sample ID: 600-82104-3**

Date Collected: 10/31/13 15:54

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/06/13 09:18  | 11/06/13 20:48  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 106              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 20:48  | 1              |
| 4-Bromofluorobenzene                | 100              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 20:48  | 1              |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:35  | 1              |
| Toluene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:35  | 1              |
| Ethylbenzene           | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:35  | 1              |
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:35  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 90               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 15:35  | 1              |
| a,a,a-Trifluorotoluene | 95               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 15:35  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 01:16  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 117              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 01:16  | 1              |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-01-10

Lab Sample ID: 600-82104-3

Date Collected: 10/31/13 15:54

Matrix: Solid

Date Received: 11/04/13 14:42

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.9    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 32     |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 04:08 | 1       |

## Client Sample ID: WLU76-01-15

Lab Sample ID: 600-82104-4

Date Collected: 10/31/13 15:46

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 93.8

### Method: 8015B - Gasoline Range Organics - (GC)

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/06/13 09:18  | 11/06/13 21:13  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 106              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 21:13  | 1              |
| 4-Bromofluorobenzene                | 98               |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 21:13  | 1              |

### Method: 8021B - Volatile Organic Compounds (GC)

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:55  | 1              |
| Toluene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:55  | 1              |
| Ethylbenzene           | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:55  | 1              |
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 15:55  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 92               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 15:55  | 1              |
| a,a,a-Trifluorotoluene | 97               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 15:55  | 1              |

### Method: 8015B - Diesel Range Organics (DRO) (GC)

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 01:50  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 121              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 01:50  | 1              |

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 6.2    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 14     |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 04:22 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-01-20**

**Lab Sample ID: 600-82104-5**

Date Collected: 10/31/13 14:58

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 93.5

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.1      |     | mg/Kg | ☼ | 11/06/13 09:18 | 11/06/13 21:38 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 105       |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 21:38 | 1       |
| 4-Bromofluorobenzene                | 99        |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 21:38 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:15 | 1       |
| Toluene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:15 | 1       |
| Ethylbenzene           | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:15 | 1       |
| Xylenes, Total         | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:15 | 1       |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 92        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/13/13 16:15 | 1       |
| a,a,a-Trifluorotoluene | 96        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/13/13 16:15 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.9      |     | mg/Kg | ☼ | 11/05/13 14:52 | 11/08/13 02:23 | 1       |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 128       |           | 60 - 140 |     |       |   | 11/05/13 14:52 | 11/08/13 02:23 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 6.5    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 93     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 39     |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 04:35 | 1       |

**Client Sample ID: WLU76-01-25**

**Lab Sample ID: 600-82104-6**

Date Collected: 10/31/13 15:00

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.3

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.1      |     | mg/Kg | ☼ | 11/06/13 09:18 | 11/06/13 22:03 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 106       |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 22:03 | 1       |
| 4-Bromofluorobenzene                | 99        |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 22:03 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte      | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:35 | 1       |
| Toluene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:35 | 1       |
| Ethylbenzene | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 16:35 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-01-25**

**Lab Sample ID: 600-82104-6**

Date Collected: 10/31/13 15:00

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.3

**Method: 8021B - Volatile Organic Compounds (GC) (Continued)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 16:35  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 88               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 16:35  | 1              |
| a,a,a-Trifluorotoluene | 93               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 16:35  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 02:56  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 126              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 02:56  | 1              |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.7    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 25     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 05:43 | 1       |

**Client Sample ID: WLU76-02-02**

**Lab Sample ID: 600-82104-7**

Date Collected: 10/31/13 13:10

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 96.5

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.0           |     | mg/Kg | ☼ | 11/06/13 09:18  | 11/06/13 22:28  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 105              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 22:28  | 1              |
| 4-Bromofluorobenzene                | 94               |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/06/13 22:28  | 1              |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 18:29  | 1              |
| Toluene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 18:29  | 1              |
| Ethylbenzene           | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 18:29  | 1              |
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 18:29  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 78               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 18:29  | 1              |
| a,a,a-Trifluorotoluene | 92               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 18:29  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.6           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 03:29  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 134              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 03:29  | 1              |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-02-02

Lab Sample ID: 600-82104-7

Date Collected: 10/31/13 13:10

Matrix: Solid

Date Received: 11/04/13 14:42

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 3.5    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 97     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 290    |           | 8.3 |     | mg/Kg | ☼ |          | 11/16/13 05:56 | 2       |

## Client Sample ID: WLU76-02-05

Lab Sample ID: 600-82104-8

Date Collected: 10/31/13 13:12

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 97.3

### Method: 8015B - Gasoline Range Organics - (GC)

| Analyte                             | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND     |           | 1.0 |     | mg/Kg | ☼ | 11/06/13 09:18 | 11/06/13 22:53 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| a,a,a-Trifluorotoluene | 105       |           | 50 - 150 | 11/06/13 09:18 | 11/06/13 22:53 | 1       |
| 4-Bromofluorobenzene   | 97        |           | 50 - 150 | 11/06/13 09:18 | 11/06/13 22:53 | 1       |

### Method: 8021B - Volatile Organic Compounds (GC)

| Analyte        | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|----------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene        | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 18:49 | 1       |
| Toluene        | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 18:49 | 1       |
| Ethylbenzene   | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 18:49 | 1       |
| Xylenes, Total | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 18:49 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene   | 84        |           | 43 - 141 | 11/06/13 08:59 | 11/13/13 18:49 | 1       |
| a,a,a-Trifluorotoluene | 89        |           | 44 - 134 | 11/06/13 08:59 | 11/13/13 18:49 | 1       |

### Method: 8015B - Diesel Range Organics (DRO) (GC)

| Analyte                         | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND     |           | 8.5 |     | mg/Kg | ☼ | 11/05/13 14:52 | 11/08/13 04:02 | 1       |

| Surrogate   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 130       |           | 60 - 140 | 11/05/13 14:52 | 11/08/13 04:02 | 1       |

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 2.7    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 97     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 240    |           | 8.2 |     | mg/Kg | ☼ |          | 11/16/13 06:50 | 2       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-02-10**

**Lab Sample ID: 600-82104-9**

Date Collected: 10/31/13 13:14

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 96.8

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.0      |     | mg/Kg | ☼ | 11/06/13 09:18 | 11/06/13 23:18 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 105       |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 23:18 | 1       |
| 4-Bromofluorobenzene                | 96        |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 23:18 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:09 | 1       |
| Toluene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:09 | 1       |
| Ethylbenzene           | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:09 | 1       |
| Xylenes, Total         | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:09 | 1       |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 78        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/13/13 19:09 | 1       |
| a,a,a-Trifluorotoluene | 90        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/13/13 19:09 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.5      |     | mg/Kg | ☼ | 11/05/13 14:52 | 11/08/13 04:35 | 1       |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 128       |           | 60 - 140 |     |       |   | 11/05/13 14:52 | 11/08/13 04:35 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 3.2    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 97     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 33     |           | 4.1 |     | mg/Kg | ☼ |          | 11/16/13 07:04 | 1       |

**Client Sample ID: WLU76-02-15**

**Lab Sample ID: 600-82104-10**

Date Collected: 10/31/13 13:16

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.6

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.1      |     | mg/Kg | ☼ | 11/06/13 09:18 | 11/06/13 23:43 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 105       |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 23:43 | 1       |
| 4-Bromofluorobenzene                | 95        |           | 50 - 150 |     |       |   | 11/06/13 09:18 | 11/06/13 23:43 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte      | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:29 | 1       |
| Toluene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:29 | 1       |
| Ethylbenzene | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 19:29 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-02-15**

**Lab Sample ID: 600-82104-10**

Date Collected: 10/31/13 13:16

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.6

**Method: 8021B - Volatile Organic Compounds (GC) (Continued)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 19:29  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 80               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 19:29  | 1              |
| a,a,a-Trifluorotoluene | 93               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 19:29  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 05:41  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 129              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 05:41  | 1              |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.4    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 95     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 67     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 07:17 | 1       |

**Client Sample ID: WLU76-02-20**

**Lab Sample ID: 600-82104-11**

Date Collected: 10/31/13 13:18

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 93.9

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/06/13 09:18  | 11/07/13 00:58  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 105              |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/07/13 00:58  | 1              |
| 4-Bromofluorobenzene                | 94               |                  | 50 - 150      |     |       |   | 11/06/13 09:18  | 11/07/13 00:58  | 1              |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 19:48  | 1              |
| Toluene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 19:48  | 1              |
| Ethylbenzene           | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 19:48  | 1              |
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 08:59  | 11/13/13 19:48  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 77               |                  | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 19:48  | 1              |
| a,a,a-Trifluorotoluene | 92               |                  | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 19:48  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/05/13 14:52  | 11/08/13 06:15  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 123              |                  | 60 - 140      |     |       |   | 11/05/13 14:52  | 11/08/13 06:15  | 1              |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-02-20

## Lab Sample ID: 600-82104-11

Date Collected: 10/31/13 13:18

Matrix: Solid

Date Received: 11/04/13 14:42

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 6.1    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 9.8    |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 06:10 | 1       |

## Client Sample ID: WLU76-02-25

## Lab Sample ID: 600-82104-12

Date Collected: 10/31/13 13:20

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.3

### Method: 8015B - Gasoline Range Organics - (GC)

| Analyte                             | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND     |           | 1.1 |     | mg/Kg | ☼ | 11/06/13 09:18 | 11/07/13 01:23 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| a,a,a-Trifluorotoluene | 105       |           | 50 - 150 | 11/06/13 09:18 | 11/07/13 01:23 | 1       |
| 4-Bromofluorobenzene   | 95        |           | 50 - 150 | 11/06/13 09:18 | 11/07/13 01:23 | 1       |

### Method: 8021B - Volatile Organic Compounds (GC)

| Analyte        | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|----------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene        | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:08 | 1       |
| Toluene        | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:08 | 1       |
| Ethylbenzene   | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:08 | 1       |
| Xylenes, Total | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:08 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene   | 77        |           | 43 - 141 | 11/06/13 08:59 | 11/13/13 20:08 | 1       |
| a,a,a-Trifluorotoluene | 92        |           | 44 - 134 | 11/06/13 08:59 | 11/13/13 20:08 | 1       |

### Method: 8015B - Diesel Range Organics (DRO) (GC)

| Analyte                         | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND     |           | 8.8 |     | mg/Kg | ☼ | 11/05/13 14:52 | 11/08/13 06:48 | 1       |

| Surrogate   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 130       |           | 60 - 140 | 11/05/13 14:52 | 11/08/13 06:48 | 1       |

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.7    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 18     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 08:18 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-03-02**

**Lab Sample ID: 600-82104-13**

Date Collected: 10/31/13 12:22

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.1      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 19:06 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 103       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 19:06 | 1       |
| 4-Bromofluorobenzene                | 94        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 19:06 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:28 | 1       |
| Toluene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:28 | 1       |
| Ethylbenzene           | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:28 | 1       |
| Xylenes, Total         | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:28 | 1       |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 79        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/13/13 20:28 | 1       |
| a,a,a-Trifluorotoluene | 93        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/13/13 20:28 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.8      |     | mg/Kg | ☼ | 11/05/13 14:52 | 11/08/13 07:21 | 1       |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 133       |           | 60 - 140 |     |       |   | 11/05/13 14:52 | 11/08/13 07:21 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.9    |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 15:31 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 23     |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 08:33 | 1       |

**Client Sample ID: WLU76-03-05**

**Lab Sample ID: 600-82104-14**

Date Collected: 10/31/13 12:24

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.7

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.0      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 19:31 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 102       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 19:31 | 1       |
| 4-Bromofluorobenzene                | 91        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 19:31 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte      | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:48 | 1       |
| Toluene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:48 | 1       |
| Ethylbenzene | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:48 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-03-05**

**Lab Sample ID: 600-82104-14**

Date Collected: 10/31/13 12:24

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.7

**Method: 8021B - Volatile Organic Compounds (GC) (Continued)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Xylenes, Total         | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 20:48 | 1       |
| <b>Surrogate</b>       |           |           |          |     |       |   |                |                |         |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 76        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/13/13 20:48 | 1       |
| a,a,a-Trifluorotoluene | 92        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/13/13 20:48 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.7      |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 10:36 | 1       |
| <b>Surrogate</b>                |           |           |          |     |       |   |                |                |         |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 66        |           | 60 - 140 |     |       |   | 11/06/13 13:43 | 11/08/13 10:36 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 4.3    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 96     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 85     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 08:49 | 1       |

**Client Sample ID: WLU76-03-10**

**Lab Sample ID: 600-82104-15**

Date Collected: 10/31/13 12:26

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 98.0

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.0      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 19:56 | 1       |
| <b>Surrogate</b>                    |           |           |          |     |       |   |                |                |         |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 103       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 19:56 | 1       |
| 4-Bromofluorobenzene                | 93        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 19:56 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.020    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:07 | 1       |
| Toluene                | ND        |           | 0.020    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:07 | 1       |
| Ethylbenzene           | ND        |           | 0.020    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:07 | 1       |
| Xylenes, Total         | ND        |           | 0.020    |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:07 | 1       |
| <b>Surrogate</b>       |           |           |          |     |       |   |                |                |         |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 74        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/13/13 21:07 | 1       |
| a,a,a-Trifluorotoluene | 92        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/13/13 21:07 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.4      |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 11:42 | 1       |
| <b>Surrogate</b>                |           |           |          |     |       |   |                |                |         |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 68        |           | 60 - 140 |     |       |   | 11/06/13 13:43 | 11/08/13 11:42 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-03-10

## Lab Sample ID: 600-82104-15

Date Collected: 10/31/13 12:26

Matrix: Solid

Date Received: 11/04/13 14:42

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 2.0    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 98     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 9.9    |           | 4.1 |     | mg/Kg | ☼ |          | 11/16/13 09:04 | 1       |

## Client Sample ID: WLU76-03-15

## Lab Sample ID: 600-82104-16

Date Collected: 10/31/13 12:29

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.2

### Method: 8015B - Gasoline Range Organics - (GC)

| Analyte                             | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND     |           | 1.1 |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 20:21 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| a,a,a-Trifluorotoluene | 103       |           | 50 - 150 | 11/07/13 08:33 | 11/07/13 20:21 | 1       |
| 4-Bromofluorobenzene   | 94        |           | 50 - 150 | 11/07/13 08:33 | 11/07/13 20:21 | 1       |

### Method: 8021B - Volatile Organic Compounds (GC)

| Analyte        | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|----------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene        | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:27 | 1       |
| Toluene        | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:27 | 1       |
| Ethylbenzene   | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:27 | 1       |
| Xylenes, Total | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/13/13 21:27 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene   | 73        |           | 43 - 141 | 11/06/13 08:59 | 11/13/13 21:27 | 1       |
| a,a,a-Trifluorotoluene | 93        |           | 44 - 134 | 11/06/13 08:59 | 11/13/13 21:27 | 1       |

### Method: 8015B - Diesel Range Organics (DRO) (GC)

| Analyte                         | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND     |           | 8.8 |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 12:12 | 1       |

| Surrogate   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 68        |           | 60 - 140 | 11/06/13 13:43 | 11/08/13 12:12 | 1       |

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.8    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 15     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 09:20 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-03-20**

**Lab Sample ID: 600-82104-17**

Date Collected: 10/31/13 12:30

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 92.3

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.1      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 20:46 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 103       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 20:46 | 1       |
| 4-Bromofluorobenzene                | 94        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 20:46 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.0011   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:10 | 1       |
| Toluene                | ND        |           | 0.0011   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:10 | 1       |
| Ethylbenzene           | ND        |           | 0.0011   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:10 | 1       |
| Xylenes, Total         | ND        |           | 0.0011   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:10 | 1       |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 95        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/14/13 20:10 | 1       |
| a,a,a-Trifluorotoluene | 99        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/14/13 20:10 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 9.0      |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 12:46 | 1       |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 66        |           | 60 - 140 |     |       |   | 11/06/13 13:43 | 11/08/13 12:46 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 7.7    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 92     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 29     |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 09:35 | 1       |

**Client Sample ID: WLU76-03-25**

**Lab Sample ID: 600-82104-18**

Date Collected: 10/31/13 12:32

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 71.5

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.4      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 21:11 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 103       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 21:11 | 1       |
| 4-Bromofluorobenzene                | 95        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 21:11 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte      | Result | Qualifier | RL     | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------|--------|-----------|--------|-----|-------|---|----------------|----------------|---------|
| Benzene      | ND     |           | 0.0014 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:30 | 1       |
| Toluene      | ND     |           | 0.0014 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:30 | 1       |
| Ethylbenzene | ND     |           | 0.0014 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:30 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-03-25**

**Lab Sample ID: 600-82104-18**

Date Collected: 10/31/13 12:32

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 71.5

**Method: 8021B - Volatile Organic Compounds (GC) (Continued)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Xylenes, Total         | ND        |           | 0.0014   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:30 | 1       |
| <b>Surrogate</b>       |           |           |          |     |       |   |                |                |         |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 100       |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/14/13 20:30 | 1       |
| a,a,a-Trifluorotoluene | 99        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/14/13 20:30 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 12       |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 13:17 | 1       |
| <b>Surrogate</b>                |           |           |          |     |       |   |                |                |         |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 66        |           | 60 - 140 |     |       |   | 11/06/13 13:43 | 11/08/13 13:17 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 29     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 71     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 30     |           | 5.6 |     | mg/Kg | ☼ |          | 11/16/13 10:22 | 1       |

**Client Sample ID: WLU76-04-02**

**Lab Sample ID: 600-82104-19**

Date Collected: 10/31/13 11:46

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.5

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.0      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 21:37 | 1       |
| <b>Surrogate</b>                    |           |           |          |     |       |   |                |                |         |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 104       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 21:37 | 1       |
| 4-Bromofluorobenzene                | 94        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 21:37 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.0010   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:49 | 1       |
| Toluene                | ND        |           | 0.0010   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:49 | 1       |
| Ethylbenzene           | ND        |           | 0.0010   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:49 | 1       |
| Xylenes, Total         | ND        |           | 0.0010   |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 20:49 | 1       |
| <b>Surrogate</b>       |           |           |          |     |       |   |                |                |         |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 95        |           | 43 - 141 |     |       |   | 11/06/13 08:59 | 11/14/13 20:49 | 1       |
| a,a,a-Trifluorotoluene | 95        |           | 44 - 134 |     |       |   | 11/06/13 08:59 | 11/14/13 20:49 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.7      |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 13:50 | 1       |
| <b>Surrogate</b>                |           |           |          |     |       |   |                |                |         |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 66        |           | 60 - 140 |     |       |   | 11/06/13 13:43 | 11/08/13 13:50 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-04-02

## Lab Sample ID: 600-82104-19

Date Collected: 10/31/13 11:46

Matrix: Solid

Date Received: 11/04/13 14:42

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 4.5    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 96     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 170    |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 11:05 | 1       |

## Client Sample ID: WLU76-04-05

## Lab Sample ID: 600-82104-20

Date Collected: 10/31/13 11:48

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 98.9

### Method: 8015B - Gasoline Range Organics - (GC)

| Analyte                             | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND     |           | 1.0 |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 23:17 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| a,a,a-Trifluorotoluene | 103       |           | 50 - 150 | 11/07/13 08:33 | 11/07/13 23:17 | 1       |
| 4-Bromofluorobenzene   | 92        |           | 50 - 150 | 11/07/13 08:33 | 11/07/13 23:17 | 1       |

### Method: 8021B - Volatile Organic Compounds (GC)

| Analyte        | Result | Qualifier | RL     | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|----------------|--------|-----------|--------|-----|-------|---|----------------|----------------|---------|
| Benzene        | ND     |           | 0.0010 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 21:09 | 1       |
| Toluene        | ND     |           | 0.0010 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 21:09 | 1       |
| Ethylbenzene   | ND     |           | 0.0010 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 21:09 | 1       |
| Xylenes, Total | ND     |           | 0.0010 |     | mg/Kg | ☼ | 11/06/13 08:59 | 11/14/13 21:09 | 1       |

| Surrogate              | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene   | 95        |           | 43 - 141 | 11/06/13 08:59 | 11/14/13 21:09 | 1       |
| a,a,a-Trifluorotoluene | 97        |           | 44 - 134 | 11/06/13 08:59 | 11/14/13 21:09 | 1       |

### Method: 8015B - Diesel Range Organics (DRO) (GC)

| Analyte                         | Result | Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|--------|-----------|-----|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND     |           | 8.4 |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 14:21 | 1       |

| Surrogate   | %Recovery | Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-------------|-----------|-----------|----------|----------------|----------------|---------|
| o-Terphenyl | 68        |           | 60 - 140 | 11/06/13 13:43 | 11/08/13 14:21 | 1       |

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 1.1    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 99     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 38     |           | 4.0 |     | mg/Kg | ☼ |          | 11/16/13 11:59 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-04-10**

**Lab Sample ID: 600-82104-21**

Date Collected: 10/31/13 11:50

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.1      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/07/13 23:42 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 103       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 23:42 | 1       |
| 4-Bromofluorobenzene                | 90        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/07/13 23:42 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Benzene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 18:33 | 1       |
| Toluene                | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 18:33 | 1       |
| Ethylbenzene           | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 18:33 | 1       |
| Xylenes, Total         | ND        |           | 0.021    |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 18:33 | 1       |
| Surrogate              | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene   | 88        |           | 43 - 141 |     |       |   | 11/06/13 10:13 | 11/13/13 18:33 | 1       |
| a,a,a-Trifluorotoluene | 88        |           | 44 - 134 |     |       |   | 11/06/13 10:13 | 11/13/13 18:33 | 1       |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |           | 8.8      |     | mg/Kg | ☼ | 11/06/13 13:43 | 11/08/13 14:50 | 1       |
| Surrogate                       | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| o-Terphenyl                     | 69        |           | 60 - 140 |     |       |   | 11/06/13 13:43 | 11/08/13 14:50 | 1       |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.9    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 94     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 8.9    |           | 4.3 |     | mg/Kg | ☼ |          | 11/16/13 12:12 | 1       |

**Client Sample ID: WLU76-04-15**

**Lab Sample ID: 600-82104-22**

Date Collected: 10/31/13 11:02

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.4

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result    | Qualifier | RL       | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|-----------|----------|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |           | 1.0      |     | mg/Kg | ☼ | 11/07/13 08:33 | 11/08/13 00:06 | 1       |
| Surrogate                           | %Recovery | Qualifier | Limits   |     |       |   | Prepared       | Analyzed       | Dil Fac |
| a,a,a-Trifluorotoluene              | 104       |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/08/13 00:06 | 1       |
| 4-Bromofluorobenzene                | 90        |           | 50 - 150 |     |       |   | 11/07/13 08:33 | 11/08/13 00:06 | 1       |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte      | Result | Qualifier | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|--------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
| Benzene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 21:49 | 1       |
| Toluene      | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 21:49 | 1       |
| Ethylbenzene | ND     |           | 0.021 |     | mg/Kg | ☼ | 11/06/13 10:13 | 11/13/13 21:49 | 1       |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-04-15**

**Lab Sample ID: 600-82104-22**

Date Collected: 10/31/13 11:02

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.4

**Method: 8021B - Volatile Organic Compounds (GC) (Continued)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 21:49  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 82               |                  | 43 - 141      |     |       |   | 11/06/13 10:13  | 11/13/13 21:49  | 1              |
| a,a,a-Trifluorotoluene | 79               |                  | 44 - 134      |     |       |   | 11/06/13 10:13  | 11/13/13 21:49  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.7           |     | mg/Kg | ☼ | 11/06/13 13:43  | 11/08/13 15:20  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 67               |                  | 60 - 140      |     |       |   | 11/06/13 13:43  | 11/08/13 15:20  | 1              |

**General Chemistry**

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 4.6    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 95     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

**General Chemistry - Soluble**

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 11     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 12:26 | 1       |

**Client Sample ID: WLU76-04-20**

**Lab Sample ID: 600-82104-23**

Date Collected: 10/31/13 11:04

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.7

**Method: 8015B - Gasoline Range Organics - (GC)**

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/07/13 08:33  | 11/08/13 00:32  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 103              |                  | 50 - 150      |     |       |   | 11/07/13 08:33  | 11/08/13 00:32  | 1              |
| 4-Bromofluorobenzene                | 91               |                  | 50 - 150      |     |       |   | 11/07/13 08:33  | 11/08/13 00:32  | 1              |

**Method: 8021B - Volatile Organic Compounds (GC)**

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 19:17  | 1              |
| Toluene                | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 19:17  | 1              |
| Ethylbenzene           | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 19:17  | 1              |
| Xylenes, Total         | ND               |                  | 0.021         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 19:17  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 89               |                  | 43 - 141      |     |       |   | 11/06/13 10:13  | 11/13/13 19:17  | 1              |
| a,a,a-Trifluorotoluene | 88               |                  | 44 - 134      |     |       |   | 11/06/13 10:13  | 11/13/13 19:17  | 1              |

**Method: 8015B - Diesel Range Organics (DRO) (GC)**

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 8.8           |     | mg/Kg | ☼ | 11/06/13 13:43  | 11/08/13 15:54  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 67               |                  | 60 - 140      |     |       |   | 11/06/13 13:43  | 11/08/13 15:54  | 1              |

TestAmerica Houston

# Client Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-04-20

## Lab Sample ID: 600-82104-23

Date Collected: 10/31/13 11:04

Matrix: Solid

Date Received: 11/04/13 14:42

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 5.3    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 95     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 20     |           | 4.2 |     | mg/Kg | ☼ |          | 11/16/13 12:39 | 1       |

## Client Sample ID: WLU76-04-25

## Lab Sample ID: 600-82104-24

Date Collected: 10/31/13 11:06

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 91.2

### Method: 8015B - Gasoline Range Organics - (GC)

| Analyte                             | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|-------------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                  | 1.1           |     | mg/Kg | ☼ | 11/07/13 08:33  | 11/08/13 00:56  | 1              |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| a,a,a-Trifluorotoluene              | 103              |                  | 50 - 150      |     |       |   | 11/07/13 08:33  | 11/08/13 00:56  | 1              |
| 4-Bromofluorobenzene                | 91               |                  | 50 - 150      |     |       |   | 11/07/13 08:33  | 11/08/13 00:56  | 1              |

### Method: 8021B - Volatile Organic Compounds (GC)

| Analyte                | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                  | 0.022         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 22:10  | 1              |
| Toluene                | ND               |                  | 0.022         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 22:10  | 1              |
| Ethylbenzene           | ND               |                  | 0.022         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 22:10  | 1              |
| Xylenes, Total         | ND               |                  | 0.022         |     | mg/Kg | ☼ | 11/06/13 10:13  | 11/13/13 22:10  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 80               |                  | 43 - 141      |     |       |   | 11/06/13 10:13  | 11/13/13 22:10  | 1              |
| a,a,a-Trifluorotoluene | 71               |                  | 44 - 134      |     |       |   | 11/06/13 10:13  | 11/13/13 22:10  | 1              |

### Method: 8015B - Diesel Range Organics (DRO) (GC)

| Analyte                         | Result           | Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|---------------------------------|------------------|------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Diesel Range Organics [C10-C28] | ND               |                  | 9.1           |     | mg/Kg | ☼ | 11/06/13 13:43  | 11/08/13 16:27  | 1              |
| <b>Surrogate</b>                | <b>%Recovery</b> | <b>Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| o-Terphenyl                     | 64               |                  | 60 - 140      |     |       |   | 11/06/13 13:43  | 11/08/13 16:27  | 1              |

### General Chemistry

| Analyte          | Result | Qualifier | RL  | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------|--------|-----------|-----|----|------|---|----------|----------------|---------|
| Percent Moisture | 8.8    |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |
| Percent Solids   | 91     |           | 1.0 |    | %    |   |          | 11/05/13 13:09 | 1       |

### General Chemistry - Soluble

| Analyte  | Result | Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 25     |           | 4.4 |     | mg/Kg | ☼ |          | 11/16/13 13:20 | 1       |

TestAmerica Houston

## Definitions/Glossary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

### Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| ▫              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CNF            | Contains no Free Liquid   |
| DER            | Duplicate error ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision level concentration  |
| MDA            | Minimum detectable activity   |
| EDL            | Estimated Detection Limit   |
| MDC            | Minimum detectable concentration  |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| NC             | Not Calculated  |
| ND             | Not detected at the reporting limit (or MDL or EDL if shown)  |
| PQL            | Practical Quantitation Limit  |
| QC             | Quality Control   |
| RER            | Relative error ratio  |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID      | Client Sample ID   | Percent Surrogate Recovery (Acceptance Limits) |                  |
|--------------------|--------------------|--|------------------|
|                    |                    | TFT1<br>(50-150)                               | BFB1<br>(50-150) |
| 600-82104-1        | WLU76-01-02        | 107  | 100              |
| 600-82104-2        | WLU76-01-05        | 106  | 98               |
| 600-82104-3        | WLU76-01-10        | 106  | 100              |
| 600-82104-4        | WLU76-01-15        | 106  | 98               |
| 600-82104-5        | WLU76-01-20        | 105  | 99               |
| 600-82104-6        | WLU76-01-25        | 106  | 99               |
| 600-82104-7        | WLU76-02-02        | 105  | 94               |
| 600-82104-8        | WLU76-02-05        | 105  | 97               |
| 600-82104-9        | WLU76-02-10        | 105  | 96               |
| 600-82104-10       | WLU76-02-15        | 105  | 95               |
| 600-82104-11       | WLU76-02-20        | 105  | 94               |
| 600-82104-12       | WLU76-02-25        | 105  | 95               |
| 600-82104-13       | WLU76-03-02        | 103  | 94               |
| 600-82104-13 MS    | WLU76-03-02        | 105  | 107              |
| 600-82104-13 MSD   | WLU76-03-02        | 105  | 106              |
| 600-82104-14       | WLU76-03-05        | 102  | 91               |
| 600-82104-15       | WLU76-03-10        | 103  | 93               |
| 600-82104-16       | WLU76-03-15        | 103  | 94               |
| 600-82104-17       | WLU76-03-20        | 103  | 94               |
| 600-82104-18       | WLU76-03-25        | 103  | 95               |
| 600-82104-19       | WLU76-04-02        | 104  | 94               |
| 600-82104-20       | WLU76-04-05        | 103  | 92               |
| 600-82104-21       | WLU76-04-10        | 103  | 90               |
| 600-82104-22       | WLU76-04-15        | 104  | 90               |
| 600-82104-23       | WLU76-04-20        | 103  | 91               |
| 600-82104-24       | WLU76-04-25        | 103  | 91               |
| LCS 600-120569/1-A | Lab Control Sample | 107  | 96               |
| LCS 600-120582/1-A | Lab Control Sample | 108  | 87               |
| MB 600-120569/2-A  | Method Blank       | 106  | 98               |
| MB 600-120582/2-A  | Method Blank       | 101  | 94               |

**Surrogate Legend**  
 TFT = a,a,a-Trifluorotoluene  
 BFB = 4-Bromofluorobenzene

## Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID   | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) |                  |
|-----------------|------------------|--|------------------|
|                 |                  | BFB1<br>(43-141)                               | TFT1<br>(44-134) |
| 600-82104-1     | WLU76-01-02      | 87   | 92               |
| 600-82104-1 MS  | WLU76-01-02      | 88   | 93               |
| 600-82104-1 MSD | WLU76-01-02      | 86   | 92               |
| 600-82104-2     | WLU76-01-05      | 91   | 93               |
| 600-82104-3     | WLU76-01-10      | 90   | 95               |
| 600-82104-4     | WLU76-01-15      | 92   | 97               |
| 600-82104-5     | WLU76-01-20      | 92   | 96               |
| 600-82104-6     | WLU76-01-25      | 88   | 93               |

TestAmerica Houston

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID      | Client Sample ID   | Percent Surrogate Recovery (Acceptance Limits) |                  |
|--------------------|--------------------|--|------------------|
|                    |                    | BFB1<br>(43-141)                               | TFT1<br>(44-134) |
| 600-82104-7        | WLU76-02-02        | 78   | 92               |
| 600-82104-8        | WLU76-02-05        | 84   | 89               |
| 600-82104-9        | WLU76-02-10        | 78   | 90               |
| 600-82104-10       | WLU76-02-15        | 80   | 93               |
| 600-82104-11       | WLU76-02-20        | 77   | 92               |
| 600-82104-12       | WLU76-02-25        | 77   | 92               |
| 600-82104-13       | WLU76-03-02        | 79   | 93               |
| 600-82104-14       | WLU76-03-05        | 76   | 92               |
| 600-82104-15       | WLU76-03-10        | 74   | 92               |
| 600-82104-16       | WLU76-03-15        | 73   | 93               |
| 600-82104-17       | WLU76-03-20        | 95   | 99               |
| 600-82104-18       | WLU76-03-25        | 100  | 99               |
| 600-82104-19       | WLU76-04-02        | 95   | 95               |
| 600-82104-20       | WLU76-04-05        | 95   | 97               |
| 600-82104-21       | WLU76-04-10        | 88   | 88               |
| 600-82104-22       | WLU76-04-15        | 82   | 79               |
| 600-82104-23       | WLU76-04-20        | 89   | 88               |
| 600-82104-24       | WLU76-04-25        | 80   | 71               |
| LCS 600-120453/1-A | Lab Control Sample | 83   | 87               |
| LCS 600-120574/1-A | Lab Control Sample | 101  | 100              |
| MB 600-120453/2-A  | Method Blank       | 90   | 89               |
| MB 600-120574/2-A  | Method Blank       | 101  | 102              |

**Surrogate Legend**

BFB = 4-Bromofluorobenzene

TFT = a,a,a-Trifluorotoluene

## Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Surrogate Recovery (Acceptance Limits) |
|---------------|------------------|--|
|               |                  | OTPH1<br>(60-140)                              |
| 600-82104-1   | WLU76-01-02      | 129  |
| 600-82104-2   | WLU76-01-05      | 130  |
| 600-82104-3   | WLU76-01-10      | 117  |
| 600-82104-4   | WLU76-01-15      | 121  |
| 600-82104-5   | WLU76-01-20      | 128  |
| 600-82104-6   | WLU76-01-25      | 126  |
| 600-82104-7   | WLU76-02-02      | 134  |
| 600-82104-8   | WLU76-02-05      | 130  |
| 600-82104-9   | WLU76-02-10      | 128  |
| 600-82104-10  | WLU76-02-15      | 129  |
| 600-82104-11  | WLU76-02-20      | 123  |
| 600-82104-12  | WLU76-02-25      | 130  |
| 600-82104-13  | WLU76-03-02      | 133  |
| 600-82104-14  | WLU76-03-05      | 66   |
| 600-82104-15  | WLU76-03-10      | 68   |
| 600-82104-16  | WLU76-03-15      | 68   |

TestAmerica Houston

# Surrogate Summary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8015B - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

| Lab Sample ID      | Client Sample ID   | OTPH1<br>(60-140) |
|--------------------|--------------------|-------------------|
| 600-82104-17       | WLU76-03-20        | 66                |
| 600-82104-18       | WLU76-03-25        | 66                |
| 600-82104-19       | WLU76-04-02        | 66                |
| 600-82104-20       | WLU76-04-05        | 68                |
| 600-82104-21       | WLU76-04-10        | 69                |
| 600-82104-22       | WLU76-04-15        | 67                |
| 600-82104-23       | WLU76-04-20        | 67                |
| 600-82104-24       | WLU76-04-25        | 64                |
| LCS 600-119796/2-A | Lab Control Sample | 94                |
| MB 600-119796/1-A  | Method Blank       | 67                |

#### Surrogate Legend

OTPH = o-Terphenyl

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8015B - Gasoline Range Organics - (GC)

**Lab Sample ID: MB 600-120569/2-A**

**Matrix: Solid**

**Analysis Batch: 120821**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

**Prep Batch: 120569**

| Analyte                             | MB Result | MB Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|--------------|-----|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |              | 1.0 |     | mg/Kg |   | 11/06/13 09:18 | 11/06/13 14:29 | 1       |

| Surrogate              | MB %Recovery | MB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| a,a,a-Trifluorotoluene | 106          |              | 50 - 150 | 11/06/13 09:18 | 11/06/13 14:29 | 1       |
| 4-Bromofluorobenzene   | 98           |              | 50 - 150 | 11/06/13 09:18 | 11/06/13 14:29 | 1       |

**Lab Sample ID: LCS 600-120569/1-A**

**Matrix: Solid**

**Analysis Batch: 120821**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 120569**

| Analyte                             | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|-------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| WI Gasoline Range Organics (C6-C10) | 5.00        | 4.94       |               | mg/Kg |   | 99   | 49 - 151     |

| Surrogate              | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------|---------------|---------------|----------|
| a,a,a-Trifluorotoluene | 107           |               | 50 - 150 |
| 4-Bromofluorobenzene   | 96            |               | 50 - 150 |

**Lab Sample ID: MB 600-120582/2-A**

**Matrix: Solid**

**Analysis Batch: 120822**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

**Prep Batch: 120582**

| Analyte                             | MB Result | MB Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|-------------------------------------|-----------|--------------|-----|-----|-------|---|----------------|----------------|---------|
| WI Gasoline Range Organics (C6-C10) | ND        |              | 1.0 |     | mg/Kg |   | 11/07/13 08:33 | 11/07/13 18:41 | 1       |

| Surrogate              | MB %Recovery | MB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|--------------|--------------|----------|----------------|----------------|---------|
| a,a,a-Trifluorotoluene | 101          |              | 50 - 150 | 11/07/13 08:33 | 11/07/13 18:41 | 1       |
| 4-Bromofluorobenzene   | 94           |              | 50 - 150 | 11/07/13 08:33 | 11/07/13 18:41 | 1       |

**Lab Sample ID: LCS 600-120582/1-A**

**Matrix: Solid**

**Analysis Batch: 120822**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 120582**

| Analyte                             | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|-------------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| WI Gasoline Range Organics (C6-C10) | 5.00        | 5.20       |               | mg/Kg |   | 104  | 49 - 151     |

| Surrogate              | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------|---------------|---------------|----------|
| a,a,a-Trifluorotoluene | 108           |               | 50 - 150 |
| 4-Bromofluorobenzene   | 87            |               | 50 - 150 |

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8015B - Gasoline Range Organics - (GC) (Continued)

**Lab Sample ID: 600-82104-13 MS**

**Matrix: Solid**  
**Analysis Batch: 120822**

**Client Sample ID: WLU76-03-02**

**Prep Type: Total/NA**  
**Prep Batch: 120582**

| Analyte                             | Sample Result    | Sample Qualifier    | Spike Added   | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|-------------------------------------|------------------|---------------------|---------------|-----------|--------------|-------|---|------|--------------|
| WI Gasoline Range Organics (C6-C10) | ND               |                     | 5.33          | 4.79      |              | mg/Kg | ☼ | 85   | 50 - 150     |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>MS Qualifier</b> | <b>Limits</b> |           |              |       |   |      |              |
| a,a,a-Trifluorotoluene              | 105              |                     | 50 - 150      |           |              |       |   |      |              |
| 4-Bromofluorobenzene                | 107              |                     | 50 - 150      |           |              |       |   |      |              |

**Lab Sample ID: 600-82104-13 MSD**

**Matrix: Solid**  
**Analysis Batch: 120822**

**Client Sample ID: WLU76-03-02**

**Prep Type: Total/NA**  
**Prep Batch: 120582**

| Analyte                             | Sample Result    | Sample Qualifier     | Spike Added   | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-------------------------------------|------------------|----------------------|---------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| WI Gasoline Range Organics (C6-C10) | ND               |                      | 5.33          | 4.67       |               | mg/Kg | ☼ | 83   | 50 - 150     | 3   | 30        |
| <b>Surrogate</b>                    | <b>%Recovery</b> | <b>MSD Qualifier</b> | <b>Limits</b> |            |               |       |   |      |              |     |           |
| a,a,a-Trifluorotoluene              | 105              |                      | 50 - 150      |            |               |       |   |      |              |     |           |
| 4-Bromofluorobenzene                | 106              |                      | 50 - 150      |            |               |       |   |      |              |     |           |

## Method: 8021B - Volatile Organic Compounds (GC)

**Lab Sample ID: MB 600-120453/2-A**

**Matrix: Solid**  
**Analysis Batch: 120418**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**  
**Prep Batch: 120453**

| Analyte                | MB Result        | MB Qualifier        | RL            | MDL | Unit  | D | Prepared        | Analyzed        | Dil Fac        |
|------------------------|------------------|---------------------|---------------|-----|-------|---|-----------------|-----------------|----------------|
| Benzene                | ND               |                     | 0.020         |     | mg/Kg |   | 11/06/13 08:59  | 11/13/13 14:08  | 1              |
| Toluene                | ND               |                     | 0.020         |     | mg/Kg |   | 11/06/13 08:59  | 11/13/13 14:08  | 1              |
| Ethylbenzene           | ND               |                     | 0.020         |     | mg/Kg |   | 11/06/13 08:59  | 11/13/13 14:08  | 1              |
| Xylenes, Total         | ND               |                     | 0.020         |     | mg/Kg |   | 11/06/13 08:59  | 11/13/13 14:08  | 1              |
| <b>Surrogate</b>       | <b>%Recovery</b> | <b>MB Qualifier</b> | <b>Limits</b> |     |       |   | <b>Prepared</b> | <b>Analyzed</b> | <b>Dil Fac</b> |
| 4-Bromofluorobenzene   | 90               |                     | 43 - 141      |     |       |   | 11/06/13 08:59  | 11/13/13 14:08  | 1              |
| a,a,a-Trifluorotoluene | 89               |                     | 44 - 134      |     |       |   | 11/06/13 08:59  | 11/13/13 14:08  | 1              |

**Lab Sample ID: LCS 600-120453/1-A**

**Matrix: Solid**  
**Analysis Batch: 120418**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**  
**Prep Batch: 120453**

| Analyte              | Spike Added      | LCS Result           | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------------------|------------------|----------------------|---------------|-------|---|------|--------------|
| Benzene              | 1.00             | 0.964                |               | mg/Kg |   | 96   | 69 - 133     |
| Toluene              | 1.00             | 1.01                 |               | mg/Kg |   | 101  | 70 - 134     |
| Ethylbenzene         | 1.00             | 1.01                 |               | mg/Kg |   | 101  | 71 - 139     |
| Xylenes, Total       | 3.01             | 3.04                 |               | mg/Kg |   | 101  | 70 - 130     |
| <b>Surrogate</b>     | <b>%Recovery</b> | <b>LCS Qualifier</b> | <b>Limits</b> |       |   |      |              |
| 4-Bromofluorobenzene | 83               |                      | 43 - 141      |       |   |      |              |

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

**Lab Sample ID: LCS 600-120453/1-A**  
**Matrix: Solid**  
**Analysis Batch: 120418**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 120453**

| Surrogate              | LCS LCS   |           | Limits   |
|------------------------|-----------|-----------|----------|
|                        | %Recovery | Qualifier |          |
| a,a,a-Trifluorotoluene | 87        |           | 44 - 134 |

**Lab Sample ID: 600-82104-1 MS**  
**Matrix: Solid**  
**Analysis Batch: 120418**

**Client Sample ID: WLU76-01-02**  
**Prep Type: Total/NA**  
**Prep Batch: 120453**

| Analyte        | Sample Result | Sample Qualifier | Spike Added | MS MS  |           | Unit  | D | %Rec | %Rec. Limits |
|----------------|---------------|------------------|-------------|--------|-----------|-------|---|------|--------------|
|                |               |                  |             | Result | Qualifier |       |   |      |              |
| Benzene        | ND            |                  | 1.07        | 1.03   |           | mg/Kg | ☼ | 97   | 50 - 150     |
| Toluene        | ND            |                  | 1.07        | 1.14   |           | mg/Kg | ☼ | 106  | 50 - 150     |
| Ethylbenzene   | ND            |                  | 1.07        | 1.13   |           | mg/Kg | ☼ | 106  | 50 - 150     |
| Xylenes, Total | 0.056         |                  | 3.21        | 3.51   |           | mg/Kg | ☼ | 108  | 50 - 150     |

| Surrogate              | MS MS     |           | Limits   |
|------------------------|-----------|-----------|----------|
|                        | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene   | 88        |           | 43 - 141 |
| a,a,a-Trifluorotoluene | 93        |           | 44 - 134 |

**Lab Sample ID: 600-82104-1 MSD**  
**Matrix: Solid**  
**Analysis Batch: 120418**

**Client Sample ID: WLU76-01-02**  
**Prep Type: Total/NA**  
**Prep Batch: 120453**

| Analyte        | Sample Result | Sample Qualifier | Spike Added | MSD MSD |           | Unit  | D | %Rec | %Rec. Limits | RPD |       |
|----------------|---------------|------------------|-------------|---------|-----------|-------|---|------|--------------|-----|-------|
|                |               |                  |             | Result  | Qualifier |       |   |      |              | RPD | Limit |
| Benzene        | ND            |                  | 1.07        | 1.07    |           | mg/Kg | ☼ | 100  | 50 - 150     | 4   | 20    |
| Toluene        | ND            |                  | 1.07        | 1.10    |           | mg/Kg | ☼ | 103  | 50 - 150     | 3   | 20    |
| Ethylbenzene   | ND            |                  | 1.07        | 1.09    |           | mg/Kg | ☼ | 102  | 50 - 150     | 4   | 20    |
| Xylenes, Total | 0.056         |                  | 3.21        | 3.42    |           | mg/Kg | ☼ | 105  | 50 - 150     | 3   | 20    |

| Surrogate              | MSD MSD   |           | Limits   |
|------------------------|-----------|-----------|----------|
|                        | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene   | 86        |           | 43 - 141 |
| a,a,a-Trifluorotoluene | 92        |           | 44 - 134 |

**Lab Sample ID: MB 600-120574/2-A**  
**Matrix: Solid**  
**Analysis Batch: 120568**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 120574**

| Analyte        | MB MB  |           | RL    | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|----------------|--------|-----------|-------|-----|-------|---|----------------|----------------|---------|
|                | Result | Qualifier |       |     |       |   |                |                |         |
| Benzene        | ND     |           | 0.020 |     | mg/Kg |   | 11/06/13 10:13 | 11/13/13 12:50 | 1       |
| Toluene        | ND     |           | 0.020 |     | mg/Kg |   | 11/06/13 10:13 | 11/13/13 12:50 | 1       |
| Ethylbenzene   | ND     |           | 0.020 |     | mg/Kg |   | 11/06/13 10:13 | 11/13/13 12:50 | 1       |
| Xylenes, Total | ND     |           | 0.020 |     | mg/Kg |   | 11/06/13 10:13 | 11/13/13 12:50 | 1       |

| Surrogate              | MB MB     |           | Limits   | Prepared       | Analyzed       | Dil Fac |
|------------------------|-----------|-----------|----------|----------------|----------------|---------|
|                        | %Recovery | Qualifier |          |                |                |         |
| 4-Bromofluorobenzene   | 101       |           | 43 - 141 | 11/06/13 10:13 | 11/13/13 12:50 | 1       |
| a,a,a-Trifluorotoluene | 102       |           | 44 - 134 | 11/06/13 10:13 | 11/13/13 12:50 | 1       |

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 600-120574/1-A

Matrix: Solid

Analysis Batch: 120568

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 120574

| Analyte        | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------------|-------------|------------|---------------|-------|---|------|--------------|
| Benzene        | 1.00        | 1.00       |               | mg/Kg |   | 100  | 69 - 133     |
| Toluene        | 1.00        | 1.01       |               | mg/Kg |   | 101  | 70 - 134     |
| Ethylbenzene   | 1.00        | 1.00       |               | mg/Kg |   | 100  | 71 - 139     |
| Xylenes, Total | 3.01        | 3.08       |               | mg/Kg |   | 102  | 70 - 130     |

| Surrogate              | LCS %Recovery | LCS Qualifier | Limits   |
|------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene   | 101           |               | 43 - 141 |
| a,a,a-Trifluorotoluene | 100           |               | 44 - 134 |

## Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 600-119796/1-A

Matrix: Solid

Analysis Batch: 120123

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 119796

| Analyte                         | MB Result | MB Qualifier | RL  | MDL | Unit  | D | Prepared       | Analyzed       | Dil Fac |
|---------------------------------|-----------|--------------|-----|-----|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND        |              | 8.3 |     | mg/Kg |   | 11/06/13 13:43 | 11/08/13 07:54 | 1       |

| Surrogate   | MB %Recovery | MB Qualifier | Limits   | Prepared       | Analyzed       | Dil Fac |
|-------------|--------------|--------------|----------|----------------|----------------|---------|
| o-Terphenyl | 67           |              | 60 - 140 | 11/06/13 13:43 | 11/08/13 07:54 | 1       |

Lab Sample ID: LCS 600-119796/2-A

Matrix: Solid

Analysis Batch: 120123

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 119796

| Analyte                         | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|---------------------------------|-------------|------------|---------------|-------|---|------|--------------|
| Diesel Range Organics [C10-C28] | 33.3        | 29.8       |               | mg/Kg |   | 90   | 70 - 130     |

| Surrogate   | LCS %Recovery | LCS Qualifier | Limits   |
|-------------|---------------|---------------|----------|
| o-Terphenyl | 94            |               | 60 - 140 |

## Method: 9056 - Anions, Ion Chromatography

Lab Sample ID: MB 600-120660/1-A

Matrix: Solid

Analysis Batch: 120678

Client Sample ID: Method Blank

Prep Type: Soluble

| Analyte  | MB Result | MB Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | ND        |              | 4.0 |     | mg/Kg |   |          | 11/16/13 02:33 | 1       |

Lab Sample ID: LCS 600-120660/2-A

Matrix: Solid

Analysis Batch: 120678

Client Sample ID: Lab Control Sample

Prep Type: Soluble

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|-------|---|------|--------------|
| Chloride | 200         | 210        |               | mg/Kg |   | 105  | 90 - 110     |

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Method: 9056 - Anions, Ion Chromatography (Continued)

**Lab Sample ID: 600-82104-5 MS**

**Matrix: Solid**

**Analysis Batch: 120678**

**Client Sample ID: WLU76-01-20**

**Prep Type: Soluble**

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Chloride | 39            |                  | 107         | 141       |              | mg/Kg | ☼ | 95   | 80 - 120     |

**Lab Sample ID: 600-82104-5 MSD**

**Matrix: Solid**

**Analysis Batch: 120678**

**Client Sample ID: WLU76-01-20**

**Prep Type: Soluble**

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Chloride | 39            |                  | 107         | 140        |               | mg/Kg | ☼ | 94   | 80 - 120     | 1   | 20        |

**Lab Sample ID: 600-82104-11 MS**

**Matrix: Solid**

**Analysis Batch: 120678**

**Client Sample ID: WLU76-02-20**

**Prep Type: Soluble**

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Chloride | 9.8           |                  | 106         | 112       |              | mg/Kg | ☼ | 96   | 80 - 120     |

**Lab Sample ID: 600-82104-11 MSD**

**Matrix: Solid**

**Analysis Batch: 120678**

**Client Sample ID: WLU76-02-20**

**Prep Type: Soluble**

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Chloride | 9.8           |                  | 106         | 113        |               | mg/Kg | ☼ | 97   | 80 - 120     | 0   | 20        |

**Lab Sample ID: MB 600-120660/1-A**

**Matrix: Solid**

**Analysis Batch: 120730**

**Client Sample ID: Method Blank**

**Prep Type: Soluble**

| Analyte  | MB Result | MB Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | 5.95      |              | 4.0 |     | mg/Kg |   |          | 11/16/13 07:47 | 1       |

**Lab Sample ID: LCS 600-120660/2-A**

**Matrix: Solid**

**Analysis Batch: 120730**

**Client Sample ID: Lab Control Sample**

**Prep Type: Soluble**

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|-------|---|------|--------------|
| Chloride | 200         | 191        |               | mg/Kg |   | 95   | 90 - 110     |

**Lab Sample ID: MB 600-120661/1-A**

**Matrix: Solid**

**Analysis Batch: 120752**

**Client Sample ID: Method Blank**

**Prep Type: Soluble**

| Analyte  | MB Result | MB Qualifier | RL  | MDL | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-----|-----|-------|---|----------|----------------|---------|
| Chloride | ND        |              | 4.0 |     | mg/Kg |   |          | 11/16/13 10:38 | 1       |

**Lab Sample ID: LCS 600-120661/2-A**

**Matrix: Solid**

**Analysis Batch: 120752**

**Client Sample ID: Lab Control Sample**

**Prep Type: Soluble**

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------|-------------|------------|---------------|-------|---|------|--------------|
| Chloride | 200         | 210        |               | mg/Kg |   | 105  | 90 - 110     |

TestAmerica Houston

# QC Sample Results

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Lab Sample ID: 600-82104-A-19-D MS**  
**Matrix: Solid**  
**Analysis Batch: 120752**

**Client Sample ID: 600-82104-A-19-D MS**  
**Prep Type: Soluble**

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit  | D | %Rec | %Rec. Limits |
|----------|---------------|------------------|-------------|-----------|--------------|-------|---|------|--------------|
| Chloride | 160           |                  | 209         | 398       |              | mg/Kg | ☼ | 112  | 80 - 120     |

**Lab Sample ID: 600-82104-A-19-E MSD**  
**Matrix: Solid**  
**Analysis Batch: 120752**

**Client Sample ID: 600-82104-A-19-E MSD**  
**Prep Type: Soluble**

| Analyte  | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit  | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|----------|---------------|------------------|-------------|------------|---------------|-------|---|------|--------------|-----|-----------|
| Chloride | 160           |                  | 209         | 396        |               | mg/Kg | ☼ | 111  | 80 - 120     | 1   | 20        |

## Method: Moisture - Percent Moisture

**Lab Sample ID: 600-82104-5 DU**  
**Matrix: Solid**  
**Analysis Batch: 119700**

**Client Sample ID: WLU76-01-20**  
**Prep Type: Total/NA**

| Analyte          | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD   | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-------|-----------|
| Percent Moisture | 6.5           |                  | 6.5       |              | %    |   | 0.08  | 20        |
| Percent Solids   | 93            |                  | 93        |              | %    |   | 0.005 | 20        |

**Lab Sample ID: 600-82104-22 DU**  
**Matrix: Solid**  
**Analysis Batch: 119700**

**Client Sample ID: WLU76-04-15**  
**Prep Type: Total/NA**

| Analyte          | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Percent Moisture | 4.6           |                  | 5.0       |              | %    |   | 8   | 20        |
| Percent Solids   | 95            |                  | 95        |              | %    |   | 0.4 | 20        |

# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-82104-1

Project/Site: HES Transfer Sites, Lea County NM

## GC VOA

### Analysis Batch: 120418

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-1        | WLU76-01-02        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-1 MS     | WLU76-01-02        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-1 MSD    | WLU76-01-02        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-2        | WLU76-01-05        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-3        | WLU76-01-10        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-4        | WLU76-01-15        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-5        | WLU76-01-20        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-6        | WLU76-01-25        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-7        | WLU76-02-02        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-8        | WLU76-02-05        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-9        | WLU76-02-10        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-10       | WLU76-02-15        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-11       | WLU76-02-20        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-12       | WLU76-02-25        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-13       | WLU76-03-02        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-14       | WLU76-03-05        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-15       | WLU76-03-10        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-16       | WLU76-03-15        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-17       | WLU76-03-20        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-18       | WLU76-03-25        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-19       | WLU76-04-02        | Total/NA  | Solid  | 8021B  | 120453     |
| 600-82104-20       | WLU76-04-05        | Total/NA  | Solid  | 8021B  | 120453     |
| LCS 600-120453/1-A | Lab Control Sample | Total/NA  | Solid  | 8021B  | 120453     |
| MB 600-120453/2-A  | Method Blank       | Total/NA  | Solid  | 8021B  | 120453     |

### Prep Batch: 120453

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-1        | WLU76-01-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-1 MS     | WLU76-01-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-1 MSD    | WLU76-01-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-2        | WLU76-01-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-3        | WLU76-01-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-4        | WLU76-01-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-5        | WLU76-01-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-6        | WLU76-01-25        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-7        | WLU76-02-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-8        | WLU76-02-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-9        | WLU76-02-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-10       | WLU76-02-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-11       | WLU76-02-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-12       | WLU76-02-25        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-13       | WLU76-03-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-14       | WLU76-03-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-15       | WLU76-03-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-16       | WLU76-03-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-17       | WLU76-03-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-18       | WLU76-03-25        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-19       | WLU76-04-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-20       | WLU76-04-05        | Total/NA  | Solid  | 5030B  |            |
| LCS 600-120453/1-A | Lab Control Sample | Total/NA  | Solid  | 5030B  |            |
| MB 600-120453/2-A  | Method Blank       | Total/NA  | Solid  | 5030B  |            |

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-82104-1

Project/Site: HES Transfer Sites, Lea County NM

## GC VOA (Continued)

### Analysis Batch: 120568

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-21       | WLU76-04-10        | Total/NA  | Solid  | 8021B  | 120574     |
| 600-82104-22       | WLU76-04-15        | Total/NA  | Solid  | 8021B  | 120574     |
| 600-82104-23       | WLU76-04-20        | Total/NA  | Solid  | 8021B  | 120574     |
| 600-82104-24       | WLU76-04-25        | Total/NA  | Solid  | 8021B  | 120574     |
| LCS 600-120574/1-A | Lab Control Sample | Total/NA  | Solid  | 8021B  | 120574     |
| MB 600-120574/2-A  | Method Blank       | Total/NA  | Solid  | 8021B  | 120574     |

### Prep Batch: 120569

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-1        | WLU76-01-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-2        | WLU76-01-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-3        | WLU76-01-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-4        | WLU76-01-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-5        | WLU76-01-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-6        | WLU76-01-25        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-7        | WLU76-02-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-8        | WLU76-02-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-9        | WLU76-02-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-10       | WLU76-02-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-11       | WLU76-02-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-12       | WLU76-02-25        | Total/NA  | Solid  | 5030B  |            |
| LCS 600-120569/1-A | Lab Control Sample | Total/NA  | Solid  | 5030B  |            |
| MB 600-120569/2-A  | Method Blank       | Total/NA  | Solid  | 5030B  |            |

### Prep Batch: 120574

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-21       | WLU76-04-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-22       | WLU76-04-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-23       | WLU76-04-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-24       | WLU76-04-25        | Total/NA  | Solid  | 5030B  |            |
| LCS 600-120574/1-A | Lab Control Sample | Total/NA  | Solid  | 5030B  |            |
| MB 600-120574/2-A  | Method Blank       | Total/NA  | Solid  | 5030B  |            |

### Prep Batch: 120582

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-13       | WLU76-03-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-13 MS    | WLU76-03-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-13 MSD   | WLU76-03-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-14       | WLU76-03-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-15       | WLU76-03-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-16       | WLU76-03-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-17       | WLU76-03-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-18       | WLU76-03-25        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-19       | WLU76-04-02        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-20       | WLU76-04-05        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-21       | WLU76-04-10        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-22       | WLU76-04-15        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-23       | WLU76-04-20        | Total/NA  | Solid  | 5030B  |            |
| 600-82104-24       | WLU76-04-25        | Total/NA  | Solid  | 5030B  |            |
| LCS 600-120582/1-A | Lab Control Sample | Total/NA  | Solid  | 5030B  |            |
| MB 600-120582/2-A  | Method Blank       | Total/NA  | Solid  | 5030B  |            |

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## GC VOA (Continued)

### Analysis Batch: 120821

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-1        | WLU76-01-02        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-2        | WLU76-01-05        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-3        | WLU76-01-10        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-4        | WLU76-01-15        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-5        | WLU76-01-20        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-6        | WLU76-01-25        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-7        | WLU76-02-02        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-8        | WLU76-02-05        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-9        | WLU76-02-10        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-10       | WLU76-02-15        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-11       | WLU76-02-20        | Total/NA  | Solid  | 8015B  | 120569     |
| 600-82104-12       | WLU76-02-25        | Total/NA  | Solid  | 8015B  | 120569     |
| LCS 600-120569/1-A | Lab Control Sample | Total/NA  | Solid  | 8015B  | 120569     |
| MB 600-120569/2-A  | Method Blank       | Total/NA  | Solid  | 8015B  | 120569     |

### Analysis Batch: 120822

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-13       | WLU76-03-02        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-13 MS    | WLU76-03-02        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-13 MSD   | WLU76-03-02        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-14       | WLU76-03-05        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-15       | WLU76-03-10        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-16       | WLU76-03-15        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-17       | WLU76-03-20        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-18       | WLU76-03-25        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-19       | WLU76-04-02        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-20       | WLU76-04-05        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-21       | WLU76-04-10        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-22       | WLU76-04-15        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-23       | WLU76-04-20        | Total/NA  | Solid  | 8015B  | 120582     |
| 600-82104-24       | WLU76-04-25        | Total/NA  | Solid  | 8015B  | 120582     |
| LCS 600-120582/1-A | Lab Control Sample | Total/NA  | Solid  | 8015B  | 120582     |
| MB 600-120582/2-A  | Method Blank       | Total/NA  | Solid  | 8015B  | 120582     |

## GC Semi VOA

### Prep Batch: 119687

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 600-82104-1   | WLU76-01-02      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-2   | WLU76-01-05      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-3   | WLU76-01-10      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-4   | WLU76-01-15      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-5   | WLU76-01-20      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-6   | WLU76-01-25      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-7   | WLU76-02-02      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-8   | WLU76-02-05      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-9   | WLU76-02-10      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-10  | WLU76-02-15      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-11  | WLU76-02-20      | Total/NA  | Solid  | 3550B  |            |
| 600-82104-12  | WLU76-02-25      | Total/NA  | Solid  | 3550B  |            |

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## GC Semi VOA (Continued)

### Prep Batch: 119687 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 600-82104-13  | WLU76-03-02      | Total/NA  | Solid  | 3550B  |            |

### Prep Batch: 119796

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-14       | WLU76-03-05        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-15       | WLU76-03-10        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-16       | WLU76-03-15        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-17       | WLU76-03-20        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-18       | WLU76-03-25        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-19       | WLU76-04-02        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-20       | WLU76-04-05        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-21       | WLU76-04-10        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-22       | WLU76-04-15        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-23       | WLU76-04-20        | Total/NA  | Solid  | 3550B  |            |
| 600-82104-24       | WLU76-04-25        | Total/NA  | Solid  | 3550B  |            |
| LCS 600-119796/2-A | Lab Control Sample | Total/NA  | Solid  | 3550B  |            |
| MB 600-119796/1-A  | Method Blank       | Total/NA  | Solid  | 3550B  |            |

### Analysis Batch: 120123

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-1        | WLU76-01-02        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-2        | WLU76-01-05        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-3        | WLU76-01-10        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-4        | WLU76-01-15        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-5        | WLU76-01-20        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-6        | WLU76-01-25        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-7        | WLU76-02-02        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-8        | WLU76-02-05        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-9        | WLU76-02-10        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-10       | WLU76-02-15        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-11       | WLU76-02-20        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-12       | WLU76-02-25        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-13       | WLU76-03-02        | Total/NA  | Solid  | 8015B  | 119687     |
| 600-82104-14       | WLU76-03-05        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-15       | WLU76-03-10        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-16       | WLU76-03-15        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-17       | WLU76-03-20        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-18       | WLU76-03-25        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-19       | WLU76-04-02        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-20       | WLU76-04-05        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-21       | WLU76-04-10        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-22       | WLU76-04-15        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-23       | WLU76-04-20        | Total/NA  | Solid  | 8015B  | 119796     |
| 600-82104-24       | WLU76-04-25        | Total/NA  | Solid  | 8015B  | 119796     |
| LCS 600-119796/2-A | Lab Control Sample | Total/NA  | Solid  | 8015B  | 119796     |
| MB 600-119796/1-A  | Method Blank       | Total/NA  | Solid  | 8015B  | 119796     |

# QC Association Summary

Client: ARCADIS U.S., Inc.

TestAmerica Job ID: 600-82104-1

Project/Site: HES Transfer Sites, Lea County NM

## General Chemistry

### Analysis Batch: 119700

| Lab Sample ID   | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|-----------------|------------------|-----------|--------|----------|------------|
| 600-82104-1     | WLU76-01-02      | Total/NA  | Solid  | Moisture |            |
| 600-82104-2     | WLU76-01-05      | Total/NA  | Solid  | Moisture |            |
| 600-82104-3     | WLU76-01-10      | Total/NA  | Solid  | Moisture |            |
| 600-82104-4     | WLU76-01-15      | Total/NA  | Solid  | Moisture |            |
| 600-82104-5     | WLU76-01-20      | Total/NA  | Solid  | Moisture |            |
| 600-82104-5 DU  | WLU76-01-20      | Total/NA  | Solid  | Moisture |            |
| 600-82104-6     | WLU76-01-25      | Total/NA  | Solid  | Moisture |            |
| 600-82104-7     | WLU76-02-02      | Total/NA  | Solid  | Moisture |            |
| 600-82104-8     | WLU76-02-05      | Total/NA  | Solid  | Moisture |            |
| 600-82104-9     | WLU76-02-10      | Total/NA  | Solid  | Moisture |            |
| 600-82104-10    | WLU76-02-15      | Total/NA  | Solid  | Moisture |            |
| 600-82104-11    | WLU76-02-20      | Total/NA  | Solid  | Moisture |            |
| 600-82104-12    | WLU76-02-25      | Total/NA  | Solid  | Moisture |            |
| 600-82104-13    | WLU76-03-02      | Total/NA  | Solid  | Moisture |            |
| 600-82104-14    | WLU76-03-05      | Total/NA  | Solid  | Moisture |            |
| 600-82104-15    | WLU76-03-10      | Total/NA  | Solid  | Moisture |            |
| 600-82104-16    | WLU76-03-15      | Total/NA  | Solid  | Moisture |            |
| 600-82104-17    | WLU76-03-20      | Total/NA  | Solid  | Moisture |            |
| 600-82104-18    | WLU76-03-25      | Total/NA  | Solid  | Moisture |            |
| 600-82104-19    | WLU76-04-02      | Total/NA  | Solid  | Moisture |            |
| 600-82104-20    | WLU76-04-05      | Total/NA  | Solid  | Moisture |            |
| 600-82104-21    | WLU76-04-10      | Total/NA  | Solid  | Moisture |            |
| 600-82104-22    | WLU76-04-15      | Total/NA  | Solid  | Moisture |            |
| 600-82104-22 DU | WLU76-04-15      | Total/NA  | Solid  | Moisture |            |
| 600-82104-23    | WLU76-04-20      | Total/NA  | Solid  | Moisture |            |
| 600-82104-24    | WLU76-04-25      | Total/NA  | Solid  | Moisture |            |

### Leach Batch: 120660

| Lab Sample ID    | Client Sample ID | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------|-----------|--------|----------|------------|
| 600-82104-1      | WLU76-01-02      | Soluble   | Solid  | DI Leach |            |
| 600-82104-2      | WLU76-01-05      | Soluble   | Solid  | DI Leach |            |
| 600-82104-3      | WLU76-01-10      | Soluble   | Solid  | DI Leach |            |
| 600-82104-4      | WLU76-01-15      | Soluble   | Solid  | DI Leach |            |
| 600-82104-5      | WLU76-01-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-5 MS   | WLU76-01-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-5 MSD  | WLU76-01-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-6      | WLU76-01-25      | Soluble   | Solid  | DI Leach |            |
| 600-82104-7      | WLU76-02-02      | Soluble   | Solid  | DI Leach |            |
| 600-82104-8      | WLU76-02-05      | Soluble   | Solid  | DI Leach |            |
| 600-82104-9      | WLU76-02-10      | Soluble   | Solid  | DI Leach |            |
| 600-82104-10     | WLU76-02-15      | Soluble   | Solid  | DI Leach |            |
| 600-82104-11     | WLU76-02-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-11 MS  | WLU76-02-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-11 MSD | WLU76-02-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-12     | WLU76-02-25      | Soluble   | Solid  | DI Leach |            |
| 600-82104-13     | WLU76-03-02      | Soluble   | Solid  | DI Leach |            |
| 600-82104-14     | WLU76-03-05      | Soluble   | Solid  | DI Leach |            |
| 600-82104-15     | WLU76-03-10      | Soluble   | Solid  | DI Leach |            |
| 600-82104-16     | WLU76-03-15      | Soluble   | Solid  | DI Leach |            |
| 600-82104-17     | WLU76-03-20      | Soluble   | Solid  | DI Leach |            |
| 600-82104-18     | WLU76-03-25      | Soluble   | Solid  | DI Leach |            |

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## General Chemistry (Continued)

### Leach Batch: 120660 (Continued)

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method   | Prep Batch |
|--------------------|--------------------|-----------|--------|----------|------------|
| LCS 600-120660/2-A | Lab Control Sample | Soluble   | Solid  | DI Leach |            |
| MB 600-120660/1-A  | Method Blank       | Soluble   | Solid  | DI Leach |            |

### Leach Batch: 120661

| Lab Sample ID        | Client Sample ID     | Prep Type | Matrix | Method   | Prep Batch |
|----------------------|----------------------|-----------|--------|----------|------------|
| 600-82104-19         | WLU76-04-02          | Soluble   | Solid  | DI Leach |            |
| 600-82104-20         | WLU76-04-05          | Soluble   | Solid  | DI Leach |            |
| 600-82104-21         | WLU76-04-10          | Soluble   | Solid  | DI Leach |            |
| 600-82104-22         | WLU76-04-15          | Soluble   | Solid  | DI Leach |            |
| 600-82104-23         | WLU76-04-20          | Soluble   | Solid  | DI Leach |            |
| 600-82104-24         | WLU76-04-25          | Soluble   | Solid  | DI Leach |            |
| 600-82104-A-19-D MS  | 600-82104-A-19-D MS  | Soluble   | Solid  | DI Leach |            |
| 600-82104-A-19-E MSD | 600-82104-A-19-E MSD | Soluble   | Solid  | DI Leach |            |
| LCS 600-120661/2-A   | Lab Control Sample   | Soluble   | Solid  | DI Leach |            |
| MB 600-120661/1-A    | Method Blank         | Soluble   | Solid  | DI Leach |            |

### Analysis Batch: 120678

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-1        | WLU76-01-02        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-2        | WLU76-01-05        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-3        | WLU76-01-10        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-4        | WLU76-01-15        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-5        | WLU76-01-20        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-5 MS     | WLU76-01-20        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-5 MSD    | WLU76-01-20        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-6        | WLU76-01-25        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-7        | WLU76-02-02        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-8        | WLU76-02-05        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-9        | WLU76-02-10        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-10       | WLU76-02-15        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-11       | WLU76-02-20        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-11 MS    | WLU76-02-20        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-11 MSD   | WLU76-02-20        | Soluble   | Solid  | 9056   | 120660     |
| LCS 600-120660/2-A | Lab Control Sample | Soluble   | Solid  | 9056   | 120660     |
| MB 600-120660/1-A  | Method Blank       | Soluble   | Solid  | 9056   | 120660     |

### Analysis Batch: 120730

| Lab Sample ID      | Client Sample ID   | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------|-----------|--------|--------|------------|
| 600-82104-12       | WLU76-02-25        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-13       | WLU76-03-02        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-14       | WLU76-03-05        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-15       | WLU76-03-10        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-16       | WLU76-03-15        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-17       | WLU76-03-20        | Soluble   | Solid  | 9056   | 120660     |
| 600-82104-18       | WLU76-03-25        | Soluble   | Solid  | 9056   | 120660     |
| LCS 600-120660/2-A | Lab Control Sample | Soluble   | Solid  | 9056   | 120660     |
| MB 600-120660/1-A  | Method Blank       | Soluble   | Solid  | 9056   | 120660     |

### Analysis Batch: 120752

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 600-82104-19  | WLU76-04-02      | Soluble   | Solid  | 9056   | 120661     |

TestAmerica Houston

# QC Association Summary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## General Chemistry (Continued)

### Analysis Batch: 120752 (Continued)

| Lab Sample ID        | Client Sample ID     | Prep Type | Matrix | Method | Prep Batch |
|----------------------|----------------------|-----------|--------|--------|------------|
| 600-82104-20         | WLU76-04-05          | Soluble   | Solid  | 9056   | 120661     |
| 600-82104-21         | WLU76-04-10          | Soluble   | Solid  | 9056   | 120661     |
| 600-82104-22         | WLU76-04-15          | Soluble   | Solid  | 9056   | 120661     |
| 600-82104-23         | WLU76-04-20          | Soluble   | Solid  | 9056   | 120661     |
| 600-82104-24         | WLU76-04-25          | Soluble   | Solid  | 9056   | 120661     |
| 600-82104-A-19-D MS  | 600-82104-A-19-D MS  | Soluble   | Solid  | 9056   | 120661     |
| 600-82104-A-19-E MSD | 600-82104-A-19-E MSD | Soluble   | Solid  | 9056   | 120661     |
| LCS 600-120661/2-A   | Lab Control Sample   | Soluble   | Solid  | 9056   | 120661     |
| MB 600-120661/1-A    | Method Blank         | Soluble   | Solid  | 9056   | 120661     |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-01-02**

**Date Collected: 10/31/13 14:50**

**Date Received: 11/04/13 14:42**

**Lab Sample ID: 600-82104-1**

**Matrix: Solid  
Percent Solids: 93.5**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 14:55       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 19:58       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.01 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.01 g        | 1.0 mL       | 120123       | 11/08/13 00:10       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 5          | 5 mL           | 5 mL         | 120678       | 11/16/13 03:41       | DAW     | TAL HOU |

**Client Sample ID: WLU76-01-05**

**Date Collected: 10/31/13 14:52**

**Date Received: 11/04/13 14:42**

**Lab Sample ID: 600-82104-2**

**Matrix: Solid  
Percent Solids: 94.1**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 15:15       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 20:23       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.19 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.19 g        | 1.0 mL       | 120123       | 11/08/13 00:43       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 2          | 5 mL           | 5 mL         | 120678       | 11/16/13 03:54       | DAW     | TAL HOU |

**Client Sample ID: WLU76-01-10**

**Date Collected: 10/31/13 15:54**

**Date Received: 11/04/13 14:42**

**Lab Sample ID: 600-82104-3**

**Matrix: Solid  
Percent Solids: 94.1**

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 15:35       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 20:48       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.06 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.06 g        | 1.0 mL       | 120123       | 11/08/13 01:16       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 04:08       | DAW     | TAL HOU |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-01-15**

**Lab Sample ID: 600-82104-4**

Date Collected: 10/31/13 15:46

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 93.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 15:55       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 21:13       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.03 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.03 g        | 1.0 mL       | 120123       | 11/08/13 01:50       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 04:22       | DAW     | TAL HOU |

**Client Sample ID: WLU76-01-20**

**Lab Sample ID: 600-82104-5**

Date Collected: 10/31/13 14:58

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 93.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 16:15       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 21:38       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.07 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.07 g        | 1.0 mL       | 120123       | 11/08/13 02:23       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 04:35       | DAW     | TAL HOU |

**Client Sample ID: WLU76-01-25**

**Lab Sample ID: 600-82104-6**

Date Collected: 10/31/13 15:00

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 16:35       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 22:03       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.17 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.17 g        | 1.0 mL       | 120123       | 11/08/13 02:56       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 05:43       | DAW     | TAL HOU |

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

**Client Sample ID: WLU76-02-02**

**Lab Sample ID: 600-82104-7**

Date Collected: 10/31/13 13:10

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 96.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 18:29       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 22:28       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.14 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.14 g        | 1.0 mL       | 120123       | 11/08/13 03:29       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 2          | 5 mL           | 5 mL         | 120678       | 11/16/13 05:56       | DAW     | TAL HOU |

**Client Sample ID: WLU76-02-05**

**Lab Sample ID: 600-82104-8**

Date Collected: 10/31/13 13:12

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 97.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 18:49       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 22:53       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.10 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.10 g        | 1.0 mL       | 120123       | 11/08/13 04:02       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 2          | 5 mL           | 5 mL         | 120678       | 11/16/13 06:50       | DAW     | TAL HOU |

**Client Sample ID: WLU76-02-10**

**Lab Sample ID: 600-82104-9**

Date Collected: 10/31/13 13:14

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 96.8

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 19:09       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 23:18       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.17 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.17 g        | 1.0 mL       | 120123       | 11/08/13 04:35       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 07:04       | DAW     | TAL HOU |

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-02-15

Date Collected: 10/31/13 13:16

Date Received: 11/04/13 14:42

## Lab Sample ID: 600-82104-10

Matrix: Solid

Percent Solids: 94.6

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 19:29       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/06/13 23:43       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.01 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.01 g        | 1.0 mL       | 120123       | 11/08/13 05:41       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 07:17       | DAW     | TAL HOU |

## Client Sample ID: WLU76-02-20

Date Collected: 10/31/13 13:18

Date Received: 11/04/13 14:42

## Lab Sample ID: 600-82104-11

Matrix: Solid

Percent Solids: 93.9

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 19:48       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/07/13 00:58       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.14 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.14 g        | 1.0 mL       | 120123       | 11/08/13 06:15       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120678       | 11/16/13 06:10       | DAW     | TAL HOU |

## Client Sample ID: WLU76-02-25

Date Collected: 10/31/13 13:20

Date Received: 11/04/13 14:42

## Lab Sample ID: 600-82104-12

Matrix: Solid

Percent Solids: 94.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 20:08       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120569       | 11/06/13 09:18       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120821       | 11/07/13 01:23       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.04 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.04 g        | 1.0 mL       | 120123       | 11/08/13 06:48       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 08:18       | DAW     | TAL HOU |

TestAmerica Houston

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-03-02

## Lab Sample ID: 600-82104-13

Date Collected: 10/31/13 12:22

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 20:28       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 19:06       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.11 g        | 1.0 mL       | 119687       | 11/05/13 14:52       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.11 g        | 1.0 mL       | 120123       | 11/08/13 07:21       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 15:31       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 08:33       | DAW     | TAL HOU |

## Client Sample ID: WLU76-03-05

## Lab Sample ID: 600-82104-14

Date Collected: 10/31/13 12:24

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 20:48       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 19:31       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.02 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.02 g        | 1.0 mL       | 120123       | 11/08/13 10:36       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 08:49       | DAW     | TAL HOU |

## Client Sample ID: WLU76-03-10

## Lab Sample ID: 600-82104-15

Date Collected: 10/31/13 12:26

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 98.0

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 21:07       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 19:56       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.15 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.15 g        | 1.0 mL       | 120123       | 11/08/13 11:42       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 09:04       | DAW     | TAL HOU |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-03-15

## Lab Sample ID: 600-82104-16

Date Collected: 10/31/13 12:29

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/13/13 21:27       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 20:21       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.00 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.00 g        | 1.0 mL       | 120123       | 11/08/13 12:12       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 09:20       | DAW     | TAL HOU |

## Client Sample ID: WLU76-03-20

## Lab Sample ID: 600-82104-17

Date Collected: 10/31/13 12:30

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 92.3

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/14/13 20:10       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 20:46       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.04 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.04 g        | 1.0 mL       | 120123       | 11/08/13 12:46       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 09:35       | DAW     | TAL HOU |

## Client Sample ID: WLU76-03-25

## Lab Sample ID: 600-82104-18

Date Collected: 10/31/13 12:32

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 71.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/14/13 20:30       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 21:11       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.12 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.12 g        | 1.0 mL       | 120123       | 11/08/13 13:17       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120660       | 11/15/13 10:00       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120730       | 11/16/13 10:22       | DAW     | TAL HOU |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-04-02

## Lab Sample ID: 600-82104-19

Date Collected: 10/31/13 11:46

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.5

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/14/13 20:49       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 21:37       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.00 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.00 g        | 1.0 mL       | 120123       | 11/08/13 13:50       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120661       | 11/15/13 10:15       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120752       | 11/16/13 11:05       | DAW     | TAL HOU |

## Client Sample ID: WLU76-04-05

## Lab Sample ID: 600-82104-20

Date Collected: 10/31/13 11:48

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 98.9

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120453       | 11/06/13 08:59       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120418       | 11/14/13 21:09       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 23:17       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.10 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.10 g        | 1.0 mL       | 120123       | 11/08/13 14:21       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120661       | 11/15/13 10:15       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120752       | 11/16/13 11:59       | DAW     | TAL HOU |

## Client Sample ID: WLU76-04-10

## Lab Sample ID: 600-82104-21

Date Collected: 10/31/13 11:50

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.1

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120574       | 11/06/13 10:13       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120568       | 11/13/13 18:33       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/07/13 23:42       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.02 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.02 g        | 1.0 mL       | 120123       | 11/08/13 14:50       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120661       | 11/15/13 10:15       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120752       | 11/16/13 12:12       | DAW     | TAL HOU |

# Lab Chronicle

Client: ARCADIS U.S., Inc.  
 Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Client Sample ID: WLU76-04-15

## Lab Sample ID: 600-82104-22

Date Collected: 10/31/13 11:02

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 95.4

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120574       | 11/06/13 10:13       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120568       | 11/13/13 21:49       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/08/13 00:06       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.11 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.11 g        | 1.0 mL       | 120123       | 11/08/13 15:20       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120661       | 11/15/13 10:15       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120752       | 11/16/13 12:26       | DAW     | TAL HOU |

## Client Sample ID: WLU76-04-20

## Lab Sample ID: 600-82104-23

Date Collected: 10/31/13 11:04

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 94.7

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120574       | 11/06/13 10:13       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120568       | 11/13/13 19:17       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/08/13 00:32       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.01 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.01 g        | 1.0 mL       | 120123       | 11/08/13 15:54       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120661       | 11/15/13 10:15       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120752       | 11/16/13 12:39       | DAW     | TAL HOU |

## Client Sample ID: WLU76-04-25

## Lab Sample ID: 600-82104-24

Date Collected: 10/31/13 11:06

Matrix: Solid

Date Received: 11/04/13 14:42

Percent Solids: 91.2

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 10 mL        | 120574       | 11/06/13 10:13       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8021B        |     | 1          | 10 g           | 10 mL        | 120568       | 11/13/13 22:10       | MHT     | TAL HOU |
| Total/NA  | Prep       | 5030B        |     |            | 10 g           | 200 mL       | 120582       | 11/07/13 08:33       | MHT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 10 g           | 200 mL       | 120822       | 11/08/13 00:56       | MHT     | TAL HOU |
| Total/NA  | Prep       | 3550B        |     |            | 30.10 g        | 1.0 mL       | 119796       | 11/06/13 13:43       | EAT     | TAL HOU |
| Total/NA  | Analysis   | 8015B        |     | 1          | 30.10 g        | 1.0 mL       | 120123       | 11/08/13 16:27       | JPS     | TAL HOU |
| Total/NA  | Analysis   | Moisture     |     | 1          |                |              | 119700       | 11/05/13 13:09       | AYS     | TAL HOU |
| Soluble   | Leach      | DI Leach     |     |            | 5 g            | 50 mL        | 120661       | 11/15/13 10:15       | KRD     | TAL HOU |
| Soluble   | Analysis   | 9056         |     | 1          | 5 mL           | 5 mL         | 120752       | 11/16/13 13:20       | DAW     | TAL HOU |

**Laboratory References:**

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

# Certification Summary

Client: ARCADIS U.S., Inc.  
Project/Site: HES Transfer Sites, Lea County NM

TestAmerica Job ID: 600-82104-1

## Laboratory: TestAmerica Houston

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

| Authority    | Program       | EPA Region | Certification ID | Expiration Date |
|--------------|---------------|------------|------------------|-----------------|
| Arkansas DEQ | State Program | 6          | 88-0759          | 08-04-14        |
| Louisiana    | NELAP         | 6          | 30643            | 06-30-14        |
| Oklahoma     | State Program | 6          | 9503             | 08-31-13 *      |
| Texas        | NELAP         | 6          | T104704223       | 10-31-14        |
| USDA         | Federal       |            | P330-08-00217    | 04-01-14        |
| Utah         | NELAP         | 8          | TX00083          | 10-31-13 *      |

\* Expired certification is currently pending renewal and is considered valid.

TestAmerica Houston





**TestAmerica Houston**

6310 Rothway Street  
Houston, TX 77040  
Phone (713) 690-4444 Fax (713) 690-5646

**Chain of Custody Record**

|  |  |                             |   |                         |   |                                  |
|--|--|-----------------------------|---|-------------------------|---|----------------------------------|
| <b>Client Information</b>                              |  | Sampler: <b>MELISA PHAN</b> | Lab PM: <b>Kudchadkar Sachin G</b>                  | Carrier/Tracking No(s): |   | COC No: <b>600-239595-8666 1</b> |
| Client Contact: <b>Mr. Jonathan Olsen</b>              |  | Phone: <b>713 953 4800</b>  | E-Mail: <b>sachin.kudchadkar@testamericainc.com</b> |                         |   | Page: <b>3 of 5</b>              |
| Company: <b>ARCADIS U.S., Inc.</b>                     |  | Due Date Requested:         | <b>Analysis Requested</b>                           |                         | Job #:  |                                  |
| Address: <b>2929 Briarpark Drive Suite 300</b>         |  | TAT Requested (days):       |   |                         | Preservation Codes:   |                                  |
| City: <b>Houston</b>                                   |  | State, Zip: <b>TX 77042</b> |   |                         | A - HCL<br>B - NaOH<br>C - Zn Acetate<br>D - Nitric Acid<br>E - NaHSO4<br>F - MeOH<br>G - Amchlor<br>H - Ascorbic Acid<br>I - Ice<br>J - DI Water<br>K - EDTA<br>L - EDTA<br>Other:   |                                  |
| Phone: <b>713 953 4800</b>                             |  | PO #:                       |   |                         | M - Hexane<br>N - None<br>O - AsNaO2<br>P - Na2OAS<br>Q - Na2SO3<br>R - Na2S2O3<br>S - H2SO4<br>T - TSP Dodecahydrate<br>U - Acetone<br>V - MCAA<br>W - ph 4-5<br>Z - other (specify) |                                  |
| Email: <b>Jonathan.olsen@arcadis-us.com</b>            |  | Purchase Order Requested    |   |                         | Special Instructions/Note:  |                                  |
| Project Name: <b>HES Transfer Sites, Lea County NM</b> |  | Project #:                  |   |                         |   |                                  |
| Site: <b>WU176</b>                                     |  | SSOV#:                      |   |                         |   |                                  |

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=Grab) | Matrix (Inert, Sensitive, Oxidizable, RT-Tissue, A=Air) | Preservation Code: | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 8015B_DRO | 9056_28D - Chloride | 8015B_GRO | 8021B - BTEX | ASTM D2216 | Total Number of containers | Special Instructions/Note: |
|-----------------------|-------------|-------------|------------------------------|---|--------------------|-----------------------------------|----------------------------|-----------|---------------------|-----------|--------------|------------|----------------------------|----------------------------|
| WU176-04-20           | 10/31/13    | 1104        | G                            | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD - (1P)                |
| WU176-04-25           | 10/31/13    | 1106        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-05-07           | 10/31/13    | 1404        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-05-05           | 10/31/13    | 1406        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-05-10           | 10/31/13    | 1408        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-05-15           | 10/31/13    | 1410        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-05-20           | 10/31/13    | 1412        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-05-25           | 10/31/13    | 1414        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-06-07           | 10/30/13    | 1553        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-06-05           | 10/30/13    | 1554        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |
| WU176-06-10           | 10/30/13    | 1556        |                              | Solid   |                    | X                                 | X                          | X         | X                   | X         | X            | X          | 1                          | HOLD                       |

|  |                                    |  |                                   |   |                                       |
|--|------------------------------------|--|-----------------------------------|---|---------------------------------------|
| Possible Hazard Identification   |                                    | Deliverable Requested: I, II, III, IV, Other (specify) |                                   | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) |                                       |
| <input checked="" type="checkbox"/> Non-Hazard                                 | <input type="checkbox"/> Flammable | <input type="checkbox"/> Skin Irritant                 | <input type="checkbox"/> Poison B | <input type="checkbox"/> Unknown  | <input type="checkbox"/> Radiological |
| Empty Kit Relinquished by:   |                                    | Date:  | Time:                             | Method of Shipment:   |                                       |
| Relinquished by: <i>[Signature]</i>  |                                    | Date/Time: <b>11/11/13 540</b>                         | Company:                          | Received by: <i>[Signature]</i>   |                                       |
| Relinquished by: <i>[Signature]</i>  |                                    | Date/Time:   | Company:                          | Received by: <i>[Signature]</i>   |                                       |
| Relinquished by:   |                                    | Date/Time:   | Company:                          | Received by:  |                                       |
| Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No |                                    | Custody Seal No.:                                      |                                   | Cooler Temperature(s) °C and Other Remarks:   |                                       |

Chain of Custody Record

Client Information

Client Contact: Mr. Jonathan Olsen  
Phone: 713 953 4800

Lab P#: MEUSA PHAN  
E-Mail: Sachin.kudchadkar@1stamericainc.com

Carrier Tracking No(s):

COC No: 600-23595-8666-1  
Page: 4 of 5

Company: ARCADIS U.S., Inc.

Analysis Requested

Address: 2929 Briarpark Drive Suite 300

City: Houston

Due Date Requested:

State, Zip: TX, 77042

TAT Requested (days):

Phone: 713 953 4800

PO #: STANDARD  
Purchase Order Requested

Email: Jonathan.olsen@arcadis-us.com

Project #:

Project Name: HES Transfer Sites, Lea County NM

SSOW#:

Site: WLU716

Sample Identification

| Sample ID    | Sample Date | Sample Time | Sample Type (C=comp, G=grab) | Matrix (Water, Solid, Overstool, Inorganic, Anion) | Preservation Code | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 8015B_DRO | 9056_28D - Chloride | 8015B_GRO | 8021B - BTEX | ASTM D2216 | Total Number of containers | Special Instructions/Note: |
|--------------|-------------|-------------|------------------------------|--|-------------------|-----------------------------------|----------------------------|-----------|---------------------|-----------|--------------|------------|----------------------------|----------------------------|
| WLU716-06-15 | 10/30/13    | 1558        | G                            | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            | Hold                       |
| WLU716-06-20 |             | 1600        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-06-25 |             | 1603        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-07-02 | 10/31/13    | 1050        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-07-05 |             | 1052        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-07-10 |             | 1054        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-07-15 |             | 1058        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-07-20 |             | 1100        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |
| WLU716-07-25 |             | 1102        |                              | Solid  |                   | X                                 | X                          | X         | X                   | X         | X            |            |                            |                            |

Possible Hazard Identification

Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements:

Empty Kit Relinquished by:

Date:

Time:

Method of Shipment:

Relinquished by:

Date/Time: 11/11/13 540

Company:

Date/Time:

Company:

Received by:

Date/Time: 11/13/14 2

Company:

Relinquished by:

Date/Time:

Company:

Date/Time:

Company:

Received by:

Date/Time:

Company:

Custody Seals Intact:

Δ Yes Δ No

Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks:

Chain of Custody Record

|   |  |   |  |  |  |
|---|--|---|--|--|--|
| <b>Client Information</b><br>Client Contact: Mr. Jonathan Olsen<br>Company: ARCADIS U.S., Inc.<br>Address: 2929 Briarpark Drive Suite 300<br>City: Houston<br>State: TX, Zip: 77042<br>Phone: 713 9534800<br>Email: jonathan.olsen@arcadis-us.com<br>Project Name: HES Transfer Sites, Lea County NM<br>Site: WLV 716   |  | Sample: MELISSA PHAN<br>Phone: 713 9534800<br>Lab P/N: Kutchadkar, Sachin G<br>E-Mail: sachin.kutchadkar@testamericainc.com   |  | COC No.: 600-23565-8666-1<br>Page: 5 of 5<br>Job #:      |  |
| Due Date Requested:<br>TAT Requested (days):<br>STANDARD  |  | Analysis Requested  |  |  |  |
| Preservation Codes:<br>A - HCL<br>B - NaOH<br>C - Zr Acetate<br>D - Nitric Acid<br>E - NaHSO4<br>F - MeOH<br>G - Ancholyt<br>H - Ascorbic Acid<br>I - Ice<br>J - DI Water<br>K - EDTA<br>L - EDTA<br>M - Hexane<br>N - None<br>O - ASN2O2<br>P - N2O4S<br>Q - Na2SO3<br>R - Na2S2O3<br>S - H2SO4<br>T - TSP Dodecahydrate<br>U - Acetone<br>V - MCAA<br>W - ph 4.5<br>Z - other (specify) |  | Preservation Codes:<br>A - HCL<br>B - NaOH<br>C - Zr Acetate<br>D - Nitric Acid<br>E - NaHSO4<br>F - MeOH<br>G - Ancholyt<br>H - Ascorbic Acid<br>I - Ice<br>J - DI Water<br>K - EDTA<br>L - EDTA<br>M - Hexane<br>N - None<br>O - ASN2O2<br>P - N2O4S<br>Q - Na2SO3<br>R - Na2S2O3<br>S - H2SO4<br>T - TSP Dodecahydrate<br>U - Acetone<br>V - MCAA<br>W - ph 4.5<br>Z - other (specify) |  |  |  |
| Sample Identification<br>Sample Date<br>Sample Time<br>Sample Type (C=comp, G=grab)<br>Matrix (Specif, O=omental, B=Breast, A=Air)  |  | Field Filtered Sample (Yes or No)<br>Perform MS/MSD (Yes or No)   |  | Total Number of containers<br>Special Instructions/Note: |  |
| Possible Hazard Identification<br><input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological   |  | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)<br><input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months   |  |  |  |
| Deliverable Requested: I, II, III, IV, Other (specify)  |  | Special Instructions/QC Requirements:   |  |  |  |
| Empty Kit Relinquished by:  |  | Date:   |  | Method of Shipment:                                      |  |
| Relinquished by: <i>Michael</i>   |  | Date/Time: 11/11/13 540   |  | Received by: <i>Michael</i>                              |  |
| Relinquished by:  |  | Date/Time:  |  | Received by:   |  |
| Relinquished by:  |  | Date/Time:  |  | Received by:   |  |
| Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No  |  | Custody Seal No.:   |  | Cooler Temperature(s) °C and Other Remarks:              |  |

## Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc.

Job Number: 600-82104-1

**Login Number: 82104**

**List Number: 1**

**Creator: Capps, Dana R**

**List Source: TestAmerica Houston**

| Question   | Answer | Comment     |
|--|--------|-------------|
| Radioactivity wasn't checked or is <=/ background as measured by a survey meter. | True   |             |
| The cooler's custody seal, if present, is intact.                                | True   |             |
| Sample custody seals, if present, are intact.                                    | True   |             |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |             |
| Samples were received on ice.  | True   |             |
| Cooler Temperature is acceptable.  | True   |             |
| Cooler Temperature is recorded.  | True   | 4.8/4.1/4.4 |
| COC is present.  | True   |             |
| COC is filled out in ink and legible.  | True   |             |
| COC is filled out with all pertinent information.                                | True   |             |
| Is the Field Sampler's name present on COC?                                      | True   |             |
| There are no discrepancies between the containers received and the COC.          | True   |             |
| Samples are received within Holding Time.  | True   |             |
| Sample containers have legible labels.   | True   |             |
| Containers are not broken or leaking.  | True   |             |
| Sample collection date/times are provided.                                       | True   |             |
| Appropriate sample containers are used.  | True   |             |
| Sample bottles are completely filled.  | True   |             |
| Sample Preservation Verified.  | True   |             |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |             |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |             |
| Multiphasic samples are not present.   | True   |             |
| Samples do not require splitting or compositing.                                 | True   |             |
| Residual Chlorine Checked.   | N/A    |             |



**Attachment 5**

Boring Logs (October 2013)

Date Start/Finish: 10/31/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: WLU76-01  
 Client: Chevron EMC  
 Location: West Lovington Unit 76



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Borehole Depth: 25' bgs  
 Descriptions By: M. Phan

| DEPTH | ELEVATION | Sample Run Number | Sample/Int/Type | Recovery (feet) | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description |
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|

|    |     |   |    |   |     |   |  |  |
|----|-----|---|----|---|-----|---|--|--|
| 0  | 0   |   | AR |   | 5.4 |   |  | CAPROCK CALICHE, Dark Gray (7.5YR4/1) to White (7.5YR8/1), subangular to angular, well sorted, 3mm to 12mm, dry, hard, organic material. |
| 1  |     | 1 | AR | 5 | 2.6 | ☒ |  | Same as above, Brown (7.5YR4/2), Gray (7.5YR6/1) to White (7.5YR8/1).  |
| 5  | -5  |   |    |   |     | ☒ |  | NODULAR CALICHE, Pinkish White (7.5YR8/2) to White (7.5YR8/1), subrounded, medium to hard, well sorted, dry, 3mm to 5mm.                 |
| 2  |     | 2 | AR | 5 | 1.6 |   |  |  |
| 10 | -10 |   |    |   |     | ☒ |  | CALICHE, Pinkish White (7.5YR8/2), some clay, soft, moist.   |
| 3  |     | 3 | AR | 5 | 1.8 |   |  |  |
| 15 | -15 |   |    |   |     | ☒ |  | CALICHE, Light Brown (7.5YR6/3) to White (7.5YR8/1), some fine sand, soft, moist.  |
| 4  |     | 4 | AR | 5 | 3.7 |   |  |  |
| 20 | -20 |   |    |   |     | ☒ |  | SANDSTONE, Light Brown (7.5YR6/3), trace to very fine sand grains, soft, moist.  |
| 5  |     | 5 | AR | 5 | 1.8 |   |  |  |
| 25 | -25 |   |    |   |     | ☒ |  |  |



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/31/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: WLU76-02  
 Client: Chevron EMC  
 Location: West Lovington Unit 76



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Borehole Depth: 25' bgs  
 Descriptions By: M. Phan

| DEPTH | ELEVATION | Sample Run Number | Sample/Int/Type | Recovery (feet) | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description |
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|

|    |     |   |    |   |     |  |  |   |
|----|-----|---|----|---|-----|--|--|---|
| 0  | 0   |   | AR |   | 3.8 |  |  | CAPROCK CALICHE, Brown (7.5YR5/2), Gray (7.5YR5/1), Pinkish Gray (7.5YR7/2), subangular to angular, hard, dry, 3 mm to 35 mm.             |
| 1  |     | 1 | AR | 5 | 1.8 |  |  | Same as above, Brown (7.5YR5/2, 7.5YR5/3), Gray (7.5YR5/1), to Pinkish White (7.5YR8/2), 1 mm to 16 mm.                                   |
| 5  | -5  |   |    |   |     |  |  | NODULAR CALICHE, Pinkish White (7.5YR8/2) to Pinkish Gray (7.5YR7/2), subrounded nodules, some clay, medium to hard, moist, 1 mm to 8 mm. |
| 2  |     | 2 | AR | 5 | 6.2 |  |  |   |
| 10 | -10 |   |    |   |     |  |  | Same as above, Pinkish White (7.5YR8/2), Pink (7.5YR8/3) to White (7.5YR8/1)  |
| 3  |     | 3 | AR | 5 | 1.3 |  |  |   |
| 15 | -15 |   |    |   |     |  |  | CALICHE, Pinkish Gray (7.5YR8/2) to Pinkish White (7.5YR8/3), some fine sand, soft, moist.  |
| 4  |     | 4 | AR | 5 | 1.7 |  |  |   |
| 20 | -20 |   |    |   |     |  |  | SANDSTONE, Pink (7.5YR7/3), trace to very fine sand grains, moist, soft, traces of clay.  |
| 5  |     | 5 | AR | 5 | 1.8 |  |  |   |
| 25 | -25 |   |    |   |     |  |  |   |



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/31/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: WLU76-03  
 Client: Chevron EMC  
 Location: West Lovington Unit 76



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Borehole Depth: 25' bgs  
 Descriptions By: M. Phan

| DEPTH | ELEVATION | Sample Run Number | Sample/Int/Type | Recovery (feet) | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description |
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|

|    |     |   |    |   |     |   |  |  |
|----|-----|---|----|---|-----|---|--|--|
| 0  | 0   |   | AR |   | 0.9 | ☒ |  | CAPROCK CALICHE, Brown (7.5YR5/2), Light Gray (7.5YR7/1), subangular to angular, hard, dry, 2mm to 26mm.                   |
| 1  |     | 1 | AR | 5 | 0.8 | ☒ |  | Same as above, Light Brown (7.5YR6/3), Gray (7.5YR6/1).  |
| 5  | -5  |   |    |   |     | ☒ |  | NODULAR CALICHE, Pink (7.5YR7/3) to Pinkish White(7.5YR8/2), trace rounded to subrounded nodules, medium, dry, 1mm to 4mm. |
| 2  |     | 2 | AR | 5 | 3.8 |   |  |  |
| 10 | -10 |   |    |   |     | ☒ |  | Same as above, Pinkish White (7.5YR8/2), moist, some clay.   |
| 3  |     | 3 | AR | 5 | 4.6 |   |  |  |
| 15 | -15 |   |    |   |     | ☒ |  | Same as above, Pink (7.5YR7/3) to Pinkish Gray (7.5YR7/2), 1mm to 3mm.   |
| 4  |     | 4 | AR | 5 | 5.7 |   |  |  |
| 20 | -20 |   |    |   |     | ☒ |  | SANDSTONE, Pink (7.5YR7/3) to Light Brown (7.5YR6/3), fine to very fine sand grains, soft, moist.                          |
| 5  |     | 5 | AR | 5 | 4.4 |   |  |  |
| 25 | -25 |   |    |   |     | ☒ |  |  |



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;

Date Start/Finish: 10/31/2013  
 Drilling Company: Harrison and Cooper Inc./K Cooper

Well/Boring ID: WLU76-04  
 Client: Chevron EMC  
 Location: West Lovington Unit 76



Drilling Method: Air Rotary  
 Sampling Method: Shovel

Borehole Depth: 25' bgs  
 Descriptions By: M. Phan

| DEPTH | ELEVATION | Sample Run Number | Sample/Int/Type | Recovery (feet) | PID Headspace (ppm) | Analytical Sample | Geologic Column | Stratigraphic Description |
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|
|-------|-----------|-------------------|-----------------|-----------------|---------------------|-------------------|-----------------|---------------------------|

|    |     |   |    |   |     |  |  |   |
|----|-----|---|----|---|-----|--|--|---|
| 0  | 0   |   | AR |   | 1.3 |  |  | CAPROCK CALICHE, Brown (7.5YR5/2), to Gray (7.5YR5/1), subangular to angular, hard, dry, well sorted, 1mm to 32mm.                  |
| 1  |     | 1 | AR | 5 | 2.8 |  |  | PUNKY CALICHE, Pink (7.5YR7/3) to White (7.5YR8/1), subangular to subrounded, dry, hard non plastic, trace silt, 1mm to 5mm.        |
| 5  | -5  |   |    |   |     |  |  | NODULAR CALICHE, Pinkish White(7.5YR8/2) to White (7.5YR8/1), subrounded nodules, moist, medium to hard, poorly sorted, 1mm to 4mm. |
| 2  |     | 2 | AR | 5 | 1.6 |  |  | Same as above, 1 mm to 3 mm.  |
| 10 | -10 |   |    |   |     |  |  | Same as above, 1 mm to 3 mm.  |
| 3  |     | 3 | AR | 5 | 0.3 |  |  | SANDY CALICHE, Light Brown (7.5YR6/3) to Pink (7.5YR7/3), very fine sand, moist, soft.  |
| 4  |     | 4 | AR | 5 | 2.7 |  |  | Same as above.  |
| 20 | -20 |   |    |   |     |  |  | Same as above.  |
| 5  |     | 5 | AR | 5 | 5.7 |  |  | Same as above.  |
| 25 | -25 |   |    |   |     |  |  |   |



Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million;



## **Attachment 6**

Chloride Multimedia Exposure  
Assessment Model Simulated  
Soil Screening Levels for the  
Protection of Groundwater Memo



ARCADIS U.S., Inc.  
2929 Briarpark Drive  
Suite 300  
Houston  
Texas 77042  
Tel 713 953 4800  
Fax 713 977 4620

**MEMO**

To:  
Kegan Boyer, Chevron Environmental  
Management Company

Copies:  
Chris Shepherd, ARCADIS  
Kathleen Abbott, ARCADIS  
David Evans, ARCADIS

From:  
Jonathan Olsen

Date:  
May 8, 2014

ARCADIS Project No.:  
B0048615.0000

Subject:  
**Chloride Multimedia Exposure Assessment Model Simulated Soil Screening  
Levels for the Protection of Groundwater**  
HES Transfer Sites, Lea County, New Mexico

---

On behalf of Chevron Environmental Management Company, ARCADIS U.S., Inc. (ARCADIS) evaluated chloride remediation action levels for use at the Health Environmental Safety (HES) Transfer Sites near Hobbs, New Mexico. The New Mexico Oil Conservation District (NMOCD) has established soil screening levels (SSLs) for fluid management pits (also known as the "NMOCD PIT RULE" [NMAC 19.15.17]); however, no formal SSLs have been established by the NMOCD or the New Mexico Environmental Department (NMED) for surface releases of production water. The Risk Assessment Guidance for Investigation and Remediation (NMED 2012) states that SSLs should be based on risk to human health and the potential migration to groundwater with respect to the NMED-specific tap water SSL. Chloride is not considered hazardous and the NMED and the United States Environmental Protection Agency (USEPA) have not established tap water screening levels for chloride. However, the NMED has established a chloride standard for groundwater (NMAC 20.6.2.1101) of 250 milligrams per liter (mg/L). Therefore, the SSL for chloride should be based on the soil leaching to groundwater pathway.

To evaluate a chloride SSL for use at the HES Transfer Sites, ARCADIS performed simulations of unsaturated zone flow, transport, and saturated zone mixing of chloride using the Multimedia Exposure Assessment Model Version 2.0 (MULTIMED; USEPA 1996) to evaluate the potential migration of chloride in shallow soil through the unsaturated zone to the underlying groundwater. The initial simulations were intended to estimate a maximum allowable chloride soil concentration (site SSL) to evaluate HES Transfer

Sites in Lea County and eastern Eddy County, New Mexico, and to develop a baseline approach for using the model for potential future evaluations of solute migration at other HES Transfer Sites in New Mexico.

**MULTIMED Overview**

MULTIMED was originally designed to simulate the movement of solutes leaching from a landfill to various exposure pathways. Due to its general acceptance by the NMOCD and the USEPA and its ability to simulate unsaturated and saturated zone flow and transport, MULTIMED was selected for this evaluation. The model, as designed, simulates one-dimensional vertical transport in the unsaturated zone to the saturated zone based on user-provided input parameters considering vadose zone, saturated zone, and chemical-specific characteristic parameters.

The simulations were performed using both the unsaturated and saturated zone modules available in MULTIMED. The unsaturated zone module performs solutions of the downward flow of infiltrating water to the water table by Darcy’s Law:

$$Q = -K_v \cdot K_{rw} \left( \frac{\delta\psi}{\delta z} \right)$$

Where:

$\psi$  is the pressure head (meters [m])

$z$  is the depth (m)

$K_v$  is the saturated hydraulic conductivity (meters per year [m/year])

$K_{rw}$  is the relative hydraulic conductivity

The boundary condition at the water table is:

$$\psi \cdot L = 0$$

Where:

$L$  is the thickness of the unsaturated zone (m)

In the unsaturated zone, it is necessary to specify the relationship between relative hydraulic conductivity, pressure head, and water saturation. This relationship is given by van Genuchten (1976):

$$S_e = \theta_r + \frac{\theta_s - \theta_r}{[1 + (\alpha\psi^\beta)^\gamma]}$$

Where:

$\theta_r$  and  $\theta_s$  are the residual water saturation and total water saturation (dimensionless), respectively

$\beta, \gamma, \alpha$  are empirical soil-specific parameters (dimensionless)

$\psi$  is the air pressure entry head (m)

$S_e$  is the effective saturation (fraction)

Source area concentrations are input as leachate concentrations, therefore, the soil/water partition equation was used to convert between total soil concentration in milligrams per kilogram (mg/kg) and the leachate concentration in mg/L:

$$C_t = \frac{C_l \cdot R \cdot \theta_w}{\rho_b}$$

Where:

$C_t$  is the concentration of the chemical of interest in soil (mg/kg)

$C_l$  is the concentration of the chemical of interest in leachate (mg/L)

$R$  is the retardation coefficient (dimensionless, assumed 1 for chloride)

$\rho_b$  is the bulk density of the soil (mg/L or grams per cubic centimeter)

The mass of the chemical of interest that reaches the groundwater is expressed by the simplified steady-state equation (Salhotra et al. 1995) that couples the vadose zone to the groundwater:

$$M_L = A_w \cdot Q_f \cdot C_l$$

Where:

$M_L$  is the chemical of interest mass that leaches from site soil (grams per year [g/year])

$A_w$  is the width of the source area (m<sup>2</sup>)

$Q_f$  is the percolation rate from the facility/site (m/year)

The mixed groundwater concentration is controlled by the quasi-three-dimensional advection dispersion equations that are evaluated based on the following chemical concentration relationship within the mixing zone (Salhotra et al. 1995):

$$C(x, y, z, t) = \frac{H}{B} C_f(x, y, t) + \Delta C_p(x, y, z, t)$$

Where:

$C$  is the dissolved concentration (mg/L, g/m<sup>3</sup>)

$x,y,z$  are the spatial coordinates (m)

$t$  is elapsed time (year)

$H$  is the source zone penetration (m), with a maximum equal to  $B$

$B$  is the thickness of the saturated zone (m)

MULTIMED's output concentration is a centerline concentration based on a calculated dilution attenuation factor. Thus, the output concentration is the maximum concentration of the chemical of interest in groundwater at a reasonable distance downgradient from the source area.

### Model Design, Inputs, and Assumptions

The required input parameters for the MULTIMED simulations are summarized in Table 1. Input parameters include model structure, unsaturated and saturated zones, and chemical characteristics. Minimal site-specific data regarding the HES sites are available; therefore, numerous input parameters are based on published reports, default NMED values (2012), default values provided in the modeling code, and ARCADIS's experience, as indicated in Table 1. The model values are considered representative of the Lea County, New Mexico area. Due to the intended use of the SSL at multiple sites, more conservative values were generally selected for the given ranges of input parameters.

The general assumptions used in the MULTIMED model design include:

- The unsaturated and saturated zones are a single, homogeneous material.
- The applied recharge and infiltration are constant throughout the simulation.
- Initial chloride concentrations in soil below the source area and in groundwater are equal to 0.
- The model assumes no chemical transformation or adsorption of chloride to soil materials.

The simulations were performed using the transient model capabilities of MULTIMED. Steady-state simulations were not chosen because MULTIMED requires the assumption that the source is continuous and constant throughout the simulation, which is not appropriate for these evaluations. Also, the transient model was selected to provide output that simulates the aquifer concentrations versus time and models a finite source.

## Model Simulations and Results

Using the input parameters provided, soil concentrations for chloride were iteratively varied to arrive at an appropriate maximum allowable soil concentration that would be protective of groundwater for each of the scenarios. To calculate the maximum concentration that would be observed given the input concentrations and parameters, the simulation period selected was 1,980 years with 20-year time steps.

To ascertain the maximum allowable chloride concentration for more typical chloride concentration distribution and depth to groundwater scenarios, eight MULTIMED simulations were completed. The scenarios are summarized in Table 2. The input values for the simulations were the same, except for the thickness and width of the chloride-affected soil within the soil column. The first four simulations evaluated homogeneous chloride-affected soil 20 meters wide (400 square meters [ $m^2$ ]) and varied the chloride-affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters. The remaining four simulations evaluated homogeneous chloride-affected soil 45 meters wide (2,000  $m^2$ ) and varied the chloride affected soil thickness between 1 meter and 3 meters and the depth to groundwater between 20 and 30.5 meters

The predicted groundwater concentrations versus time are illustrated on Figures 1 through 8. The peak arrival times varied between 540 and 860 years. The simulations indicate the site SSLs for the protection of groundwater ranged from 8,525 to 266,100 mg/kg (Table 2) depending on the scenario and are protective of the New Mexico chloride groundwater standard of 250 mg/L.

The MULTIMED model, like any model, requires the use of simplifying assumptions regarding subsurface conditions and flow processes that result in inherent limitations and uncertainty compared to an actual flow system. In this case, uncertainty may be related to:

- The model assumes homogeneous unsaturated and saturated zones; the actual conditions at the sites likely contain numerous heterogeneities.
- The applied recharge and infiltration rates are constant. The aquifer hydraulic gradient is also assumed to be constant. These rates likely vary with time, and these variations may influence the solute migration and mixing, resulting in short-term changes in aquifer concentrations
- The model is a theoretical simulation of transport processes and is not verified or calibrated against site-specific data.

## Conclusions and Recommendations

The model simulations reasonably represent conditions encountered at most of the Lea County and eastern Eddy County HES Transfer Sites. HES Transfer Sites with chloride-affected soil can be screened

against SSLs in Table 2, assuming they meet the specified conditions (source length, source depth, depth to groundwater, and soil concentration). For calculated SSLs greater than 100,000 mg/kg, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the NMED risk assessment guidance (NMED 2012). For sites that meet all of these conditions, no further action is recommended. For the sites that do not meet these conditions, site-specific evaluations should be conducted.

Enclosures:

**Tables**

- Table 1 MULTIMED V2.0 Model Inputs
- Table 2 Soil Screening Level Matrix

**Figures**

- Figure 1 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)
- Figure 2 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
- Figure 3 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)
- Figure 4 MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)
- Figure 5 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)
- Figure 6 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
- Figure 7 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)
- Figure 8 MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)

## References

- New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).
- Salhotra, A.M., P. Mineart, S. Sharp-Hansen, T. Allison, R. Johns, and W.B. Mills. 1995. Multimedia Exposure Assessment Model (MULTIMED 2.0) for Evaluating the Land Disposal of Wastes--Model Theory. United States Environmental Protection Agency, Athens, GA. Unpublished Report.
- United States Environmental Protection Agency. 1996. A Subtitle D Landfill Application Manual for the Multimedia Exposure Assessment Model (MULTIMED 2.0). Final Report.
- Van Genuchten, M, Th., and P.J. Wierenga. 1976. Mass Transfer Studies in Sorbing Porous Media I. Analytical Solutions. Soil Science Society of America Proceedings. v 40, 473-480.



**Tables**

**Table 1**  
**MULTIMED V2.0 Model Inputs**  
**Chevron HES Transfer Sites**  
**Lea County, New Mexico**

| Parameters                                       | Value(s)         | Units             | Notes   |
|--|------------------|-------------------|---|
| <b>Unsaturated Zone Flow Parameters:</b>         |                  |                   |   |
| Depth of Unsaturated Zone                        | 20.0             | m                 | Local water levels (20m & 30.5m)                  |
| Hydraulic Conductivity                           | 0.06             | cm/hr             | Texas (2011)                                      |
| Unsaturated Zone Porosity                        | 0.44             | fraction          | NMED (2012) Default                               |
| Residual Water Content                           | 0.260            | fraction          | NMED (2012) Default                               |
| <b>Unsaturated Zone Transport Parameters:</b>    |                  |                   |   |
| Thickness of Layer                               | 20 & 30.5        | m                 | Regional water levels                             |
| Percent of Organic Matter                        | 1.5%             |                   | NMED (2012) Default (not used)                    |
| Bulk Density                                     | 1.5              | g/cm <sup>3</sup> | NMED (2012) Default                               |
| Biological Decay Coefficient                     | 0                | 1/yr              | (not used)  |
| <b>Aquifer Parameters:</b>                       |                  |                   |   |
| Aquifer Porosity                                 | 0.43             | fraction          | NMED (2012) Default                               |
| Bulk Density                                     | 1.5              | g/cm <sup>3</sup> | NMED (2012) Default                               |
| Aquifer Thickness                                | 12.0             | m                 | NMED (2012) Default                               |
| Hydraulic Conductivity                           | 542              | m/yr              | Texas (2011), Velocity ~ 1/2 NMED Default         |
| Hydraulic Gradient                               | 0.010            | m/m               | NMED (2012) Default                               |
| Organic Carbon Content                           | 0.020            | fraction          | NMED (2012) Default (not used)                    |
| Temperature of Aquifer                           | 15.0             | °C                | NMED (2012) Default (not used)                    |
| pH   | 6.2              |                   | (not used)  |
| x-distance Radial Distance from Site to Receptor | 12               | m                 | equal to aquifer thickness                        |
| <b>Source Parameters:</b>                        |                  |                   |   |
| Infiltration Rate                                | 0.013            | m/yr              | ~0.5 in/yr, Texas (2011)                          |
| Area of Waste                                    | 400 & 2000       | m <sup>2</sup>    | NMED (2012) Default (~45m x45m)                   |
| Recharge Rate                                    | 0.013            | m/yr              | Texas (2011)                                      |
| Duration of Pulse                                | 540 to 840       | yr                | Varied, set equal to peak arrival time            |
| Discharge Concentrations                         | 0                | mg/L              |   |
| <b>Initial Soil Concentrations:</b>              |                  |                   |   |
|  | <i>Depth (m)</i> |                   |   |
| Chloride leachate concentration                  | 0                | varied            | mg/L<br>Calculated for each scenario <sup>1</sup> |
| Chloride leachate concentration                  | 1 & 3            | 0                 | mg/L  |
| Chloride leachate concentration                  | 20 & 30.5        | 0                 | mg/L  |
| <b>Additional Parameters:</b>                    |                  |                   |   |
| Method   | Gaussian         |                   |   |
| New Mexico Environment Department. 2012. Risk    | Chloride         |                   |   |
| <b>Chemical Parameters:</b>                      |                  |                   |   |
| Normalized Distribution Coefficient              | 0.00             | mL/g              | Model Derived                                     |
| <b>Van Genuchten Parameters:</b>                 |                  |                   |   |
| Alpha Van Genuchten coefficient                  | 0.38             | unitless          | NCSS Soil Characterization Data <sup>2</sup>      |
| Beta Van Genuchten coefficient                   | 1.2              | unitless          | NCSS Soil Characterization Data <sup>2</sup>      |

**Notes:**

°C - degrees celcius  
cm - centimeters  
cm<sup>3</sup> - cubic centimeters  
g - grams  
hr - hour  
L - liters  
m - meters  
m<sup>2</sup> - meter squared  
mg - milligrams  
mL - milliliters  
yr - year

1 - calculated using the soil-water partitioning equation  
2 - van Genuchten transport parameters are typical values for caliche-like material

**References:**

NMED - New Mexico Environmental Department Risk Assessment Guidance for Site Investigations and Remediation. February 2012.  
NCSS - National Cooperative Soil Survey, National Cooperative Soil Characterization Database  
Texas - Texas Water Development Board 2011. Update of the Groundwater Availability Model for the Edwards-Trinity (Plateau) and Pecos Valley Aquifers of Texas. January 21, 2011

**Table 2**  
**Soil Screening Level Matrix**  
**Chevron HES Transfer Sites**  
**Lea County, New Mexico**

| Scenario | Source Length (m) | Source Area (m) | Source Depth (m) | Depth to Groundwater (m) | SSL <sub>gw</sub> (mg/Kg) | Notes |
|----------|-------------------|-----------------|------------------|--------------------------|---------------------------|-------|
| 1        | 20                | 400             | 0-1              | 20.0                     | 108,000                   | 1     |
| 2        | 20                | 400             | 0-1              | 30.5                     | 266,100                   | 1     |
| 3        | 20                | 400             | 0-3              | 20.0                     | 23,750                    |       |
| 4        | 20                | 400             | 0-3              | 30.5                     | 45,000                    |       |
| 5        | 45                | 2,000           | 0-1              | 20.0                     | 38,800                    |       |
| 6        | 45                | 2,000           | 0-1              | 30.5                     | 95,500                    |       |
| 7        | 45                | 2,000           | 0-3              | 20.0                     | 8,525                     |       |
| 8        | 45                | 2,000           | 0-3              | 30.5                     | 16,100                    |       |

NMED SSL Ceiling = 100,000 mg/Kg

Notes:

m - meters

mg/Kg - milligrams per Kilogram

NMED - New Mexico Environmental Department

SSL<sub>gw</sub> - Site soil screening levels for the migration to groundwater pathway

SSL Ceiling - Soil Screening Level Ceiling (NMED 2012)

1 - the NMED SSL ceiling should be used


References:

New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).




**Figures**


**Figure 1**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)**




**Figure 2**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)**




**Figure 3**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)**




**Figure 4**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)**




**Figure 5**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)**



**Figure 6**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)**



**Figure 7**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)**



**Figure 8**  
**MULTIMED Simulated Chloride Concentration Vs Time in Groundwater**  
**(Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)**

