Oil Conservation Division 1220 South St. Francis Dr. Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

pOY1730030050

Form C-141 Revised April 3, 2017

1220 S. St. Fran	icis Dr., Sant	a Fe, NM 87505	5	Sa	anta F	e, NM 875	05					
			Rele	ease Notific	catio	n and Co	orrective A	ction	Init	tial Only	٦	
						<b>OPERA</b>	ГOR		Initia	al Report		Final Report
Name of Co	Name of Company Marathon Oil Permian LLC					Contact Raquel Chacon						
Address 55	55 San Fel	ipe Street, H	ouston, T	Гexas 77056		Telephone No. 281-910-0441 (cell) 575-297-0988 (office)						
Facility Nat	Facility Name: Madera Wells					Facility Type Oil and gas production facilities						
Surface: Ov	Surface: Owner Various see list Mineral: Owner					Various see	arious see list API No.: Various see list			st		
				LOCA	<b>ATIO</b>	N OF RE	LEASE					
Unit Letter	Section	Township	Range	Feet from the	North	South Line Feet from the		East/West Line		County		
See list	See list	See list	See list	See list	See li	ist See list		See lis	st	Lea		
	<u>.</u>			Latitude S	ee list I	L <b>ongitude</b> Se	e list NAD83	<u>.</u>				
				NAT	ſURE	OF REL	EASE					
Type of Release Fire				Volume of	Volume of Release Not applicable Volume Recovered Not appli			licable				
Source of Release: flow line				Date and H	Date and Hour of Occurrence Date and Hour of Discovery			1				

Source of Release: flow line	Date and Hour of OccurrenceDate and Hour of Discovery10/4/2017 3:00 pm10/4/2017 3:00 pm
Was Immediate Notice Given?	If YES, To Whom?
🛛 Yes 🗌 No 🗌 Not R	Required Olivia Yu via email
By Whom? Jason Wardell	Date and Hour 10/5/2017 9:17 am
Was a Watercourse Reached?	If YES, Volume Impacting the Watercourse.
If a Watercourse was Impacted, Describe Fully.* Not applicable.	<b>RECEIVED</b> By Olivia Yu at 8:30 am, Oct 27, 2017
Describe Cause of Problem and Remedial Action Taken.* Marathon operator notified that there was a fire involving multip local fire department responded and extinguished fire.	le six-inch gas sales lines alongside the lease road. The operator shut in the wells, and the
Describe Area Affected and Cleanup Action Taken.* Removed damaged lines and replaced lines.	
regulations all operators are required to report and/or file certain public health or the environment. The acceptance of a C-141 rep should their operations have failed to adequately investigate and	plete to the best of my knowledge and understand that pursuant to NMOCD rules and release notifications and perform corrective actions for releases which may endanger port by the NMOCD marked as "Final Report" does not relieve the operator of liability remediate contamination that pose a threat to ground water, surface water, human health report does not relieve the operator of responsibility for compliance with any other
Raquel Chacon	OIL CONSERVATION DIVISION
Signature: Printed Name: Raquel Chacon	Approved by Environmental Specialist:
Title: Sr. HES Environmental Professional	Approval Date: 10/27/2017 Expiration Date:
E-mail Address: rchacon@marathonoil.com	Conditions of Approval:
Date: October 18, 2017 Phone: 281-910-0441(cell) 575-297-0988 (office)	See attached directive Attached
Attach Additional Sheets If Necessary	1RP-4848 nOY1730029665
	fOY1730029144 bOX1720020050

## Operator/Responsible Party,

The OCD has received the form C-141 you provided on \_10/19/2017\_ regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number \_1RP-4848\_ has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District \_1\_ office in \_\_Hobbs\_\_\_\_ on or before \_11/27/2017\_. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

• Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

• Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

• Nominal detection limits for field and laboratory analyses must be provided.

• Composite sampling is not generally allowed.

• Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

•Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

• If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

• Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us

## C-141 Form Supplemental Information - Maratho

					NMOCD	
Well Name	API Number	Section	Township	Range	Unit	Latitude
Madera 19 Federal #1	30-025-36645	19	26S	35E	L	32.0269737
Madera 19 Federal Com #4H	30-025-41492	19	26S	35E	Ν	32.0224342
Madera 24 Federal #1	30-025-36666	24	26S	34E	М	32.0251656
Madera 24 Federal #2H	30-025-40277	24	26S	34E	Р	32.0215645
Madera 24 Federal #3H	30-025-40632	24	26S	34E	В	32.0351563
Madera 25 Federal Com #2H	30-025-40633	25	26S	34E	В	32.0206413
Madera 36 State #1	30-025-36087	36	26s	34E	А	32.0052147
Beckham 19 #1	30-025-37080	19	26S	35E	Ι	32.0260544

n Oil Company - S	Sales Lines North/	Fire		
	South	East/West		
Longitude	Line	Line	Surface Owner	Mineral Owner
-103.4119415	1980' FSL	1000' FWL	Beckham Ranch Inc.	BLM
-103.408783	330' FSL	1980' FWL	Beckham Ranch Inc.	BLM
-103.4279709	1310' FSL	1310' FWL	BLM	BLM
-103.4167862	10' FSL	500' FEL	Unknown	BLM
-103.4215393	330' FNL	1980' FEL	Unknown	BLM
-103.4218903	330' FNL	2080' FEL'	Unknown	BLM
-103.4173355	660' FNL	660' FEL	Unknown	State of New Mexico
-103.4022217	1650' FSL	1310' FEL	Beckham Ranch Inc.	Private