

**From:** Shoemaker, Mike  
**To:** [Yu, Olivia, EMNRD](mailto:Yu,Olivia,EMNRD); [Shelly Tucker \(stucker@blm.gov\)](mailto:Shelly.Tucker@blm.gov)  
**Cc:** [Fulks, Brett](mailto:Fulks,Brett)  
**Subject:** RE: [EXTERNAL] RE: Spill Notification for the North Thistle 2-35 Fed 1H (API #30-025-42831)  
**Date:** Wednesday, October 25, 2017 8:14:26 AM  
**Attachments:** image001.png

---

Olivia,

Thank you for the response this answers my question and provides me with the guidance I needed.

Thanks,

Thanks,

**Mike Shoemaker**  
EHS Representative

**Devon Energy Corporation**

6488 Seven Rivers Highway  
Artesia, New Mexico 88210  
575-746-5566 Office  
575-513-5035 Mobile



---

**From:** Yu, Olivia, EMNRD [<mailto:Olivia.Yu@state.nm.us>]  
**Sent:** Wednesday, October 25, 2017 7:24 AM  
**To:** Shoemaker, Mike <[Mike.Shoemaker@dvn.com](mailto:Mike.Shoemaker@dvn.com)>; Shelly Tucker ([stucker@blm.gov](mailto:stucker@blm.gov)) <[stucker@blm.gov](mailto:stucker@blm.gov)>  
**Cc:** Fulks, Brett <[Brett.Fulks@dvn.com](mailto:Brett.Fulks@dvn.com)>  
**Subject:** [EXTERNAL] RE: Spill Notification for the North Thistle 2-35 Fed 1H (API #30-025-42831)

Good morning Mike:

Thank you for the prompt notification. Since this release occurred on the same day and caused by one source, this incident can be covered by one initial C-141. You are correct to gather the GPS coordinates for all 3 areas and state them on the initial C-141 form. Does this address your question? I will be in Artesia today, so will not be in the office to follow-up with you.

Olivia

---

**From:** Shoemaker, Mike [<mailto:Mike.Shoemaker@dvn.com>]  
**Sent:** Tuesday, October 24, 2017 6:56 PM  
**To:** Yu, Olivia, EMNRD <[Olivia.Yu@state.nm.us](mailto:Olivia.Yu@state.nm.us)>; Shelly Tucker ([stucker@blm.gov](mailto:stucker@blm.gov)) <[stucker@blm.gov](mailto:stucker@blm.gov)>

**Cc:** Fulks, Brett <[Brett.Fulks@dvn.com](mailto:Brett.Fulks@dvn.com)>

**Subject:** Spill Notification for the North Thistle 2-35 Fed 1H (API #30-025-42831)

Good Evening,

Olivia I would like to follow up with you tomorrow to discuss this incident and see if I will need to submit this as a single C-141 or if I need to reported in multiple C-141 submittals any guidance would be appreciated.

Devon had the following releases occur beginning at 6:00 PM MST on 10/23/17. The incident is described below.

1. NORTH THISTLE 2-35 FED 1H (API #30-025-42831)
  - a. At 6:00 pm on 10/23/2017 Terra had a lay flat hose fail on the North Thistle 2-35 2H, water was being pumped from the Ursula pond to the location the frac went to flush and then shut down. Terra repaired the hose and completion activities resumed. At 7:30 pm on 10/23/2017 Terra had multiple lay flat failures along the same line and the completion activities were once again shut down. The line is being replaced. Based on these activities there are three small releases where the line failed that have soaked into the ground next to the lease road and a larger release that occurred on the pad location. My operations staff is working to gather GPS information of each of these areas and provide that to me but I currently do not have it. I will provide and update with that information once it is received. GIS indicates that the pad is located on state surface and state minerals but I have included Shelly Tucker with BLM on this initial incident notification in case I find that a portion of the other small releases are on Federal surface. A total of 355 bbls produced water was released and 250 bbls of produced water was recovered.

A C-141 will be prepared and submitted with GPS coordinates of the areas affected.

Thanks,

**Mike Shoemaker**  
EHS Representative

**Devon Energy Corporation**

6488 Seven Rivers Highway  
Artesia, New Mexico 88210  
575-746-5566 Office  
575-513-5035 Mobile



Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.