

**From:** [Yu, Olivia, EMNRD](#)  
**To:** ["Foord, William \(Scott\)"](#)  
**Cc:** [Speer, Robert](#); [Project Email Filing](#)  
**Subject:** RE: Lovington Paddock Unit 59 Site Assessment Report for Review ~RPT-073819-2016~  
**Date:** Monday, April 3, 2017 8:16:00 AM

---

Good morning Mr. Foord:

Please address the following concerns regarding the delineation workplan for 1RP-915:

1. Are there plans to further horizontal delineation of the impacted area? Upon review of Figure 4, chlorides are still above the permissible level at the western edge of the release.
2. What is the extent of the proposed excavation and set of liner? Please demarcate on a map.
3. When is the next groundwater sampling event?

Thanks,

Olivia Yu  
Environmental Specialist  
NMOCD, District I  
[Olivia.yu@state.nm.us](mailto:Olivia.yu@state.nm.us)  
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

---

**From:** Foord, William (Scott) [mailto:William.Foord@ghd.com]  
**Sent:** Monday, February 6, 2017 7:44 AM  
**To:** Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>  
**Cc:** Speer, Robert <RSpeer@chevron.com>; Project Email Filing <Filing-NA@ghd.com>  
**Subject:** Lovington Paddock Unit 59 Site Assessment Report for Review ~RPT-073819-2016~

Ms. Yu,

I apologize for bombarding your email this morning...last one I believe. Site Assessment Report for Lovington Paddock Unit 59 attached for your review.

I don't have an RP number in my records for this site.

Please contact me with any questions or concerns.

Warm regards,

Scott Foord, P.G.

**GHD**

T: 713-734-3090 | C: 281-725-7477 | F: 713-734-3391 | E: [william.foord@ghd.com](mailto:william.foord@ghd.com)

6320 Rothway Ste.100, Houston, Texas 77040 | [www.ghd.com](http://www.ghd.com)

[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email

**Perform every task the safe way, the right way, every time!**

This communication and any accompanying document(s) are confidential and are intended for the sole use of the addressee. If you are not the intended recipient, please notify me at the telephone number shown above or by return e-mail and delete this e-mail and any copies. You are advised that any disclosure, copying, distribution, or the taking of any action in reliance upon the communication without consent is strictly prohibited. Thank you.

---

**CONFIDENTIALITY NOTICE:** This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

---