

**From:** [Yu, Olivia, EMNRD](mailto:Yu.Olivia.EMNRD)  
**To:** "[Alan.Brandon@ghd.com](mailto:Alan.Brandon@ghd.com)"  
**Cc:** [Ericson, Dean](mailto:Ericson,Dean); [Bernard.Bockisch@ghd.com](mailto:Bernard.Bockisch@ghd.com)  
**Subject:** RE: 11135250-09 MB-5-12" (1RP-4621) Assessment Summary Report  
**Date:** Monday, April 30, 2018 12:09:00 PM  
**Attachments:** approved\_1RP4621\_11135250Ericson-2-Phase 9 Assessment Summary Report (LF).pdf

---

Mr. Brandon:

NMOCD approves of the delineation completed for 1RP-4621. For the proposed remediation, please provide a scaled map with the areas for deferral and areas proposed for 4 ft. removal and lined demarcated.

Thanks,  
Olivia

---

**From:** Alan.Brandon@ghd.com <Alan.Brandon@ghd.com>  
**Sent:** Friday, April 6, 2018 7:14 AM  
**To:** Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>  
**Cc:** Ericson, Dean <Dean.Ericson@energyTransfer.com>; Bernard.Bockisch@ghd.com  
**Subject:** 11135250-09 MB-5-12" (1RP-4621) Assessment Summary Report

Olivia,

On behalf of ETC Field Services, LLC, GHD is submitting the attached Assessment Summary Report for the MB-5-12" for your review. Please let me know if you have any questions or comments.

Thanks

**Alan Brandon**  
**Senior Project Manager**

**GHD**

T: +1 505 884 0672 | M: +1 505 697 2025 | VOIP Ext: 867318 | E: [Alan.Brandon@ghd.com](mailto:Alan.Brandon@ghd.com)  
6121 Indian School Rd. NE Albuquerque New Mexico 87110 | [www.ghd.com](http://www.ghd.com)  
[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email

---

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

---