



Robert Speer
Portfolio Manager,
Upstream Business Unit
Remediation Team

**Chevron Environmental
Management Company**
1400 Smith St. 07049
Houston, TX 77002
Tel (731) 372-6117
Cell (713) 301-7274
rspeer@chevron.com

February 2, 2017

Olivia Yu
Environmental Specialist, District 1
New Mexico Oil Conservation Division
1625 N. French Dr.
Hobbs, NM 88240

Re: LPU 60 Site Assessment Report, RP#1498

Dear Ms. Yu:

Please find enclosed for your files copies of the following report for the Lovington Paddock Unit #60 produced water release project site.

- *LPU 60 – 2016 Soil Assessment and Delineation Report, Unit G - Section 1 – Township 17 South – Range 36 East, Lea County, NM*

This report was prepared by Conestoga-Rovers & Associates (CRA) on behalf of Chevron Environmental Management Company (CEMC) to document assessment activities for a release of 50 bbls of produced water from a failed trunkline as documented in the initial C-141 submitted in July 2007. Soil sampling in the release area indicate that vertical and horizontal delineation of Chlorides and hydrocarbon components has been achieved at the site.

Should you have any questions regarding the content of this report, please do not hesitate to contact me. I look forward to working with you in the future.

Sincerely,

A handwritten signature in black ink that reads "Rob Speer".

Rob Speer
Environmental Project Manager



Site Assessment Report

Lovington Paddock Unit 60

Produced Water Release

RP-1498

Lea County, New Mexico

Chevron Environmental Management Company



Site Assessment Report

Lovington Paddock Unit 60

Produced Water Release

RP-1498

Lea County, New Mexico

Chevron Environmental Management Company

A handwritten signature in black ink, appearing to read "Scott Foord", written over a horizontal line.

Scott Foord, P.G.
Project Manager

A handwritten signature in blue ink, appearing to read "Bernard Bockisch", written over a horizontal line.

Bernard Bockisch
Senior Project Manager

GHD | 6320 Rothway, Suite 100, Houston, Texas USA

073817 | Report No 1 | January 2017



Table of Contents

1.	Introduction.....	1
2.	Background	1
3.	Remediation Standards.....	1
4.	Soil Assessment.....	2
4.1	Soil Analytical Results.....	3
5.	Groundwater Assessment.....	3
5.1	Monitoring Well Installation.....	3
5.2	Groundwater Sampling	4
5.3	Groundwater Analytical Results.....	4
6.	Conclusions.....	4
7.	Path Forward.....	5

Figure Index

Figure 1	Site Vicinity Map
Figure 2	Site Location Map
Figure 3	Site Map
Figure 4	Soil Boring Locations and Chloride Results Map

Table Index

Table 1	Summary of Soil Analytical Results
Table 2	Summary of Groundwater Analytical Results
Table 3	Summary of MW-1 Electrical Conductivity Profile

Appendix Index

Appendix A	Form C-141
Appendix B	Water Well Map
Appendix C	Boring Logs and State Well Report
Appendix D	Certified Analytical Reports
Appendix E	Waste Manifest



1. Introduction

On behalf of Chevron Environmental Management Company (CEMC), GHD Services Inc. (GHD, formerly Conestoga-Rovers & Associates) has prepared this report summarizing site assessment activities at the Lovington Paddock Unit (LPU) 60 site (hereafter referred to as the "Site"). The Site is located approximately 5 miles southeast of Lovington in Lea County, New Mexico in Unit F, Section 1, Township 17 South, Range 36 East. The land surface is owned by the City of Lovington and the minerals are managed by the State of New Mexico. The location of the Site is identified on the vicinity map of Figure 1 and the aerial map of Figure 2. Site details are shown on Figure 3.

Monitoring well MW-1 was installed in October 2016 to assess potential groundwater impact in follow-up to previous soil analytical results collected and reported during previous assessments in 2010 through 2012 which indicated chloride impact extending vertically to at least 70 feet below ground surface (ft bgs).

2. Background

CEMC submitted a C-141 Form to the New Mexico Oil Conservation Division (NMOCD) dated July 24, 2007 reporting a release of approximately 50 barrels of produced brine from the failure of a water injection trunkline. The approximate affected area was estimated at 2,950 square feet. NMOCD incident number RP-1498 was assigned by the NMOCD Hobbs office.

According to the Petroleum Recovery Research Center database and the New Mexico Office of the State Engineer (NMOSE), the historical depth to groundwater from water wells in the vicinity averaged approximately 64 feet below ground surface (bgs). A water well map is provided in Appendix B.

3. Remediation Standards

The NMOCD Ranking Criteria for soil and corresponding Recommended Remedial Action Levels (RRALs) established by NMOCD are summarized in the table below. The chloride RRAL is based on draft NMOCD Guidance for Release Reporting and Corrective Actions document (September 30, 2011).

<i>New Mexico Oil Conservation Division Site Assessment¹</i>	
Depth to Ground Water (50 ft - 99 ft)	10
Wellhead Protection Area (>1000 ft from water source, >200 ft from domestic source)	0
Distance to Surface Body Water (>1000 horizontal ft)	0
Ranking Criteria Total Score	10*
<i>*Because the ranking criteria total score is 10, NMOCD established RRALs for soil are 10 ppm for benzene, 50 ppm for BTEX, 1000 ppm for total TPH, and 250 ppm for chlorides.</i>	

¹ NMOCD Guidance for Remediation of Leaks, Spills and Releases, August 13, 1993



The NMOCD provides guidance for remediation of contaminants of oil field wastes or products in *Guidelines for Remediation of Leaks, Spills, and Releases (August 13, 1993)*. The guidance requires remediation of groundwater to the human health standards of the New Mexico Water Quality Control Commission (NMWQCC) set forth in New Mexico Administrative Code 20.6.2.3103. Standards for BTEX and chloride are listed below.

Analyte	NMWQCC Groundwater Standard (mg/L)
Benzene	0.01
Toluene	0.75
Ethylbenzene	0.75
Total Xylenes	0.62
Chloride	250

NMWQCC groundwater standards do not include TPH.

4. Soil Assessment

Shallow soil samples were collected in August 2010 from two locations (T-1 & T-2) in the affected area at depths within 2.5 ft bgs. Sample analyses included TPH, BTEX and chlorides. TPH and BTEX concentrations were below laboratory detection limits in the upper sample intervals of T-1 and T-2 (0-1 ft and 0-0.5 ft, respectively), and therefore were not analyzed at the deeper interval. However, chloride results at location T-1 exceeded the RRAL at both intervals.

In May 2011, Harrison Cooper, Inc. (HCI) advanced five soil borings (SB-1 through SB-5) utilizing an air-rotary drilling rig to depths of 40 ft bgs under the supervision of GHD. Soil samples were collected at five-foot intervals to depths ranging from 20 to 40 feet from within each of the five soil borings. Samples were placed in laboratory-supplied sample containers, labeled, placed on ice and submitted to ALS Environmental laboratory in Houston, Texas for analysis of chlorides by EPA Method 300.0.

Laboratory analytical results for chlorides indicated that the vertical extent of impact was not yet defined in borings SB-2, SB-3, and SB-5. On June 27, 2012, GHD and CEMC met at the NMOCD District 1 Hobbs office to discuss the path forward for the Site. The NMOCD requested additional assessment to be completed to further assess the vertical extent of chloride impacts.

In December 2012, under the supervision of GHD, HCI advanced two additional borings (SB-2b and SB-5b) utilizing an air-rotary drilling rig to depths of 70 ft bgs. Soil samples were collected from 40 to 70 ft bgs at 10-ft intervals in an effort to delineate the vertical extent of chloride impacts. Samples were placed in laboratory-supplied sample containers, labeled and submitted to Lancaster Labs in Lancaster, Pennsylvania for analysis of chlorides by EPA Method 300.0. Groundwater was not encountered in either boring.

Soil analytical results for 2010 are included in Table 1. Boring locations are shown on Figure 3. Drill cuttings were logged in accordance with the Unified Soil Classification System. Soil boring logs are provided in Appendix C. Following completion of activities, the borings were backfilled with hydrated bentonite pellets to the ground surface.



4.1 Soil Analytical Results

Analytical results associated with the soil boring installation activities of 2011 and 2012 are discussed in this section. Analytical results are presented in Table 1, shown in map view on Figure 4, and are summarized below:

- Samples from SB-1 demonstrated chloride concentrations below the site specific RRAL of 250 milligrams per kilogram (mg/kg) for chlorides to a depth of 20 feet bgs.
- Samples from SB-2 exhibited chloride concentrations consistently above the 250 mg/kg RRAL at depths extending from 4 to 40 ft bgs, with concentrations ranging from 289 mg/kg to 565 mg/kg (19-20 ft).
- Samples from SB-3 exhibited chloride concentrations consistently above the 250 mg/kg RRAL at depths extending from 9 to 20 ft bgs, with concentrations ranging from 324 mg/kg to 498 mg/kg (14-15 ft).
- Samples from SB-4 exhibited chloride concentrations consistently above the 250 mg/kg RRAL at depths extending from 4 to 15 ft bgs, with concentrations ranging from 260 mg/kg to 446 mg/kg (9-10 ft).
- Samples from SB-5 had chloride concentrations consistently exceeding the RRAL at depths extending from 9 to 40 ft bgs, with concentrations ranging from 747 mg/kg (9-10 ft) to 1,860 mg/kg (34-35 ft).
- Boring SB-2b exhibited chloride concentrations exceeding the RRAL in all samples collected (49-50 ft: 800 mg/kg, 59-60 ft: 780 mg/kg, and 69-70 ft: 940 mg/kg).
- Boring SB-5b exhibited chloride concentrations exceeding the RRAL in all samples collected (49-50 ft: 3,740 mg/kg, 59-60 ft: 3,720 mg/kg, and 69-70 ft: 1,520 mg/kg).
- No soil samples were collected for laboratory analysis from the borehole of MW-1.

Laboratory analytical reports are provided in Appendix D.

5. Groundwater Assessment

Monitoring well MW-1 was installed to determine whether groundwater was impacted by chlorides.

5.1 Monitoring Well Installation

Monitoring well MW-1 was installed on October 7, 2016 in the central part of the impacted area at a location midway between SB-2b and SB-5b (Figure 4). Prior to mobilizing drilling equipment to the Site, the boring location was marked and utility notifications were submitted. The boring location was cleared with a hydroexcavator to a depth of 1.5 ft bgs before refusal was encountered in caliche soil. A mud-rotary drilling rig operated by GHD subcontractor White Drilling Company, a New Mexico-licensed water well driller, advanced the boring to a total depth of 230 ft bgs. During drilling, a GHD geologist observed soil cuttings at 10-ft intervals starting at 70 ft bgs and recorded subsurface lithology on boring logs. Groundwater was encountered during drilling at a depth of 101 ft bgs.



MW-1 was completed with four-inch diameter, schedule 40 PVC casing, 130 ft of 0.010-inch slotted screen, a 20/40 sand filter pack overlain by a bentonite seal extending up to 10 ft bgs and riser casing extending above the ground surface. The well was completed at the surface with a stick-up protective casing set in an approximate 2 ft by 2 ft concrete pad. The well was developed by bailing and pumping.

The well was developed by removal of water to clear the well casing and annulus of sediment. Turbid water was removed with a 3-inch diameter bailer. Following bailing activities, well development was completed by pumping at 6 to 7 gallons per minute with a submersible pump. Approximately 385 gallons of water were removed during well development.

The boring log, well construction diagram, and the State Well Report are included in Appendix C. If determined necessary, the well will be professionally surveyed at a later date.

Soil cuttings, drilling fluids and well development water were contained in a lined roll-off mudbox. The drill cuttings/fluids and development water were transported as non-hazardous, exploration and production (E&P) exempt waste to a CEMC-approved disposal facility (i.e., Sundance Services, Inc. near Eunice New Mexico). Waste management documentation is provided in Appendix E.

5.2 Groundwater Sampling

Groundwater gauging was conducted and the vertical conductivity profile was assessed through the water column prior to sampling activities. Equipment was decontaminated prior to gauging or sampling. The water level was measured to the nearest hundredth of a foot and conductivity was measured at 5-ft intervals within the water column. The static water level was measured at a depth of 104.10 feet below the casing rim, which corresponds to approximately 10 feet below the top of the well screen. The results of the conductivity profile are summarized on Table 3.

The well was then sampled using a Hydrasleeve sampler. The groundwater sample was collected after the Hydrasleeve was lowered to the depth of the highest conductivity measurement (i.e., 105 ft below the casing rim). The sampler was removed from the well and the sample was placed in laboratory-supplied containers and chilled on ice in an insulated cooler. The sample was delivered under chain-of-custody documentation to Xenco Laboratories of Midland, Texas for analysis of BTEX by EPA method 8021B, TPH by Method SW8015B and chloride by EPA method 300.1.

5.3 Groundwater Analytical Results

No BTEX or TPH constituents were detected at concentrations above laboratory reporting limits. The 206 mg/L chloride concentration reported is below the below the 250 mg/L standard.

Groundwater analytical results for BTEX, TPH and chloride are summarized in Table 2 in reference to NMWQCC standards. The laboratory analytical report is provided in Appendix D.

6. Conclusions

Analytical results associated with assessment activities conducted in 2011 and 2012 indicate that the horizontal extent of chloride impact in soil has not been fully delineated. The vertical extent of chloride impact extends to at least 70 ft bgs but does not extend to groundwater, which was




encountered during drilling at 101 ft bgs. As such, vertical assessment of chloride concentrations appears to have been achieved.

7. Path Forward

Based on the ground water sampling results obtained from MW-1, the following tasks are recommended by GHD:

- Conduct one additional confirmation groundwater sampling event.
- If no impact to groundwater is confirmed, submit request to plug and abandon MW-1.
- Over-excavate the impacted area to a total depth of approximately 4 ft bgs. Excavation activities will be performed without compromising existing surface structures (i.e., existing flow lines, electrical lines, etc.).
- Transport and dispose of excavated soils as non-hazardous, E&P exempt waste to a CEMC-approved disposal facility (i.e., Sundance Services, Inc.).
- Install a 20-mil polyethylene liner in the excavated area and backfill the remaining excavation with clean materials.
- Construction-affected areas of the release site will be graded to match surface contours and seeded using Bureau of Land Management-approved seed mixtures.
- Submit a final C-141 form (spill release) to the NMOCD detailing completion of work activities.

Figures




SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC MAP
 32° 51' 58.2" N
 103° 18' 32.5" W

Figure 1

SITE VICINITY MAP
 LPU 60 RELEASE
 LEA COUNTY, NEW MEXICO

Chevron Environmental Management Company





SOURCE: ESRI 1999 AERIAL PHOTOGRAPH
32° 51' 58.2" N
103° 18' 32.5" W

Figure 2

SITE LOCATION MAP
LPU 60 RELEASE
LEA COUNTY, NEW MEXICO

Chevron Environmental Management Company






Figure 3

SITE MAP
LPU 60 RELEASE
LEA COUNTY, NEW MEXICO

Chevron Environmental Management Company





1. HIGHLIGHTED CELLS INDICATE CONCENTRATIONS EXCEEDING GUIDANCE RRALS.

Figure 4

SITE MAP
SOIL BORING LOCATIONS AND CHLORIDE RESULTS MAP
LEA COUNTY, NEW MEXICO
Chevron Environmental Management Company



Tables

**TABLE 1
SUMMARY OF SOIL ANALYTICAL RESULTS
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
LOVINGTON PADDOCK UNIT 60
LEA COUNTY, NEW MEXICO**

Sample ID	Depth (feet)	Date	Benzene mg/kg	Toluene mg/kg	Ethyl- benzene mg/kg	Total Xylenes mg/kg	Total BTEX mg/kg	TPH			Chlorides mg/kg
								DRO mg/kg	GRO mg/kg	GRO/DRO mg/kg	
NMOCD Recommended Remediation Action Levels (Total Ranking Score = 10)											
			10	---	---	---	50	---	---	1000	250
T-1	0-1	8/18/10	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00	<50.0	1,110
	2-2.5	8/18/10	--	--	--	--	--	--	--	--	1,620
T-2	0-0.5	8/18/10	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00	<50.0	<200
	0.5-1	8/18/10	--	--	--	--	--	--	--	--	<200
SB-1	4-5	5/27/11	--	--	--	--	--	--	--	--	93
	9-10	5/27/11	--	--	--	--	--	--	--	--	166
	14-15	5/27/11	--	--	--	--	--	--	--	--	155
	19-20	5/27/11	--	--	--	--	--	--	--	--	98.6
SB-2	4-5	5/27/11	--	--	--	--	--	--	--	--	541
	9-10	5/27/11	--	--	--	--	--	--	--	--	357
	14-15	5/27/11	--	--	--	--	--	--	--	--	289
	19-20	5/27/11	--	--	--	--	--	--	--	--	565
	24-25	5/27/11	--	--	--	--	--	--	--	--	231
	29-30	5/27/11	--	--	--	--	--	--	--	--	411
	34-35	5/27/11	--	--	--	--	--	--	--	--	465
	39-40	5/27/11	--	--	--	--	--	--	--	--	531
SB-2b	49-50	12/18/12	--	--	--	--	--	--	--	--	800
	59-60	12/18/12	--	--	--	--	--	--	--	--	780
	69-70	12/18/12	--	--	--	--	--	--	--	--	940
SB-3	4-5	5/27/11	--	--	--	--	--	--	--	--	245
	9-10	5/27/11	--	--	--	--	--	--	--	--	324
	14-15	5/27/11	--	--	--	--	--	--	--	--	498
	19-20	5/27/11	--	--	--	--	--	--	--	--	497
SB-4	4-5	5/27/11	--	--	--	--	--	--	--	--	326
	9-10	5/27/11	--	--	--	--	--	--	--	--	446
	14-15	5/27/11	--	--	--	--	--	--	--	--	260
	19-20	5/27/11	--	--	--	--	--	--	--	--	239
SB-5	4-5	5/27/11	--	--	--	--	--	--	--	--	151
	9-10	5/27/11	--	--	--	--	--	--	--	--	747
	14-15	5/27/11	--	--	--	--	--	--	--	--	1,260
	19-20	5/27/11	--	--	--	--	--	--	--	--	1,140
	24-25	5/27/11	--	--	--	--	--	--	--	--	1,180
	29-30	5/27/11	--	--	--	--	--	--	--	--	1,530
	34-35	5/27/11	--	--	--	--	--	--	--	--	1,860
39-40	5/27/11	--	--	--	--	--	--	--	--	1,570	
SB-5b	49-50	12/18/12	--	--	--	--	--	--	--	--	3,740
	59-60	12/18/12	--	--	--	--	--	--	--	--	3,720
	69-70	12/18/12	--	--	--	--	--	--	--	--	1,520

Notes:

- Bold concentrations above lab reporting limits.
- Highlighted cells indicated concentrations exceeding regulatory limits
- "--" indicates not analyzed or not applicable
- BTEX analyses by EPA Method 8021B.
- TPH analyzed by EPA Method SW8015B Mod.
- Chlorides analyzed by EPA Method 300.0

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
LOVINGTON PADDOCK UNIT 60
UNIT F, SECTION 1-T17S-R36E, LEA COUNTY, NEW MEXICO

<i>Well ID</i>	<i>Date</i>	<i>Benzene</i>	<i>Toluene</i>	<i>Ethylbenzene</i>	<i>Total Xylenes</i>	<i>TPH GRO</i>	<i>TPH DRO</i>	<i>Chloride</i>
NMWQCC Standards		0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L	-- mg/L	-- mg/L	250 mg/L
MW-1	10/19/16	<0.002	<0.002	<0.002	<0.002	<1.50	<1.50	206

NOTES:

NMWQCC - New Mexico Water Quality Control Commission

'mg/L' indicates milligrams per liter

Yellow-shaded cells indicate that concentration exceeds NMWQCC standard.

- BTEX analysis by EPA Method 8021B.

- TPH analysis by Method SW8015B.

- Chlorides analyzed by EPA Method 300.1

TABLE 3

**Conductivity Profile Results 2016
LOVINGTON PADDOCK UNIT 60
UNIT F, SECTION 1-T17S-R36E, LEA COUNTY, NEW MEXICO**

Well: MW-1
Date: 10/19/2016

Depth	Conductivity	Temperature
104.1		
105	1209	19.2
110	1194	19.1
115	1152	19.1
120	1124	19.1
125	1076	19.1
130	1044	19.2
135	1041	19.2
140	1017	19.2
145	979	19.2
150	947	19.2
155	918	19.2
160	905	19.2
165	910	19.2
170	911	19.2
175	909	19.2
180	910	19.9
185	910	19.9
190	910	19.9
195	908	19.9
200	907	19.9
205	907	19.9
210	904	19.5
215	904	19.5
220	905	19.5
225	855	19.5
226-230	892	19.5

NOTES:

Depth - feet below top of casing
Conductivity - microseimens per centimeter
Temperature - degrees Celsius


Appendices

Appendix A

Form C-141

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised October 10, 2003
Submit 2 copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

OPERATOR

Name of Company Chevron USA	Contact TEJAY SIMPSON	Initial Report	Final Report
Address HCR 60 Box 423 Lovington, N.M. 88260	Telephone No. 505-396-4414 X 101		
Facility Name LOVINGTON PADDOCK UNIT 60	Facility Type INJECTION WELL		
Surface Owner CITY OF LOVINGTON	Mineral Owner State of NM	Lease No.	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	South Line	Feet from the	West Line	County
F	1	17.0S	36E	1980 FNL		2310 FWL		Lea

63'

Latitude 32.865882885 Longitude -103.309097904

NATURE OF RELEASE API#30-025-03831

Type of Release Produced Water	Volume of Release 50-BBLS PRODUCED WATER	Volume Recovered 0 BBLS PW fluids.
Source of Release INJECTION TRUNKLINE FAILURE	Date and Hour of Occurrence 07/13/07 11:30 PM	Date and Hour of Discovery 07/13/07 11:45 PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? GARY WINK	
By Whom? TEJAY SIMPSON	Date and Hour 7/14/2007 7:00 A.M.	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

WATER INJECTION TRUNKLINE -SPLIT IN 2" X 14" CEMENT LINED NIPPLE. PRODUCED WATER INJECTION LINE FAILURE RESULTING IN THE RELEASE OF AN ESTIMATED 50 BARRELS OF PRODUCED WATER SHORTLY BEFORE MIDNIGHT. LOW PRESSURE ALARM ACTIVATED RESULTING IN CALL OUT OF LEASE OPERATOR. LEAK WAS ISOLATED AND DETERMINED NO RECOVERY OF FLUID WAS POSSIBLE. RELEASE IMPACTED SANDY SOIL WITH HEAVY GRASS VEGETATION. CITY OF LOVINGTON PERSONNEL WERE NOTIFIED SATURDAY, JULY 14TH. EMERGENCY ONE CALL AND EXCAVATION OF IMMEDIATE IMPACT AREA WAS CONDUCTED SATURDAY, JULY 14TH. INITIAL SITE ASSESMENT HAS BEEN CONDUCTED AND DELINEATION PLAN HAS BEEN APPROVED.

Chlorides 38,000 Oil Gravity 38

Describe Area Affected and Cleanup Action Taken.*

SANDY SOIL PASTURE LAND WITH HEAVY GRASS VEGETATION. IMPACT AREA ESTIMATED AT 2,950 SQUARE FEET.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.


Signature:	OIL CONSERVATION DIVISION	
Printed Name: TEJAY SIMPSON	Approved by District Supervisor:	
Title: OPERATIONS SUPERVISOR	Approval Date: 7.25.07	Expiration Date: 9.10.07
E-mail Address tsimpson@chevron.com	Conditions of Approval:	
Date: 7/24/2007 Phone: 396-4414 X 101	Submitted Plans for OCE Approval BY	

* Attach Additional Sheets If Necessary

RP# 1498


Appendix B

Water Well Map



Distance (ft): ○ 200 ○ 300 ○ 500 ○ 1000

0 200 400ft



Petroleum Recovery
Research Center

LPU #60

Figure:

Chevron Environmental Management Company

Jul 12, 2011

Appendix C

Boring Logs and State Well Report

SOIL BORING LOG

Project: Lovington Paddock Unit #60
Unit F, Section 1, T17S, R36E
Lea County, New Mexico

No. **SB-1**

File No.: 73817
Date: 5/27/2011
Drilling Co.: Harrison and Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
Houston, Texas

LABORATORY TEST DATA					FIELD DATA				BORING DATA		
Results Reported in mg/kg					PID Reading PPM	Sampling	Depth (feet)	Water Level	Screen Interval	Start Time: 11:40	Finish Time: 11:46
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)							
						X	5			Caliche: White, tan, indurated at bottom of unit, dense	
						X	10				
						X	15				
						X	20				
							25			Silty Sand: Tan, loose to firm, dry	
							30				
							35				
							40				
										TD = 40 feet Soil Boring Plugged with bentonite	

Stratification is Inferred And May Not be Exact.
Soil Classification Based on Visual-Manual Procedure

Analyzed Sample



SOIL BORING LOG

Project: Lovington Paddock Unit #60
 Unit F, Section 1, T17S, R36E
 Lea County, New Mexico

No. **SB-2**

File No.: 73817
Date: 5/27/2011
Drilling Co.: Harrison and Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
 Houston, Texas

LABORATORY TEST DATA					FIELD DATA				BORING DATA				
Results Reported in mg/kg					PID Reading PPM	Sampling	Depth (feet)	Water Level	Screen Interval	Start Time: 12:00	Finish Time: 12:14		
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)									
						X	5			Caliche: White, tan, indurated at bottom of unit, dense			
						X	10			Silty Sand: Tan, loose to firm, dry			
						X	15						
						X	20						
						X	25						
						X	30						
						X	35						
						X	40					TD = 40 feet	Boring plugged with bentonite

Stratification is Inferred And May Not be Exact.
 Soil Classification Based on Visual-Manual Procedure

○ Analyzed Sample



SOIL BORING LOG

Project: Lovington Paddock Unit #60
Unit F, Section 1, T17S, R36E
Lea County, New Mexico

No. **SB-3**

File No.: 73817
Date: 5/27/2011
Drilling Co.: Harrison and Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
Houston, Texas

LABORATORY TEST DATA					FIELD DATA				BORING DATA			
Results Reported in mg/kg					PID Reading PPM	Sampling	Depth (feet)	Water Level	Screen Interval	Start Time: 09:40	Finish Time: 09:46	
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)								
						X	5			Caliche: White, tan, indurated at bottom of unit, dense		
						X	10					
						X	15					Silty Sand: Tan to light brown, loose to firm, dry
						X	20					Silty Sand: Tan, loose to firm, dry
							25					
							30					
							35					
							40				TD = 40 feet Soil Boring Plugged with bentonite	

Stratification is Inferred And May Not be Exact.
Soil Classification Based on Visual-Manual Procedure

Analyzed Sample



SOIL BORING LOG

Project: Lovington Paddock Unit #60
 Unit F, Section 1, T17S, R36E
 Lea County, New Mexico

No. **SB-4**

File No.: 73817
Date: 5/27/2011
Drilling Co.: Harrison and Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
 Houston, Texas

LABORATORY TEST DATA					FIELD DATA			BORING DATA	
Results Reported in mg/kg					PID Reading PPM	Sampling	Depth (feet)	Water Level	Screen Interval
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)					
						X	5		Start Time: 10:06 Finish Time: 10:13
						X	10		
						X	15		Caliche: White, tan, indurated at bottom of unit, dense
						X	20		
							25		Silty Sand: Tan, loose to firm, dry
							30		
							35		
							40		
									TD = 40 feet Soil Boring Plugged with bentonite

Stratification is Inferred And May Not be Exact.
 Soil Classification Based on Visual-Manual Procedure

○ Analyzed Sample



SOIL BORING LOG

Project: Lovington Paddock Unit #60
Unit F, Section 1, T17S, R36E
Lea County, New Mexico

No. **SB-5**

File No.: 73817
Date: 5/27/2011
Drilling Co.: Harrison and Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
Houston, Texas

LABORATORY TEST DATA					FIELD DATA				BORING DATA		
Results Reported in mg/kg					PID Reading PPM	Sampling	Depth (feet)	Water Level	Screen Interval	Start Time: 11:00	Finish Time: 11:14
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)							
						X	5			Caliche: White, tan, indurated at bottom of unit, dense	
						X	10			Silty Sand: Tan, firm, dry	
						X	15			Silty Sand: Tan, loose to firm, dry	
						X	20				
						X	25				
						X	30				
						X	35				
						X	40			TD = 40 feet	Soil Boring Plugged with bentonite

Stratification is Inferred And May Not be Exact.
Soil Classification Based on Visual-Manual Procedure

(X) Analyzed Sample



SOIL BORING LOG

Project: LPU-60 Soil Boring Assesment Activities
 Unit F, Section 1, T17S, R36E
 Lea County, New Mexico

No. SB-2B

File No.: 73817
Date: 12/18/2012
Drilling Co.: Harrsion & Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
 Houston, Texas

LABORATORY TEST DATA					FIELD DATA				BORING DATA		
Results Reported in mg/kg					Photo- Ionization Detection Reading (ppm)	Sampling	Depth (feet)	Water Level	Screen Interval	Start Time: 1147	Finish Time: 1209
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)							
										Caliche: White to brown with silty sand	
										Silty Sand: Tan to brown indurated at top of unit, loose to firm, dry	
							45				
						X	50				
							55				
						X	60				
							65				
						X	70				TD
							75				
							80				

Stratification is Inferred And May Not be Exact.
 Soil Classification Based on Visual-Manual Procedure

 Water First Noted
 Analyzed Sample



SOIL BORING LOG

Project: LPU-60 Soil Boring Assesment Activities
 Unit F, Section 1, T17S, R36E
 Lea County, New Mexico

No. SB-5B

File No.: 73817
Date: 12/18/2012
Drilling Co.: Harrison & Cooper, Inc.
Supervisor: Kenny Cooper
Type Rig: Air Rotary
Logged by: Joey Lewandowski

Client: CEMC
 Houston, Texas

LABORATORY TEST DATA					FIELD DATA				BORING DATA		
Results Reported in mg/kg					Photo- ionization Detection Reading (ppm)	Sampling	Depth (feet)	Water Level	Screen Interval	Start Time: 1233	Finish Time: 1249
Benzene	Toluene	Ethyl- benzene	Xylenes	Total TPH (C6-C35)							
							45				Silty Sand: brown to tan, reddish brown, firm to loose, dry
						X	50				
							55				
						X	60				
							65				
						X	70				
							75				
							80				

Silty Sand: brown to tan, reddish brown, firm to loose, dry

TD

Stratification is Inferred And May Not be Exact.
 Soil Classification Based on Visual-Manual Procedure

- ▽
Water First Noted
- Analyzed Sample





STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

PROJECT NAME: Lovington Paddock Unit 60
 PROJECT NUMBER: 73817
 CLIENT: Chevron Environmental Management Company
 LOCATION: Lea County, New Mexico
 DRILLING COMPANY: White Drilling Company

HOLE DESIGNATION: MW-1
 DATE COMPLETED: 7 October 2016
 DRILLING METHOD: Mud Rotary
 FIELD PERSONNEL: J. Stoffel

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft BGS	Monitoring Well	SAMPLE			
				DEPTH (ft)	INTERVAL	REC (ft)	PP (tsf)
105 110 115 120 125 130 135 140 145 150 155 160 165 170 175 180 185 190 195	- increasing amount of fines in matrix, water at 101 feet - light brown, medium to very fine grained, moderately cemented, decreasing amount of lithic fragments - moderately to poorly cemented - moderately to well cemented, minor amount of fines - silty, brown, increasing amount of fines SILTY SAND (SM); brown, medium to very fine grained, with significant fines, poorly graded, cuttings are soft and malleable, quartz and lithic grains, minimal intact portions of formation, no hydrocarbon odor SANDSTONE; silty, brown, medium to very fine grained, poorly graded, well cemented, no hydrocarbon odor - moderately cemented SILTY SAND (SM); brown, fine to very fine grained, with some silty clay nodes, poorly graded, interbedded with moderately to well cemented sandstone, no hydrocarbon odor SANDSTONE; silty, brown, fine to very fine grained, with significant amount of fines, poorly graded, moderately cemented, cuttings are soft and do not hold shape, no hydrocarbon odor	150.00 160.00 180.00 190.00					

Filter pack
 20/40 sieve
 4-inch SCH
 40 PVC
 screen 0.010
 slot

NOTES: Stratigraphy descriptions are based on drill cuttings.
 WATER FOUND ▼


OVERBURDEN LOG 073817-CVX-LPU60.GPJ CRA_CORP.GDT 22/11/16



STRATIGRAPHIC AND INSTRUMENTATION LOG (OVERBURDEN)

PROJECT NAME: Lovington Paddock Unit 60
 PROJECT NUMBER: 73817
 CLIENT: Chevron Environmental Management Company
 LOCATION: Lea County, New Mexico
 DRILLING COMPANY: White Drilling Company

HOLE DESIGNATION: MW-1
 DATE COMPLETED: 7 October 2016
 DRILLING METHOD: Mud Rotary
 FIELD PERSONNEL: J. Stoffel

DEPTH ft BGS	STRATIGRAPHIC DESCRIPTION & REMARKS	DEPTH ft BGS	Monitoring Well	SAMPLE			
				DEPTH (ft)	INTERVAL	REC (ft)	PP (tsf)
205 210 215 220 225 230 235 240 245 250 255 260 265 270 275 280 285 290 295	<p>SILTY SAND (SM); brown, fine to very fine grained, with increasing clay, cuttings are soft and malleable, poorly graded, interbedded with moderately to well cemented sandstone, no hydrocarbon odor</p> <p>- some clay-rich nodes, minor granule-sized gravel, interbedded with moderately to well cemented sandstone</p> <p>GRAVEL, SILTY (GM); granule to pebble sized with fine to very fine grained sand and silt</p> <p>SAND, CLAYEY, SILTY (SC-SM); brown, fine to very fine grained, with appreciable clay and minor gravel granules, poorly graded, cuttings are firm and malleable, no hydrocarbon odor</p> <p>SILTSTONE; with stiff clay and minor amount of intermixed coarse sand and gravel granules, poorly graded</p> <p>END OF BOREHOLE @ 230.0ft BGS</p>	<p>200.00</p> <p>215.00</p> <p>218.00</p> <p>225.00</p> <p>230.00</p>	 <p>← Backfill (drill cuttings)</p> <p><u>WELL DETAILS</u> Screened interval: 91.00 to 221.00ft BGS Length: 130ft Slot Size: 0.010 Material: PVC Seal: 10.00 to 83.00ft BGS Material: Bentonite 3/8-inch chips Sand Pack: 85.00 to 226.00ft BGS Material: 20/40 silica sand</p> <p>BOREHOLE DIAMETER 8 inch</p>				

NOTES: Stratigraphy descriptions are based on drill cuttings.
 WATER FOUND ∇

OVERBURDEN LOG 073817-CVX-LPU60.GPJ CRA_CORP.GDT 22/11/16



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER


www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) MW-1				OSE FILE NUMBER(S) L-14207									
	WELL OWNER NAME(S) Chevron Midcontinent LP				PHONE (OPTIONAL)									
	WELL OWNER MAILING ADDRESS 1400 Smith Street RM 07086				CITY Houston		STATE TX		ZIP 77002					
	WELL LOCATION (FROM GPS)		DEGREES LATITUDE 32		MINUTES 51		SECONDS 58.02		N					
		LONGITUDE 103		18		32.09		W						
* ACCURACY REQUIRED: ONE TENTH OF A SECOND														
* DATUM REQUIRED: WGS 84														
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE LPU 60														
2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1456		NAME OF LICENSED DRILLER John W. White				NAME OF WELL DRILLING COMPANY White Drilling Company, Inc.							
	DRILLING STARTED 10/5/2016		DRILLING ENDED 10/12/2016		DEPTH OF COMPLETED WELL (FT) 230.0		BORE HOLE DEPTH (FT)		DEPTH WATER FIRST ENCOUNTERED (FT) 100.5					
	COMPLETED WELL IS: <input type="radio"/> ARTESIAN <input type="radio"/> DRY HOLE <input checked="" type="radio"/> SHALLOW (UNCONFINED)								STATIC WATER LEVEL IN COMPLETED WELL (FT) 100.5					
	DRILLING FLUID: <input type="radio"/> AIR <input checked="" type="radio"/> MUD ADDITIVES - SPECIFY:													
	DRILLING METHOD: <input type="radio"/> ROTARY <input type="radio"/> HAMMER <input type="radio"/> CABLE TOOL <input type="radio"/> OTHER - SPECIFY:													
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)		CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)		CASING CONNECTION TYPE		CASING INSIDE DIAM. (inches)		CASING WALL THICKNESS (inches)		SLOT SIZE (inches)	
	FROM	TO												
	0.0	90.0	7 7/8	Sch. 40 PVC Riser	Threads	4.0	1/4"							
	90.0	220.0	7 7/8	Sch. 40 PVC Screen	Threads	4.0	1/4"	.010						
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)		LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL			AMOUNT (cubic feet)		METHOD OF PLACEMENT				
	FROM	TO												
	225.0	85.0	7 7/8	20/40 Sand	58/Sacks	Handmix								
	85.0	10.0	7 7/8	Bentonite Chips	19/Sacks	Handmix								
	10.0	0.0	7 7/8	Cement	12/Sacks	Handmix								

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER		POD NUMBER		TRN NUMBER	
LOCATION					PAGE 1 OF 2

4. HYDROGEOLOGIC LOG OF WELL	DEPTH (feet bgl)		THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO				
	0.0	3.0	3.0	Brown clayey sand w/caliche	<input type="radio"/> Y <input checked="" type="radio"/> N	
	3.0	22.0	19.0	Caliche	<input type="radio"/> Y <input checked="" type="radio"/> N	
	22.0	30.0	8.0	Reddish brown sand	<input type="radio"/> Y <input checked="" type="radio"/> N	
	30.0	40.0	10.0	Brown sand w/caliche/tan sandstone	<input type="radio"/> Y <input checked="" type="radio"/> N	
	40.0	45.0	5.0	Brown sand	<input type="radio"/> Y <input checked="" type="radio"/> N	
	45.0	68.0	23.0	Brown sand/sandstone	<input type="radio"/> Y <input checked="" type="radio"/> N	
	68.0	80.0	12.0	Tan and brown sand/sandstone	<input type="radio"/> Y <input checked="" type="radio"/> N	
	80.0	85.0	5.0	Brown sand	<input type="radio"/> Y <input checked="" type="radio"/> N	
	85.0	88.0	3.0	Light tan sandstone	<input type="radio"/> Y <input checked="" type="radio"/> N	
	88.0	110.0	22.0	Brown sand/sandstone w/tan sandstone mixed	<input checked="" type="radio"/> Y <input type="radio"/> N	
	110.0	112.0	2.0	Brown sand	<input checked="" type="radio"/> Y <input type="radio"/> N	
	112.0	120.0	8.0	Brown and tan sandstone	<input checked="" type="radio"/> Y <input type="radio"/> N	
	120.0	130.0	10.0	Brown sand/sandstone	<input checked="" type="radio"/> Y <input type="radio"/> N	
	130.0	150.0	20.0	Brown clayey sand w/tan and brown sandstone mixed	<input checked="" type="radio"/> Y <input type="radio"/> N	
	150.0	190.0	40.0	Brown and tan sand/sandstone	<input checked="" type="radio"/> Y <input type="radio"/> N	
	190.0	215.0	25.0	Brownish red clayey sand	<input checked="" type="radio"/> Y <input type="radio"/> N	
	215.0	216.0	1.0	Brown clay/clayey sand	<input checked="" type="radio"/> Y <input type="radio"/> N	
	216.0	218.0	2.0	Brown sand w/gravel	<input checked="" type="radio"/> Y <input type="radio"/> N	
	218.0	223.0	5.0	Brown/red clayey sand	<input checked="" type="radio"/> Y <input type="radio"/> N	
	223.0	230.0	7.0	Brown clay	<input checked="" type="radio"/> Y <input type="radio"/> N	
					<input type="radio"/> Y <input type="radio"/> N	
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA: <input type="radio"/> PUMP					TOTAL ESTIMATED WELL YIELD (gpm):	
<input type="radio"/> AIR LIFT <input type="radio"/> BAILER <input type="radio"/> OTHER - SPECIFY:						
5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.				
	MISCELLANEOUS INFORMATION:					
	Fill with cuttings from 225'-230'					
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:						
6. SIGNATURE	THE UNDERSIGNED HEREBY CERTIFIES THAT, TO THE BEST OF HIS OR HER KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED HOLE AND THAT HE OR SHE WILL FILE THIS WELL RECORD WITH THE STATE ENGINEER AND THE PERMIT HOLDER WITHIN 20 DAYS AFTER COMPLETION OF WELL DRILLING:					
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME				10/21/16 DATE	

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 06/08/2012)

FILE NUMBER	POD NUMBER	TRN NUMBER
LOCATION	PAGE 2 OF 2	

Appendix D

Certified Analytical Reports



20-Jun-2011

James Ornelas
Conestoga-Rovers & Associates
2135 S Loop 250 West
Midland, TX 79703

Tel: (412) 686-0086
Fax: (432) 686-0186

Re: Lovington Paddock #60

Work Order: **1106026**

Dear James,

ALS Environmental received 40 samples on 01-Jun-2011 09:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 45.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

A handwritten signature in cursive script that reads "Patricia L. Lynch".

Electronically approved by: Glenda H. Ramos

Patricia L. Lynch
Project Manager



Certificate No: T104704231-09A-TX

ADDRESS 10450 Stancliff Rd, Suite 210 Houston, Texas 77099-4338 | PHONE (281) 530-5656 | FAX (281) 530-5887

DOV#T UR X S#K VD /#F R US##Sduw#k i#kh#DOV#Dde r udwru|#T urxs#D #F dp eeha#Eurwkhuv#Dp wng#F rp sdq|

Environmental ALS

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: Conestoga-Rovers & Associates
Project: Lovington Paddock #60
Work Order: 1106026

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1106026-01	LPU#60 SB-1 4'-5'	Soil		5/27/2011 11:40	6/1/2011 09:00	<input type="checkbox"/>
1106026-02	LPU#60 SB-1 9'-10'	Soil		5/27/2011 11:42	6/1/2011 09:00	<input type="checkbox"/>
1106026-03	LPU#60 SB-1 14'-15'	Soil		5/27/2011 11:44	6/1/2011 09:00	<input type="checkbox"/>
1106026-04	LPU#60 SB-1 19'-20'	Soil		5/27/2011 11:46	6/1/2011 09:00	<input type="checkbox"/>
1106026-05	LPU#60 SB-1 24'-25'	Soil		5/27/2011 11:48	6/1/2011 09:00	<input type="checkbox"/>
1106026-06	LPU#60 SB-1 29'-30'	Soil		5/27/2011 11:50	6/1/2011 09:00	<input type="checkbox"/>
1106026-07	LPU#60 SB-1 34'-35'	Soil		5/27/2011 11:52	6/1/2011 09:00	<input type="checkbox"/>
1106026-08	LPU#60 SB-1 39'-40'	Soil		5/27/2011 11:54	6/1/2011 09:00	<input type="checkbox"/>
1106026-09	LPU#60 SB-2 4'-5'	Soil		5/27/2011 12:00	6/1/2011 09:00	<input type="checkbox"/>
1106026-10	LPU#60 SB-2 9'-10'	Soil		5/27/2011 12:02	6/1/2011 09:00	<input type="checkbox"/>
1106026-11	LPU#60 SB-2 14'-15'	Soil		5/27/2011 12:04	6/1/2011 09:00	<input type="checkbox"/>
1106026-12	LPU#60 SB-2 19'-20'	Soil		5/27/2011 12:06	6/1/2011 09:00	<input type="checkbox"/>
1106026-13	LPU#60 SB-2 24'-25'	Soil		5/27/2011 12:08	6/1/2011 09:00	<input type="checkbox"/>
1106026-14	LPU#60 SB-2 29'-30'	Soil		5/27/2011 12:10	6/1/2011 09:00	<input type="checkbox"/>
1106026-15	LPU#60 SB-2 34'-35'	Soil		5/27/2011 12:12	6/1/2011 09:00	<input type="checkbox"/>
1106026-16	LPU#60 SB-2 39'-40'	Soil		5/27/2011 12:14	6/1/2011 09:00	<input type="checkbox"/>
1106026-17	LPU#60 SB-3 4'-5'	Soil		5/27/2011 09:40	6/1/2011 09:00	<input type="checkbox"/>
1106026-18	LPU#60 SB-3 9'-10'	Soil		5/27/2011 09:42	6/1/2011 09:00	<input type="checkbox"/>
1106026-19	LPU#60 SB-3 14'15'	Soil		5/27/2011 09:44	6/1/2011 09:00	<input type="checkbox"/>
1106026-20	LPU#60 SB-3 19'-20'	Soil		5/27/2011 09:46	6/1/2011 09:00	<input type="checkbox"/>
1106026-21	LPU#60 SB-3 24'-25'	Soil		5/27/2011 09:48	6/1/2011 09:00	<input type="checkbox"/>
1106026-22	LPU#60 SB-3 29'-30'	Soil		5/27/2011 09:50	6/1/2011 09:00	<input type="checkbox"/>
1106026-23	LPU#60 SB-3 34'-35'	Soil		5/27/2011 09:52	6/1/2011 09:00	<input type="checkbox"/>
1106026-24	LPU#60 SB-3 39'-40'	Soil		5/27/2011 09:54	6/1/2011 09:00	<input type="checkbox"/>
1106026-25	LPU#60 SB-4 4'-5'	Soil		5/27/2011 10:06	6/1/2011 09:00	<input type="checkbox"/>
1106026-26	LPU#60 SB-4 9'-10'	Soil		5/27/2011 10:09	6/1/2011 09:00	<input type="checkbox"/>
1106026-27	LPU#60 SB-4 14'-15'	Soil		5/27/2011 10:11	6/1/2011 09:00	<input type="checkbox"/>
1106026-28	LPU#60 SB-4 19'-20'	Soil		5/27/2011 10:13	6/1/2011 09:00	<input type="checkbox"/>
1106026-29	LPU#60 SB-4 24'-25'	Soil		5/27/2011 10:15	6/1/2011 09:00	<input type="checkbox"/>
1106026-30	LPU#60 SB-4 29'-30'	Soil		5/27/2011 10:17	6/1/2011 09:00	<input type="checkbox"/>
1106026-31	LPU#60 SB-4 34'-35'	Soil		5/27/2011 10:19	6/1/2011 09:00	<input type="checkbox"/>
1106026-32	LPU#60 SB-4 39'-40'	Soil		5/27/2011 10:21	6/1/2011 09:00	<input type="checkbox"/>
1106026-33	LPU#60 SB-5 4'-5'	Soil		5/27/2011 11:00	6/1/2011 09:00	<input type="checkbox"/>
1106026-34	LPU#60 SB-5 9'-10'	Soil		5/27/2011 11:02	6/1/2011 09:00	<input type="checkbox"/>
1106026-35	LPU#60 SB-5 14'-15'	Soil		5/27/2011 11:04	6/1/2011 09:00	<input type="checkbox"/>
1106026-36	LPU#60 SB-5 19'-20'	Soil		5/27/2011 11:06	6/1/2011 09:00	<input type="checkbox"/>
1106026-37	LPU#60 SB-5 24'-25'	Soil		5/27/2011 11:08	6/1/2011 09:00	<input type="checkbox"/>
1106026-38	LPU#60 SB-5 29'-30'	Soil		5/27/2011 11:10	6/1/2011 09:00	<input type="checkbox"/>
1106026-39	LPU#60 SB-5 34'-35'	Soil		5/27/2011 11:12	6/1/2011 09:00	<input type="checkbox"/>

Client: Conestoga-Rovers & Associates
Project: Lovington Paddock #60
Work Order: 1106026

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1106026-40	LPU#60 SB-5 39'-40'	Soil		5/27/2011 11:14	6/1/2011 09:00	<input type="checkbox"/>

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Case Narrative

Surrogate recovery is slightly above the control limits in sample LPU#60 SB-3 4'-5' due to possible matrix interference.

Batch 53269 chloride MS/MSD recoveries in sample LP#60 SB-5 34'-35' are below the control limits due to the high concentration in the background sample. The MS/MSD results are flagged with E and O.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Sample ID: LPU#60 SB-1 4'-5'

Lab ID: 1106026-01

Collection Date: 5/27/2011 11:40 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	92.8		4.97	mg/Kg	1	6/13/2011 03:49 PM
Surr: Selenate (surr)	106		85-115	%REC	1	6/13/2011 03:49 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	5.33		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Sample ID: LPU#60 SB-1 9-10'

Lab ID: 1106026-02

Collection Date: 5/27/2011 11:42 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	166		4.95	mg/Kg	1	6/13/2011 04:11 PM
Surr: Selenate (surr)	105		85-115	%REC	1	6/13/2011 04:11 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	5.05		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-1 14'-15'

Collection Date: 5/27/2011 11:44 AM

Work Order: 1106026

Lab ID: 1106026-03

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	155		4.95	mg/Kg	1	6/13/2011 04:32 PM
Surr: Selenate (surr)	99.8		85-115	%REC	1	6/13/2011 04:32 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	5.45		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-1 19'-20'

Collection Date: 5/27/2011 11:46 AM

Work Order: 1106026

Lab ID: 1106026-04

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	98.6		4.92	mg/Kg	1	6/13/2011 04:54 PM
Surr: Selenate (surr)	96.1		85-115	%REC	1	6/13/2011 04:54 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	7.73		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 4'-5'

Collection Date: 5/27/2011 12:00 PM

Work Order: 1106026

Lab ID: 1106026-09

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	541		4.96	mg/Kg	1	6/13/2011 05:16 PM
Surr: Selenate (surr)	99.6		85-115	%REC	1	6/13/2011 05:16 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	7.84		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 9'-10'

Collection Date: 5/27/2011 12:02 PM

Work Order: 1106026

Lab ID: 1106026-10

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	357		4.91	mg/Kg	1	6/13/2011 05:38 PM
Surr: Selenate (surr)	114		85-115	%REC	1	6/13/2011 05:38 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	3.69		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 14'-15'

Collection Date: 5/27/2011 12:04 PM

Work Order: 1106026

Lab ID: 1106026-11

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	289		4.98	mg/Kg	1	6/13/2011 05:59 PM
Surr: Selenate (surr)	97.9		85-115	%REC	1	6/13/2011 05:59 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	3.62		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 19'-20'

Collection Date: 5/27/2011 12:06 PM

Work Order: 1106026

Lab ID: 1106026-12

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	565		4.92	mg/Kg	1	6/13/2011 07:04 PM
Surr: Selenate (surr)	105		85-115	%REC	1	6/13/2011 07:04 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.94		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 24'-25'

Collection Date: 5/27/2011 12:08 PM

Work Order: 1106026

Lab ID: 1106026-13

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/16/2011	Analyst: TDW
Chloride	231		5.00	mg/Kg	1	6/16/2011 08:17 PM
Surr: Selenate (surr)	112		85-115	%REC	1	6/16/2011 08:17 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.08		0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Sample ID: LPU#60 SB-2 29'-30'

Lab ID: 1106026-14

Collection Date: 5/27/2011 12:10 PM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/16/2011	Analyst: TDW
Chloride	411		4.95	mg/Kg	1	6/16/2011 09:22 PM
Surr: Selenate (surr)	113		85-115	%REC	1	6/16/2011 09:22 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	5.18		0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 34'-35"

Collection Date: 5/27/2011 12:12 PM

Work Order: 1106026

Lab ID: 1106026-15

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/16/2011	Analyst: TDW
Chloride	465		4.91	mg/Kg	1	6/16/2011 09:43 PM
Surr: Selenate (surr)	108		85-115	%REC	1	6/16/2011 09:43 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.81		0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-2 39'-40'

Collection Date: 5/27/2011 12:14 PM

Work Order: 1106026

Lab ID: 1106026-16

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)						
Chloride	531		E300		Prep Date: 6/16/2011	Analyst: TDW
			4.94	mg/Kg	1	6/16/2011 10:05 PM
<i>Surr: Selenate (surr)</i>	<i>110</i>		<i>85-115</i>	<i>%REC</i>	1	6/16/2011 10:05 PM
MOISTURE						
Percent Moisture	4.88		SW3550			Analyst: KAH
			0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-3 4'-5'

Collection Date: 5/27/2011 09:40 AM

Work Order: 1106026

Lab ID: 1106026-17

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	245		4.95	mg/Kg	1	6/13/2011 07:26 PM
Surr: Selenate (surr)	120	S	85-115	%REC	1	6/13/2011 07:26 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	6.93		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-3 9'-10'

Collection Date: 5/27/2011 09:42 AM

Work Order: 1106026

Lab ID: 1106026-18

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	324		4.95	mg/Kg	1	6/13/2011 07:48 PM
Surr: Selenate (surr)	100		85-115	%REC	1	6/13/2011 07:48 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	6.68		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates**Project:** Lovington Paddock #60**Sample ID:** LPU#60 SB-3 14'15'**Collection Date:** 5/27/2011 09:44 AM**Work Order:** 1106026**Lab ID:** 1106026-19**Matrix:** SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	498		4.97	mg/Kg	1	6/13/2011 08:09 PM
Surr: Selenate (surr)	97.4		85-115	%REC	1	6/13/2011 08:09 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.40		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Sample ID: LPU#60 SB-3 19'-20'

Lab ID: 1106026-20

Collection Date: 5/27/2011 09:46 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	497		4.98	mg/Kg	1	6/13/2011 08:31 PM
Surr: Selenate (surr)	103		85-115	%REC	1	6/13/2011 08:31 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	3.36		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-4 4'-5'

Collection Date: 5/27/2011 10:06 AM

Work Order: 1106026

Lab ID: 1106026-25

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	326		4.98	mg/Kg	1	6/13/2011 08:53 PM
Surr: Selenate (surr)	102		85-115	%REC	1	6/13/2011 08:53 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	2.23		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-4 9'-10'

Collection Date: 5/27/2011 10:09 AM

Work Order: 1106026

Lab ID: 1106026-26

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300			Prep Date: 6/13/2011 Analyst: TDW
Chloride	446		4.99	mg/Kg	1	6/13/2011 09:15 PM
Surr: Selenate (surr)	112		85-115	%REC	1	6/13/2011 09:15 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	7.68		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-4 14'-15'

Collection Date: 5/27/2011 10:11 AM

Work Order: 1106026

Lab ID: 1106026-27

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300			Prep Date: 6/13/2011 Analyst: TDW
Chloride	260		4.95	mg/Kg	1	6/13/2011 09:36 PM
Surr: Selenate (surr)	110		85-115	%REC	1	6/13/2011 09:36 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	5.00		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-4 19'-20'

Collection Date: 5/27/2011 10:13 AM

Work Order: 1106026

Lab ID: 1106026-28

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	239		4.96	mg/Kg	1	6/13/2011 09:58 PM
Surr: Selenate (surr)	114		85-115	%REC	1	6/13/2011 09:58 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.30		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-5 4'-5'

Collection Date: 5/27/2011 11:00 AM

Work Order: 1106026

Lab ID: 1106026-33

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	151		4.99	mg/Kg	1	6/13/2011 10:20 PM
Surr: Selenate (surr)	115		85-115	%REC	1	6/13/2011 10:20 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	2.70		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Sample ID: LPU#60 SB-5 9'-10'

Lab ID: 1106026-34

Collection Date: 5/27/2011 11:02 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	747		4.92	mg/Kg	1	6/13/2011 11:25 PM
Surr: Selenate (surr)	104		85-115	%REC	1	6/13/2011 11:25 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	5.45		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-5 14'-15'

Collection Date: 5/27/2011 11:04 AM

Work Order: 1106026

Lab ID: 1106026-35

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	1,260		24.5	mg/Kg	5	6/14/2011 11:39 AM
Surr: Selenate (surr)	108		85-115	%REC	5	6/14/2011 11:39 AM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.01		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-5 19'-20'

Collection Date: 5/27/2011 11:06 AM

Work Order: 1106026

Lab ID: 1106026-36

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/13/2011	Analyst: TDW
Chloride	1,140		24.7	mg/Kg	5	6/14/2011 11:14 AM
Surr: Selenate (surr)	108		85-115	%REC	5	6/14/2011 11:14 AM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	3.63		0.0100	wt%	1	6/2/2011 01:00 PM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Work Order: 1106026

Sample ID: LPU#60 SB-5 24'-25'

Lab ID: 1106026-37

Collection Date: 5/27/2011 11:08 AM

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)						
Chloride	1,180		E300		Prep Date: 6/16/2011	Analyst: TDW
			24.7	mg/Kg	5	6/17/2011 12:33 PM
<i>Surr: Selenate (surr)</i>	<i>106</i>		<i>85-115</i>	<i>%REC</i>	5	6/17/2011 12:33 PM
MOISTURE						
Percent Moisture	3.77		SW3550			Analyst: KAH
			0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-5 29'-30'

Collection Date: 5/27/2011 11:10 AM

Work Order: 1106026

Lab ID: 1106026-38

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/16/2011	Analyst: TDW
Chloride	1,530		24.6	mg/Kg	5	6/17/2011 12:55 PM
Surr: Selenate (surr)	105		85-115	%REC	5	6/17/2011 12:55 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	3.93		0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-5 34'-35'

Collection Date: 5/27/2011 11:12 AM

Work Order: 1106026

Lab ID: 1106026-39

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/16/2011	Analyst: TDW
Chloride	1,860		24.8	mg/Kg	5	6/17/2011 01:16 PM
Surr: Selenate (surr)	108		85-115	%REC	5	6/17/2011 01:16 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.45		0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

Sample ID: LPU#60 SB-5 39'-40'

Collection Date: 5/27/2011 11:14 AM

Work Order: 1106026

Lab ID: 1106026-40

Matrix: SOIL

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
ANIONS - EPA 300.0 (1993)			E300		Prep Date: 6/16/2011	Analyst: TDW
Chloride	1,570		24.6	mg/Kg	5	6/17/2011 01:38 PM
Surr: Selenate (surr)	107		85-115	%REC	5	6/17/2011 01:38 PM
MOISTURE			SW3550			Analyst: KAH
Percent Moisture	4.23		0.0100	wt%	1	6/16/2011 10:30 AM

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 20-Jun-11

Client: Conestoga-Rovers & Associates
Work Order: 1106026
Project: Lovington Paddock #60

QC BATCH REPORT

Batch ID: **53144** Instrument ID **ICS3K2** Method: **E300**

MBLK		Sample ID: WBLKS2-061311-53144			Units: mg/Kg		Analysis Date: 6/13/2011 02:44 PM			
Client ID:		Run ID: ICS3K2_110613A			SeqNo: 2422249		Prep Date: 6/13/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	U	5.0								
<i>Surr: Selenate (surr)</i>	49.17	1.0	50	0	98.3	85-115	0			

LCS		Sample ID: WLCSS2-061311-53144			Units: mg/Kg		Analysis Date: 6/13/2011 03:06 PM			
Client ID:		Run ID: ICS3K2_110613A			SeqNo: 2422250		Prep Date: 6/13/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	209	5.0	200	0	104	90-110	0			
<i>Surr: Selenate (surr)</i>	55.97	1.0	50	0	112	85-115	0			

LCSD		Sample ID: WLCSDS2-061311-53144			Units: mg/Kg		Analysis Date: 6/13/2011 03:27 PM			
Client ID:		Run ID: ICS3K2_110613A			SeqNo: 2422251		Prep Date: 6/13/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	204.1	5.0	200	0	102	90-110	209	2.38	20	
<i>Surr: Selenate (surr)</i>	57.11	1.0	50	0	114	85-115	55.97	2.01	20	

MS		Sample ID: 1106026-36AMS			Units: mg/Kg		Analysis Date: 6/14/2011 12:30 AM			
Client ID: LPU#60 SB-5 19'-20'		Run ID: ICS3K2_110613A			SeqNo: 2422276		Prep Date: 6/13/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	1205	4.9	98.62	1123	83.2	75-125	0			EO
<i>Surr: Selenate (surr)</i>	51.21	0.99	49.31	0	104	80-120	0			

MS		Sample ID: 1106026-01AMS			Units: mg/Kg		Analysis Date: 6/14/2011 01:13 AM			
Client ID: LPU#60 SB-1 4'-5'		Run ID: ICS3K2_110613A			SeqNo: 2422278		Prep Date: 6/13/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	193.3	5.0	99.4	92.82	101	75-125	0			
<i>Surr: Selenate (surr)</i>	56.88	0.99	49.7	0	114	80-120	0			

MSD		Sample ID: 1106026-36AMSD			Units: mg/Kg		Analysis Date: 6/14/2011 12:52 AM			
Client ID: LPU#60 SB-5 19'-20'		Run ID: ICS3K2_110613A			SeqNo: 2422277		Prep Date: 6/13/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	1206	4.9	98.62	1123	84.4	75-125	1205	0.0908	20	EO
<i>Surr: Selenate (surr)</i>	49.81	0.99	49.31	0	101	80-120	51.21	2.77	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Conestoga-Rovers & Associates
Work Order: 1106026
Project: Lovington Paddock #60

QC BATCH REPORT

Batch ID: **53144** Instrument ID **ICS3K2** Method: **E300**

MSD Sample ID: **1106026-01AMSD** Units: **mg/Kg** Analysis Date: **6/14/2011 01:35 AM**

Client ID: **LPU#60 SB-1 4'-5'** Run ID: **ICS3K2_110613A** SeqNo: **2422279** Prep Date: **6/13/2011** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	193.3	5.0	99.4	92.82	101	75-125	193.3	0.0103	20	
<i>Surr: Selenate (surr)</i>	<i>56.86</i>	<i>0.99</i>	<i>49.7</i>	<i>0</i>	<i>114</i>	<i>80-120</i>	<i>56.88</i>	<i>0.035</i>	<i>20</i>	

The following samples were analyzed in this batch:

1106026-01A	1106026-02A	1106026-03A
1106026-04A	1106026-09A	1106026-10A
1106026-11A	1106026-12A	1106026-17A
1106026-18A	1106026-19A	1106026-20A
1106026-25A	1106026-26A	1106026-27A
1106026-28A	1106026-33A	1106026-34A
1106026-35A	1106026-36A	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Conestoga-Rovers & Associates
 Work Order: 1106026
 Project: Lovington Paddock #60

QC BATCH REPORT

Batch ID: **53269** Instrument ID **ICS3K2** Method: **E300**

MBLK		Sample ID: WBLKS2-061611-53269			Units: mg/Kg		Analysis Date: 6/16/2011 05:01 PM			
Client ID:		Run ID: ICS3K2_110616A			SeqNo: 2427284		Prep Date: 6/16/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	U	5.0								
<i>Surr: Selenate (surr)</i>	49.87	1.0	50	0	99.7	85-115	0			

LCS		Sample ID: WLCSS2-061611-53269			Units: mg/Kg		Analysis Date: 6/16/2011 05:23 PM			
Client ID:		Run ID: ICS3K2_110616A			SeqNo: 2427285		Prep Date: 6/16/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	208.8	5.0	200	0	104	90-110	0			
<i>Surr: Selenate (surr)</i>	56.64	1.0	50	0	113	85-115	0			

LCSD		Sample ID: WLCSDS2-061611-53269			Units: mg/Kg		Analysis Date: 6/16/2011 05:45 PM			
Client ID:		Run ID: ICS3K2_110616A			SeqNo: 2427288		Prep Date: 6/16/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	208.8	5.0	200	0	104	90-110	208.8	0.0287	20	
<i>Surr: Selenate (surr)</i>	57.01	1.0	50	0	114	85-115	56.64	0.651	20	

MS		Sample ID: 1106026-39AMS			Units: mg/Kg		Analysis Date: 6/16/2011 11:32 PM			
Client ID: LPU#60 SB-5 34'-35'		Run ID: ICS3K2_110616A			SeqNo: 2427328		Prep Date: 6/16/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	1888	5.0	99.21	1819	69.5	75-125	0			SEO
<i>Surr: Selenate (surr)</i>	55.38	0.99	49.6	0	112	80-120	0			

MS		Sample ID: 1106026-40AMS			Units: mg/Kg		Analysis Date: 6/17/2011 12:37 AM			
Client ID: LPU#60 SB-5 39'-40'		Run ID: ICS3K2_110616A			SeqNo: 2427332		Prep Date: 6/16/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	1572	4.9	98.23	1500	73.8	75-125	0			SEO
<i>Surr: Selenate (surr)</i>	53.13	0.98	49.12	0	108	80-120	0			

MSD		Sample ID: 1106026-39AMSD			Units: mg/Kg		Analysis Date: 6/16/2011 11:54 PM			
Client ID: LPU#60 SB-5 34'-35'		Run ID: ICS3K2_110616A			SeqNo: 2427329		Prep Date: 6/16/2011		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	1887	5.0	99.21	1819	68.4	75-125	1888	0.0615	20	SEO
<i>Surr: Selenate (surr)</i>	55.12	0.99	49.6	0	111	80-120	55.38	0.467	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Conestoga-Rovers & Associates

Work Order: 1106026

Project: Lovington Paddock #60

QC BATCH REPORT

Batch ID: **53269**

Instrument ID **ICS3K2**

Method: **E300**

MSD Sample ID: **1106026-40AMSD** Units: **mg/Kg** Analysis Date: **6/17/2011 01:42 AM**

Client ID: **LPU#60 SB-5 39'-40'** Run ID: **ICS3K2_110616A** SeqNo: **2427336** Prep Date: **6/16/2011** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Chloride	1572	4.9	98.23	1500	73.9	75-125	1572	0.00562	20	SEO
<i>Surr: Selenate (surr)</i>	<i>53.21</i>	<i>0.98</i>	<i>49.12</i>	<i>0</i>	<i>108</i>	<i>80-120</i>	<i>53.13</i>	<i>0.148</i>	<i>20</i>	

The following samples were analyzed in this batch:

1106026-13A	1106026-14A	1106026-15A
1106026-16A	1106026-37A	1106026-38A
1106026-39A	1106026-40A	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Conestoga-Rovers & Associates
Work Order: 1106026
Project: Lovington Paddock #60

QC BATCH REPORT

Batch ID: **R110813** Instrument ID **Balance1** Method: **SW3550**

DUP Sample ID: **1106026-36ADUP** Units: **wt%** Analysis Date: **6/2/2011 01:00 PM**
 Client ID: **LPU#60 SB-5 19'-20'** Run ID: **BALANCE1_110602F** SeqNo: **2410943** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Percent Moisture	3.596	0.010	0	0	0	0-0	3.635	1.07	20	

The following samples were analyzed in this batch:

1106026-01A	1106026-02A	1106026-03A
1106026-04A	1106026-09A	1106026-10A
1106026-11A	1106026-12A	1106026-17A
1106026-18A	1106026-19A	1106026-20A
1106026-25A	1106026-26A	1106026-27A
1106026-28A	1106026-33A	1106026-34A
1106026-35A	1106026-36A	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Conestoga-Rovers & Associates

Work Order: 1106026

Project: Lovington Paddock #60

QC BATCH REPORT

Batch ID: **R111505** Instrument ID **Balance1** Method: **SW3550**

DUP Sample ID: **1106473-07ADUP** Units: **wt%** Analysis Date: **6/16/2011 10:30 AM**

Client ID: Run ID: **BALANCE1_110616B** SeqNo: **2426049** Prep Date: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Percent Moisture	18.7	0.010	0	0	0	0-0	19.22	2.73	20	

The following samples were analyzed in this batch:

1106026-13A	1106026-14A	1106026-15A
1106026-16A	1106026-37A	1106026-38A
1106026-39A	1106026-40A	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Conestoga-Rovers & Associates
Project: Lovington Paddock #60
WorkOrder: 1106026

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

<u>Units Reported</u>	<u>Description</u>
mg/Kg	Milligrams per Kilogram
wt%	



ALS Environmental

10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page ___ of ___

COC ID: 33519

1106026

CRA-MID: Conestoga-Rovers & Associates

Project: Lovington Paddock #60

ALS Project Manager:



Table with 2 main columns: Customer Information and Project Information. Rows include Purchase Order, Work Order, Company Name, Send Report To, Address, City/State/Zip, Phone, Fax, and e-Mail Address.

Table with columns: No., Sample Description, Date, Time, Matrix, Pres., # Bottles, and analysis parameters A-J. Contains handwritten data for 10 samples.

Administrative section including Sampler(s) Please Print & Sign, Shipment Method, Required Turnaround Time (Check Box), Results Due Date, Relinquished by, Received by, Logged by (Laboratory), Checked by (Laboratory), and QC Package options.

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental. 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse. 3. The Chain of Custody is a legal document. All information must be completed accurately.



ALS Environmental
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530 5887

Chain of Custody Form

Page ____ of ____

COC ID: **33520**

ALS Environmental
 3352 128th Ave.
 Holland, MI 49424-9263
 Tel: +1 616 399 6070
 Fax: +1 616 399 6185

Customer Information		Project Information		ALS Project Manager:		ALS Work Order #:	
Parameter/Method Request for Analysis							
Purchase Order		Project Name	Lovington Pacdock #60	A	Anions (300) Cl		
Work Order		Project Number	073819	B	Moisture		
Company Name	Conestoga-Rovers & Associates	Bill To Company	Conestoga-Rovers & Associates	C			
Send Report To	Jaines Ornelas	Invoice Attn	Jaines Ornelas	D			
Address	6320 Rothway Ste. 100	Address	6320 Rothway, Suite 100	E			
				F			
City/State/Zip	Houston, TX 77040	City/State/Zip	Houston, TX 77040	G			
Phone	(713) 734-3090	Phone	(713) 734-3090	H			
Fax	(713) 264-6138	Fax	(713) 734-3391	I			
e-Mail Address		e-Mail Address		J			

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	LPU# 60 SB-2	14'-15'	5/27/11			1204	X	X									
2	LPU# 60 SB-2	19'-20'	" "			1206	X	X									
3	LPU# 60 SB-2	24'-25'	" "			1208			PLEASE HOLD								X
4	LPU# 60 SB-2	29'-30'	" "			1210			PLEASE HOLD								X
5	LPU# 60 SB-2	34'-35'	" "			1212			PLEASE HOLD								X
6	LPU# 60 SB-2	39'-40'	" "			1214			PLEASE HOLD								X
7	LPU# 60 SB-3	4'-5'	" "			0940	X	X									
8	LPU# 60 SB-3	9'-10'	" "			0942	X	X									
9	LPU# 60 SB-3	14'-15'	" "			0944	X	X									
10	LPU# 60 SB-3	19'-20'	" "			0946	X	X									

Sampler(s) Please Print & Sign		Shipment Method		Required Turnaround Time: (Check Box)				Results Due Date:	
				<input checked="" type="checkbox"/> Std 10 WK Days <input type="checkbox"/> 5 WK Days <input type="checkbox"/> Other _____ <input type="checkbox"/> 2 WK Days <input type="checkbox"/> 24 Hour					
Relinquished by:	Date: 5/31/11	Time: 1600	Received by:		Notes: 10 Day TAT.				
Relinquished by:	Date:	Time:	Received by (Laboratory):		Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)		
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):				<input checked="" type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP Checklist <input type="checkbox"/> Level III Std QC/Raw Data <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV SW346/CLP <input type="checkbox"/> Other / EDD _____		
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035									

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.



ALS Environmental

10450 Standcliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

Chain of Custody Form

Page ____ of ____

COC ID: 33518

ALS Environmental

3352 128th Ave.
Holland, MI 49424-9263
Tel: +1 616 399 6070
Fax: +1 616 399 6185

Customer Information		ALS Project Manager:				ALS Work Order #:				
Purchase Order		Project Name	Lovington Paddock #60		A	Anicns (300) Cl				
Work Order		Project Number	073319		B	Moisture				
Company Name	Crestoga-Rovers & Associates	Bill To Company	Crestoga-Rovers & Associates		C					
Send Report To	James Ornelas	Invoice Attn	James Ornelas		D					
Address	6320 Rothway Ste. 100	Address	6320 Rothway, Suite 100		E					
					F					
					G					
City/State/Zip	Houston, TX 77040	City/State/Zip	Houston, TX 77040		H					
Phone	(713) 734-3090	Phone	(713) 734-3090		I					
Fax	(713) 264-6138	Fax	(713) 734-3391		J					
e-Mail Address		e-Mail Address								

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold	
1	LPU #60 SB-3 24'-25'	5/29/11	0948															X
2	LPU #60 SB-3 29'-30'	" "	0950															X
3	LPU #60 SB-3 34'-35'	" "	0952															X
4	LPU #60 SB-3 39'-40'	" "	0954															X
5	LPU #60 SB-4 4'-5'	" "	1006				X	X										
6	LPU #60 SB-4 9'-10'	" "	1009				X	X										
7	LPU #60 SB-4 14'-15'	" "	1011				X	X										
8	LPU #60 SB-4 19'-20'	" "	1013				X	X										
9	LPU #60 SB-4 24'-25'	" "	1015															X
10	LPU #60 SB-4 29'-30'	" "	1017															X

Sampler(s) Please Print & Sign		Shipment Method		Required Turnaround Time: (Check Box)				Results Due Date:		
				<input checked="" type="checkbox"/> Std 10 WK Days <input type="checkbox"/> 5 WK Days <input type="checkbox"/> Other _____ <input type="checkbox"/> 2 WK Days <input type="checkbox"/> 24 Hour						
Relinquished by:	Date: 5/31/11	Time: 1600	Received by:		Notes: 10 Day TAT.					
Relinquished by:	Date:	Time:	Received by (Laboratory):		Cooler ID		Cooler Temp.		QC Package: (Check One Box Below)	
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):						<input checked="" type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP CheckList <input type="checkbox"/> Level III Std QC/Raw Data <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV CW046/CLP <input type="checkbox"/> Other / EDD _____	
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035										

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.



ALS Environmental
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530 5887

Chain of Custody Form

Page ____ of ____

COC ID: 33517

ALS Environmental
 3352 128th Ave.
 Holland, MI 49424-9263
 Tel: +1 616 399 6070
 Fax: +1 616 399 6185

Customer Information		Project Information		ALS Project Manager:		ALS Work Order #:	
Purchase Order		Project Name		A		Parameter/Method Request for Analysis	
Work Order		Project Number	Lovington Paddock #60			B	Anions (300) Cl
Company Name	Conestoga-Rovers & Associates	Project Number	073819			C	Moisture
Send Report To	James Ornelas	Bill To Company	Conestoga-Rovers & Associates			D	
Address	6320 Rothway Ste. 100	Address	6320 Rothway, Suite 100			E	
						F	
City/State/Zip	Houston, TX 77040	City/State/Zip	Houston, TX 77040			G	
Phone	(713) 734-3090	Phone	(713) 734-3090			H	
Fax	(713) 264-6138	Fax	(713) 734-3391			I	
e-Mail Address		e-Mail Address				J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	LPU #60 SB-4 34'-35'	5/27/11	1019				X	X	PLEASE HOLD								X
2	LPU #60 SB-4 29'-40'	" "	1021						PLEASE HOLD								X
3	LPU #60 SB-5 4'-5'	" "	1100				X	X									
4	LPU #60 SB-5 9'-10'	" "	1102				X	X									
5	LPU #60 SB-5 14'-15'	" "	1104				X	X									
6	LPU #60 SB-5 19'-20'	" "	1106				X	X									
7	LPU #60 SB-5 24'-25'	" "	1108						PLEASE HOLD								X
8	LPU #60 SB-5 29'-30'	" "	1110						PLEASE HOLD								X
9	LPU #60 SB-5 34'-35'	" "	1112						PLEASE HOLD								X
10	LPU #60 SB-5 39'-40'	" "	1114						PLEASE HOLD								X

Sampler(s) Please Print & Sign		Shipment Method		Required Turnaround Time: (Check Box)				Results Due Date:		
				<input checked="" type="checkbox"/> Std 10 WK Days <input type="checkbox"/> 5 WK Days <input type="checkbox"/> Other _____ <input type="checkbox"/> 2 WK Days <input type="checkbox"/> 24 Hour						
Relinquished by:	Date: 5/30	Time: 16:00	Received by:		Notes: 10 Day TAT.					
Relinquished by:	Date:	Time:	Received by (Laboratory):		Cooler ID	Cooler Temp.	QC Package: (Check One Box Below)			
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):				<input checked="" type="checkbox"/> Level II Std QC <input type="checkbox"/> TRRP CheckList <input type="checkbox"/> Level III Std QC/Row Data <input type="checkbox"/> TRRP Level IV <input type="checkbox"/> Level IV SW846/CLP <input type="checkbox"/> Other / EDD			
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-Na ₂ S ₂ O ₃ 6-NaHSO ₄ 7-Other 8-4°C 9-5035										

Sample Receipt Checklist

Client Name: CRA-MID

Date/Time Received: 01-Jun-11 09:00

Work Order: 1106026

Received by: RDH

Checklist completed by Salvador A. Yanez 01-Jun-11
eSignature Date

Reviewed by: Patricia L. Lynch 02-Jun-11
eSignature Date

Matrices: Soil
Carrier name: FedEx

Shipping container/cooler in good condition? Yes [checked] No [] Not Present []
Custody seals intact on shipping container/cooler? Yes [checked] No [] Not Present []
Custody seals intact on sample bottles? Yes [] No [checked] Not Present []
Chain of custody present? Yes [checked] No []
Chain of custody signed when relinquished and received? Yes [checked] No []
Chain of custody agrees with sample labels? Yes [checked] No []
Samples in proper container/bottle? Yes [checked] No []
Sample containers intact? Yes [checked] No []
Sufficient sample volume for indicated test? Yes [checked] No []
All samples received within holding time? Yes [checked] No []
Container/Temp Blank temperature in compliance? Yes [checked] No []
Temperature(s)/Thermometer(s): 2.6c, 3.1c 002
Cooler(s)/Kit(s):
Water - VOA vials have zero headspace? Yes [] No [] No VOA vials submitted [checked]
Water - pH acceptable upon receipt? Yes [] No [] N/A [checked]
pH adjusted? Yes [] No [] N/A [checked]
pH adjusted by:

Login Notes:



Client Contacted: Date Contacted: Person Contacted:
Contacted By: Regarding:

Comments:

CorrectiveAction:

* This portion can be removed for recipient's records.

5/31/11 FedEx Tracking Number 874196691552

Order's name James C. ... Phone

Company CRA

Address 2125 S Loop West

Midland State TX ZIP 79702

For Internal Billing Reference

ALS Environmental
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530 5887

Date: _____
 Name: _____
 Company: _____

CUSTODY SEAL 3414

Seal Broken By: [Signature]
 Date: 6/1/11

Time: _____
 Name: JO
 Company: _____

PRIORITY OVERNIGHT

WED

Emp 790095 00:44 01 JUN 11


Deliver By: 01 JUN 11

7955 3655 7709 FORM 04:81

IAH

77099 -TY-US

43 SGRA



ALS Environmental
 10450 Stancliff Rd., Suite 210
 Houston, Texas 77099
 Tel. +1 281 530 5656
 Fax. +1 281 530 5887

Date: _____
 Name: _____
 Company: _____

CUSTODY SEAL 7674

Seal Broken By: [Signature]
 Date: 6/1/11

Time: _____
 Name: JO
 Company: _____

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Conestoga-Rovers & Associates
13091 Pond Springs Road
Austin TX 78729

December 29, 2012

Project: LPU #60

Submittal Date: 12/20/2012

Group Number: 1358063

PO Number: 4052428

Release Number: LEA COUNTY, NM

State of Sample Origin: NM

Client Sample Description

SB-2b-50' Grab Soil
SB-2b-60' Grab Soil
SB-2b-70' Grab Soil
SB-5b-50' Grab Soil
SB-5b-60' Grab Soil
SB-5b-70' Grab Soil

Lancaster Labs (LLI) #


6903395
6903396
6903397
6903398
6903399
6903400

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO Conestoga-Rovers & Associates

Attn: Chris Knight

Respectfully Submitted,



Wendy A. Kozma
Principal Specialist Group Leader

(717) 556-7257

Sample Description: SB-2b-50' Grab Soil
LPU #60

LLI Sample # SW 6903395
LLI Group # 1358063
Account # 11713

Project Name: LPU #60

Collected: 12/18/2012 12:35 by JL

Conestoga-Rovers & Associates

13091 Pond Springs Road

Submitted: 12/20/2012 10:55

Austin TX 78729

Reported: 12/29/2012 20:14

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry EPA 300.0					
07333	Chloride by IC (solid)	16887-00-6	mg/kg 800	mg/kg 521	50
Wet Chemistry SM20 2540 G					
00111	Moisture	n.a.	% 4.6	% 0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.					

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07333	Chloride by IC (solid)	EPA 300.0	1	12361361201B	12/28/2012 23:50	Christopher D Meeks	50
01352	Deionized Water Extraction	EPA 300.0	1	12361361201B	12/26/2012 07:05	Nancy J Shoop	1
00111	Moisture	SM20 2540 G	1	12356820006B	12/21/2012 22:39	Scott W Freisher	1

Sample Description: SB-2b-60' Grab Soil
LPU #60

LLI Sample # SW 6903396
LLI Group # 1358063
Account # 11713

Project Name: LPU #60

Collected: 12/18/2012 12:42 by JL

Conestoga-Rovers & Associates
13091 Pond Springs Road
Austin TX 78729

Submitted: 12/20/2012 10:55

Reported: 12/29/2012 20:14

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry EPA 300.0					
07333	Chloride by IC (solid)	16887-00-6	780 mg/kg	527 mg/kg	50
Wet Chemistry SM20 2540 G					
00111	Moisture	n.a.	5.2 %	0.50 %	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.					

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07333	Chloride by IC (solid)	EPA 300.0	1	12361361201B	12/29/2012 00:05	Christopher D Meeks	50
01352	Deionized Water Extraction	EPA 300.0	1	12361361201B	12/26/2012 07:05	Nancy J Shoop	1
00111	Moisture	SM20 2540 G	1	12356820006B	12/21/2012 22:39	Scott W Freisher	1

Sample Description: SB-2b-70' Grab Soil
LPU #60

LLI Sample # SW 6903397
LLI Group # 1358063
Account # 11713

Project Name: LPU #60

Collected: 12/18/2012 12:49 by JL

Conestoga-Rovers & Associates
13091 Pond Springs Road
Austin TX 78729

Submitted: 12/20/2012 10:55

Reported: 12/29/2012 20:14

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry EPA 300.0					
07333	Chloride by IC (solid)	16887-00-6	940 mg/kg	527 mg/kg	50
Wet Chemistry SM20 2540 G					
00111	Moisture	n.a.	5.7 %	0.50 %	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.					

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07333	Chloride by IC (solid)	EPA 300.0	1	12361361201B	12/29/2012 00:20	Christopher D Meeks	50
01352	Deionized Water Extraction	EPA 300.0	1	12361361201B	12/26/2012 07:05	Nancy J Shoop	1
00111	Moisture	SM20 2540 G	1	12356820006B	12/21/2012 22:39	Scott W Freisher	1

Sample Description: SB-5b-50' Grab Soil
LPU #60

LLI Sample # SW 6903398
LLI Group # 1358063
Account # 11713

Project Name: LPU #60

Collected: 12/18/2012 11:51 by JL

Conestoga-Rovers & Associates

Submitted: 12/20/2012 10:55

13091 Pond Springs Road

Reported: 12/29/2012 20:14

Austin TX 78729

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry EPA 300.0					
07333	Chloride by IC (solid)	16887-00-6	3,740 mg/kg	2,080 mg/kg	200
Wet Chemistry SM20 2540 G					
00111	Moisture	n.a.	4.5 %	0.50 %	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.					

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07333	Chloride by IC (solid)	EPA 300.0	1	12361361201B	12/29/2012 00:36	Christopher D Meeks	200
01352	Deionized Water Extraction	EPA 300.0	1	12361361201B	12/26/2012 07:05	Nancy J Shoop	1
00111	Moisture	SM20 2540 G	1	12356820006B	12/21/2012 22:39	Scott W Freisher	1

Sample Description: SB-5b-60' Grab Soil
LPU #60

LLI Sample # SW 6903399
LLI Group # 1358063
Account # 11713

Project Name: LPU #60

Collected: 12/18/2012 12:00 by JL

Conestoga-Rovers & Associates

13091 Pond Springs Road

Submitted: 12/20/2012 10:55

Austin TX 78729

Reported: 12/29/2012 20:14

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry EPA 300.0					
07333	Chloride by IC (solid)	16887-00-6	3,720 mg/kg	2,090 mg/kg	200
Wet Chemistry SM20 2540 G					
00111	Moisture	n.a.	4.9 %	0.50 %	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.					

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07333	Chloride by IC (solid)	EPA 300.0	1	12361361201B	12/29/2012 00:51	Christopher D Meeks	200
01352	Deionized Water Extraction	EPA 300.0	1	12361361201B	12/26/2012 07:05	Nancy J Shoop	1
00111	Moisture	SM20 2540 G	1	12356820006B	12/21/2012 22:39	Scott W Freisher	1

Sample Description: SB-5b-70' Grab Soil
LPU #60

LLI Sample # SW 6903400
LLI Group # 1358063
Account # 11713

Project Name: LPU #60

Collected: 12/18/2012 12:09 by JL

Conestoga-Rovers & Associates

13091 Pond Springs Road

Submitted: 12/20/2012 10:55

Austin TX 78729

Reported: 12/29/2012 20:14

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry EPA 300.0					
07333	Chloride by IC (solid)	16887-00-6	1,520 mg/kg	1,050 mg/kg	100
Wet Chemistry SM20 2540 G					
00111	Moisture	n.a.	5.5 %	0.50 %	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.					

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07333	Chloride by IC (solid)	EPA 300.0	1	12361361201B	12/29/2012 01:36	Christopher D Meeks	100
01352	Deionized Water Extraction	EPA 300.0	1	12361361201B	12/26/2012 07:05	Nancy J Shoop	1
00111	Moisture	SM20 2540 G	1	12356820006B	12/21/2012 22:39	Scott W Freisher	1

Quality Control Summary

Client Name: Conestoga-Rovers & Associates
Reported: 12/29/12 at 08:14 PM

Group Number: 1358063

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 12361361201B Chloride by IC (solid)	Sample number(s): 6903395-6903400 N.D.	10.0	mg/kg	108		90-110		
Batch number: 12356820006B Moisture	Sample number(s): 6903395-6903400			100		99-101		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 12361361201B Chloride by IC (solid)	Sample number(s): 6903395-6903400 101 (2)		90-110			UNSPK: P903393 83.8	BKG: P903393 96.5	14 (1)	20
Batch number: 12356820006B Moisture	Sample number(s): 6903395-6903400					BKG: P903401 4.5	4.6	0	13

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody



Lancaster Laboratories

For Lancaster Laboratories use only

Acct. # 11713 Group # 1355063 Sample # 6903395-400 **COC # 313112** 10F2

Please print. Instructions on reverse side correspond with circled numbers.

For Lab Use Only

<p>1 Client: <u>Comstock Towers & Assoc.</u> Acct. #: _____</p> <p>Project Name/#: <u>LPI # 60</u> PWSID #: _____</p> <p>Project Manager: <u>Ryan Kaiter</u> P.O.#: _____</p> <p>Sampler: <u>JOE LEWANDOWSKI</u> Quote #: _____</p> <p>Name of state where samples were collected: <u>New Mexico</u></p>		<p>4 Matrix</p> <p><input type="checkbox"/> Potable <input type="checkbox"/> Ground <input type="checkbox"/> Surface</p> <p><input type="checkbox"/> Water <input type="checkbox"/> NPDES <input type="checkbox"/> Other: _____</p>		<p>5 Analyses Requested</p> <p>Preservation Codes</p>					<p>FSC: _____</p> <p>SCR#: <u>129051</u></p> <p>Preservation Codes</p> <p>H=HCl T=Thiosulfate</p> <p>N=HNO₃ B=NaOH</p> <p>S=H₂SO₄ <u>Q=Other</u> <u>ICE</u></p>							
		<p>3 Composite</p> <p><input checked="" type="checkbox"/> Soil <input type="checkbox"/> Sediment</p> <p><input type="checkbox"/> Grab <input type="checkbox"/> Potable <input type="checkbox"/> Ground <input type="checkbox"/> Surface</p> <p><input type="checkbox"/> Water <input type="checkbox"/> NPDES <input type="checkbox"/> Other: _____</p>		<p>4 Total # of Containers</p> <p><u>Chlorides (300)</u></p> <p><u>Moisture (Small 5)</u></p>							<p>6 Temperature of samples upon receipt (if requested)</p>					
Sample Identification		Date Collected	Time Collected	Grab	Composite	Soil	Water	Other:	Total # of Containers						Remarks	
<u>SB-26-48-45'</u>		<u>12-18-12</u>	<u>1233</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-26-45-50'</u>			<u>1235</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-26-50-55'</u>			<u>1239</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-26-55-60'</u>			<u>1242</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-26-60-65'</u>			<u>1246</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-26-65-70'</u>			<u>1249</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-56-48-45'</u>			<u>1147</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-56-45-50'</u>			<u>1151</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-56-50-55'</u>			<u>1156</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>
<u>SB-56-55-60'</u>			<u>1200</u>	<u>X</u>	<u>X</u>	<u>X</u>			<u>1</u>	<u>X</u>	<u>X</u>					<u>Hold</u>

7 Turnaround Time Requested (TAT) (please circle): Standard Rush

(Rush TAT is subject to Lancaster Laboratories approval and surcharge.)

Date results are needed: 1/4/13

Rush results requested by (please circle): Phone E-mail

Phone #: _____

E-mail address: r.Rainer@crworld.com (see SSO)

Relinquished by: <u>[Signature]</u>	Date: <u>10/2/12</u>	Time: <u>1105</u>	Received by: _____	Date: _____	Time: _____
Relinquished by: <u>[Signature]</u>	Date: <u>12/19/12</u>	Time: <u>1200</u>	Received by: _____	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: _____	Date: _____	Time: _____
Relinquished by: _____	Date: _____	Time: _____	Received by: <u>[Signature]</u>	Date: <u>12/20/12</u>	Time: <u>1055</u>

8 Data Package Options (please circle if required)

Type I (Validation/non-CLP) MA MCP CT RCP Yes No

Type III (Reduced non-CLP)

Type IV (CLP SOW)

Type VI (Raw Data Only)

TX TRRP-13

Site-specific QC (MS/MSD/Dup)? Yes No

(if yes, indicate QC sample and submit triplicate sample volume)

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m3	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>$ 25%	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Analytical Report 538951

for
GHD Services, INC- Midland

Project Manager: William Foord

CEMCLPU-60

073817

26-OCT-16

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215), Arizona (AZ0765), Florida (E871002), Louisiana (03054)
Oklahoma (9218)

Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400)
Xenco-San Antonio: Texas (T104704534)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)

Table of Contents

Cover Page	1
Cover Letter	3
Sample ID Cross Reference	4
Case Narrative	5
Certificate of Analysis (Detailed Report)	6
QC Summary	7
Explanation of Qualifiers (Flags)	9
Chain of Custody	10
Sample Receipt Conformance Report	11



26-OCT-16

Project Manager: **William Foord**
GHD Services, INC- Midland
2135 S Loop 250 W
Midland, TX 79703

Reference: XENCO Report No(s): **538951**
CEMCLPU-60
Project Address: Lovington NM

William Foord:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 538951. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 538951 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America



Sample Cross Reference 538951



GHD Services, INC- Midland, Midland, TX

CEMCLPU-60

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-1-W-161019	W	10-19-16 11:15		538951-001



CASE NARRATIVE



Client Name: GHD Services, INC- Midland

Project Name: CEMCLPU-60

Project ID: 073817
Work Order Number(s): 538951

Report Date: 26-OCT-16
Date Received: 10/19/2016

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 538951



GHD Services, INC- Midland, Midland, TX CEMCLPU-60

Sample Id: **MW-1-W-161019** Matrix: Ground Water Date Received: 10.19.16 16.30
 Lab Sample Id: 538951-001 Date Collected: 10.19.16 11.15
 Analytical Method: Inorganic Anions by EPA 300/300.1 Prep Method: E300P
 Tech: MNR % Moisture:
 Analyst: MNR Date Prep: 10.24.16 11.33
 Seq Number: 3002599

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	206	2.50	mg/L	10.24.16 11.33		5

Analytical Method: TPH By SW8015B Mod Prep Method: TX1005P
 Tech: ARM % Moisture:
 Analyst: ARM Date Prep: 10.25.16 11.00
 Seq Number: 3002701

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
C6-C10 Gasoline Range Hydrocarbons	C6C10GRO	ND	1.50	mg/L	10.25.16 16.28	U	1
C10-C28 Diesel Range Hydrocarbons	C10C28DRO	ND	1.50	mg/L	10.25.16 16.28	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	125	%	70-135	10.25.16 16.28	
o-Terphenyl	84-15-1	128	%	70-135	10.25.16 16.28	

Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
 Tech: PJB % Moisture:
 Analyst: PJB Date Prep: 10.20.16 12.00
 Seq Number: 3002494

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	ND	0.00200	mg/L	10.20.16 13.04	U	1
Toluene	108-88-3	ND	0.00200	mg/L	10.20.16 13.04	U	1
Ethylbenzene	100-41-4	ND	0.00200	mg/L	10.20.16 13.04	U	1
m,p-Xylenes	179601-23-1	ND	0.00200	mg/L	10.20.16 13.04	U	1
o-Xylene	95-47-6	ND	0.00200	mg/L	10.20.16 13.04	U	1
Total Xylenes	1330-20-7	ND	0.00200	mg/L	10.20.16 13.04	U	1
Total BTEX		ND	0.00200	mg/L	10.20.16 13.04	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	96	%	80-120	10.20.16 13.04	
4-Bromofluorobenzene	460-00-4	97	%	80-120	10.20.16 13.04	

GHD Services, INC- Midland
CEMCLPU-60

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3002599 Matrix: Water Prep Method: E300P
 MB Sample Id: 715299-1-BLK LCS Sample Id: 715299-1-BKS Date Prep: 10.24.16
 LCSD Sample Id: 715299-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.500	25.0	24.9	100	24.7	99	90-110	1	20	mg/L	10.24.16 10:51	

Analytical Method: Inorganic Anions by EPA 300/300.1

Seq Number: 3002599 Matrix: Water Prep Method: E300P
 Parent Sample Id: 538937-001 MS Sample Id: 538937-001 S Date Prep: 10.24.16
 MSD Sample Id: 538937-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	181	125	311	104	309	102	90-110	1	20	mg/L	10.24.16 11:12	

Analytical Method: TPH By SW8015B Mod

Seq Number: 3002701 Matrix: Water Prep Method: TX1005P
 MB Sample Id: 715376-1-BLK LCS Sample Id: 715376-1-BKS Date Prep: 10.25.16
 LCSD Sample Id: 715376-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
C6-C10 Gasoline Range Hydrocarbons	<1.50	100	98.6	99	94.5	95	70-135	4	25	mg/L	10.25.16 15:38	
C10-C28 Diesel Range Hydrocarbons	<1.50	100	97.1	97	93.3	93	70-135	4	25	mg/L	10.25.16 15:38	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	119		122		124		70-135	%	10.25.16 15:38
o-Terphenyl	129		119		119		70-135	%	10.25.16 15:38

Analytical Method: TPH By SW8015B Mod

Seq Number: 3002701 Matrix: Ground Water Prep Method: TX1005P
 Parent Sample Id: 538951-001 MS Sample Id: 538951-001 S Date Prep: 10.25.16
 MSD Sample Id: 538951-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
C6-C10 Gasoline Range Hydrocarbons	<1.50	99.8	104	104	102	102	70-135	2	25	mg/L	10.25.16 16:52	
C10-C28 Diesel Range Hydrocarbons	<1.50	99.8	101	101	99.9	100	70-135	1	25	mg/L	10.25.16 16:52	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	126		129		70-135	%	10.25.16 16:52
o-Terphenyl	129		129		70-135	%	10.25.16 16:52



GHD Services, INC- Midland
CEMCLPU-60

Analytical Method: BTEX by EPA 8021B

Seq Number: 3002494

MB Sample Id: 715152-1-BLK

Matrix: Water

LCS Sample Id: 715152-1-BKS

Prep Method: SW5030B

Date Prep: 10.19.16

LCSD Sample Id: 715152-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0895	90	0.0888	89	70-125	1	25	mg/L	10.19.16 15:52	
Toluene	<0.00200	0.100	0.0910	91	0.0908	91	70-125	0	25	mg/L	10.19.16 15:52	
Ethylbenzene	<0.00200	0.100	0.0942	94	0.0948	95	71-129	1	25	mg/L	10.19.16 15:52	
m,p-Xylenes	<0.00200	0.200	0.192	96	0.193	97	70-131	1	25	mg/L	10.19.16 15:52	
o-Xylene	<0.00200	0.100	0.0948	95	0.0957	96	71-133	1	25	mg/L	10.19.16 15:52	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	98		97		85		80-120	%	10.19.16 15:52
4-Bromofluorobenzene	101		100		102		80-120	%	10.19.16 15:52

Analytical Method: BTEX by EPA 8021B

Seq Number: 3002494

Parent Sample Id: 538890-001

Matrix: Ground Water

MS Sample Id: 538890-001 S

Prep Method: SW5030B

Date Prep: 10.19.16

MSD Sample Id: 538890-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0934	93	0.0941	94	70-125	1	25	mg/L	10.19.16 16:24	
Toluene	<0.00200	0.100	0.0945	95	0.0963	96	70-125	2	25	mg/L	10.19.16 16:24	
Ethylbenzene	<0.00200	0.100	0.0985	99	0.101	101	71-129	3	25	mg/L	10.19.16 16:24	
m,p-Xylenes	<0.00200	0.200	0.200	100	0.204	102	70-131	2	25	mg/L	10.19.16 16:24	
o-Xylene	<0.00200	0.100	0.0978	98	0.100	100	71-133	2	25	mg/L	10.19.16 16:24	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		100		80-120	%	10.19.16 16:24
4-Bromofluorobenzene	100		103		80-120	%	10.19.16 16:24

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477	Phone	Fax
9701 Harry Hines Blvd , Dallas, TX 75220	(281) 240-4200	(281) 240-4280
5332 Blackberry Drive, San Antonio TX 78238	(214) 902 0300	(214) 351-9139
1211 W Florida Ave, Midland, TX 79701	(210) 509-3334	(210) 509-3335
2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282	(432) 563-1800	(432) 563-1713
	(602) 437-0330	

Client: GHD Services, INC- Midland

Date/ Time Received: 10/19/2016 04:30:00 PM

Work Order #: 538951

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient
Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	4.7
#2 *Shipping container in good condition?	N/A
#3 *Samples received on ice?	Yes
#4 *Custody Seal present on shipping container/ cooler?	N/A
#5 *Custody Seals intact on shipping container/ cooler?	N/A
#6 Custody Seals intact on sample bottles?	N/A
#7 *Custody Seals Signed and dated?	N/A
#8 *Chain of Custody present?	Yes
#9 Sample instructions complete on Chain of Custody?	Yes
#10 Any missing/extra samples?	No
#11 Chain of Custody signed when relinquished/ received?	Yes
#12 Chain of Custody agrees with sample label(s)?	Yes
#13 Container label(s) legible and intact?	Yes
#14 Sample matrix/ properties agree with Chain of Custody?	Yes
#15 Samples in proper container/ bottle?	Yes
#16 Samples properly preserved?	Yes
#17 Sample container(s) intact?	Yes
#18 Sufficient sample amount for indicated test(s)?	Yes
#19 All samples received within hold time?	Yes
#20 Subcontract of sample(s)?	N/A
#21 VOC samples have zero headspace (less than 1/4 inch bubble)?	Yes
#22 <2 for all samples preserved with HNO ₃ , HCL, H ₂ SO ₄ ? Except for samples for the analysis of HEM or HEM-SGT which are verified by the analysts.	Yes
#23 >10 for all samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by: Jessica Kramer
 Jessica Kramer

Date: 10/20/2016

Checklist reviewed by: Kelsey Brooks
 Kelsey Brooks

Date: 10/20/2016

Appendix E

Waste Manifest

CHEVRON MCBU

VACUUM FMT

NO 60-001 NON-HAZARDOUS WASTE MANIFEST 1. PAGE 1 OF 1 2. Truck NO.

G E N E R A L	3. COMPANY NAME CHEVRON PHONE NO. 575-396-4414	4. ADDRESS 56 Texas Camp Rd. CITY STATE ZIP Lovington NM 88260	5. PICK-UP DATE: <u>10-15-16</u>
--	--	---	-------------------------------------

E N T R Y	7. NAME OR DESCRIPTION OF WASTE SHIPPED:	8. CONTAINERS		9. TOTAL	10. UNIT
		No.	Type	QUANTITY	WT/Vol.
a.	<u>Crude oil impacted soil and debris</u>	<u>1</u>	<u>CM</u>		<u>7</u>
b.					
c.					
d.					

12. NAME OF LEASE:
Lovington Paddock Unit #60

14. **IN CASE OF EMERGENCY OR SPILL, CONTACT**
HES SPECIALIST 24-HOUR EMERGENCY NO.
575-396-4414 (DIAL 1 AFTER HOURS)

15. **Chevron Representative:** Hereby declare that the contents of this consignment are fully and accurately described above.
Justin [Signature]

PRINTED TYPED NAME <u>Frank Forster of comc</u> <i>on behalf</i>	SIGNATURE <u>[Signature]</u> <i>on behalf</i>	DATE
---	--	------

16. TRANSPORTER (1) TRUCKING COMPANY NAME: <u>Sundance</u>	17. TRANSPORTER (2) TRUCKING COMPANY NAME:
IN CASE OF EMERGENCY CONTACT: <u>Joel [Signature]</u>	IN CASE OF EMERGENCY CONTACT:
EMERGENCY PHONE: <u>435-4115-6706</u>	EMERGENCY PHONE:

18. TRANSPORTER (1): Acknowledgment of receipt of material PRINTED/TYPED NAME <u>Joel [Signature]</u> SIGNATURE <u>[Signature]</u> DATE <u>10-15-16</u>	18. TRANSPORTER (2): Acknowledgment of receipt of material PRINTED/TYPED NAME _____ SIGNATURE _____ DATE _____
--	---

DISPOSAL FACILITY: <u>Lundale</u>	ADDRESS: <u>1001 E 6th St Lovington, NM</u>	PHONE: <u>575-396-2514</u>
--------------------------------------	--	-------------------------------

PERMIT NO. <u>1-11-2016</u>	20. COMMENTS <u>Roll off</u>
--------------------------------	---------------------------------

21. **DISPOSAL FACILITY'S CERTIFICATION:** I hereby certify that the above described wastes were delivered to this facility, that the facility is authorized and permitted to receive such wastes.

AUTHORIZED SIGNATURE	CELL NO.	DATE	TIME
----------------------	----------	------	------

PLEASE REMIT COMPLETED MANIFEST VIA MAIL, EMAIL OR FAX TO THE BELOW LISTED CONTACT:
RIMY ALVARADO - PHONE: (575) 396-441 X223 • FAX: (575) 396-6913 • EMAIL: RIMYALVARADO@CHEVRON.COM