

SITE INFORMATION

Report Type: Closure Report 1RP-3677

General Site Information:

Site:	Lotus SWD #1					
Company:	EOG Resources					
Section, Township and Range	Unit A	Sec. 32	T 22S	R 32E		
Lease Number:	API No. 30-025-36004					
County:	Lea County					
GPS:	32.353257° N			103.68989° W		
Surface Owner:	State					
Mineral Owner:	State					
Directions:	From the intersection of Red Rd & Mills Ranch Rd in rural Lea County, travel south on Red Rd for 0.35 mi, turn east onto lease road for 3.0 mi to location.					

Release Data:

Date Released:	5/30/2015
Type Release:	Produced Water & Crude Oil
Source of Contamination:	Lightning Strike
Fluid Released:	100 bbls oil & 1,368 bbls water
Fluids Recovered:	85 bbls oil & 1,300 bbls water

Official Communication:

Name:	James Kennedy		Clair Gonzales
Company:	EOG Resources		Tetra Tech
Address:	5509 Champions Dr		4000 N. Big Spring
			Ste 401
City:	Midland Texas, 79706		Midland, Texas
Phone number:	(432) 258-4346		(432) 687-8123
Fax:			
Email:	James_Kennedy@eogresources.com		Clair.Gonzales@tetrattech.com

Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	197'
WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:		0

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	5,000



June 28, 2018

REVIEWED***By Olivia Yu at 9:22 am, Oct 07, 2018***

Ms. Olivia Yu
Environmental Engineer Specialist
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

Re: Closure Report for the EOG Resources, Lotus SWD #1, Unit A, Section 32, Township 22 South, Range 32 East, Lea County, New Mexico. 1RP-3677

Ms. Yu:

Tetra Tech, Inc. (Tetra Tech) was contacted by EOG Resources to assess a release that occurred at the Lotus SWD #1, Unit A, Section 32, Township 22 South, Range 32 East, Lea County, New Mexico (Site). The spill site coordinates are N 32.35325°, W 103.68989°. The site location is shown on Figures 1 and 2.

Background

The release occurred under Yates Petroleum Corporation, however the facility has since been acquired by EOG Resources, Inc. According to the State of New Mexico C-141 Initial Report, the leak was discovered on May 30, 2015, and released approximately 100 barrels of oil and 1,368 barrels of produced water due to a lightning strike. Vacuum trucks were used to remove all freestanding fluids, recovering approximately 85 barrels of oil and 1,300 barrels of produced water. The release impacted the area of the battery measuring approximately 40' x 160' and migrated into the adjacent pasture impacting areas measuring approximately 200' x 200'. The initial C-141 Form is included in Appendix A.

Groundwater

No water wells were listed within Section 16 on the New Mexico Office of the State Engineer's (NMOSE) database, the Geology and Groundwater Resources of Eddy County (Report 3), or the USGS National Water Information Database. The nearest well is listed in Township 23 South, Range 32 East, Section 03, on the USGS National Water Information Database, approximately 2.0 miles southeast of the site, and has a reported depth to groundwater of 197' below surface. According to the Chevron Texaco Groundwater Trend map, the average depth to groundwater in the area is between 325' and 350' below surface. The groundwater data is shown in Appendix B.



Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Soil Assessment and Analytical Results

On May 9, 2018, Tetra Tech personnel were onsite to evaluate and sample the release area, which had previously been excavated to 2-3' below surface. A total of six (6) auger holes (AH-1 through AH-6) were installed in the release areas in the pasture to total depths of 0-1' below the 2-3' excavation bottom (BEB). Samples were not collected in the area of the battery as the facility has since been reconstructed with a metal containment. Soil samples were collected and submitted to the laboratory for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 1. The sample locations are shown on Figure 3.

Referring to Table 1, one of the samples collected showed benzene, total BTEX, or TPH concentrations above the RRALs. Additionally, the areas of auger holes (AH-2, AH-3, AH-4, AH-5, and AH-6) showed chloride concentrations below the laboratory reporting limit. The area of auger hole (AH-1) showed a chloride concentration of 186 mg/kg.

Conclusion

Based on the laboratory results, EOG requests closure of this spill issue. The final C-141 is enclosed in Appendix A. If you have any questions or comments concerning the assessment or remediation activities for this site, please call at (432) 682-4559.


Respectfully submitted,
TETRA TECH

A handwritten signature in blue ink that reads "Clair Gonzales".

Clair Gonzales,
Project Manager

cc: Ryan Mann – NMSLO
James Kennedy - EOG

Figures






FIGURE 2

LOTUS SWD #1
(32.350782, -103.693250)
TOPOGRAPHY MAP 1:24,000
LEA COUNTY, NEW MEXICO

Project : 212C-MD-01238

Date : 06/28/2018

File : H:\GIS\212C-MD-01238



SCALE: 1 in = 4,000 feet
NOAA, Sources: Esri, Garmin,

PASTURE

PAD

2.0'-3.0'
EXCAVATED
DEPTH

AH-3

AH-2

AH-1

LEASE ROAD

AH-6


AH-5

AH-4

2.0'-3.0'
EXCAVATED
DEPTH

LEGEND

 AUGER HOLE SAMPLE LOCATIONS

 EXCAVATED 2.0'-3.0' BELOW
SURFACE

 STEEL PIPE



0 30 60

1"=60 FT



FIGURE 3

LOTUS SWD #1
(32.44192, -103.55373)

EXCAVATION & DEPTH AREA MAP
LEA COUNTY, NEW MEXICO

Project: 212C-MD-01238

Date: 06/28/2018

File: H:\GIS\212C-MD-01238



Tables

Table 1
EOG Resources
Lotus SWD #1
Lea County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	BEB Sample Depth (in)	Soil Status		TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
				In-Situ	Removed	GRO	DRO	ORO	Total						
AH-1	5/9/2018	0-1	2-3	X		<15.0	201	<15.0	201	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	186
AH-2	5/9/2018	0-1	2-3	X		<14.9	64.6	<14.9	64.6	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<4.98
AH-3	5/9/2018	0-1	2-3	X		<15.0	43.9	<15.0	43.9	<0.00366	<0.00366	<0.00366	<0.00366	<0.00366	<5.00
AH-4	5/9/2018	0-1	2-3	X		<15.0	17.4	<15.0	17.4	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<4.97
AH-5	5/9/2018	0-1	2-3	X		<15.0	<15.0	<15.0	<15.0	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<4.91
AH-6	5/9/2018	0-1	2-3	X		<15.0	54.2	<15.0	54.2	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<4.94

(-) Not Analyzed

Photos

EOG Resources, Inc.
Lotus SWD #1
Lea County, New Mexico



View North – Area inside facility



View Northwest – Area inside facility

EOG Resources, Inc.
Lotus SWD #1
Lea County, New Mexico



TETRA TECH



View West – Area of AH-1



View West – Area of AH-2 and AH-3

EOG Resources, Inc.
Lotus SWD #1
Lea County, New Mexico



TETRA TECH



View West – Area of AH-4 and AH-5



View South – Area of AH-6

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company Yates Petroleum Corporation	Contact Robert Asher
Address 104 S. 4 th Street	Telephone No. 575-748-1471
Facility Name Lotus SWD #1	Facility Type Battery

Surface Owner State	Mineral Owner State	API No. 30-025-36004
------------------------	------------------------	-------------------------

LOCATION OF RELEASE

Unit Letter A	Section 32	Township 22S	Range 32E	Feet from the 660	North/South Line North	Feet from the 660	East/West Line East	County Lea
------------------	---------------	-----------------	--------------	----------------------	---------------------------	----------------------	------------------------	---------------

Latitude 32.35325 Longitude 103.68989

NATURE OF RELEASE

Type of Release Crude Oil & Produced Water	Volume of Release 100 B/O & 1,368 B/PW	Volume Recovered 85 B/O & 1,300 B/PW
Source of Release Produced water tank	Date and Hour of Occurrence 5/30/2015; AM	Date and Hour of Discovery 5/30/2015; AM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Kellie Jones, Ion Dolly, Mathew Hagman, Mark Najanjo, & Dana Strang	
By Whom? Robert Asher/Yates Petroleum Corporation	Date and Hour 5/30/2015; AM (Email)	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*

The battery was struck by lightning, berm on the lined battery failed causing the release off of the location. The fire department was called, vacuum truck(s) were called, and the wells were shut in.

Describe Area Affected and Cleanup Action Taken.*

An approximate area of 40' X 160' (battery), 200' X 200' (west of battery, off location). Approximately 85% of the oil and 95% of the produced water was recovered by vacuum trucks. Excavated soils will be hauled to a NMOCD approved facility. Vertical/horizontal delineation samples will be taken and analysis ran for TPH & BTEX (chlorides for documentation). If initial analytical results are under RRAL's (site ranking is 0) a Final C-141 will be submitted to the OCD requesting closure. If the analytical results are above the RRAL's a work plan will be submitted to the OCD. DTGW: >100' (approximately 325' per Trend Map), Wellhead Protection Area: No, Distance to Surface Water Body: >1000', SITE RANKING IS 0.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: Robert Asher		Approved by Environmental Specialist: 	
Title: NM Environmental Regulatory Supervisor		Approval Date: 06/19/2015	Expiration Date: 09/19/2015
E-mail Address: boba@yatespetroleum.com		Conditions of Approval: 1RP- 3677 Site samples required. Delineate and remediate as per MNOCD guides. Geotag photographs of remediation required.	Attached <input type="checkbox"/> 25575
Date: June 16, 2015 Phone: 575-748-4217			

* Attach Additional Sheets If Necessary

nKJ1517026496
pKJ1517027865

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company EOG Resources, Inc.	Contact James Kennedy
Address 5509 Champions Drive, Midland, TX 79706	Telephone No. (432) 258-4346
Facility Name Lotus SWD #1	Facility Type Tank Battery

Surface Owner: State	Mineral Owner: State	API No. 30-025-36004
----------------------	----------------------	----------------------

LOCATION OF RELEASE

Unit Letter A	Section 32	Township 22S	Range 32E	Feet from the 660	North/South Line North	Feet from the 660	East/West Line East	County Lea
------------------	---------------	-----------------	--------------	----------------------	---------------------------	----------------------	------------------------	---------------

Latitude N 32.35325° Longitude W 103.68989°

NATURE OF RELEASE

Type of Release: Crude Oil and Produced Water	Volume of Release 100 bbls oil & 1,368 bbls produced water	Volume Recovered 85 bbls oil & 1,300 bbls produced water
Source of Release: Produced Water Tank	Date and Hour of Occurrence 05/30/2015	Date and Hour of Discovery 5/30/2015
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Kellie Jones, Mathew Hagman, Mark Najanjo, and Dana Strang	
By Whom? Robert Asher – Yates Petroleum	Date and Hour 05/30/2015	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*

N/A


Describe Cause of Problem and Remedial Action Taken.*

The battery was struck by lightning and the berm failed, resulting in the release to migrate into the adjacent pasture. Vacuum trucks were used to recover the freestanding fluids. The area inside the battery (40' x 160') as well as areas in the pasture (200' x 200') were impacted by the release.

Describe Area Affected and Cleanup Action Taken.*

Tetra Tech inspected the location and noted that the facility has since been reconstructed with a metal containment and that the areas in the pasture had been excavated to 2-3' below surface. Tetra Tech collected soil samples for benzene, total BTEX, TPH, and chloride analysis. The laboratory data did not show any TPH, benzene, or total BTEX concentrations above the RRALs. Additionally, no significant chloride concentrations were detected in the soils. Tetra Tech prepared closure report and submitted to NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: Clair Gonzales		Approved by District Supervisor:	
Title: Project Manager		Approval Date:	Expiration Date:
E-mail Address: Clair.Gonzales@TetraTech.com		Conditions of Approval:	
Date: 6/26/2018 Phone: (432) 682-4559		Attached <input type="checkbox"/>	

* Attach Additional Sheets If Necessary

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
EOG - Lotus SWD #1

21 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

22 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

23 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

21 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

22 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

23 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

21 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

22 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

23 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

88 New Mexico State Engineers Well Reports

105 USGS Well Reports

90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)
 Geology and Groundwater Resources of Eddy County, NM (Report 3)

34 NMOCD - Groundwater Data

121 Abandoned Waterwell (recently measured)



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	DepthWell	DepthWater	Water Column
C 02096		CUB	ED	2	3	14	22S	32E		627204	3584464*	435	360	75
C 02821		C	LE	2	2	3	14	22S	32E	627303	3584563*	540	340	200
C 02939		C	LE	3	3	1	19	22S	32E	620234	3583042*	280		
C 03717 POD1		C	LE	4	4	1	09	22S	32E	624094	3586365	650		
C 04144 POD1		CUB	LE	3	1	3	07	22S	32E	620240	3585844	58	49	9
C 04144 POD2		CUB	LE	3	1	3	07	22S	32E	620147	3585768	60	55	5
C 04144 POD3		CUB	LE	3	1	3	07	22S	32E	620240	3585842			
C 04144 POD4		CUB	LE	3	1	3	07	22S	32E	620200	3585808			

Average Depth to Water: **201 feet**

Minimum Depth: **49 feet**

Maximum Depth: **360 feet**

Record Count: 8

PLSS Search:

Township: 22S **Range:** 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/21/18 12:23 PM

WATER COLUMN/ AVERAGE DEPTH TO WATER



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:

Groundwater

Geographic Area:

New Mexico

GO

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

Groundwater levels for New Mexico

Click for state-specific text

Search Results -- 1 sites found

site_no list =

- 321950103400601

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321950103400601 23S.32E.03.31110

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code --

Latitude 32°19'50", Longitude 103°40'06" NAD27

Land-surface elevation 3,668 feet above NAVD88

This well is completed in the Chinle Formation (231CHNL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: [https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?](https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?site_no=321950103400601)



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2018-06-26 14:02:32 EDT

1.13 1.01 nadww01

Appendix C

Analytical Report 586576

for Tetra Tech- Midland

Project Manager: James Kennedy

EOG-Lotus SWD #1

212C-MD-01238

24-MAY-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-25), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-17-16), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-17-12)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-17-16)

Xenco-Odessa (EPA Lab Code: TX00158): Texas (T104704400-18-14)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



24-MAY-18

Project Manager: **James Kennedy**

Tetra Tech- Midland

4000 N. Big Spring Suite 401

Midland, TX 79705

Reference: XENCO Report No(s): **586576**

EOG-Lotus SWD #1

Project Address: Lea County, New Mexico

James Kennedy:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 586576. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 586576 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 586576



Tetra Tech- Midland, Midland, TX

EOG-Lotus SWD #1

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
AH-1 (0-1) BEB	S	05-09-18 00:00		586576-001
AH-2 (0-1) BEB	S	05-09-18 00:00		586576-002
AH-3 (0-1) BEB	S	05-09-18 00:00		586576-003
AH-4 (0-1) BEB	S	05-09-18 00:00		586576-004
AH-5 (0-1) BEB	S	05-09-18 00:00		586576-005
AH-6 (0-1) BEB	S	05-09-18 00:00		586576-006



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: EOG-Lotus SWD #1

Project ID: 212C-MD-01238
Work Order Number(s): 586576

Report Date: 24-MAY-18
Date Received: 05/18/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3051136 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3051206 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 586576

Tetra Tech- Midland, Midland, TX

Project Name: EOG-Lotus SWD #1



Project Id: 212C-MD-01238
Contact: James Kennedy
Project Location: Lea County, New Mexico

Date Received in Lab: Fri May-18-18 01:30 pm
Report Date: 24-MAY-18
Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	586576-001	586576-002	586576-003	586576-004	586576-005	586576-006
	<i>Field Id:</i>	AH-1 (0-1) BEB	AH-2 (0-1) BEB	AH-3 (0-1) BEB	AH-4 (0-1) BEB	AH-5 (0-1) BEB	AH-6 (0-1) BEB
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	May-09-18 00:00	May-09-18 00:00	May-09-18 00:00	May-09-18 00:00	May-09-18 00:00	May-09-18 00:00
BTEX by EPA 8021B	<i>Extracted:</i>	May-23-18 08:00	May-23-18 08:00	May-23-18 08:00	May-23-18 08:00	May-23-18 16:00	May-23-18 08:00
	<i>Analyzed:</i>	May-23-18 09:46	May-23-18 10:04	May-23-18 13:26	May-23-18 10:41	May-23-18 19:37	May-23-18 10:59
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00201 0.00201	<0.00202 0.00202	<0.00366 0.00366	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202
Toluene		<0.00201 0.00201	<0.00202 0.00202	<0.00366 0.00366	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202
Ethylbenzene		<0.00201 0.00201	<0.00202 0.00202	<0.00366 0.00366	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202
m,p-Xylenes		<0.00402 0.00402	<0.00403 0.00403	<0.00733 0.00733	<0.00401 0.00401	<0.00402 0.00402	<0.00404 0.00404
o-Xylene		<0.00201 0.00201	<0.00202 0.00202	<0.00366 0.00366	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202
Total Xylenes		<0.00201 0.00201	<0.00202 0.00202	<0.00366 0.00366	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202
Total BTEX		<0.00201 0.00201	<0.00202 0.00202	<0.00366 0.00366	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	May-22-18 17:00	May-22-18 17:00	May-22-18 17:00	May-22-18 17:00	May-22-18 17:00	May-22-18 17:00
	<i>Analyzed:</i>	May-22-18 23:44	May-22-18 23:50	May-23-18 00:08	May-23-18 00:14	May-23-18 00:32	May-23-18 00:38
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		186 4.99	<4.98 4.98	<5.00 5.00	<4.97 4.97	<4.91 4.91	<4.94 4.94
TPH By SW8015 Mod	<i>Extracted:</i>	May-18-18 14:00	May-18-18 14:00	May-18-18 14:00	May-18-18 14:00	May-18-18 14:00	May-18-18 14:00
	<i>Analyzed:</i>	May-20-18 08:06	May-20-18 08:34	May-20-18 09:02	May-20-18 10:30	May-20-18 11:00	May-20-18 11:31
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)		201 15.0	64.6 14.9	43.9 15.0	17.4 15.0	<15.0 15.0	54.2 15.0
Oil Range Hydrocarbons (ORO)		<15.0 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH		201 15.0	64.6 14.9	43.9 15.0	17.4 15.0	<15.0 15.0	54.2 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Form 2 - Surrogate Recoveries

Project Name: EOG-Lotus SWD #1

Work Orders : 586576,

Lab Batch #: 3050664

Sample: 586576-001 / SMP

Project ID: 212C-MD-01238

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 08:06

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	95.3	99.8	95	70-135	
o-Terphenyl	48.9	49.9	98	70-135	

Lab Batch #: 3050664

Sample: 586576-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 08:34

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	88.2	99.6	89	70-135	
o-Terphenyl	46.2	49.8	93	70-135	

Lab Batch #: 3050664

Sample: 586576-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 09:02

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	96.8	99.7	97	70-135	
o-Terphenyl	47.7	49.9	96	70-135	

Lab Batch #: 3050664

Sample: 586576-004 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 10:30

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	84.1	99.7	84	70-135	
o-Terphenyl	41.6	49.9	83	70-135	

Lab Batch #: 3050664

Sample: 586576-005 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 11:00

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	88.5	99.8	89	70-135	
o-Terphenyl	42.9	49.9	86	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: EOG-Lotus SWD #1

Work Orders : 586576,

Lab Batch #: 3050664

Sample: 586576-006 / SMP

Project ID: 212C-MD-01238

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 11:31

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	93.7	99.9	94	70-135	
o-Terphenyl	45.5	50.0	91	70-135	

Lab Batch #: 3051136

Sample: 586576-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 09:46

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0232	0.0300	77	70-130	
4-Bromofluorobenzene	0.0279	0.0300	93	70-130	

Lab Batch #: 3051136

Sample: 586576-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 10:04

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0243	0.0300	81	70-130	
4-Bromofluorobenzene	0.0323	0.0300	108	70-130	

Lab Batch #: 3051136

Sample: 586576-004 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 10:41

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0309	0.0300	103	70-130	
4-Bromofluorobenzene	0.0363	0.0300	121	70-130	

Lab Batch #: 3051136

Sample: 586576-006 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 10:59

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0280	0.0300	93	70-130	
4-Bromofluorobenzene	0.0308	0.0300	103	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: EOG-Lotus SWD #1

Work Orders : 586576,

Project ID: 212C-MD-01238

Lab Batch #: 3051136

Sample: 586576-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 13:26

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0322	0.0300	107	70-130	
4-Bromofluorobenzene	0.0267	0.0300	89	70-130	

Lab Batch #: 3051206

Sample: 586576-005 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 19:37

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0218	0.0300	73	70-130	
4-Bromofluorobenzene	0.0244	0.0300	81	70-130	

Lab Batch #: 3050664

Sample: 7645050-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/20/18 02:38

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.2	100	97	70-135	
o-Terphenyl	50.5	50.0	101	70-135	

Lab Batch #: 3051136

Sample: 7645314-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/23/18 09:09

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0292	0.0300	97	70-130	
4-Bromofluorobenzene	0.0274	0.0300	91	70-130	

Lab Batch #: 3051206

Sample: 7645341-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/23/18 19:03

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0257	0.0300	86	70-130	
4-Bromofluorobenzene	0.0293	0.0300	98	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: EOG-Lotus SWD #1

Work Orders : 586576,

Lab Batch #: 3050664

Sample: 7645050-1-BKS / BKS

Project ID: 212C-MD-01238

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/20/18 03:05

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	118	100	118	70-135	
o-Terphenyl	53.0	50.0	106	70-135	

Lab Batch #: 3051136

Sample: 7645314-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/23/18 07:40

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0290	0.0300	97	70-130	
4-Bromofluorobenzene	0.0323	0.0300	108	70-130	

Lab Batch #: 3051206

Sample: 7645341-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/23/18 17:32

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0250	0.0300	83	70-130	
4-Bromofluorobenzene	0.0251	0.0300	84	70-130	

Lab Batch #: 3050664

Sample: 7645050-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/20/18 03:32

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	123	100	123	70-135	
o-Terphenyl	57.9	50.0	116	70-135	

Lab Batch #: 3051136

Sample: 7645314-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/23/18 07:58

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0305	0.0300	102	70-130	
4-Bromofluorobenzene	0.0306	0.0300	102	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: EOG-Lotus SWD #1

Work Orders : 586576,

Project ID: 212C-MD-01238

Lab Batch #: 3051206

Sample: 7645341-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 05/23/18 17:50

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0278	0.0300	93	70-130	
4-Bromofluorobenzene	0.0268	0.0300	89	70-130	

Lab Batch #: 3050664

Sample: 586189-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 04:26

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	128	99.9	128	70-135	
o-Terphenyl	52.2	50.0	104	70-135	

Lab Batch #: 3051136

Sample: 586189-002 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 08:16

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0272	0.0300	91	70-130	
4-Bromofluorobenzene	0.0301	0.0300	100	70-130	

Lab Batch #: 3051206

Sample: 586492-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 18:08

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0269	0.0300	90	70-130	
4-Bromofluorobenzene	0.0302	0.0300	101	70-130	

Lab Batch #: 3050664

Sample: 586189-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/20/18 04:53

SURROGATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	118	99.8	118	70-135	
o-Terphenyl	48.9	49.9	98	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: EOG-Lotus SWD #1

Work Orders : 586576,

Lab Batch #: 3051136

Sample: 586189-002 SD / MSD

Project ID: 212C-MD-01238

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 08:33

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0244	0.0300	81	70-130	
4-Bromofluorobenzene	0.0262	0.0300	87	70-130	

Lab Batch #: 3051206

Sample: 586492-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 05/23/18 18:27

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0314	0.0300	105	70-130	
4-Bromofluorobenzene	0.0313	0.0300	104	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: EOG-Lotus SWD #1

Work Order #: 586576

Project ID: 212C-MD-01238

Analyst: ALJ

Date Prepared: 05/23/2018

Date Analyzed: 05/23/2018

Lab Batch ID: 3051136

Sample: 7645314-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	<0.00202	0.101	0.0956	95	0.100	0.0870	87	9	70-130	35	
Toluene	<0.00202	0.101	0.0930	92	0.100	0.0847	85	9	70-130	35	
Ethylbenzene	<0.00202	0.101	0.0972	96	0.100	0.0907	91	7	70-130	35	
m,p-Xylenes	<0.00403	0.202	0.209	103	0.200	0.190	95	10	70-130	35	
o-Xylene	<0.00202	0.101	0.109	108	0.100	0.0999	100	9	70-130	35	

Analyst: ALJ

Date Prepared: 05/23/2018

Date Analyzed: 05/23/2018

Lab Batch ID: 3051206

Sample: 7645341-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Benzene	<0.00202	0.101	0.0886	88	0.100	0.0965	97	9	70-130	35	
Toluene	<0.00202	0.101	0.0879	87	0.100	0.0967	97	10	70-130	35	
Ethylbenzene	<0.00202	0.101	0.0905	90	0.100	0.0988	99	9	70-130	35	
m,p-Xylenes	<0.00403	0.202	0.192	95	0.201	0.207	103	8	70-130	35	
o-Xylene	<0.00202	0.101	0.0940	93	0.100	0.104	104	10	70-130	35	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries



Project Name: EOG-Lotus SWD #1

Work Order #: 586576

Project ID: 212C-MD-01238

Analyst: SCM

Date Prepared: 05/22/2018

Date Analyzed: 05/22/2018

Lab Batch ID: 3051043

Sample: 7645263-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	225	90	250	231	92	3	90-110	20	

Analyst: ARM

Date Prepared: 05/18/2018

Date Analyzed: 05/20/2018

Lab Batch ID: 3050664

Sample: 7645050-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1000	100	1000	1030	103	3	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	1100	110	1000	1150	115	4	70-135	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: EOG-Lotus SWD #1

Work Order #: 586576

Project ID: 212C-MD-01238

Lab Batch ID: 3051136

QC- Sample ID: 586189-002 S

Batch #: 1 Matrix: Soil

Date Analyzed: 05/23/2018

Date Prepared: 05/23/2018

Analyst: ALJ

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00200	0.100	0.0501	50	0.101	0.0497	49	1	70-130	35	X
Toluene	<0.00200	0.100	0.0395	40	0.101	0.0364	36	8	70-130	35	X
Ethylbenzene	<0.00200	0.100	0.0294	29	0.101	0.0267	26	10	70-130	35	X
m,p-Xylenes	0.00572	0.200	0.0593	27	0.201	0.0531	24	11	70-130	35	X
o-Xylene	<0.00200	0.100	0.0318	32	0.101	0.0266	26	18	70-130	35	X

Lab Batch ID: 3051206

QC- Sample ID: 586492-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 05/23/2018

Date Prepared: 05/23/2018

Analyst: ALJ

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00200	0.100	0.0762	76	0.101	0.0695	69	9	70-130	35	X
Toluene	<0.00200	0.100	0.0745	75	0.101	0.0670	66	11	70-130	35	X
Ethylbenzene	<0.00200	0.100	0.0737	74	0.101	0.0687	68	7	70-130	35	X
m,p-Xylenes	<0.00401	0.200	0.154	77	0.201	0.144	72	7	70-130	35	
o-Xylene	<0.00200	0.100	0.0815	82	0.101	0.0778	77	5	70-130	35	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
Relative Percent Difference $RPD = 200 \times |(C-F)/(C+F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries



Project Name: EOG-Lotus SWD #1

Work Order #: 586576

Project ID: 212C-MD-01238

Lab Batch ID: 3051043

QC- Sample ID: 586576-002 S

Batch #: 1 Matrix: Soil

Date Analyzed: 05/22/2018

Date Prepared: 05/22/2018

Analyst: SCM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<4.98	249	240	96	249	238	96	1	90-110	20	

Lab Batch ID: 3051043

QC- Sample ID: 586760-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 05/22/2018

Date Prepared: 05/22/2018

Analyst: SCM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	98.2	249	350	101	249	370	109	6	90-110	20	

Lab Batch ID: 3050664

QC- Sample ID: 586189-001 S

Batch #: 1 Matrix: Soil

Date Analyzed: 05/20/2018

Date Prepared: 05/18/2018

Analyst: ARM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY


TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	999	1020	102	998	939	94	8	70-135	20	
Diesel Range Organics (DRO)	61.8	999	1220	116	998	1110	105	9	70-135	20	

Matrix Spike Percent Recovery $[D] = 100 * (C - A) / B$
Relative Percent Difference $RPD = 200 * |(C - F) / (C + F)|$

Matrix Spike Duplicate Percent Recovery $[G] = 100 * (F - A) / E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable

N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Hold

☐ Special Report Limits or TRRP Report

Final 1.000



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: Tetra Tech- Midland

Date/ Time Received: 05/18/2018 01:30:00 PM

Work Order #: 586576

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 05/18/2018

Checklist reviewed by:

Kelsey Brooks

Kelsey Brooks

Date: 05/21/2018