

From: [Hernandez, Christina, EMNRD](#)
To: ["Jennifer Knowlton"; Mann, Ryan](#)
Cc: [Rickey Smith](#); [Bobcat Production LLC](#); [adam olquin](#)
Subject: RE: Sanmal Queen Unit 1RP-4647
Date: Friday, November 2, 2018 1:42:00 PM
Attachments: [2018Oct22 Remediation Plan Sanmal Queen Unit Full Report.pdf](#)

Dear Ms. Knowlton:

Please be advised:

- Utilization of liners now necessitates a variance submission that must include justification and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health and the environment.
- The appropriate revised C-141 form must be included when requisites are submitted. The revised C-141 form is available at: <http://www.emnrd.state.nm.us/OCD/forms.html>

The remediation plan submitted for 1RP-4647 is approved with the following conditions

1. Submit a variance request for the utilization of liners.
2. Complete delineation/remediation on the southeast off location portion as agreed with SLO.
3. Sidewall confirmation samples required for excavated areas.
4. Dated photo documentation of the remedial activities, including the proper emplacement of the liner.
5. Scaled map with the confirmation sample locations in relation to the delineation sample points.

Thanks,
Christina Hernandez
EMNRD-OCD
Environmental Specialist
1625 N. French Drive
Hobbs, NM 88240
575-393-6161 x111
Christina.Hernandez@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Jennifer Knowlton <jknowlton@hrlcomp.com>
Sent: Monday, October 22, 2018 11:06 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>; Hernandez, Christina, EMNRD

<Christina.Hernandez@state.nm.us>

Cc: Rickey Smith <rickeylynnsmith@gmail.com>; Bobcat Production LLC <bobcatprd@live.com>; adam olguin <aolguin@ampartnersnm.com>

Subject: [EXT] Sanmal Queen Unit 1RP-4647

Ms. Yu and Ms. Hernandez,

On behalf of Smith and Marrs, I am attaching a remediation plan for the Sanmal Queen Unit. The original C-141 was filed on 3/21/2017 but no work plan was submitted.

The State Land Office has instructed my client on the closure requirements that the SLO is going to require on this particular location and this work plan includes those requirements.

If you have any questions on this, please feel free to call or email me.

Jennifer Knowlton, PE | Regional Manager-Permian

HRL Compliance Solutions, Inc.

112 S. 6th Street | Artesia, NM 88210

main 575.616.7398 Ex. 414 | mobile 505-238-3588

[Web](#) | [vCard](#) | [Map](#) | |

Confidentiality Note: This email and any attachments are confidential and only for the use as authorized by HRL Compliance Solutions, Inc. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information. Permanently delete the e-mail and any attachments or copies.