



10 Desta Drive Suite 150E
Midland, TX 79705

432.520.7720 PHONE
432.520.7701 FAX

www.trcsolutions.com

APPROVED

By CHernandez at 1:48 pm, Jan 23, 2019

Remaining remediation is deferred until TOA.

October 19, 2018

Olivia Yu and Christina Hernandez
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division, District 1
1625 French Drive
Hobbs, NM 88240

Re: **Site Assessment/Activities Summary and Deferral Request**
CS Caylor SR Estate #3
API No. 30-025-05430
GPS: Latitude 32.86762 Longitude -103.2976
UL "D", Sec. 6, T17S, R37E
Lea County, New Mexico
NMOCD Ref. No. 1RP-5195

TRC Environmental Corporation (TRC), on behalf of Vanguard Operating, LLC (Vanguard), has prepared this *Site Assessment Summary and Deferral Request* for the Release Site known as the **CS Caylor SR Estate #3**. Details of the release are summarized below:

RELEASE DETAILS			
Type of Release:	Produced Water	Volume of Release:	100 bbls
		Volume Recovered:	250 bbls (Including Rain)
Source of Release:	Tank Battery	Date of Discovery:	9/3/2018
Was Immediate Notice Given?	Yes	If, YES, to Whom?	NMOCD District I
Was a Watercourse Reached?	No	If YES, Volume Impacting the Watercourse:	NA
Surface Owner:	R. Rice	Mineral Owner:	Federal
Describe Cause of Problem and Remedial Action Taken:			
The release was attributed to lightning striking a tank, resulting in the tank being partially burned and the release of approximately 100 barrels of produced water within the facilities lined containment.			

Topographical and Aerial Maps are provided as Attachments #1 and #2, respectively. General Site Photographs are provided as Attachment #7. A Copy of the Initial Release Notification and Corrective Action (NMOCD Form C-141) is provided as Attachment #8.

REGULATORY FRAMEWORK

Surface impacts from unauthorized releases of crude oil, gases, produced water, condensate or other oil field waste which occur during normal oilfield operations are generally regulated by the New Mexico Oil Conservation Division (NMOCD) in accordance with 19.15.29 of the New Mexico Administrative Code (NMAC). 19.15.29 NMAC establishes reporting, site assessment/characterization, remediation, closure, variance and enforcement procedures. Table I of 19.15.29.12 NMAC determines the closure criteria for soils impacted by a release based on the depth to groundwater and the following site characteristics:

Approximate Depth to Groundwater	
~60 ft	
Within 300 ft. of any continuously flowing or significant watercourse?	☐ Yes ☒ No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	☐ Yes ☒ No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	☐ Yes ☒ No
Within 500 ft. of a spring or private, domestic fresh water well?	☐ Yes ☒ No
Within 1,000 ft. of any fresh water well?	☐ Yes ☒ No
Within the incorporated municipal boundaries or within a municipal well field?	☐ Yes ☒ No
Within 300 ft. of a wetland?	☐ Yes ☒ No
Within the area overlying a subsurface mine?	☐ Yes ☒ No
Within an unstable area?	☐ Yes ☒ No
Within a 100-year floodplain?	☐ Yes ☒ No

A search of a groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) was conducted to determine the average depth to groundwater within a 1 Mile radius of the release site and identify any registered water wells within 1/2 Mile of the release site. If none were identified, the approximate depth to groundwater was extrapolated from a Depth to Groundwater Map utilized by the NMOCD. Siting Criteria Documentation is provided as Attachment #4.

Based on the approximate depth to groundwater and site characteristics, the NMOCD Closure Criteria are as follows:

Table I Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within the horizontal boundary of the release to ground water less than 10,000 mg/l TDS	Constituent	Method*	Limit**
51 feet-100 feet	Chloride***	EPA 300.0	10,000 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	2,500 mg/kg
	TPH (GRO+DRO)	EPA SW-846 Method 8015M	1,000 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

INITIAL SITE ASSESSMENT/ACTIVITIES SUMMARY

On September 6, 2018, TRC conducted an initial site assessment at the Site. During the initial site assessment, it was determined the release was confined to within the lined containment. Upon determining that the release was confined to within the lined containment, a liner inspection was conducted. During the liner inspection, approximately four (4) holes were discovered, presumably as a result of the subject fire. Upon discovering the holes in the affected liner, a hand-auger was utilized to advance soil bores at each of the affected areas. During the advancement of the hand-augered soil bores, seven (7) soil samples (HA-1 @ 6", HA-1 @ 1', HA-2 @ 6", HA-2 @ 1', HA-3 @ 6", HA-4 @ 6" and HA-4 @ 1') were collected and submitted to the laboratory for analysis of BTEX, TPH and chloride. Laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Closure Criteria in each of the submitted soil samples with the exception of soil sample HA-1 @ 6", which exhibited a combined GRO and DRO concentration of 15,900 mg/kg and a TPH concentration of 17,700 mg/kg.

On September 28, 2018, TRC revisited the release site in an effort to further characterize affected soil. During the site visit, a hand-auger was utilized to collect three (3) additional soil samples (HA-1 @ 2', HA-3 @ 1' and HA-4 @ 2'). The collected soil samples were submitted to the laboratory for analysis of BTEX, TPH and chloride. Laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Closure Criteria in each of the submitted soil samples.

On October 10, 2018, after the affected tanks had been removed, TRC revisited the site to inspect the soil beneath the affected tanks and liner. During the site visit, one (1) test trench (T-1) was advanced in the approximate center of the northern portion of the tank battery. During the advancement of the test trench, three (3) soil samples (T-1 @ Surface, T-1 @ 4' and T-1 @ 8') were collected and submitted to the laboratory for analysis of BTEX, TPH and chloride. Laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Closure Criteria in each of the submitted soil samples with the exception of soil sample T-1 @ Surface, which exhibited a combined GRO and DRO concentration of 41,400 mg/kg and a TPH concentration of 55,100 mg/kg.

In addition, five (5) horizontal delineation soil samples (N @ 4', E @ 4', S @ 4', W @ 4' and S2 @ 4') were collected and submitted to the laboratory for analysis of BTEX, TPH and chloride. Laboratory analytical results indicated BTEX, TPH and chloride concentrations were below the NMOCD Closure Criteria in each of the submitted soil samples with the exception of soil sample S @ 4', which exhibited a combined GRO and DRO concentration of 2,253 mg/kg and a TPH concentration of 2,760 mg/kg.

On October 26, 2018, TRC began final soil delineation at the release site. One delineation trench was installed at the site to determine the depth of impact in the area characterized by sample point S @ 4'. During the advancement of the trench, soil samples were collected at regular intervals and field tested for chlorides and hydrocarbons. Representative samples (SB @ 6', SB @ 10', SB @ 14') were sent to a commercial laboratory for analysis of BTEX, TPH, and chloride concentrations. Laboratory analytical results exhibited concentrations below the applicable laboratory reporting limits for BTEX and TPH. Chloride concentrations ranged from 880 mg/kg in soil sample SB @ 10' to 321 mg/kg in soil sample SB @ 14'.

On October 29, 2018, TRC began excavation activities at the release site. The northern portion of the facility was excavated to a depth of one (1) foot BGS to remove impacted soil with the highest concentrations of TPH. Excavated soil was stockpiled atop a polyethylene liner, pending final disposition at an NMOCD-approved disposal facility. To determine the impacts left in-situ, the base of the excavated area was divided into four (4) quadrants with composite method soil samples being collected from each quadrant and submitted to a commercial laboratory for analysis of BTEX, TPH, and chloride concentrations.

A table summarizing laboratory analytical results from soil samples collected at the release site is provided below:

Concentrations of BTEX, TPH and/or Chloride in Soil											
Sample ID	Date	Depth	Soil Status	SW 846 8021B		SW 846 8015M Ext.					E 300
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₅ (mg/kg)	TPH C ₆ -C ₃₅ (mg/kg)	Chloride (mg/kg)
HA-1 @ 6"	9/6/18	6"	Excavated	<0.00200	<0.00400	<74.8	15,900	15,900	1,870	17,770	3,050
HA-1 @ 1'	9/6/18	1'	In-Situ	<0.00201	0.00817	<14.9	741	741	152	893	172
HA-2 @ 6"	9/6/18	6"	Excavated	<0.00201	<0.00402	<15.0	42.4	42.4	<15.0	42.4	72.8
HA-2 @ 1'	9/6/18	1'	In-Situ	<0.00199	0.02897	<15.0	61.0	61.0	15.2	76.2	38.0
HA-3 @ 6"	9/6/18	6"	Excavated	<0.00199	<0.00398	<15.0	21.2	21.2	<15.0	21.2	785
HA-4 @ 6"	9/6/18	6"	Excavated	<0.00200	<0.00401	<15.0	18.3	18.3	<15.0	18.3	119
HA-4 @ 1'	9/6/18	1'	In-Situ	<0.00201	0.09308	36.0	439	439	108	583	269
HA-1 @ 2'	9/28/18	2'	In-Situ	<0.175	13.833	84.5	645	730	199	928.5	1,480
HA-3 @ 1'	9/28/18	1'	In-Situ	<0.198	28.164	92.2	272	364	171	535.2	442
HA-4 @ 2'	9/28/18	2'	In-Situ	<0.195	2.714	28.5	78.5	107	55.1	162.1	570
T-1 @ Surface	10/10/18	Surf.	Excavated	<0.0949	0.91100	<18.5	41,400	41,400	13,700	55,100	177
T-1 @ 4'	10/10/18	4'	In-Situ	<0.0182	0.3924	70.4	417	487.4	90.7	578.1	453
T-1 @ 8'	10/10/18	8'	In-Situ	<0.0199	<0.0398	<3.78	<24.8	<24.8	<24.8	<24.8	410
N @ 4'	10/10/18	4'	In-Situ	<0.0200	<0.0398	<3.84	<25.2	<25.2	<25.2	<25.2	48.0
E @ 4'	10/10/18	4'	In-Situ	<0.0199	<0.0398	<4.00	<24.9	<24.9	<24.9	<24.9	43.2
S @ 4'	10/10/18	4'	In-Situ	<0.0184	0.2487	13.0	2,240	2,253	507	2,760	418
W @ 4'	10/10/18	4'	In-Situ	<0.0198	<0.0397	<3.98	<25.2	<25.2	<25.2	<25.2	214
S2- @ 4'	10/10/18	4'	In-Situ	<0.0197	<0.0197	<3.94	<25.0	<25.0	<25.0	<25.0	<25.0
SB @ 6'	10/26/18	6'	In-Situ	<0.0183	<0.0183	<3.67	<25.2	<25.2	<25.2	<25.2	847
SB @ 10'	10/26/18	10'	In-Situ	<0.0173	<0.0173	<3.46	<24.9	<24.9	<24.9	<24.9	880
SB @ 14'	10/26/18	14'	In-Situ	<0.0193	<0.0193	<3.87	<25.1	<25.1	<25.1	<25.1	321
NH-NW @ 1'	10/29/18	1'	In-Situ	<0.050	4.41	63.9	536	599.9	144	743.9	640
NH-NE @ 1'	10/29/18	1'	In-Situ	<0.050	0.439	16.3	1,290	1,306.3	519	1,825.3	400
NH-SW @ 1'	10/29/18	1'	In-Situ	2.35	24.3	202	2,080	2,282	515	2,797	592
NH-SE @ 1'	10/29/18	1'	In-Situ	1.26	24.3	98.8	2,440	2,538.8	804	3,342.8	368
Closure Criteria				10	50	-	-	1,000	-	2,500	10,000

A "Site & Sample Location Map" is provided as Attachment #3. Field data is provided as Attachment #5. Laboratory analytical reports are provided as Attachment #6.

DEFERRAL REQUEST

The release occurred on a lined tank battery facility. During the initial site assessment it was determined that portions of the liner had been compromised, presumably from the subject fire that caused the release. Upon determining that the integrity of the liner had been compromised, soil beneath the affected tank battery was delineated horizontally and vertically. Laboratory analytical results indicated soil was not affected above the NMOCD Closure Criteria beyond four (4) ft. bgs in the northern portion of the tank battery, where the integrity of the liner had been compromised. The affected tanks and liner were removed from the northern portion of the facility. In a prudential effort to provide equal or better protection of fresh water, human health and the environment, impacted soil containing the highest concentrations of TPH down to one (1) foot BGS was removed from within the northern portion of the facility and disposed of at an NMOCD-approved disposal facility. Impacted soil to be left in-situ was characterized by composite method soil samples (NH-NW @ 1', NH-NE @ 1', NH-SW @ 1', NH-SE @ 1') and sent to a commercial laboratory for analysis of BTEX, TPH and chloride. The excavation was then backfilled with locally sourced non-impacted "like" material and a new facility liner will be installed encapsulating the impacts left in-situ during the facilities repairment.

Vanguard maintains further excavation and backfilling of the affected area beneath and adjacent to the valve setting poses a risk, which could result in hazardous conditions and/or property damage. Based on laboratory analytical results, site characteristics and field observations made during the initial site assessment, Vanguard requests remediation, restoration and reclamation be deferred until the equipment is removed during other operations and/or at time of abandonment, whichever comes first.

RESTORATION, RECLAMATION AND RE-VEGETATION

Final remediation and reclamation will be conducted in accordance with 19.15.29.12 and 19.15.29.13 NMAC, once the site is no longer being used for oil and gas operations.

If you have any questions, or if additional information is required, please feel free to contact Chuck Johnston or either of the undersigned by phone or email.

Respectfully,
TRC Environmental Corp.




Zachary Conder
Operations Manager
zconder@trcsolutions.com
(432) 234-5084



Cindy Crain
Senior Project Manager
ckcrain@trcsolutions.com
(432) 215-6730

Attachments:	Attachment #1-	Figure 1 - Topographical Map
	Attachment #2-	Figure 2 - Aerial Map
	Attachment #3-	Figure 3 - Site & Sample Location Map
	Attachment #4-	Site Criteria Documentation
	Attachment #5	Field Data
	Attachment #6-	Laboratory Analytical Reports
	Attachment #7-	General Site Photographs
	Attachment #8-	Release Notification and Corrective Action (FORM C-141)



LEGEND:

- Site Location
- 1/2 Mile Radius

Figure 1

Topographical Map
Vanguard Operating, LLC
CS Caylor SR Estate #3
Lea County, NM

Drafted by: ZC | Checked by: JL

Draft: March 7, 2018

GPS: 32.867627 -103.2976


UL "D", Sec. 6, T17S, R37E

TRC Proj. No: 314872





LEGEND: Site Location Fresh Water Well 100-Year Floodplain High/Critical Karst Non-Industrial Building Subsurface Mine 1/2 Mile Radius		Figure 2 Aerial Map Vanguard Operating, LLC CS Caylor SR Estate #3 Lea County, NM	Drafted by: ZC Checked by: JL Draft: March 7, 2018 GPS: 32.867627 -103.2976 UL "D", Sec. 6, T17S, R37E TRC Proj. No: 314872	 Results you can rely on
--	--	--	---	-----------------------------



LEGEND:

- | | | | |
|--|-------------------------------------|---|------------------------------------|
|  | Test Trenches |  | Sample Point Location (Hand Auger) |
|  | Above Ground Storage Tank (Removed) |  | Excavated to 1' BGS |
|  | Above Ground Storage Tank | | |

Figure 3

Site & Sample Location Map
Vanguard Operating, LLC
CS Caylor SR Estate #003
Lea County, New Mexico

Drafted by: ZC

Checked by: CC

Draft: October 16, 2018

GPS: 32.867627, -103.297600

UL "D", Sec. 6, T17S, R37E

TRC Proj. No.: 314872



10 Desta Drive Suite 150E
Midland, TX 79705

432.520.7720 PHONE
432.520.7701 FAX

www.trcsolutions.com




Figure 6. Aerial photograph showing City of Lovington southern well field, locations of sites identified by NMED and OCD that represent potential point sources of pollution in and around City well fields, and water-table elevation contours, Lea County, New Mexico.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

		POD																
		Sub-		Q	Q	Q										Water		
POD Number	Code	basin	County	64	16	4	Sec	Tws	Rng	X	Y	Distance	Depth	Well	Depth	Water Column		
L 12562 POD11		L	LE	2	4	2	01	17S	36E	658989	3637831		318	112	97	15		
L 02508		L	LE	2	2	2	01	17S	36E	659013	3638194*		405	120	40	80		
L 02561		L	LE	3	3	3	31	16S	37E	659210	3638403*		503	137	50	87		
L 10633	R	L	LE				4	13	17S	36E	659026	3637389*		585	209	80	129	
L 01220 POD1		L	LE				3	3	31	16S	37E	659311	3638504*		597	120	55	65
L 02474		L	LE				1	3	06	17S	37E	659331	3637296*		611	100	40	60
L 14377 POD3		L	LE	2	3	3	31	16S	37E	659423	3638586		690	115				
L 14377 POD4		L	LE	2	3	3	31	16S	37E	659492	3638571		691	120				
L 14377 POD2		L	LE	2	3	3	31	16S	37E	659504	3638600		723	120				
L 14377 POD1		L	LE	2	3	3	31	16S	37E	659484	3638621		737	118				
L 13332 POD1		L	LE	1	3	3	36	16S	37E	659161	3638638		744	106	102	4		
L 10633 S	R	L	LE				4	13	17S	36E	659026	3637189*		768	228	120	108	
L 10652		L	LE				4	3	31	16S	37E	659808	3638511*		789	248	72	176

Average Depth to Water: **72 feet**

Minimum Depth: **40 feet**

Maximum Depth: **120 feet**

Record Count: 13

UTMNAD83 Radius Search (in meters):

Easting (X): 659299

Northing (Y): 3637907


Radius: 804

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/19/18 9:31 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER



LEGEND:

● Site Location

Figure 4

Inferred Depth to Groundwater Map
Vanguard Operating, LCC
CS Caylor SR Estate #3
Lea County, NM

Drafted by: ZC | Checked by: JL

Draft: March 7, 2018

GPS: 32.867627 -103.2976

UL "D", Sec. 6, T17S, R37E

TRC Proj. No: 314872





[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

[USGS Water Resources](#)

Data Category:

Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs

site_no list =

- 325133103171301

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 325133103171301 17S.37E.06.411331

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 12080003

Latitude 32°51'45", Longitude 103°17'25" NAD27

Land-surface elevation 3,806.00 feet above NGVD29

The depth of the well is 100 feet below land surface.

This well is completed in the Ogallala Formation (121OGLL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2018-10-19 11:54:27 EDT

1.03 0.9 nadww01

	W	S	W/E	Aug	CI
1:40 HA1@6" 30.5		10.6	2.87	.44	1262
HA1@1' 30.4		10.0	3.04	.09	273
HA2@6" 30.3		11.0	2.75	.07	192
HA2@1' 30.1		10.9	2.76	.07	193
HA3@6" 30.0		10.6	2.83	.30	849
HA4@6" 30.3		10.0	3.03	.10	303
HA4@1' 30.0		10.1	2.97	.10	297

HA1

HA2

HA4

HA3

 32.867627, -103.297600

CS Caylor 10/10

	CI-	PID
T-1 @ 5		> 5000
@ 2'	644	1305
@ 4'	644	392.8
@ 6'	588	22.9 ✓
@ 8'	340	32.4 ✓
@ 10'		

N @ 4'	224	307
E @ 4'	160	25.8
S @ 4'	340	1753
W @ 4'	160	331.1
S2 @ 4'	400	305.1
S3 @ 4'	160	23.1



Certificate of Analysis Summary 598367

TRC Solutions, Inc, Midland, TX

Project Name: CS Caylor



Project Id:

Contact: Joel Lowry

Project Location: Lea

Date Received in Lab: Fri Sep-07-18 01:15 pm

Report Date: 18-SEP-18

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	598367-001	598367-002	598367-003	598367-004	598367-005	598367-006
	Field Id:	HA 1 @ 6"	HA 1 @ 1'	HA 2 @ 6"	HA 2 @ 1'	HA 3 @ 6"	HA 4 @ 6"
	Depth:	6- In	1- ft	6- In	1- ft	6- In	6- In
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Sep-06-18 13:40	Sep-06-18 13:40	Sep-06-18 13:40	Sep-06-18 13:40	Sep-06-18 13:40	Sep-06-18 13:40
BTEX by EPA 8021B	Extracted:	Sep-11-18 08:30	Sep-11-18 08:30	Sep-11-18 08:30	Sep-11-18 08:30	Sep-11-18 08:30	Sep-11-18 08:30
	Analyzed:	Sep-11-18 19:01	Sep-11-18 19:21	Sep-11-18 19:41	Sep-11-18 20:02	Sep-11-18 20:22	Sep-11-18 20:42
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00201 0.00201	<0.00201 0.00201	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Toluene		<0.00200 0.00200	<0.00201 0.00201	<0.00201 0.00201	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Ethylbenzene		<0.00200 0.00200	0.00250 0.00201	<0.00201 0.00201	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
m,p-Xylenes		<0.00400 0.00400	<0.00402 0.00402	<0.00402 0.00402	0.0214 0.00398	<0.00398 0.00398	<0.00401 0.00401
o-Xylene		<0.00200 0.00200	0.00567 0.00201	<0.00201 0.00201	0.00757 0.00199	<0.00199 0.00199	<0.00200 0.00200
Total Xylenes		<0.002 0.002	0.00567 0.00201	<0.00201 0.00201	0.02897 0.00199	<0.00199 0.00199	<0.002 0.002
Total BTEX		<0.002 0.002	0.00817 0.00201	<0.00201 0.00201	0.02897 0.00199	<0.00199 0.00199	<0.002 0.002
Chloride by EPA 300	Extracted:	Sep-13-18 12:00	Sep-13-18 12:00	Sep-13-18 12:00	Sep-13-18 12:00	Sep-13-18 12:00	Sep-13-18 12:00
	Analyzed:	Sep-14-18 00:33	Sep-14-18 00:41	Sep-14-18 00:48	Sep-14-18 00:56	Sep-14-18 01:03	Sep-14-18 01:26
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		3050 50.1	172 25.0	72.8 4.95	38.0 4.97	785 5.01	119 4.95
TPH By SW8015 Mod	Extracted:	Sep-07-18 17:00	Sep-07-18 17:00	Sep-07-18 17:00	Sep-07-18 17:00	Sep-07-18 17:00	Sep-07-18 17:00
	Analyzed:	Sep-08-18 15:55	Sep-08-18 16:13	Sep-08-18 16:32	Sep-08-18 16:51	Sep-08-18 17:10	Sep-08-18 17:28
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<74.8 74.8	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)		15900 74.8	741 14.9	42.4 15.0	61.0 15.0	21.2 15.0	18.3 15.0
Motor Oil Range Hydrocarbons (MRO)		1870 74.8	152 14.9	<15.0 15.0	15.2 15.0	<15.0 15.0	<15.0 15.0
Total TPH		17770 74.8	893 14.9	42.4 15	76.2 15	21.2 15	18.3 15

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 598367

TRC Solutions, Inc, Midland, TX

Project Name: CS Caylor



Project Id:

Contact: Joel Lowry

Project Location: Lea

Date Received in Lab: Fri Sep-07-18 01:15 pm

Report Date: 18-SEP-18

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	598367-007					
	Field Id:	HA 4@ 1'					
	Depth:	1- ft					
	Matrix:	SOIL					
	Sampled:	Sep-06-18 13:40					
BTEX by EPA 8021B	Extracted:	Sep-11-18 08:30					
	Analyzed:	Sep-11-18 21:03					
	Units/RL:	mg/kg RL					
Benzene		<0.00201 0.00201					
Toluene		<0.00201 0.00201					
Ethylbenzene		0.0804 0.00201					
m,p-Xylenes		0.00901 0.00402					
o-Xylene		0.00367 0.00201					
Total Xylenes		0.01268 0.00201					
Total BTEX		0.09308 0.00201					
Chloride by EPA 300	Extracted:	Sep-13-18 12:00					
	Analyzed:	Sep-14-18 01:33					
	Units/RL:	mg/kg RL					
Chloride		269 5.03					
TPH By SW8015 Mod	Extracted:	Sep-07-18 17:00					
	Analyzed:	Sep-08-18 18:24					
	Units/RL:	mg/kg RL					
Gasoline Range Hydrocarbons (GRO)		36.0 15.0					
Diesel Range Organics (DRO)		439 15.0					
Motor Oil Range Hydrocarbons (MRO)		108 15.0					
Total TPH		583 15					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

Analytical Report 598367

for
TRC Solutions, Inc

Project Manager: Joel Lowry

CS Caylor

18-SEP-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-16)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429)
Xenco-Lakeland: Florida (E84098)



18-SEP-18

Project Manager: **Joel Lowry**
TRC Solutions, Inc
2057 Commerce
Midland, TX 79703

Reference: XENCO Report No(s): **598367**
CS Caylor
Project Address: Lea

Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 598367. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 598367 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 598367



TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
HA 1@ 6"	S	09-06-18 13:40	6 In	598367-001
HA 1 @ 1'	S	09-06-18 13:40	1 ft	598367-002
HA 2@ 6"	S	09-06-18 13:40	6 In	598367-003
HA 2 @ 1'	S	09-06-18 13:40	1 ft	598367-004
HA 3 @ 6"	S	09-06-18 13:40	6 In	598367-005
HA 4 @ 6"	S	09-06-18 13:40	6 In	598367-006
HA 4@ 1'	S	09-06-18 13:40	1 ft	598367-007



CASE NARRATIVE

Client Name: TRC Solutions, Inc

Project Name: CS Caylor

Project ID:

Work Order Number(s): 598367

Report Date: 18-SEP-18

Date Received: 09/07/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3062569 TPH By SW8015 Mod

Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 598367-001.

Batch: LBA-3062939 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 598367-007,598367-004.



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 1@ 6"**

Matrix: Soil

Date Received: 09.07.18 13.15

Lab Sample Id: 598367-001

Date Collected: 09.06.18 13.40

Sample Depth: 6 In

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 09.13.18 12.00

Basis: Wet Weight

Seq Number: 3063359

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3050	50.1	mg/kg	09.14.18 00.33		10

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 09.07.18 17.00

Basis: Wet Weight

Seq Number: 3062569

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<74.8	74.8	mg/kg	09.08.18 15.55	U	5
Diesel Range Organics (DRO)	C10C28DRO	15900	74.8	mg/kg	09.08.18 15.55		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	1870	74.8	mg/kg	09.08.18 15.55		5
Total TPH	PHC635	17770	74.8	mg/kg	09.08.18 15.55		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	91	%	70-135	09.08.18 15.55	
o-Terphenyl	84-15-1	285	%	70-135	09.08.18 15.55	**



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 1@ 6"**
Lab Sample Id: 598367-001

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 09.11.18 08.30

Basis: Wet Weight

Seq Number: 3062939

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	09.11.18 19.01	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	09.11.18 19.01	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	09.11.18 19.01	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	09.11.18 19.01	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	09.11.18 19.01	U	1
Total Xylenes	1330-20-7	<0.002	0.002	mg/kg	09.11.18 19.01	U	1
Total BTEX		<0.002	0.002	mg/kg	09.11.18 19.01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	87	%	70-130	09.11.18 19.01		
1,4-Difluorobenzene	540-36-3	93	%	70-130	09.11.18 19.01		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 1 @ 1'**
Lab Sample Id: 598367-002

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300
Tech: SCM
Analyst: SCM
Seq Number: 3063359

Date Prep: 09.13.18 12.00

Prep Method: E300P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	172	25.0	mg/kg	09.14.18 00.41		5

Analytical Method: TPH By SW8015 Mod
Tech: ARM
Analyst: ARM
Seq Number: 3062569

Date Prep: 09.07.18 17.00

Prep Method: TX1005P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	09.08.18 16.13	U	1
Diesel Range Organics (DRO)	C10C28DRO	741	14.9	mg/kg	09.08.18 16.13		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	152	14.9	mg/kg	09.08.18 16.13		1
Total TPH	PHC635	893	14.9	mg/kg	09.08.18 16.13		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	89	%	70-135	09.08.18 16.13		
o-Terphenyl	84-15-1	93	%	70-135	09.08.18 16.13		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 1 @ 1'**
Lab Sample Id: 598367-002

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: ALJ

Seq Number: 3062939

Date Prep: 09.11.18 08.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	09.11.18 19.21	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	09.11.18 19.21	U	1
Ethylbenzene	100-41-4	0.00250	0.00201	mg/kg	09.11.18 19.21		1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	09.11.18 19.21	U	1
o-Xylene	95-47-6	0.00567	0.00201	mg/kg	09.11.18 19.21		1
Total Xylenes	1330-20-7	0.00567	0.00201	mg/kg	09.11.18 19.21		1
Total BTEX		0.00817	0.00201	mg/kg	09.11.18 19.21		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	90		%	70-130	09.11.18 19.21	
1,4-Difluorobenzene	540-36-3	84		%	70-130	09.11.18 19.21	



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 2@ 6"**
Lab Sample Id: 598367-003

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 6 In

Analytical Method: Chloride by EPA 300
Tech: SCM
Analyst: SCM
Seq Number: 3063359

Date Prep: 09.13.18 12.00

Prep Method: E300P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	72.8	4.95	mg/kg	09.14.18 00.48		1

Analytical Method: TPH By SW8015 Mod
Tech: ARM
Analyst: ARM
Seq Number: 3062569

Date Prep: 09.07.18 17.00

Prep Method: TX1005P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	09.08.18 16.32	U	1
Diesel Range Organics (DRO)	C10C28DRO	42.4	15.0	mg/kg	09.08.18 16.32		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	09.08.18 16.32	U	1
Total TPH	PHC635	42.4	15	mg/kg	09.08.18 16.32		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	92	%	70-135	09.08.18 16.32		
o-Terphenyl	84-15-1	96	%	70-135	09.08.18 16.32		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 2@ 6"**

Matrix: Soil

Date Received: 09.07.18 13.15

Lab Sample Id: 598367-003

Date Collected: 09.06.18 13.40

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 09.11.18 08.30

Basis: Wet Weight

Seq Number: 3062939

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	09.11.18 19.41	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	09.11.18 19.41	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	09.11.18 19.41	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	09.11.18 19.41	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	09.11.18 19.41	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	09.11.18 19.41	U	1
Total BTEX		<0.00201	0.00201	mg/kg	09.11.18 19.41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	09.11.18 19.41		
4-Bromofluorobenzene	460-00-4	91	%	70-130	09.11.18 19.41		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 2 @ 1'**
Lab Sample Id: 598367-004

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300
Tech: SCM
Analyst: SCM
Seq Number: 3063359

Date Prep: 09.13.18 12.00

Prep Method: E300P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	38.0	4.97	mg/kg	09.14.18 00.56		1

Analytical Method: TPH By SW8015 Mod
Tech: ARM
Analyst: ARM
Seq Number: 3062569

Date Prep: 09.07.18 17.00

Prep Method: TX1005P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	09.08.18 16.51	U	1
Diesel Range Organics (DRO)	C10C28DRO	61.0	15.0	mg/kg	09.08.18 16.51		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	15.2	15.0	mg/kg	09.08.18 16.51		1
Total TPH	PHC635	76.2	15	mg/kg	09.08.18 16.51		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	93	%	70-135	09.08.18 16.51		
o-Terphenyl	84-15-1	98	%	70-135	09.08.18 16.51		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 2 @ 1'**
Lab Sample Id: 598367-004

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: ALJ

Seq Number: 3062939

Date Prep: 09.11.18 08.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	09.11.18 20.02	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	09.11.18 20.02	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	09.11.18 20.02	U	1
m,p-Xylenes	179601-23-1	0.0214	0.00398	mg/kg	09.11.18 20.02		1
o-Xylene	95-47-6	0.00757	0.00199	mg/kg	09.11.18 20.02		1
Total Xylenes	1330-20-7	0.02897	0.00199	mg/kg	09.11.18 20.02		1
Total BTEX		0.02897	0.00199	mg/kg	09.11.18 20.02		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	79	%	70-130	09.11.18 20.02		
4-Bromofluorobenzene	460-00-4	140	%	70-130	09.11.18 20.02	**	



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 3 @ 6"**

Matrix: Soil

Date Received: 09.07.18 13.15

Lab Sample Id: 598367-005

Date Collected: 09.06.18 13.40

Sample Depth: 6 In

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 09.13.18 12.00

Basis: Wet Weight

Seq Number: 3063359

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	785	5.01	mg/kg	09.14.18 01.03		1

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 09.07.18 17.00

Basis: Wet Weight

Seq Number: 3062569

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	09.08.18 17.10	U	1
Diesel Range Organics (DRO)	C10C28DRO	21.2	15.0	mg/kg	09.08.18 17.10		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	09.08.18 17.10	U	1
Total TPH	PHC635	21.2	15	mg/kg	09.08.18 17.10		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	92	%	70-135	09.08.18 17.10	
o-Terphenyl	84-15-1	96	%	70-135	09.08.18 17.10	



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 3 @ 6"**

Matrix: Soil

Date Received: 09.07.18 13.15

Lab Sample Id: 598367-005

Date Collected: 09.06.18 13.40

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 09.11.18 08.30

Basis: Wet Weight

Seq Number: 3062939

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	09.11.18 20.22	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	09.11.18 20.22	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	09.11.18 20.22	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	09.11.18 20.22	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	09.11.18 20.22	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	09.11.18 20.22	U	1
Total BTEX		<0.00199	0.00199	mg/kg	09.11.18 20.22	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	94	%	70-130	09.11.18 20.22		
4-Bromofluorobenzene	460-00-4	92	%	70-130	09.11.18 20.22		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 4 @ 6"**

Matrix: Soil

Date Received: 09.07.18 13.15

Lab Sample Id: 598367-006

Date Collected: 09.06.18 13.40

Sample Depth: 6 In

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 09.13.18 12.00

Basis: Wet Weight

Seq Number: 3063359

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	119	4.95	mg/kg	09.14.18 01.26		1

Analytical Method: TPH By SW8015 Mod

Prep Method: TX1005P

Tech: ARM

% Moisture:

Analyst: ARM

Date Prep: 09.07.18 17.00

Basis: Wet Weight

Seq Number: 3062569

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	09.08.18 17.28	U	1
Diesel Range Organics (DRO)	C10C28DRO	18.3	15.0	mg/kg	09.08.18 17.28		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	09.08.18 17.28	U	1
Total TPH	PHC635	18.3	15	mg/kg	09.08.18 17.28		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	09.08.18 17.28	
o-Terphenyl	84-15-1	94	%	70-135	09.08.18 17.28	



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 4 @ 6"**

Matrix: Soil

Date Received: 09.07.18 13.15

Lab Sample Id: 598367-006

Date Collected: 09.06.18 13.40

Sample Depth: 6 In

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 09.11.18 08.30

Basis: Wet Weight

Seq Number: 3062939

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	09.11.18 20.42	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	09.11.18 20.42	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	09.11.18 20.42	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	09.11.18 20.42	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	09.11.18 20.42	U	1
Total Xylenes	1330-20-7	<0.002	0.002	mg/kg	09.11.18 20.42	U	1
Total BTEX		<0.002	0.002	mg/kg	09.11.18 20.42	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	116	%	70-130	09.11.18 20.42		
1,4-Difluorobenzene	540-36-3	99	%	70-130	09.11.18 20.42		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 4@ 1'**
Lab Sample Id: 598367-007

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300
Tech: SCM
Analyst: SCM
Seq Number: 3063359

Date Prep: 09.13.18 12.00

Prep Method: E300P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	269	5.03	mg/kg	09.14.18 01.33		1

Analytical Method: TPH By SW8015 Mod
Tech: ARM
Analyst: ARM
Seq Number: 3062569

Date Prep: 09.07.18 17.00

Prep Method: TX1005P
% Moisture:
Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	36.0	15.0	mg/kg	09.08.18 18.24		1
Diesel Range Organics (DRO)	C10C28DRO	439	15.0	mg/kg	09.08.18 18.24		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	108	15.0	mg/kg	09.08.18 18.24		1
Total TPH	PHC635	583	15	mg/kg	09.08.18 18.24		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	98	%	70-135	09.08.18 18.24		
o-Terphenyl	84-15-1	103	%	70-135	09.08.18 18.24		



Certificate of Analytical Results 598367



TRC Solutions, Inc, Midland, TX CS Caylor

Sample Id: **HA 4@ 1'**
Lab Sample Id: 598367-007

Matrix: Soil
Date Collected: 09.06.18 13.40

Date Received: 09.07.18 13.15
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: ALJ

Seq Number: 3062939

Date Prep: 09.11.18 08.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	09.11.18 21.03	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	09.11.18 21.03	U	1
Ethylbenzene	100-41-4	0.0804	0.00201	mg/kg	09.11.18 21.03		1
m,p-Xylenes	179601-23-1	0.00901	0.00402	mg/kg	09.11.18 21.03		1
o-Xylene	95-47-6	0.00367	0.00201	mg/kg	09.11.18 21.03		1
Total Xylenes	1330-20-7	0.01268	0.00201	mg/kg	09.11.18 21.03		1
Total BTEX		0.09308	0.00201	mg/kg	09.11.18 21.03		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	95		%	70-130	09.11.18 21.03	
4-Bromofluorobenzene	460-00-4	226		%	70-130	09.11.18 21.03	**

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 598367

TRC Solutions, Inc CS Caylor

Analytical Method: Chloride by EPA 300

Seq Number: 3063359

MB Sample Id: 7662256-1-BLK

Matrix: Solid

LCS Sample Id: 7662256-1-BKS

Prep Method: E300P

Date Prep: 09.13.18

LCSD Sample Id: 7662256-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	271	108	270	108	90-110	0	20	mg/kg	09.13.18 23:04	

Analytical Method: Chloride by EPA 300

Seq Number: 3063359

Parent Sample Id: 598367-005

Matrix: Soil

MS Sample Id: 598367-005 S

Prep Method: E300P

Date Prep: 09.13.18

MSD Sample Id: 598367-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	785	251	1010	90	1010	90	90-110	0	20	mg/kg	09.14.18 01:11	

Analytical Method: Chloride by EPA 300

Seq Number: 3063359

Parent Sample Id: 598803-001

Matrix: Soil

MS Sample Id: 598803-001 S

Prep Method: E300P

Date Prep: 09.13.18

MSD Sample Id: 598803-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	98.9	250	364	106	366	107	90-110	1	20	mg/kg	09.13.18 23:27	

Analytical Method: TPH By SW8015 Mod

Seq Number: 3062569

MB Sample Id: 7661909-1-BLK

Matrix: Solid

LCS Sample Id: 7661909-1-BKS

Prep Method: TX1005P

Date Prep: 09.07.18

LCSD Sample Id: 7661909-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	906	91	904	90	70-135	0	20	mg/kg	09.08.18 13:25	
Diesel Range Organics (DRO)	<8.13	1000	981	98	969	97	70-135	1	20	mg/kg	09.08.18 13:25	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	102		116		119		70-135	%	09.08.18 13:25
o-Terphenyl	106		103		109		70-135	%	09.08.18 13:25

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

TRC Solutions, Inc
CS Caylor

Analytical Method: TPH By SW8015 Mod

Seq Number: 3062569

Parent Sample Id: 598366-001

Matrix: Soil

MS Sample Id: 598366-001 S

Prep Method: TX1005P

Date Prep: 09.07.18

MSD Sample Id: 598366-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	8.90	1000	868	86	842	83	70-135	3	20	mg/kg	09.08.18 14:21	
Diesel Range Organics (DRO)	9.36	1000	983	97	953	95	70-135	3	20	mg/kg	09.08.18 14:21	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	123		120		70-135	%	09.08.18 14:21
o-Terphenyl	121		119		70-135	%	09.08.18 14:21

Analytical Method: BTEX by EPA 8021B

Seq Number: 3062939

MB Sample Id: 7662122-1-BLK

Matrix: Solid

LCS Sample Id: 7662122-1-BKS

Prep Method: SW5030B

Date Prep: 09.11.18

LCSD Sample Id: 7662122-1-BSO

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00199	0.0994	0.108	109	0.0966	97	70-130	11	35	mg/kg	09.11.18 11:23	
Toluene	<0.00199	0.0994	0.109	110	0.0969	97	70-130	12	35	mg/kg	09.11.18 11:23	
Ethylbenzene	<0.00199	0.0994	0.114	115	0.100	100	70-130	13	35	mg/kg	09.11.18 11:23	
m,p-Xylenes	<0.00398	0.199	0.230	116	0.198	99	70-130	15	35	mg/kg	09.11.18 11:23	
o-Xylene	<0.00199	0.0994	0.111	112	0.0955	96	70-130	15	35	mg/kg	09.11.18 11:23	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	94		99		96		70-130	%	09.11.18 11:23
4-Bromofluorobenzene	93		90		91		70-130	%	09.11.18 11:23

Analytical Method: BTEX by EPA 8021B

Seq Number: 3062939

Parent Sample Id: 598443-010

Matrix: Soil

MS Sample Id: 598443-010 S

Prep Method: SW5030B

Date Prep: 09.11.18

MSD Sample Id: 598443-010 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00198	0.0992	0.0730	74	0.0693	69	70-130	5	35	mg/kg	09.11.18 12:04	X
Toluene	<0.00198	0.0992	0.0722	73	0.0693	69	70-130	4	35	mg/kg	09.11.18 12:04	X
Ethylbenzene	<0.00198	0.0992	0.0706	71	0.0685	69	70-130	3	35	mg/kg	09.11.18 12:04	X
m,p-Xylenes	<0.00397	0.198	0.139	70	0.134	67	70-130	4	35	mg/kg	09.11.18 12:04	X
o-Xylene	<0.00198	0.0992	0.0667	67	0.0647	65	70-130	3	35	mg/kg	09.11.18 12:04	X

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	91		91		70-130	%	09.11.18 12:04
4-Bromofluorobenzene	91		90		70-130	%	09.11.18 12:04

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference $[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$ LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD ResultMS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Phoenix Arizona (480-355-0900)

199367

Notice: Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at a \$5 per sample. These terms will be enforced unless expressly negotiated under a fully executed client contract.



XENCO Laboratories
Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc

Date/ Time Received: 09/07/2018 01:15:00 PM

Work Order #: 598367

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	- .4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A
	TPH WAS IN BULK CONTAINER

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 09/10/2018

Checklist reviewed by:

Kelsey Brooks

Kelsey Brooks

Date: 09/10/2018



Certificate of Analysis Summary 601347

TRC Solutions, Inc, Midland, TX

Project Name: C S Caylor

Project Id:

Contact: Joel Lowry

Project Location: Lea Co., NM

Date Received in Lab: Wed Oct-03-18 04:50 pm

Report Date: 10-OCT-18

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	601347-001	601347-002	601347-003			
	Field Id:	HA-1 @ 2'	HA-3 @ 1'	HA-4 @ 2'			
	Depth:	2- ft	1- ft	2- ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Sep-28-18 12:00	Sep-28-18 12:05	Sep-28-18 12:10			
BTEX by EPA 8021B	Extracted:	Oct-04-18 13:30	Oct-04-18 13:30	Oct-04-18 13:30			
	Analyzed:	Oct-05-18 12:49	Oct-05-18 13:16	Oct-05-18 13:43			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		<0.175 0.175	<0.198 0.198	<0.195 0.195			
Toluene		0.193 0.175	0.774 0.198	<0.195 0.195			
Ethylbenzene		3.12 0.175	9.84 0.198	0.703 0.195			
m,p-Xylenes		8.91 0.351	16.1 0.397	1.64 0.391			
o-Xylene		1.61 0.175	1.45 0.198	0.371 0.195			
Xylenes, Total		10.52 0.175	17.55 0.198	2.011 0.195			
Total BTEX		13.833 0.175	28.164 0.198	2.714 0.195			
Chloride by EPA 300	Extracted:	Oct-09-18 12:00	Oct-09-18 12:00	Oct-09-18 12:00			
	Analyzed:	Oct-09-18 19:37	Oct-09-18 19:50	Oct-09-18 20:02			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		1480 250	442 125	570 125			
DRO-ORO By SW8015B	Extracted:	Oct-04-18 13:10	Oct-04-18 13:10	Oct-04-18 13:10			
	Analyzed:	Oct-05-18 16:43	Oct-05-18 17:19	Oct-05-18 17:56			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Diesel Range Organics (DRO)		645 50.2	272 50.1	78.5 49.6			
Oil Range Hydrocarbons (ORO)		199 50.2	171 50.1	55.1 49.6			
TPH GRO by EPA 8015 Mod.	Extracted:	Oct-04-18 13:30	Oct-04-18 13:30	Oct-04-18 13:30			
	Analyzed:	Oct-05-18 11:01	Oct-05-18 11:28	Oct-05-18 13:43			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
TPH-GRO		84.5 35.1	92.2 39.7	28.5 3.91			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

Analytical Report 601347

for
TRC Solutions, Inc

Project Manager: Joel Lowry

C S Caylor

10-OCT-18

Collected By: Client



6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



10-OCT-18

Project Manager: **Joel Lowry**
TRC Solutions, Inc
2057 Commerce
Midland, TX 79703

Reference: XENCO Report No(s): **601347**
C S Caylor
Project Address: Lea Co., NM

Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 601347. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 601347 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
HA-1 @ 2'	S	09-28-18 12:00	2 ft	601347-001
HA-3 @ 1'	S	09-28-18 12:05	1 ft	601347-002
HA-4 @ 2'	S	09-28-18 12:10	2 ft	601347-003



CASE NARRATIVE

Client Name: TRC Solutions, Inc

Project Name: C S Caylor

Project ID:
Work Order Number(s): 601347

Report Date: 10-OCT-18
Date Received: 10/03/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3065600 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate a,a,a-Trifluorotoluene recovered below QC limits Data confirmed by re-analysis. Samples affected are: 7663558-1-BLK,601347-001.

Batch: LBA-3065605 TPH GRO by EPA 8015 Mod.

Surrogate a,a,a-Trifluorotoluene recovered below QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 601349-012 SD,601347-003.

Batch: LBA-3065710 DRO-ORO By SW8015B

Surrogate Tricosane, Surrogate n-Triacontane recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 601347-001,601347-002,601347-003.

Batch: LBA-3065851 Chloride by EPA 300

Lab Sample ID 601349-009 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 601349-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011, -012.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



Certificate of Analytical Results 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id: HA-1 @ 2'

Matrix: Soil

Date Received: 10.03.18 16.50

Lab Sample Id: 601347-001

Date Collected: 09.28.18 12.00

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: RNL

% Moisture:

Analyst: RNL

Date Prep: 10.09.18 12.00

Basis: Wet Weight

Seq Number: 3065851

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1480	250	mg/kg	10.09.18 19.37		10

Analytical Method: DRO-ORO By SW8015B

Prep Method: SW8015P

Tech: PGM

% Moisture:

Analyst: PGM

Date Prep: 10.04.18 13.10

Basis: Wet Weight

Seq Number: 3065710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	645	50.2	mg/kg	10.05.18 16.43		2
Oil Range Hydrocarbons (ORO)	PHCG2835	199	50.2	mg/kg	10.05.18 16.43		2

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	481	%	65-144	10.05.18 16.43	**
n-Triacontane	638-68-6	402	%	46-152	10.05.18 16.43	**

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.04.18 13.30

Basis: Wet Weight

Seq Number: 3065600

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.175	0.175	mg/kg	10.05.18 12.49	U	10
Toluene	108-88-3	0.193	0.175	mg/kg	10.05.18 12.49		10
Ethylbenzene	100-41-4	3.12	0.175	mg/kg	10.05.18 12.49		10
m,p-Xylenes	179601-23-1	8.91	0.351	mg/kg	10.05.18 12.49		10
o-Xylene	95-47-6	1.61	0.175	mg/kg	10.05.18 12.49		10
Xylenes, Total	1330-20-7	10.52	0.175	mg/kg	10.05.18 12.49		10
Total BTEX		13.833	0.175	mg/kg	10.05.18 12.49		10

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	81	%	68-120	10.05.18 12.49	
a,a,a-Trifluorotoluene	98-08-8	68	%	71-121	10.05.18 12.49	***



Certificate of Analytical Results 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id: **HA-1 @ 2'**

Matrix: Soil

Date Received: 10.03.18 16.50

Lab Sample Id: 601347-001

Date Collected: 09.28.18 12.00

Sample Depth: 2 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.04.18 13.30

Basis: Wet Weight

Seq Number: 3065605

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	84.5	35.1	mg/kg	10.05.18 11.01		10
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	76-123	10.05.18 11.01		
a,a,a-Trifluorotoluene	98-08-8	96	%	69-120	10.05.18 11.01		



Certificate of Analytical Results 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id: HA-3 @ 1'

Matrix: Soil

Date Received: 10.03.18 16.50

Lab Sample Id: 601347-002

Date Collected: 09.28.18 12.05

Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: RNL

% Moisture:

Analyst: RNL

Date Prep: 10.09.18 12.00

Basis: Wet Weight

Seq Number: 3065851

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	442	125	mg/kg	10.09.18 19.50		5

Analytical Method: DRO-ORO By SW8015B

Prep Method: SW8015P

Tech: PGM

% Moisture:

Analyst: PGM

Date Prep: 10.04.18 13.10

Basis: Wet Weight

Seq Number: 3065710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	272	50.1	mg/kg	10.05.18 17.19		2
Oil Range Hydrocarbons (ORO)	PHCG2835	171	50.1	mg/kg	10.05.18 17.19		2

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	220	%	65-144	10.05.18 17.19	**
n-Triacontane	638-68-6	290	%	46-152	10.05.18 17.19	**

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.04.18 13.30

Basis: Wet Weight

Seq Number: 3065600

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.198	0.198	mg/kg	10.05.18 13.16	U	10
Toluene	108-88-3	0.774	0.198	mg/kg	10.05.18 13.16		10
Ethylbenzene	100-41-4	9.84	0.198	mg/kg	10.05.18 13.16		10
m,p-Xylenes	179601-23-1	16.1	0.397	mg/kg	10.05.18 13.16		10
o-Xylene	95-47-6	1.45	0.198	mg/kg	10.05.18 13.16		10
Xylenes, Total	1330-20-7	17.55	0.198	mg/kg	10.05.18 13.16		10
Total BTEX		28.164	0.198	mg/kg	10.05.18 13.16		10

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	77	%	68-120	10.05.18 13.16	
a,a,a-Trifluorotoluene	98-08-8	82	%	71-121	10.05.18 13.16	



Certificate of Analytical Results 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id: **HA-3 @ 1'**

Matrix: Soil

Date Received: 10.03.18 16.50

Lab Sample Id: 601347-002

Date Collected: 09.28.18 12.05

Sample Depth: 1 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.04.18 13.30

Basis: Wet Weight

Seq Number: 3065605

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	92.2	39.7	mg/kg	10.05.18 11.28		10
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	104	%	76-123	10.05.18 11.28		
a,a,a-Trifluorotoluene	98-08-8	101	%	69-120	10.05.18 11.28		



Certificate of Analytical Results 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id: HA-4 @ 2'

Matrix: Soil

Date Received: 10.03.18 16.50

Lab Sample Id: 601347-003

Date Collected: 09.28.18 12.10

Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: RNL

% Moisture:

Analyst: RNL

Date Prep: 10.09.18 12.00

Basis: Wet Weight

Seq Number: 3065851

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	570	125	mg/kg	10.09.18 20.02		5

Analytical Method: DRO-ORO By SW8015B

Prep Method: SW8015P

Tech: PGM

% Moisture:

Analyst: PGM

Date Prep: 10.04.18 13.10

Basis: Wet Weight

Seq Number: 3065710

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	78.5	49.6	mg/kg	10.05.18 17.56		2
Oil Range Hydrocarbons (ORO)	PHCG2835	55.1	49.6	mg/kg	10.05.18 17.56		2

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	166	%	65-144	10.05.18 17.56	**
n-Triacontane	638-68-6	185	%	46-152	10.05.18 17.56	**

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.04.18 13.30

Basis: Wet Weight

Seq Number: 3065600

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.195	0.195	mg/kg	10.05.18 13.43	U	10
Toluene	108-88-3	<0.195	0.195	mg/kg	10.05.18 13.43	U	10
Ethylbenzene	100-41-4	0.703	0.195	mg/kg	10.05.18 13.43		10
m,p-Xylenes	179601-23-1	1.64	0.391	mg/kg	10.05.18 13.43		10
o-Xylene	95-47-6	0.371	0.195	mg/kg	10.05.18 13.43		10
Xylenes, Total	1330-20-7	2.011	0.195	mg/kg	10.05.18 13.43		10
Total BTEX		2.714	0.195	mg/kg	10.05.18 13.43		10

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	79	%	68-120	10.05.18 13.43	
a,a,a-Trifluorotoluene	98-08-8	72	%	71-121	10.05.18 13.43	



Certificate of Analytical Results 601347

TRC Solutions, Inc, Midland, TX

C S Caylor

Sample Id: **HA-4 @ 2'**

Matrix: Soil

Date Received: 10.03.18 16.50

Lab Sample Id: 601347-003

Date Collected: 09.28.18 12.10

Sample Depth: 2 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.04.18 13.30

Basis: Wet Weight

Seq Number: 3065605

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	28.5	3.91	mg/kg	10.05.18 13.43		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	81	%	76-123	10.05.18 13.43		
a,a,a-Trifluorotoluene	98-08-8	57	%	69-120	10.05.18 13.43	**	

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 601347

TRC Solutions, Inc
C S Caylor

Analytical Method: Chloride by EPA 300

Seq Number: 3065851

MB Sample Id: 7663834-1-BLK

Matrix: Solid

LCS Sample Id: 7663834-1-BKS

Prep Method: E300P

Date Prep: 10.09.18

LCSD Sample Id: 7663834-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<25.0	250	245	98	245	98	90-110	0	20	mg/kg	10.09.18 15:17	

Analytical Method: Chloride by EPA 300

Seq Number: 3065851

Parent Sample Id: 601349-001

Matrix: Soil

MS Sample Id: 601349-001 S

Prep Method: E300P

Date Prep: 10.09.18

MSD Sample Id: 601349-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	654	250	944	116	933	112	80-120	1	20	mg/kg	10.09.18 15:54	

Analytical Method: Chloride by EPA 300

Seq Number: 3065851

Parent Sample Id: 601349-009

Matrix: Soil

MS Sample Id: 601349-009 S

Prep Method: E300P

Date Prep: 10.09.18

MSD Sample Id: 601349-009 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	45.0	250	354	124	320	110	80-120	10	20	mg/kg	10.09.18 18:48	X

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3065710

MB Sample Id: 7663557-1-BLK

Matrix: Solid

LCS Sample Id: 7663557-1-BKS

Prep Method: SW8015P

Date Prep: 10.04.18

LCSD Sample Id: 7663557-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.48	100	117	117	112	112	63-139	4	20	mg/kg	10.05.18 15:29	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
Tricosane	92		103		83		65-144	%	10.05.18 15:29
n-Triacontane	85		95		78		46-152	%	10.05.18 15:29

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 601347

TRC Solutions, Inc C S Caylor

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3065710

Parent Sample Id: 601349-001

Matrix: Soil

MS Sample Id: 601349-001 S

Prep Method: SW8015P

Date Prep: 10.04.18

MSD Sample Id: 601349-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.50	100	114	114	103	103	63-139	10	20	mg/kg	10.05.18 19:43	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits			Units	Analysis Date	
Tricosane			108		98		65-144			%	10.05.18 19:43	
n-Triacontane			102		83		46-152			%	10.05.18 19:43	

Analytical Method: BTEX by EPA 8021B

Seq Number: 3065600

MB Sample Id: 7663558-1-BLK

Matrix: Solid

LCS Sample Id: 7663558-1-BKS

Prep Method: SW5030B

Date Prep: 10.04.18

LCSD Sample Id: 7663558-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0200	2.00	1.87	94	1.98	99	55-120	6	20	mg/kg	10.04.18 22:27	
Toluene	<0.0200	2.00	1.73	87	1.84	92	77-120	6	20	mg/kg	10.04.18 22:27	
Ethylbenzene	<0.0200	2.00	1.70	85	1.80	90	77-120	6	20	mg/kg	10.04.18 22:27	
m,p-Xylenes	<0.0400	4.00	3.38	85	3.60	90	78-120	6	20	mg/kg	10.04.18 22:27	
o-Xylene	<0.0200	2.00	1.66	83	1.77	89	78-120	6	20	mg/kg	10.04.18 22:27	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits			Units	Analysis Date	
4-Bromofluorobenzene	73		82		87		68-120			%	10.04.18 22:27	
a,a,a-Trifluorotoluene	70	**	81		86		71-121			%	10.04.18 22:27	

Analytical Method: BTEX by EPA 8021B

Seq Number: 3065600

Parent Sample Id: 601349-012

Matrix: Soil

MS Sample Id: 601349-012 S

Prep Method: SW5030B

Date Prep: 10.04.18

MSD Sample Id: 601349-012 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0195	1.95	1.63	84	1.63	82	54-120	0	25	mg/kg	10.05.18 02:03	
Toluene	<0.0195	1.95	1.55	79	1.48	75	57-120	5	25	mg/kg	10.05.18 02:03	
Ethylbenzene	<0.0195	1.95	1.59	82	1.43	72	58-131	11	25	mg/kg	10.05.18 02:03	
m,p-Xylenes	<0.00665	3.90	3.16	81	2.82	71	62-124	11	25	mg/kg	10.05.18 02:03	
o-Xylene	<0.0195	1.95	1.57	81	1.50	76	62-124	5	25	mg/kg	10.05.18 02:03	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits			Units	Analysis Date	
4-Bromofluorobenzene			83		92		68-120			%	10.05.18 02:03	
a,a,a-Trifluorotoluene			83		93		71-121			%	10.05.18 02:03	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 601347

TRC Solutions, Inc C S Caylor

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3065605

MB Sample Id: 7663561-1-BLK

Matrix: Solid

LCS Sample Id: 7663561-1-BKS

Prep Method: SW5030B

Date Prep: 10.04.18

LCSD Sample Id: 7663561-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<0.271	20.0	18.8	94	18.5	93	35-129	2	20	mg/kg	10.04.18 23:21	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date			
4-Bromofluorobenzene	91		113		106		76-123	%	10.04.18 23:21			
a,a,a-Trifluorotoluene	120		120		109		69-120	%	10.04.18 23:21			

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3065605

Parent Sample Id: 601349-012

Matrix: Soil

MS Sample Id: 601349-012 S

Prep Method: SW5030B

Date Prep: 10.04.18

MSD Sample Id: 601349-012 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<3.94	19.7	14.5	74	14.5	75	35-129	0	20	mg/kg	10.05.18 02:57	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date			
4-Bromofluorobenzene			116		111		76-123	%	10.05.18 02:57			
a,a,a-Trifluorotoluene			70		68	**	69-120	%	10.05.18 02:57			

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

Phoenix, Arizona (480-355-0900)

San Antonio, Texas (210-509-3334)

Midland, Texas (432-704-5251)

www.xenco.com

601347

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes							
Company Name / Branch: TRC Environmental Corporation Company Address: 10 Delta Drive Suite 150E Midland, TX 79705 Email: lowry@trcsolutions.com Phone No: 432-466-4450 Project Contact: Joel Lowry Samplers Name: Zach Conder				Project Name/Number: CS Caylor Project Location: Lea Co, NM Invoice To: Chuck Johnston Invoice:				Matrix Codes: W = Water S = Soil/Sed/Solid GW = Ground Water DW = Drinking Water P = Product SW = Surface water SL = Sludge OW = Ocean/Sea Water WI = Wipe O = Oil WW = Waste Water A = Air				Xenco Job # 601347							
No.	Field ID / Point of Collection	Sample Depth	Collection	Date	Time	Matrix	# of bottles	HCl	NaOH/Zn	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	TPH 8015 M Ext	Chloride E 300	BTEX 8021B	Field Comments
1	HA-1 @ 2'	2ft		9/28/2018	12:00	S	1									X	X		
2	HA-3 @ 1'	1ft		9/28/2018	12:05	S	1									X	X		
3	HA-4 @ 2'	2ft		9/28/2018	12:10	S	1									X	X		
4																			
5																			
6																			
7																			
8																			
9																			
10																			

Data Deliverable Information				Notes:			
☐ Same Day TAT	☐ 5 Day TAT	☐ Level II Std QC	☐ Level IV (Full Data Pkg raw data)	lowry@trcsolutions.com			
☐ Next Day EMERGENCY	☐ 7 Day TAT	☐ Level III Std QC+ Forms	☐ TRRP Level IV	rhaskell@concho.com			
☐ 2 Day EMERGENCY	☒ Contract TAT	☐ Level 3 (CLP Forms)	☐ UST / RG 411	zconder@trcsolutions.com			
☐ 3 Day EMERGENCY		☐ TRRP Checklist		dneel2@concho.com			
TAT Starts Day received by Lab, if received by 5:00 pm				FED-EX / UPS: Tracking #			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY			
Relinquished by Sampler:	Date Time:	Received By:	Date Time:
1		1	
Relinquished by:	Date Time:	Relinquished By:	Date Time:
3		3	
Relinquished by:	Date Time:	Received By:	Date Time:
10/3/18 4:19		4	
Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>	
On Ice		Cooler Temp. 2.7	
Thermo. Corr. Factor		1.3	

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc

Date/ Time Received: 10/04/2018 04:50:00 PM

Work Order #: 601347

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : IR-3

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2.7
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brenda Ward
Brenda Ward

Date: 10/04/2018

Checklist reviewed by:

Kelsey Brooks
Kelsey Brooks

Date: 10/05/2018



Certificate of Analysis Summary 602206

TRC Solutions, Inc, Midland, TX

Project Name: CS Caylor

Project Id:

Contact: Joel Lowry

Project Location: Lea Co, NM

Date Received in Lab: Thu Oct-11-18 04:15 pm

Report Date: 17-OCT-18

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	602206-001	602206-002	602206-003	602206-004	602206-005	602206-006
	Field Id:	T-1 @Surface	T-1 @4'	T-1 @8'	N@4'	E@4'	S@4'
	Depth:		4- ft	8- ft	4- ft	4- ft	4- ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Oct-10-18 11:00	Oct-10-18 11:15	Oct-10-18 11:30	Oct-10-18 11:45	Oct-10-18 12:00	Oct-10-18 12:15
BTEX by EPA 8021B	Extracted:	Oct-15-18 15:50	Oct-15-18 15:50	Oct-15-18 15:50	Oct-15-18 15:50	Oct-15-18 15:50	Oct-15-18 15:50
	Analyzed:	Oct-16-18 03:14	Oct-16-18 02:51	Oct-15-18 22:27	Oct-16-18 00:03	Oct-16-18 00:27	Oct-16-18 02:27
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.0949 0.0949	<0.0182 0.0182	<0.0199 0.0199	<0.0200 0.0200	<0.0199 0.0199	<0.0184 0.0184
Toluene		<0.0949 0.0949	<0.0182 0.0182	<0.0199 0.0199	<0.0200 0.0200	<0.0199 0.0199	<0.0184 0.0184
Ethylbenzene		0.237 0.0949	0.0800 0.0182	<0.0199 0.0199	<0.0200 0.0200	<0.0199 0.0199	<0.0184 0.0184
m,p-Xylenes		0.674 0.190	0.236 0.0364	<0.0398 0.0398	<0.0400 0.0400	<0.0398 0.0398	0.164 0.0368
o-Xylene		<0.0949 0.0949	0.0764 0.0182	<0.0199 0.0199	<0.0200 0.0200	<0.0199 0.0199	0.0847 0.0184
Xylenes, Total		0.674 0.0949	0.3124 0.0182	<0.0199 0.0199	<0.02 0.02	<0.0199 0.0199	0.2487 0.0184
Total BTEX		0.911 0.0949	0.3924 0.0182	<0.0199 0.0199	<0.02 0.02	<0.0199 0.0199	0.2487 0.0184
Chloride by EPA 300	Extracted:	Oct-12-18 13:00	Oct-12-18 13:00	Oct-12-18 13:00	Oct-12-18 13:00	Oct-12-18 13:00	Oct-12-18 13:00
	Analyzed:	Oct-12-18 17:01	Oct-12-18 17:26	Oct-12-18 17:51	Oct-12-18 18:15	Oct-12-18 18:28	Oct-12-18 18:40
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		177 25.0	453 25.0	410 25.0	48.0 25.0	43.2 25.0	418 25.0
DRO-ORO By SW8015B	Extracted:	Oct-12-18 12:10	Oct-12-18 12:10	Oct-12-18 12:10	Oct-12-18 12:10	Oct-12-18 12:10	Oct-12-18 12:10
	Analyzed:	Oct-12-18 18:34	Oct-15-18 10:40	Oct-12-18 21:10	Oct-12-18 23:07	Oct-12-18 23:44	Oct-13-18 00:20
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Diesel Range Organics (DRO)		41400 12400	417 24.8	<24.8 24.8	<25.2 25.2	<24.9 24.9	2240 250
Oil Range Hydrocarbons (ORO)		13700 12400	90.7 24.8	<24.8 24.8	<25.2 25.2	<24.9 24.9	507 250
TPH GRO by EPA 8015 Mod.	Extracted:	Oct-16-18 14:00	Oct-16-18 14:00	Oct-12-18 12:00	Oct-12-18 12:00	Oct-12-18 12:00	Oct-12-18 12:00
	Analyzed:	Oct-16-18 20:16	Oct-16-18 20:43	Oct-15-18 13:41	Oct-15-18 15:29	Oct-15-18 15:56	Oct-15-18 20:20
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
TPH-GRO		<18.5 18.5	70.4 3.46	<3.78 3.78	<3.84 3.84	<4.00 4.00	13.0 7.74

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 602206

TRC Solutions, Inc, Midland, TX

Project Name: CS Caylor

Project Id:

Contact: Joel Lowry

Project Location: Lea Co, NM

Date Received in Lab: Thu Oct-11-18 04:15 pm

Report Date: 17-OCT-18

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	602206-007					
	Field Id:	W@4'					
	Depth:	4- ft					
	Matrix:	SOIL					
	Sampled:	Oct-10-18 12:30					
BTEX by EPA 8021B	Extracted:	Oct-15-18 15:50					
	Analyzed:	Oct-16-18 00:51					
	Units/RL:	mg/kg RL					
Benzene		<0.0198 0.0198					
Toluene		<0.0198 0.0198					
Ethylbenzene		<0.0198 0.0198					
m,p-Xylenes		<0.0397 0.0397					
o-Xylene		<0.0198 0.0198					
Xylenes, Total		<0.0198 0.0198					
Total BTEX		<0.0198 0.0198					
Chloride by EPA 300	Extracted:	Oct-12-18 13:00					
	Analyzed:	Oct-12-18 19:42					
	Units/RL:	mg/kg RL					
Chloride		214 25.0					
DRO-ORO By SW8015B	Extracted:	Oct-12-18 12:10					
	Analyzed:	Oct-13-18 00:58					
	Units/RL:	mg/kg RL					
Diesel Range Organics (DRO)		<25.2 25.2					
Oil Range Hydrocarbons (ORO)		<25.2 25.2					
TPH GRO by EPA 8015 Mod.	Extracted:	Oct-12-18 12:00					
	Analyzed:	Oct-15-18 17:38					
	Units/RL:	mg/kg RL					
TPH-GRO		<3.98 3.98					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager

Analytical Report 602206

**for
TRC Solutions, Inc**

Project Manager: Joel Lowry

CS Caylor

17-OCT-18

Collected By: Client



6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



17-OCT-18

Project Manager: **Joel Lowry**
TRC Solutions, Inc
2057 Commerce
Midland, TX 79703

Reference: XENCO Report No(s): **602206**
CS Caylor
Project Address: Lea Co, NM

Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 602206. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 602206 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
T-1 @Surface	S	10-10-18 11:00		602206-001
T-1 @4'	S	10-10-18 11:15	4 ft	602206-002
T-1 @8'	S	10-10-18 11:30	8 ft	602206-003
N@4'	S	10-10-18 11:45	4 ft	602206-004
E@4'	S	10-10-18 12:00	4 ft	602206-005
S@4'	S	10-10-18 12:15	4 ft	602206-006
W@4'	S	10-10-18 12:30	4 ft	602206-007



CASE NARRATIVE

Client Name: TRC Solutions, Inc

Project Name: CS Caylor

Project ID:

Work Order Number(s): 602206

Report Date: 17-OCT-18

Date Received: 10/11/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3066309 DRO-ORO By SW8015B

Surrogate Tricosane recovered below QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602206-002.

Surrogate n-Triacontane recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602206-001,602206-002,602206-006.

Surrogate Tricosane recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602206-001,602206-006.

Batch: LBA-3066477 TPH GRO by EPA 8015 Mod.

Surrogate 4-Bromofluorobenzene, Surrogate a,a,a-Trifluorotoluene recovered below QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602206-003 S,602206-003 SD.

Batch: LBA-3066483 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602206-006,602206-001,602206-002.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3066578 TPH GRO by EPA 8015 Mod.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602206-002.

Surrogate a,a,a-Trifluorotoluene recovered above QC limits Data confirmed by re-analysis. Samples affected are: 7664257-1-BLK.



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: T-1 @Surface

Matrix: Soil

Date Received: 10.11.18 16.15

Lab Sample Id: 602206-001

Date Collected: 10.10.18 11.00

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: RNL

% Moisture:

Analyst: RNL

Date Prep: 10.12.18 13.00

Basis: Wet Weight

Seq Number: 3066281

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	177	25.0	mg/kg	10.12.18 17.01		1

Analytical Method: DRO-ORO By SW8015B

Prep Method: SW8015P

Tech: PGM

% Moisture:

Analyst: PGM

Date Prep: 10.12.18 12.10

Basis: Wet Weight

Seq Number: 3066309

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	41400	12400	mg/kg	10.12.18 18.34		500
Oil Range Hydrocarbons (ORO)	PHCG2835	13700	12400	mg/kg	10.12.18 18.34		500

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	27879	%	65-144	10.12.18 18.34	**
n-Triacontane	638-68-6	22121	%	46-152	10.12.18 18.34	**

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.15.18 15.50

Basis: Wet Weight

Seq Number: 3066483

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0949	0.0949	mg/kg	10.16.18 03.14	U	5
Toluene	108-88-3	<0.0949	0.0949	mg/kg	10.16.18 03.14	U	5
Ethylbenzene	100-41-4	0.237	0.0949	mg/kg	10.16.18 03.14		5
m,p-Xylenes	179601-23-1	0.674	0.190	mg/kg	10.16.18 03.14		5
o-Xylene	95-47-6	<0.0949	0.0949	mg/kg	10.16.18 03.14	U	5
Xylenes, Total	1330-20-7	0.674	0.0949	mg/kg	10.16.18 03.14		5
Total BTEX		0.911	0.0949	mg/kg	10.16.18 03.14		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	138	%	68-120	10.16.18 03.14	**
a,a,a-Trifluorotoluene	98-08-8	113	%	71-121	10.16.18 03.14	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: T-1 @Surface

Matrix: Soil

Date Received: 10.11.18 16.15

Lab Sample Id: 602206-001

Date Collected: 10.10.18 11.00

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.16.18 14.00

Basis: Wet Weight

Seq Number: 3066578

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<18.5	18.5	mg/kg	10.16.18 20.16	U	5
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	76-123	10.16.18 20.16		
a,a,a-Trifluorotoluene	98-08-8	94	%	69-120	10.16.18 20.16		



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: T-1 @4'
Lab Sample Id: 602206-002

Matrix: Soil
Date Collected: 10.10.18 11.15

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066281

Date Prep: 10.12.18 13.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	453	25.0	mg/kg	10.12.18 17.26		1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066309

Date Prep: 10.12.18 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	417	24.8	mg/kg	10.15.18 10.40		1
Oil Range Hydrocarbons (ORO)	PHCG2835	90.7	24.8	mg/kg	10.15.18 10.40		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	63	%	65-144	10.15.18 10.40	**
n-Triacontane	638-68-6	261	%	46-152	10.15.18 10.40	**

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066483

Date Prep: 10.15.18 15.50

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0182	0.0182	mg/kg	10.16.18 02.51	U	1
Toluene	108-88-3	<0.0182	0.0182	mg/kg	10.16.18 02.51	U	1
Ethylbenzene	100-41-4	0.0800	0.0182	mg/kg	10.16.18 02.51		1
m,p-Xylenes	179601-23-1	0.236	0.0364	mg/kg	10.16.18 02.51		1
o-Xylene	95-47-6	0.0764	0.0182	mg/kg	10.16.18 02.51		1
Xylenes, Total	1330-20-7	0.3124	0.0182	mg/kg	10.16.18 02.51		1
Total BTEX		0.3924	0.0182	mg/kg	10.16.18 02.51		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	200	%	68-120	10.16.18 02.51	**
a,a,a-Trifluorotoluene	98-08-8	112	%	71-121	10.16.18 02.51	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: T-1 @4'
Lab Sample Id: 602206-002

Matrix: Soil
Date Collected: 10.10.18 11.15

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Tech: MIT

Analyst: MIT

Seq Number: 3066578

Date Prep: 10.16.18 14.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	70.4	3.46	mg/kg	10.16.18 20.43		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	222	%	76-123	10.16.18 20.43	**	
a,a,a-Trifluorotoluene	98-08-8	72	%	69-120	10.16.18 20.43		



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: T-1 @8'
Lab Sample Id: 602206-003

Matrix: Soil
Date Collected: 10.10.18 11.30

Date Received: 10.11.18 16.15
Sample Depth: 8 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066281

Date Prep: 10.12.18 13.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	410	25.0	mg/kg	10.12.18 17.51		1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066309

Date Prep: 10.12.18 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<24.8	24.8	mg/kg	10.12.18 21.10	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<24.8	24.8	mg/kg	10.12.18 21.10	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	89	%	65-144	10.12.18 21.10	
n-Triacontane	638-68-6	97	%	46-152	10.12.18 21.10	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066483

Date Prep: 10.15.18 15.50

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0199	0.0199	mg/kg	10.15.18 22.27	U	1
Toluene	108-88-3	<0.0199	0.0199	mg/kg	10.15.18 22.27	U	1
Ethylbenzene	100-41-4	<0.0199	0.0199	mg/kg	10.15.18 22.27	U	1
m,p-Xylenes	179601-23-1	<0.0398	0.0398	mg/kg	10.15.18 22.27	U	1
o-Xylene	95-47-6	<0.0199	0.0199	mg/kg	10.15.18 22.27	U	1
Xylenes, Total	1330-20-7	<0.0199	0.0199	mg/kg	10.15.18 22.27	U	1
Total BTEX		<0.0199	0.0199	mg/kg	10.15.18 22.27	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	100	%	68-120	10.15.18 22.27	
a,a,a-Trifluorotoluene	98-08-8	103	%	71-121	10.15.18 22.27	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: T-1 @8'
Lab Sample Id: 602206-003

Matrix: Soil
Date Collected: 10.10.18 11.30

Date Received: 10.11.18 16.15
Sample Depth: 8 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Tech: MIT

Analyst: MIT

Seq Number: 3066477

Date Prep: 10.12.18 12.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.78	3.78	mg/kg	10.15.18 13.41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	76-123	10.15.18 13.41		
a,a,a-Trifluorotoluene	98-08-8	78	%	69-120	10.15.18 13.41		



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: N@4'
Lab Sample Id: 602206-004

Matrix: Soil
Date Collected: 10.10.18 11.45

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066281

Date Prep: 10.12.18 13.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	48.0	25.0	mg/kg	10.12.18 18.15		1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066309

Date Prep: 10.12.18 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<25.2	25.2	mg/kg	10.12.18 23.07	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<25.2	25.2	mg/kg	10.12.18 23.07	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	107	%	65-144	10.12.18 23.07	
n-Triacontane	638-68-6	90	%	46-152	10.12.18 23.07	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066483

Date Prep: 10.15.18 15.50

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0200	0.0200	mg/kg	10.16.18 00.03	U	1
Toluene	108-88-3	<0.0200	0.0200	mg/kg	10.16.18 00.03	U	1
Ethylbenzene	100-41-4	<0.0200	0.0200	mg/kg	10.16.18 00.03	U	1
m,p-Xylenes	179601-23-1	<0.0400	0.0400	mg/kg	10.16.18 00.03	U	1
o-Xylene	95-47-6	<0.0200	0.0200	mg/kg	10.16.18 00.03	U	1
Xylenes, Total	1330-20-7	<0.02	0.02	mg/kg	10.16.18 00.03	U	1
Total BTEX		<0.02	0.02	mg/kg	10.16.18 00.03	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	115	%	68-120	10.16.18 00.03	
a,a,a-Trifluorotoluene	98-08-8	117	%	71-121	10.16.18 00.03	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: N@4'
Lab Sample Id: 602206-004

Matrix: Soil
Date Collected: 10.10.18 11.45

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Tech: MIT

Analyst: MIT

Seq Number: 3066477

Date Prep: 10.12.18 12.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.84	3.84	mg/kg	10.15.18 15.29	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	76-123	10.15.18 15.29		
a,a,a-Trifluorotoluene	98-08-8	78	%	69-120	10.15.18 15.29		



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: E@4'
Lab Sample Id: 602206-005

Matrix: Soil
Date Collected: 10.10.18 12.00

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066281

Date Prep: 10.12.18 13.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	43.2	25.0	mg/kg	10.12.18 18.28		1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066309

Date Prep: 10.12.18 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<24.9	24.9	mg/kg	10.12.18 23.44	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<24.9	24.9	mg/kg	10.12.18 23.44	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	94	%	65-144	10.12.18 23.44	
n-Triacontane	638-68-6	92	%	46-152	10.12.18 23.44	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066483

Date Prep: 10.15.18 15.50

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0199	0.0199	mg/kg	10.16.18 00.27	U	1
Toluene	108-88-3	<0.0199	0.0199	mg/kg	10.16.18 00.27	U	1
Ethylbenzene	100-41-4	<0.0199	0.0199	mg/kg	10.16.18 00.27	U	1
m,p-Xylenes	179601-23-1	<0.0398	0.0398	mg/kg	10.16.18 00.27	U	1
o-Xylene	95-47-6	<0.0199	0.0199	mg/kg	10.16.18 00.27	U	1
Xylenes, Total	1330-20-7	<0.0199	0.0199	mg/kg	10.16.18 00.27	U	1
Total BTEX		<0.0199	0.0199	mg/kg	10.16.18 00.27	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	113	%	68-120	10.16.18 00.27	
a,a,a-Trifluorotoluene	98-08-8	117	%	71-121	10.16.18 00.27	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: E@4'
Lab Sample Id: 602206-005

Matrix: Soil
Date Collected: 10.10.18 12.00

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Tech: MIT

Analyst: MIT

Seq Number: 3066477

Date Prep: 10.12.18 12.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<4.00	4.00	mg/kg	10.15.18 15.56	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	76-123	10.15.18 15.56		
a,a,a-Trifluorotoluene	98-08-8	123	%	69-120	10.15.18 15.56	**	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: S@4'
Lab Sample Id: 602206-006

Matrix: Soil
Date Collected: 10.10.18 12.15

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066281

Date Prep: 10.12.18 13.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	418	25.0	mg/kg	10.12.18 18.40		1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066309

Date Prep: 10.12.18 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	2240	250	mg/kg	10.13.18 00.20		10
Oil Range Hydrocarbons (ORO)	PHCG2835	507	250	mg/kg	10.13.18 00.20		10

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	869	%	65-144	10.13.18 00.20	**
n-Triacontane	638-68-6	829	%	46-152	10.13.18 00.20	**

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066483

Date Prep: 10.15.18 15.50

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0184	0.0184	mg/kg	10.16.18 02.27	U	1
Toluene	108-88-3	<0.0184	0.0184	mg/kg	10.16.18 02.27	U	1
Ethylbenzene	100-41-4	<0.0184	0.0184	mg/kg	10.16.18 02.27	U	1
m,p-Xylenes	179601-23-1	0.164	0.0368	mg/kg	10.16.18 02.27		1
o-Xylene	95-47-6	0.0847	0.0184	mg/kg	10.16.18 02.27		1
Xylenes, Total	1330-20-7	0.2487	0.0184	mg/kg	10.16.18 02.27		1
Total BTEX		0.2487	0.0184	mg/kg	10.16.18 02.27		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	129	%	68-120	10.16.18 02.27	**
a,a,a-Trifluorotoluene	98-08-8	115	%	71-121	10.16.18 02.27	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: S@4'
Lab Sample Id: 602206-006

Matrix: Soil
Date Collected: 10.10.18 12.15

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.12.18 12.00

Basis: Wet Weight

Seq Number: 3066477

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	13.0	7.74	mg/kg	10.15.18 20.20		2
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	138	%	76-123	10.15.18 20.20	**	
a,a,a-Trifluorotoluene	98-08-8	77	%	69-120	10.15.18 20.20		



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: W@4'
Lab Sample Id: 602206-007

Matrix: Soil
Date Collected: 10.10.18 12.30

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066281

Date Prep: 10.12.18 13.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	214	25.0	mg/kg	10.12.18 19.42		1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066309

Date Prep: 10.12.18 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<25.2	25.2	mg/kg	10.13.18 00.58	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<25.2	25.2	mg/kg	10.13.18 00.58	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	107	%	65-144	10.13.18 00.58	
n-Triacontane	638-68-6	108	%	46-152	10.13.18 00.58	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066483

Date Prep: 10.15.18 15.50

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0198	0.0198	mg/kg	10.16.18 00.51	U	1
Toluene	108-88-3	<0.0198	0.0198	mg/kg	10.16.18 00.51	U	1
Ethylbenzene	100-41-4	<0.0198	0.0198	mg/kg	10.16.18 00.51	U	1
m,p-Xylenes	179601-23-1	<0.0397	0.0397	mg/kg	10.16.18 00.51	U	1
o-Xylene	95-47-6	<0.0198	0.0198	mg/kg	10.16.18 00.51	U	1
Xylenes, Total	1330-20-7	<0.0198	0.0198	mg/kg	10.16.18 00.51	U	1
Total BTEX		<0.0198	0.0198	mg/kg	10.16.18 00.51	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	88	%	68-120	10.16.18 00.51	
a,a,a-Trifluorotoluene	98-08-8	91	%	71-121	10.16.18 00.51	



Certificate of Analytical Results 602206

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: W@4'
Lab Sample Id: 602206-007

Matrix: Soil
Date Collected: 10.10.18 12.30

Date Received: 10.11.18 16.15
Sample Depth: 4 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.12.18 12.00

Basis: Wet Weight

Seq Number: 3066477

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.98	3.98	mg/kg	10.15.18 17.38	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	76-123	10.15.18 17.38		
a,a,a-Trifluorotoluene	98-08-8	81	%	69-120	10.15.18 17.38		

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 602206

TRC Solutions, Inc CS Caylor

Analytical Method: Chloride by EPA 300

Seq Number: 3066281

MB Sample Id: 7664115-1-BLK

Matrix: Solid

LCS Sample Id: 7664115-1-BKS

Prep Method: E300P

Date Prep: 10.12.18

LCSD Sample Id: 7664115-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	2.26	250	244	98	246	98	90-110	1	20	mg/kg	10.12.18 16:36	

Analytical Method: Chloride by EPA 300

Seq Number: 3066281

Parent Sample Id: 602206-006

Matrix: Soil

MS Sample Id: 602206-006 S

Prep Method: E300P

Date Prep: 10.12.18

MSD Sample Id: 602206-006 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	418	250	648	92	653	94	80-120	1	20	mg/kg	10.12.18 19:05	

Analytical Method: Chloride by EPA 300

Seq Number: 3066281

Parent Sample Id: 602206-007

Matrix: Soil

MS Sample Id: 602206-007 S

Prep Method: E300P

Date Prep: 10.12.18

MSD Sample Id: 602206-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	214	250	468	102	466	101	80-120	0	20	mg/kg	10.12.18 20:07	

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3066309

MB Sample Id: 7664121-1-BLK

Matrix: Solid

LCS Sample Id: 7664121-1-BKS

Prep Method: SW8015P

Date Prep: 10.12.18

LCSD Sample Id: 7664121-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.48	100	91.8	92	94.7	95	63-139	3	20	mg/kg	10.12.18 17:18	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
Tricosane	79		70		104		65-144	%	10.12.18 17:18
n-Triacontane	70		70		62		46-152	%	10.12.18 17:18

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 602206

TRC Solutions, Inc CS Caylor

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3066309

Parent Sample Id: 602206-003

Matrix: Soil

MS Sample Id: 602206-003 S

Prep Method: SW8015P

Date Prep: 10.12.18

MSD Sample Id: 602206-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.47	99.9	116	116	106	107	63-139	9	20	mg/kg	10.12.18 21:47	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
Tricosane	131		120		65-144	%	10.12.18 21:47
n-Triacontane	84		84		46-152	%	10.12.18 21:47

Analytical Method: BTEX by EPA 8021B

Seq Number: 3066483

MB Sample Id: 7664183-1-BLK

Matrix: Solid

LCS Sample Id: 7664183-1-BKS

Prep Method: SW5030B

Date Prep: 10.15.18

LCSD Sample Id: 7664183-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0200	2.00	1.94	97	1.93	97	55-120	1	20	mg/kg	10.15.18 20:25	
Toluene	<0.0200	2.00	1.92	96	1.90	95	77-120	1	20	mg/kg	10.15.18 20:25	
Ethylbenzene	<0.0200	2.00	1.95	98	1.95	98	77-120	0	20	mg/kg	10.15.18 20:25	
m,p-Xylenes	<0.0400	4.00	3.89	97	3.90	98	78-120	0	20	mg/kg	10.15.18 20:25	
o-Xylene	<0.0200	2.00	1.97	99	1.97	99	78-120	0	20	mg/kg	10.15.18 20:25	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	86		91		100		68-120	%	10.15.18 20:25
a,a,a-Trifluorotoluene	84		92		100		71-121	%	10.15.18 20:25

Analytical Method: BTEX by EPA 8021B

Seq Number: 3066483

Parent Sample Id: 602206-003

Matrix: Soil

MS Sample Id: 602206-003 S

Prep Method: SW5030B

Date Prep: 10.15.18

MSD Sample Id: 602206-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0199	1.99	1.85	93	1.75	92	54-120	6	25	mg/kg	10.15.18 22:51	
Toluene	<0.0199	1.99	1.85	93	1.77	93	57-120	4	25	mg/kg	10.15.18 22:51	
Ethylbenzene	<0.0199	1.99	1.87	94	1.79	94	58-131	4	25	mg/kg	10.15.18 22:51	
m,p-Xylenes	<0.0398	3.98	3.75	94	3.58	94	62-124	5	25	mg/kg	10.15.18 22:51	
o-Xylene	<0.0199	1.99	1.88	94	1.79	94	62-124	5	25	mg/kg	10.15.18 22:51	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	87		113		68-120	%	10.15.18 22:51
a,a,a-Trifluorotoluene	92		119		71-121	%	10.15.18 22:51

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 602206

TRC Solutions, Inc CS Caylor

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3066477

MB Sample Id: 7664084-1-BLK

Matrix: Solid

LCS Sample Id: 7664084-1-BKS

Prep Method: SW5030B

Date Prep: 10.12.18

LCSD Sample Id: 7664084-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<4.00	20.0	16.4	82	17.2	86	35-129	5	20	mg/kg	10.16.18 00:19	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date			
4-Bromofluorobenzene	92		105		107		76-123	%	10.16.18 00:19			
a,a,a-Trifluorotoluene	119		111		113		69-120	%	10.16.18 00:19			

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3066578

MB Sample Id: 7664257-1-BLK

Matrix: Solid

LCS Sample Id: 7664257-1-BKS

Prep Method: SW5030B

Date Prep: 10.16.18

LCSD Sample Id: 7664257-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<0.271	20.0	18.9	95	20.1	101	35-129	6	20	mg/kg	10.16.18 14:26	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date			
4-Bromofluorobenzene	107		113		115		76-123	%	10.16.18 14:26			
a,a,a-Trifluorotoluene	137	**	105		107		69-120	%	10.16.18 14:26			

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3066477

Parent Sample Id: 602206-003

Matrix: Soil

MS Sample Id: 602206-003 S

Prep Method: SW5030B

Date Prep: 10.12.18

MSD Sample Id: 602206-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<3.77	18.9	6.99	37	6.86	38	35-129	2	20	mg/kg	10.15.18 14:08	
Surrogate			MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date			
4-Bromofluorobenzene			57	**	56	**	76-123	%	10.15.18 14:08			
a,a,a-Trifluorotoluene			2	**	2	**	69-120	%	10.15.18 14:08			

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

TRC Solutions, Inc
CS Caylor

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3066578

Parent Sample Id: 602420-001

Matrix: Soil

MS Sample Id: 602420-001 S

Prep Method: SW5030B

Date Prep: 10.16.18

MSD Sample Id: 602420-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<3.75	18.7	13.5	72	14.4	74	35-129	6	20	mg/kg	10.16.18 18:01	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	119		122		76-123	%	10.16.18 18:01
a,a,a-Trifluorotoluene	78		76		69-120	%	10.16.18 18:01

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Stafford, Texas (281-240-4200)
Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)
Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

[illegible]

Signature, Name, Title, and Date of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: TRC Solutions, Inc

Date/ Time Received: 10/11/2018 04:15:00 PM

Work Order #: 602206

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : IR3

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	4.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Ashley Derstine

Date: 10/12/2018

Checklist reviewed by:

Kelsey Brooks

Date: 10/12/2018



Certificate of Analysis Summary 602420

TRC Solutions, Inc, Midland, TX

Project Name: CS Caylor

Project Id:

Contact: Joel Lowry

Project Location: Lea Co, NM

Date Received in Lab: Mon Oct-15-18 04:55 pm

Report Date: 17-OCT-18

Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	602420-001					
	Field Id:	S2 @4					
	Depth:						
	Matrix:	SOIL					
	Sampled:	Oct-10-18 13:00					
Chloride by EPA 300	Extracted:	Oct-16-18 08:30					
	Analyzed:	Oct-16-18 09:57					
	Units/RL:	mg/kg RL					
Chloride		<25.0 25.0					
BTEX by EPA 8021B	Extracted:	Oct-16-18 14:00					
	Analyzed:	Oct-16-18 16:40					
	Units/RL:	mg/kg RL					
	Benzene	<0.0197 0.0197					
	Toluene	<0.0197 0.0197					
	Ethylbenzene	<0.0197 0.0197					
	m,p-Xylenes	<0.0394 0.0394					
	o-Xylene	<0.0197 0.0197					
	Xylenes, Total	<0.0197 0.0197					
	Total BTEX	<0.0197 0.0197					
DRO-ORO By SW8015B	Extracted:	Oct-16-18 11:00					
	Analyzed:	Oct-16-18 13:38					
	Units/RL:	mg/kg RL					
Diesel Range Organics (DRO)		<25.0 25.0					
Oil Range Hydrocarbons (ORO)		<25.0 25.0					
TPH GRO by EPA 8015 Mod.	Extracted:	Oct-16-18 14:00					
	Analyzed:	Oct-16-18 16:40					
	Units/RL:	mg/kg RL					
TPH-GRO		<3.94 3.94					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.9%

Kelsey Brooks
Project Manager

Analytical Report 602420

for
TRC Solutions, Inc

Project Manager: Joel Lowry

CS Caylor

17-OCT-18

Collected By: Client



6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-27), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-13)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-17)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



17-OCT-18

Project Manager: **Joel Lowry**
TRC Solutions, Inc
2057 Commerce
Midland, TX 79703

Reference: XENCO Report No(s): **602420**
CS Caylor
Project Address: Lea Co, NM

Joel Lowry:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 602420. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 602420 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 602420

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
S2 @4	S	10-10-18 13:00		602420-001



CASE NARRATIVE

Client Name: TRC Solutions, Inc

Project Name: CS Caylor

Project ID:
Work Order Number(s): 602420

Report Date: 17-OCT-18
Date Received: 10/15/2018

Sample receipt non conformance and comments:

None

Sample receipt non conformance and comments per sample:

None

Analytical non conformance and comments:

Batch: LBA-3066562 DRO-ORO By SW8015B

Surrogate Tricosane recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 602420-001 SD.

Batch: LBA-3066577 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3066578 TPH GRO by EPA 8015 Mod.

Surrogate a,a,a-Trifluorotoluene recovered above QC limits Data confirmed by re-analysis. Samples affected are: 7664257-1-BLK.



Certificate of Analytical Results 602420

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: S2 @4
Lab Sample Id: 602420-001

Matrix: Soil
Date Collected: 10.10.18 13.00

Date Received: 10.15.18 16.55

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3066480

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Date Prep: 10.16.18 08.30

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<25.0	25.0	mg/kg	10.16.18 09.57	U	1

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3066562

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Date Prep: 10.16.18 11.00

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<25.0	25.0	mg/kg	10.16.18 13.38	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<25.0	25.0	mg/kg	10.16.18 13.38	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	100	%	65-144	10.16.18 13.38	
n-Triacontane	638-68-6	59	%	46-152	10.16.18 13.38	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3066577

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Date Prep: 10.16.18 14.00

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0197	0.0197	mg/kg	10.16.18 16.40	U	1
Toluene	108-88-3	<0.0197	0.0197	mg/kg	10.16.18 16.40	U	1
Ethylbenzene	100-41-4	<0.0197	0.0197	mg/kg	10.16.18 16.40	U	1
m,p-Xylenes	179601-23-1	<0.0394	0.0394	mg/kg	10.16.18 16.40	U	1
o-Xylene	95-47-6	<0.0197	0.0197	mg/kg	10.16.18 16.40	U	1
Xylenes, Total	1330-20-7	<0.0197	0.0197	mg/kg	10.16.18 16.40	U	1
Total BTEX		<0.0197	0.0197	mg/kg	10.16.18 16.40	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	92	%	68-120	10.16.18 16.40	
a,a,a-Trifluorotoluene	98-08-8	82	%	71-121	10.16.18 16.40	



Certificate of Analytical Results 602420

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: S2 @4
Lab Sample Id: 602420-001

Matrix: Soil
Date Collected: 10.10.18 13.00

Date Received: 10.15.18 16.55

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.16.18 14.00

Basis: Wet Weight

Seq Number: 3066578

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.94	3.94	mg/kg	10.16.18 16.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	118	%	76-123	10.16.18 16.40		
a,a,a-Trifluorotoluene	98-08-8	87	%	69-120	10.16.18 16.40		

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 602420

TRC Solutions, Inc CS Caylor

Analytical Method: Chloride by EPA 300

Seq Number: 3066480

MB Sample Id: 7664233-1-BLK

Matrix: Solid

LCS Sample Id: 7664233-1-BKS

Prep Method: E300P

Date Prep: 10.16.18

LCSD Sample Id: 7664233-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.572	250	253	101	250	100	90-110	1	20	mg/kg	10.16.18 09:32	

Analytical Method: Chloride by EPA 300

Seq Number: 3066480

Parent Sample Id: 602420-001

Matrix: Soil

MS Sample Id: 602420-001 S

Prep Method: E300P

Date Prep: 10.16.18

MSD Sample Id: 602420-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	18.8	250	282	105	272	101	80-120	4	20	mg/kg	10.16.18 10:09	

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3066562

MB Sample Id: 7664245-1-BLK

Matrix: Solid

LCS Sample Id: 7664245-1-BKS

Prep Method: SW8015P

Date Prep: 10.16.18

LCSD Sample Id: 7664245-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.48	100	93.2	93	110	110	63-139	17	20	mg/kg	10.16.18 12:09	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
Tricosane	98		87		110		65-144	%	10.16.18 12:09
n-Triacontane	59		61		73		46-152	%	10.16.18 12:09

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3066562

Parent Sample Id: 602420-001

Matrix: Soil

MS Sample Id: 602420-001 S

Prep Method: SW8015P

Date Prep: 10.16.18

MSD Sample Id: 602420-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.49	100	115	115	120	120	63-139	4	20	mg/kg	10.16.18 14:22	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
Tricosane	137		146	**	65-144	%	10.16.18 14:22
n-Triacontane	64		86		46-152	%	10.16.18 14:22

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

TRC Solutions, Inc
CS Caylor

Analytical Method: BTEX by EPA 8021B

Seq Number: 3066577

MB Sample Id: 7664255-1-BLK

Matrix: Solid

LCS Sample Id: 7664255-1-BKS

Prep Method: SW5030B

Date Prep: 10.16.18

LCSD Sample Id: 7664255-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0200	2.00	1.76	88	1.90	95	55-120	8	20	mg/kg	10.16.18 13:33	
Toluene	<0.0200	2.00	1.62	81	1.71	86	77-120	5	20	mg/kg	10.16.18 13:33	
Ethylbenzene	<0.0200	2.00	1.59	80	1.64	82	77-120	3	20	mg/kg	10.16.18 13:33	
m,p-Xylenes	<0.00682	4.00	3.17	79	3.28	82	78-120	3	20	mg/kg	10.16.18 13:33	
o-Xylene	<0.0200	2.00	1.58	79	1.56	78	78-120	1	20	mg/kg	10.16.18 13:33	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	83		78		83		68-120	%	10.16.18 13:33
a,a,a-Trifluorotoluene	78		76		74		71-121	%	10.16.18 13:33

Analytical Method: BTEX by EPA 8021B

Seq Number: 3066577

Parent Sample Id: 602420-001

Matrix: Soil

MS Sample Id: 602420-001 S

Prep Method: SW5030B

Date Prep: 10.16.18

MSD Sample Id: 602420-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0186	1.86	1.58	85	1.66	89	54-120	5	25	mg/kg	10.16.18 17:07	
Toluene	<0.0186	1.86	1.55	83	1.58	85	57-120	2	25	mg/kg	10.16.18 17:07	
Ethylbenzene	<0.0186	1.86	1.60	86	1.61	87	58-131	1	25	mg/kg	10.16.18 17:07	
m,p-Xylenes	<0.00635	3.72	3.13	84	3.20	86	62-124	2	25	mg/kg	10.16.18 17:07	
o-Xylene	<0.0186	1.86	1.51	81	1.56	84	62-124	3	25	mg/kg	10.16.18 17:07	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	86		91		68-120	%	10.16.18 17:07
a,a,a-Trifluorotoluene	84		94		71-121	%	10.16.18 17:07

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3066578

MB Sample Id: 7664257-1-BLK

Matrix: Solid

LCS Sample Id: 7664257-1-BKS

Prep Method: SW5030B

Date Prep: 10.16.18

LCSD Sample Id: 7664257-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<0.271	20.0	18.9	95	20.1	101	35-129	6	20	mg/kg	10.16.18 14:26	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	107		113		115		76-123	%	10.16.18 14:26
a,a,a-Trifluorotoluene	137	**	105		107		69-120	%	10.16.18 14:26

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference $[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$ LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD ResultMS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 602420

TRC Solutions, Inc
CS Caylor

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3066578

Parent Sample Id: 602420-001

Matrix: Soil

MS Sample Id: 602420-001 S

Prep Method: SW5030B

Date Prep: 10.16.18

MSD Sample Id: 602420-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<3.75	18.7	13.5	72	14.4	74	35-129	6	20	mg/kg	10.16.18 18:01	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	119		122		76-123	%	10.16.18 18:01
a,a,a-Trifluorotoluene	78		76		69-120	%	10.16.18 18:01

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Setting the Standard since 1980

Stafford, Texas (281-240-4200)

Dallas Texas (214-902-0300)

CHAIN OF CUSTODY

Page 1 Of 1

San Antonio, Texas (210-509-3334)

Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

www.xencolabs.com

Client / Reporting Information				Project Information				Analytical Information				Matrix Codes			
Company Name / Branch: TRC Environmental Corporation				Project Name/Number: 65 Caylor											
Company Address: 10 Destia Dr, Suite 150E Midland, TX 79705				Project Location: Lee Co, NM											
Email: ilowry@trcsolutions.com				Invoice To: Vergard c/o Chuck Johnson											
Phone No: 432-486-4450				Invoice:											
Project Contact: Joel Lowry															
Sampler's Name:															
No.	Field ID / Point of Collection	Sample Depth	Collection Date	Time	Matrix	# of bottles	HCl	Acetate	HNO3	H2SO4	NaOH	NaHSO4	MeOH	NONE	Field Comments
1	52 @ 4'	4ft	6/10	11:00	5	1									TPH TX1005
2															Chloride F 300
3															NORM
4															Chloride
5															TPH 8015 M Ext (NM)
6															Chloride
7															TPH 8015 M Ext (NM)
8															Chloride
9															TPH 8015 M Ext (NM)
10															Chloride

Data Deliverable Information				Notes:			
Turnaround Time (Business days)	Level II Std QC	Level IV (Full Data Pkg /raw data)	Level III Std QC+ Forms	TRRP Level IV	UST / RG -411	TRRP Checklist	
☐ Same Day TAT	☐ 5 Day TAT	☐ 7 Day TAT	☐ Level II Std QC	☐ Level IV (Full Data Pkg /raw data)	☐ TRRP Level IV	☐ UST / RG -411	
☒ Next Day EMERGENCY							
☐ 2 Day EMERGENCY							
☐ 3 Day EMERGENCY							

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY			
Relinquished by Sampler:	Received By:	Date Time:	
1	2	2	
3	4	4	
5	6	6	

FED-EX / UPS: Tracking #			
Relinquished by:	Received By:	Date Time:	
1	2	2	
3	4	4	
5	6	6	

On Ice Cooler Temp. Thermo. Corr. Factor			
Relinquished by:	Received By:	Date Time:	
1	2	2	
3	4	4	
5	6	6	



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: TRC Solutions, Inc

Date/ Time Received: 10/15/2018 04:55:00 PM

Work Order #: 602420

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : IR3

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	5.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	Yes

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Ashley Derstine

Date: 10/16/2018

Checklist reviewed by:

Kelsey Brooks

Date: 10/16/2018

Site Name:

Date: 10/10/18

Vanguard, CS Caylor SR Estate 4003

Soil Profile

Description	ft. bgs
	0
	1
Caliche	2
	3
Rock/Hard band	4
	5
	6
Brown Sand w/clay	7
	8
	9
	10
	11
	12
	13
	14
	15
	16

Analytical Report 603738

for
TRC Solutions, Inc

Project Manager: Cindy Crain

CS Caylor

31-OCT-18

Collected By: Client



6701 Aberdeen, Suite 9 Lubbock, TX 79424

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)

Xenco-Atlanta (LELAP Lab ID #04176)

Xenco-Tampa: Florida (E87429)

Xenco-Lakeland: Florida (E84098)



31-OCT-18

Project Manager: **Cindy Crain**
TRC Solutions, Inc
2057 Commerce
Midland, TX 79703

Reference: XENCO Report No(s): **603738**
CS Caylor
Project Address: Midland TX 79707

Cindy Crain:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 603738. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 603738 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'Kelsey Brooks', is written over a horizontal line.

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SB @ 6'	S	10-26-18 12:00	6 ft	603738-001
SB @ 10'	S	10-26-18 12:05	10 ft	603738-002
SB @ 14'	S	10-26-18 12:10	14 ft	603738-003



CASE NARRATIVE

Client Name: TRC Solutions, Inc

Project Name: CS Caylor

Project ID:
Work Order Number(s): 603738

Report Date: 31-OCT-18
Date Received: 10/26/2018

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3067755 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3067828 Chloride by EPA 300

Lab Sample ID 603738-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 603738-001, -002, -003.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3067901 DRO-ORO By SW8015B

Surrogate Tricosane recovered below QC limits Data confirmed by re-analysis. Samples affected are: 7665000-1-BLK.



Certificate of Analytical Results 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: **SB @ 6'**
Lab Sample Id: 603738-001

Matrix: Soil
Date Collected: 10.26.18 12.00

Date Received: 10.26.18 15.55
Sample Depth: 6 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3067828

Date Prep: 10.29.18 08.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	847	125	mg/kg	10.29.18 10.43	D	5

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3067901

Date Prep: 10.26.18 16.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<25.2	25.2	mg/kg	10.29.18 13.32	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<25.2	25.2	mg/kg	10.29.18 13.32	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	95	%	65-144	10.29.18 13.32	
n-Triacontane	638-68-6	55	%	46-152	10.29.18 13.32	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3067755

Date Prep: 10.28.18 20.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0183	0.0183	mg/kg	10.29.18 04.10	U	1
Toluene	108-88-3	<0.0183	0.0183	mg/kg	10.29.18 04.10	U	1
Ethylbenzene	100-41-4	<0.0183	0.0183	mg/kg	10.29.18 04.10	U	1
m,p-Xylenes	179601-23-1	<0.0367	0.0367	mg/kg	10.29.18 04.10	U	1
o-Xylene	95-47-6	<0.0183	0.0183	mg/kg	10.29.18 04.10	U	1
Total Xylenes	1330-20-7	<0.0183	0.0183	mg/kg	10.29.18 04.10	U	1
Total BTEX		<0.0183	0.0183	mg/kg	10.29.18 04.10	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	106	%	68-120	10.29.18 04.10	
a,a,a-Trifluorotoluene	98-08-8	110	%	71-121	10.29.18 04.10	



Certificate of Analytical Results 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: **SB @ 6'**

Matrix: Soil

Date Received: 10.26.18 15.55

Lab Sample Id: 603738-001

Date Collected: 10.26.18 12.00

Sample Depth: 6 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.28.18 20.30

Basis: Wet Weight

Seq Number: 3067756

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.67	3.67	mg/kg	10.29.18 04.10	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	107	%	76-123	10.29.18 04.10		
a,a,a-Trifluorotoluene	98-08-8	109	%	69-120	10.29.18 04.10		



Certificate of Analytical Results 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: SB @ 10'

Matrix: Soil

Date Received: 10.26.18 15.55

Lab Sample Id: 603738-002

Date Collected: 10.26.18 12.05

Sample Depth: 10 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: RNL

% Moisture:

Analyst: RNL

Date Prep: 10.29.18 08.30

Basis: Wet Weight

Seq Number: 3067828

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	880	125	mg/kg	10.29.18 11.21		5

Analytical Method: DRO-ORO By SW8015B

Prep Method: SW8015P

Tech: PGM

% Moisture:

Analyst: PGM

Date Prep: 10.26.18 16.00

Basis: Wet Weight

Seq Number: 3067901

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<24.9	24.9	mg/kg	10.29.18 15.32	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<24.9	24.9	mg/kg	10.29.18 15.32	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	84	%	65-144	10.29.18 15.32	
n-Triacontane	638-68-6	79	%	46-152	10.29.18 15.32	

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.28.18 20.30

Basis: Wet Weight

Seq Number: 3067755

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0173	0.0173	mg/kg	10.29.18 03.46	U	1
Toluene	108-88-3	<0.0173	0.0173	mg/kg	10.29.18 03.46	U	1
Ethylbenzene	100-41-4	<0.0173	0.0173	mg/kg	10.29.18 03.46	U	1
m,p-Xylenes	179601-23-1	<0.0346	0.0346	mg/kg	10.29.18 03.46	U	1
o-Xylene	95-47-6	<0.0173	0.0173	mg/kg	10.29.18 03.46	U	1
Total Xylenes	1330-20-7	<0.0173	0.0173	mg/kg	10.29.18 03.46	U	1
Total BTEX		<0.0173	0.0173	mg/kg	10.29.18 03.46	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	81	%	68-120	10.29.18 03.46	
a,a,a-Trifluorotoluene	98-08-8	84	%	71-121	10.29.18 03.46	



Certificate of Analytical Results 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: **SB @ 10'**

Matrix: Soil

Date Received: 10.26.18 15.55

Lab Sample Id: 603738-002

Date Collected: 10.26.18 12.05

Sample Depth: 10 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.28.18 20.30

Basis: Wet Weight

Seq Number: 3067756

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.46	3.46	mg/kg	10.29.18 03.46	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	82	%	76-123	10.29.18 03.46		
a,a,a-Trifluorotoluene	98-08-8	83	%	69-120	10.29.18 03.46		



Certificate of Analytical Results 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: SB @ 14'

Lab Sample Id: 603738-003

Matrix: Soil

Date Collected: 10.26.18 12.10

Date Received: 10.26.18 15.55

Sample Depth: 14 ft

Analytical Method: Chloride by EPA 300

Tech: RNL

Analyst: RNL

Seq Number: 3067828

Date Prep: 10.29.18 08.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	321	50.0	mg/kg	10.29.18 11.33		2

Analytical Method: DRO-ORO By SW8015B

Tech: PGM

Analyst: PGM

Seq Number: 3067901

Date Prep: 10.26.18 16.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Diesel Range Organics (DRO)	C10C28DRO	<25.1	25.1	mg/kg	10.29.18 16.14	U	1
Oil Range Hydrocarbons (ORO)	PHCG2835	<25.1	25.1	mg/kg	10.29.18 16.14	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
Tricosane	638-67-5	113	%	65-144	10.29.18 16.14	
n-Triacontane	638-68-6	84	%	46-152	10.29.18 16.14	

Analytical Method: BTEX by EPA 8021B

Tech: MIT

Analyst: MIT

Seq Number: 3067755

Date Prep: 10.28.18 20.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0193	0.0193	mg/kg	10.29.18 01.22	U	1
Toluene	108-88-3	<0.0193	0.0193	mg/kg	10.29.18 01.22	U	1
Ethylbenzene	100-41-4	<0.0193	0.0193	mg/kg	10.29.18 01.22	U	1
m,p-Xylenes	179601-23-1	<0.0387	0.0387	mg/kg	10.29.18 01.22	U	1
o-Xylene	95-47-6	<0.0193	0.0193	mg/kg	10.29.18 01.22	U	1
Total Xylenes	1330-20-7	<0.0193	0.0193	mg/kg	10.29.18 01.22	U	1
Total BTEX		<0.0193	0.0193	mg/kg	10.29.18 01.22	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	77	%	68-120	10.29.18 01.22	
a,a,a-Trifluorotoluene	98-08-8	81	%	71-121	10.29.18 01.22	



Certificate of Analytical Results 603738

TRC Solutions, Inc, Midland, TX

CS Caylor

Sample Id: **SB @ 14'**

Matrix: Soil

Date Received: 10.26.18 15.55

Lab Sample Id: 603738-003

Date Collected: 10.26.18 12.10

Sample Depth: 14 ft

Analytical Method: TPH GRO by EPA 8015 Mod.

Prep Method: SW5030B

Tech: MIT

% Moisture:

Analyst: MIT

Date Prep: 10.28.18 20.30

Basis: Wet Weight

Seq Number: 3067756

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
TPH-GRO	8006-61-9	<3.87	3.87	mg/kg	10.29.18 01.22	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	78	%	76-123	10.29.18 01.22		
a,a,a-Trifluorotoluene	98-08-8	80	%	69-120	10.29.18 01.22		

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 603738

TRC Solutions, Inc CS Caylor

Analytical Method: Chloride by EPA 300

Seq Number: 3067828

MB Sample Id: 7665022-1-BLK

Matrix: Solid

LCS Sample Id: 7665022-1-BKS

Prep Method: E300P

Date Prep: 10.29.18

LCSD Sample Id: 7665022-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.572	250	248	99	248	99	90-110	0	20	mg/kg	10.29.18 10:06	

Analytical Method: Chloride by EPA 300

Seq Number: 3067828

Parent Sample Id: 603738-001

Matrix: Soil

MS Sample Id: 603738-001 S

Prep Method: E300P

Date Prep: 10.29.18

MSD Sample Id: 603738-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	801	250	1170	148	1160	144	80-120	1	20	mg/kg	10.29.18 10:56	X

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3067901

MB Sample Id: 7665000-1-BLK

Matrix: Solid

LCS Sample Id: 7665000-1-BKS

Prep Method: SW8015P

Date Prep: 10.26.18

LCSD Sample Id: 7665000-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.48	100	84.2	84	89.1	89	63-139	6	20	mg/kg	10.29.18 12:15	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
Tricosane	60	**	117		148	**	65-144	%	10.29.18 12:15
n-Triacontane	47		75		77		46-152	%	10.29.18 12:15

Analytical Method: DRO-ORO By SW8015B

Seq Number: 3067901

Parent Sample Id: 603738-001

Matrix: Soil

MS Sample Id: 603738-001 S

Prep Method: SW8015P

Date Prep: 10.26.18

MSD Sample Id: 603738-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Diesel Range Organics (DRO)	<7.50	100	85.7	86	83.0	82	63-139	3	20	mg/kg	10.29.18 14:14	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
Tricosane	145	**	134		65-144	%	10.29.18 14:14
n-Triacontane	97		78		46-152	%	10.29.18 14:14

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

TRC Solutions, Inc
CS Caylor

Analytical Method: BTEX by EPA 8021B

Seq Number: 3067755

MB Sample Id: 7664980-1-BLK

Matrix: Solid

LCS Sample Id: 7664980-1-BKS

Prep Method: SW5030B

Date Prep: 10.28.18

LCSD Sample Id: 7664980-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0200	2.00	1.82	91	1.87	94	55-120	3	20	mg/kg	10.28.18 22:34	
Toluene	<0.0200	2.00	1.82	91	1.82	91	77-120	0	20	mg/kg	10.28.18 22:34	
Ethylbenzene	<0.0200	2.00	1.91	96	1.91	96	77-120	0	20	mg/kg	10.28.18 22:34	
m,p-Xylenes	<0.0400	4.00	3.82	96	3.83	96	78-120	0	20	mg/kg	10.28.18 22:34	
o-Xylene	<0.0200	2.00	1.91	96	1.91	96	78-120	0	20	mg/kg	10.28.18 22:34	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	77		79		91		68-120	%	10.28.18 22:34
a,a,a-Trifluorotoluene	77		81		94		71-121	%	10.28.18 22:34

Analytical Method: BTEX by EPA 8021B

Seq Number: 3067755

Parent Sample Id: 603738-003

Matrix: Soil

MS Sample Id: 603738-003 S

Prep Method: SW5030B

Date Prep: 10.28.18

MSD Sample Id: 603738-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.0199	1.99	1.70	85	1.69	86	54-120	1	25	mg/kg	10.29.18 01:47	
Toluene	<0.0199	1.99	1.69	85	1.69	86	57-120	0	25	mg/kg	10.29.18 01:47	
Ethylbenzene	<0.0199	1.99	1.81	91	1.76	89	58-131	3	25	mg/kg	10.29.18 01:47	
m,p-Xylenes	<0.0398	3.98	3.63	91	3.52	89	62-124	3	25	mg/kg	10.29.18 01:47	
o-Xylene	<0.0199	1.99	1.78	89	1.74	88	62-124	2	25	mg/kg	10.29.18 01:47	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	106		74		68-120	%	10.29.18 01:47
a,a,a-Trifluorotoluene	109		81		71-121	%	10.29.18 01:47

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3067756

MB Sample Id: 7664981-1-BLK

Matrix: Solid

LCS Sample Id: 7664981-1-BKS

Prep Method: SW5030B

Date Prep: 10.28.18

LCSD Sample Id: 7664981-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<0.271	20.0	18.1	91	17.9	90	35-129	1	20	mg/kg	10.28.18 23:22	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
4-Bromofluorobenzene	78		88		87		76-123	%	10.28.18 23:22
a,a,a-Trifluorotoluene	76		80		80		69-120	%	10.28.18 23:22

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference $[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$ LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD ResultMS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 603738

TRC Solutions, Inc CS Caylor

Analytical Method: TPH GRO by EPA 8015 Mod.

Seq Number: 3067756

Parent Sample Id: 603738-003

Matrix: Soil

MS Sample Id: 603738-003 S

Prep Method: SW5030B

Date Prep: 10.28.18

MSD Sample Id: 603738-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
TPH-GRO	<0.269	19.8	17.5	88	18.0	94	35-129	3	20	mg/kg	10.29.18 02:34	
Surrogate			MS %Rec	MS Flag		MSD %Rec	MSD Flag	Limits		Units	Analysis Date	
4-Bromofluorobenzene			96			106		76-123		%	10.29.18 02:34	
a,a,a-Trifluorotoluene			101			114		69-120		%	10.29.18 02:34	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

Stafford, Texas (281-240-4200)
 Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)
 Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

Client / Reporting Information Company Name / Branch: TRC Environmental Corporation Company Address: 10 Deata Dr, Suite 150E Midland, TX 79705 Email: jlowry@trcsolutions.com Phone No: 432-466-4450 Project Contact: Joel Lowry Sampler's Name: Kyle Schwaich										Project Information Project Name/Number: Project Location: CS Taylor Invoice To: Vanguard co chock Johnston Invoice: Project Number:										Analytical Information TPH TX1005 NORM RCI TCLP Benzene TCLP RCRA 8 Metals Chloride TPH 8015 M Ext (NM)										Matrix Codes W = Water S = Soil/Sed/Solid GW = Ground Water DW = Drinking Water P = Product SW = Surface water SL = Sludge OW = Ocean/Sea Water WI = Wipe O = Oil WW = Waste Water A = Air									
Collection Sample Depth: 6ft, 10ft, 14ft Date: 10-26-18, 10-26-18, 10-26-18 Time: 12:00, 12:05, 12:10 Matrix: S, S, S # of bottles: 1, 1, 1										Number of preserved bottles NONE MECH NaHSO4 NaOH H2SO4 HNO3 Acetate NaOH/Zn HCl										Field ID / Point of Collection 1 SB @ 6' 2 SB @ 10' 3 SB @ 14' 4 5 6 7 8 9 10										Field Comments Rush 1 Rush 2 Rush 3									
Turnaround Time (Business days) ☐ Same Day TAT ☒ Next Day EMERGENCY ☐ 2 Day EMERGENCY ☐ 3 Day EMERGENCY										Data Deliverable Information ☐ Level II Std QC ☐ Level III Std QC+ Forms ☐ Level 3 (CLP Forms) ☐ TRRP Checklist										Notes: jlowry@trcsolutions.com zcorder@trcsolutions.com bcooper@trcsolutions.com ckerwin@trcsolutions.com FED-EX / UPS: Tracking #																			
TAT Starts Day received by Lab, if received by 5:00 pm										SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY																													
Relinquished by Sampler: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>										Relinquished By: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>										Relinquished by: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>																			
Relinquished by: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>										Relinquished By: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>										Relinquished by: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>																			
Relinquished by: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>										Relinquished By: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>										Relinquished by: Date Time: 10/26/18 3:55 Signature: <i>[Signature]</i>																			

Notice: Signatures of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: TRC Solutions, Inc

Date/ Time Received: 10/26/2018 03:55:00 PM

Work Order #: 603738

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : IR-3

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brenda Ward
Brenda Ward

Date: 10/26/2018

Checklist reviewed by:

Holly Taylor
Holly Taylor

Date: 10/29/2018

October 30, 2018

ZACH CONDER

TRC

10 DESTA DR. SUITE 150 E

MIDLAND, TX 79705

RE: CS CAYLOR

Enclosed are the results of analyses for samples received by the laboratory on 10/29/18 15:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TRC
ZACH CONDER
10 DESTA DR. SUITE 150 E
MIDLAND TX, 79705
Fax To:

Received: 10/29/2018
Reported: 10/30/2018
Project Name: CS CAYLOR
Project Number: NONE GIVEN
Project Location: VANGUARD

Sampling Date: 10/29/2018
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: NH - NW @ 1' (H803091-01)

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/30/2018	ND	2.03	101	2.00	2.74	
Toluene*	0.190	0.050	10/30/2018	ND	1.90	95.0	2.00	2.87	
Ethylbenzene*	2.09	0.050	10/30/2018	ND	1.91	95.3	2.00	2.74	
Total Xylenes*	2.12	0.150	10/30/2018	ND	5.75	95.8	6.00	2.67	
Total BTX	4.41	0.300	10/30/2018	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 69.8-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	640	16.0	10/30/2018	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	63.9	10.0	10/30/2018	ND	206	103	200	0.651	
DRO >C10-C28*	536	10.0	10/30/2018	ND	200	100	200	0.788	
EXT DRO >C28-C36	144	10.0	10/30/2018	ND					

Surrogate: 1-Chlorooctane 95.4 % 41-142

Surrogate: 1-Chlorooctadecane 110 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TRC
ZACH CONDER
10 DESTA DR. SUITE 150 E
MIDLAND TX, 79705
Fax To:

Received: 10/29/2018
Reported: 10/30/2018
Project Name: CS CAYLOR
Project Number: NONE GIVEN
Project Location: VANGUARD

Sampling Date: 10/29/2018
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: NH - NE @ 1' (H803091-02)

BTEx 8021B		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/30/2018	ND	2.03	101	2.00	2.74		
Toluene*	<0.050	0.050	10/30/2018	ND	1.90	95.0	2.00	2.87		
Ethylbenzene*	0.174	0.050	10/30/2018	ND	1.91	95.3	2.00	2.74		
Total Xylenes*	0.265	0.150	10/30/2018	ND	5.75	95.8	6.00	2.67		
Total BTEX	0.439	0.300	10/30/2018	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.2 % 69.8-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	10/30/2018	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	16.3	10.0	10/30/2018	ND	206	103	200	0.651	
DRO >C10-C28*	1290	10.0	10/30/2018	ND	200	100	200	0.788	
EXT DRO >C28-C36	519	10.0	10/30/2018	ND					

Surrogate: 1-Chlorooctane 102 % 41-142

Surrogate: 1-Chlorooctadecane 143 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TRC
ZACH CONDER
10 DESTA DR. SUITE 150 E
MIDLAND TX, 79705
Fax To:

Received: 10/29/2018
Reported: 10/30/2018
Project Name: CS CAYLOR
Project Number: NONE GIVEN
Project Location: VANGUARD

Sampling Date: 10/29/2018
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: NH - SW @ 1' (H803091-03)

BTEx 8021B		mg/kg	Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	2.35	0.100	10/30/2018	ND	2.03	101	2.00	2.74	
Toluene*	0.787	0.100	10/30/2018	ND	1.90	95.0	2.00	2.87	
Ethylbenzene*	13.0	0.100	10/30/2018	ND	1.91	95.3	2.00	2.74	
Total Xylenes*	8.14	0.300	10/30/2018	ND	5.75	95.8	6.00	2.67	
Total BTEX	24.3	0.600	10/30/2018	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 69.8-142

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	592	16.0	10/30/2018	ND	416	104	400	3.77	
TPH 8015M									S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	202	50.0	10/30/2018	ND	206	103	200	0.651	
DRO >C10-C28*	2080	50.0	10/30/2018	ND	200	100	200	0.788	
EXT DRO >C28-C36	515	50.0	10/30/2018	ND					

Surrogate: 1-Chlorooctane 113 % 41-142

Surrogate: 1-Chlorooctadecane 179 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TRC
ZACH CONDER
10 DESTA DR. SUITE 150 E
MIDLAND TX, 79705
Fax To:

Received: 10/29/2018
Reported: 10/30/2018
Project Name: CS CAYLOR
Project Number: NONE GIVEN
Project Location: VANGUARD

Sampling Date: 10/29/2018
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: NH - SE @ 1' (H803091-04)

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	1.26	0.100	10/30/2018	ND	2.03	101	2.00	2.74	
Toluene*	1.72	0.100	10/30/2018	ND	1.90	95.0	2.00	2.87	
Ethylbenzene*	6.31	0.100	10/30/2018	ND	1.91	95.3	2.00	2.74	
Total Xylenes*	15.0	0.300	10/30/2018	ND	5.75	95.8	6.00	2.67	
Total BTEX	24.3	0.600	10/30/2018	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 69.8-142

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	368	16.0	10/30/2018	ND	416	104	400	3.77	
TPH 8015M	mg/kg		Analyzed By: MS						S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	98.8	50.0	10/30/2018	ND	206	103	200	0.651	
DRO >C10-C28*	2440	50.0	10/30/2018	ND	200	100	200	0.788	
EXT DRO >C28-C36	804	50.0	10/30/2018	ND					

Surrogate: 1-Chlorooctane 98.2 % 41-142

Surrogate: 1-Chlorooctadecane 172 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
- Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



Figure 1 - View of portion of the affected liner, facing southeast.



Figure 2 - View of portion of the affected liner, facing south.




Figure 3 - View of liner within the facility.




Figure 4 - View of liner within the facility.



Figure 5 - View of test trench "T-1", facing North.



Figure 6 - View of test trench "E", facing West.



Figure 7 - View of affected area after excavation activities, facing North.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nCH1826343790
District RP	1RP-5195
Facility ID	
Application ID	pCH1826344217

Release Notification

Responsible Party

Responsible Party Vanguard Operating, LLC	OGRID 258350
Contact Name Brent White	Contact Telephone 505-918-0669
Contact email bwhite@vnrenergy.com	Incident # (assigned by OCD)
Contact mailing address 4001 Penbrooke Suite 201 Odessa, TX 79762	

Location of Release Source

Latitude 32.867627 Longitude -103.297600
(NAD 83 in decimal degrees to 5 decimal places)

Site Name C.S. Caylor SR Estate #3	Site Type Tank Battery
Date Release Discovered 9-3-2018	API# (NCH1826343790 C.S. CAYLOR SR ESTATE #3 @ 30-025-05430

Unit Letter	Section	Township	Range	County
D	6	17S	37E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
X Produced Water	Volume Released (bbls) 100	Volume Recovered (bbls) 250 Including rain water
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	X Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release Lightning struck the tank partially burning and releasing 100 bbls of produced water inside of a lined containment.


State of New Mexico
Oil Conservation Division

Incident ID	nCH1826343790
District RP	1RP-5195
Facility ID	
Application ID	pCH1826344217

Was this a major release as defined by 19.15.29.7(A) NMAC? X Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? Greater than 25 bbls.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Yes by Chuck Johnston to Olivia Yu and Christina Hernandez 9-4-2018 3:50 pm email.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: 	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Chuck Johnston</u> Signature:  email: <u>cjohnston@vnrenergy.com</u>	Title: <u>EHS Operations Specialist</u> Date: <u>9-10-2018</u> Telephone: <u>432-202-4771</u>
OCD Only RECEIVED By CHernandez at 11:23 am, Sep 20, 2018 Received by: _____ Date: _____	

Incident ID	nCH1826343790
District RP	IRP-5195
Facility ID	
Application ID	pCH1826344217

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discover date.

What is the shallowest depth to groundwater beneath the area affected by the release?	62	(ft bgs)
Did this release impact groundwater or surface water?	☐ Yes	☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes	☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes	☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes	☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes	☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes	☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes	☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes	☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes	☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes	☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes	☒ No
Did the release impact areas not on an exploration, development, production or storage site?	☐ Yes	☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Determination of water sources and significant watercourses within 1/2-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Incident ID	nCH1826343790
District RP	IRP-5195
Facility ID	
Application ID	pCH1826344217

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state or local laws and/or regulations.

Printed Name: C.M. Bloodworth, P.E.Title: Permian District SuperintendantSignature: *CMBloodworth*Date: 10-19-18email: mbloodworth@vnrenergy.comTelephone: 432-362-2209 ext 8147**OCD Only****RECEIVED**

Received by

By CHernandez at 1:51 pm, Jan 23, 2019

Incident ID	nCH1826343790
District RP	1RP-5195
Facility ID	
Application ID	pCH1826344217

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☒ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☒ Extents of contamination must be fully delineated.
- ☒ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state or local laws and/or regulations.

Printed Name: C.M. Bloodworth, P.E.

Title: Permian District Superintendent

Signature: 

Date: 10-19-18

email: mbloodworth@vnrenergy.com


Telephone: 432-362-2209 ext. 8147

OCD Only

RECEIVED

Received by: By CHernandez at 1:53 pm, Jan 23, 2019

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☒ Deferral Approved

Signature: 

Date: 1/23/2018

Incident ID	nCH1826343790
District RP	IRP-5195
Facility ID	
Application ID	pCH1826344217

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate OCD District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: C.M. Bloodworth, P.E. Title: Permian District Superintendent

Signature:  Date: 10-19-18

email: mbloodworth@vnrenergy.com Telephone: 432-362-2209 ext 8147

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment not does not relieve the responsible party of compliance with any other federal, state or local laws and/or regulations.

Signature: _____ Date: _____