District 1 1625 N. Franch Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	FCH1830561104	
District RP	1RP-5245	
Facility ID	fCH1830561104	
Application ID	pCH1830561678	

Release Notification

Responsible Party

Responsible Party: ETC Texas Pipeline, Ltd.	OGRID: 371183	
Contact Name: Carolyn J. Blackaller	Contact Telephone: (817) 302-9766	
Contact email: carolyn.blackaller@energytransfer.com	Incident #NCH1830561516 RED HILLS PIPELINE	
Contact mailing address: 600 N. Marienfeld Street, Suite 700, Midland, TX 79701	@ FCH1830561104	

Location of Release Source

Latitude 32.107233_

Longitude -103.531066_ (NAD 83 in decimal degrees to 5 decimal places)

Site Name: Red Hills Pipeline	Site Type: Pipeline	4-554 <i>0</i>
Date Release Discovered: 10/16/2018	API# (If applicable): N/A	

Unit Letter	Section	Township	Range	County
D	25	T25S	R33E	Lea
12242			111 12 50 71 F	

Surface Owner: State Federal Tribal Private (Name: BLM_

Nature and Volume of Release

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)	
Produced Water Volume Released (bbls)		Volume Recovered (bbls)	
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No	
Condensate	Volume Released (bbls)	Volume Recovered (bbls)	
X Natural Gas	Volume Released (Mcf) 152 Mcf	Volume Recovered (Mcf): 0 Mcf	
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)	

Cause of Release: On October 16, 2018, the Red Hills pipeline was blown down in order to make a tie-in to the line for the Dominator Compressor Station. Using the pipe diameter, wall thickness, pipe pressure, and length of the blowdown, 5 miles, an approximate gas loss of 152 Mcf was calculated. Please find these calculations appended to this form. The gas released from the blowdown went entirely to atmosphere and 0 Mcf was recovered. Once the tie-in was completed, the line was put back into service.

State of New Mexico Oil Conservation Division

Incident ID	FCH1830561104	139
District RP	1RP-5245	1953
Facility ID	fCH1830561104	
Application ID	pCH1830561678	ACT

Was this a major release as defined by	If YES, for what reason(s) does the responsible party consider this a major release? Not applicable.
19.15.29.7(A) NMAC?	
Yes 🛛 No	
If YES, was immediate n Not applicable.	I otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
	Initial Response
The responsible	party must undertake the following actions immediately unless they could create a safety hazard that would result in injury
The source of the rel	ease has been stopped.
The impacted area ha	as been secured to protect human health and the environment.
Released materials h	ave been contained via the use of berms or dikes, absorbent pads, or other containment devices. N/A
All free liquids and r	ecoverable materials have been removed and managed appropriately. N/A
has begun, please attach	AC the responsible party may commence remediation immediately after discovery of a release. If remediation a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred nt area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
regulations all operators are public health or the environ failed to adequately investig	permation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and required to report and/or file certain release notifications and perform corrective actions for releases which may endanger ment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have gate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws
Printed Name:Caro	lyn J. BlackallerTitle: Sr. Environmental Specialist
Signature: Carol	Date: 10/22/2018
email:carolyn.blackal	ler@energytransfer.com Telephone:(817) 302-9766
	CEIVED Hernandez at 5:18 pm, Nov 01, 2018

State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

에서 이렇게 해외도 그 여행 전에 가장 이렇게 있는 것이라는 것이 많은 것이 많이 있다. 이렇게 전망하는 것이 되었다는 것이 CEARCE TONE THE NOTE OF CONTRACTOR NO. 이렇게 이렇게 가지 않는 것이 있는 것이 있는 것이 있는 것이 있는 것이 있는 것이 없다. 것이 같은 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없 같이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 않는 것이 없다. 것이 않는 것이 없는 것이 없는 것이 않는 것이 않는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없다. 것이 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 않은 것이 않은 것이 않이 않다. 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 않은 것이 않이 않다. 것이 없는 것이 없다. 것이 있 것이 것이 것이 것이 것이 않는 것이 없다. 것이 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없다. 것이 않이 않이 않다. 것이 것이 없 것이 않이 않이 않이 않아. 것이 않아. 것이 않아. 것이 않아. 것이 없이 않아. 것이 않아. 것이 않아. 것이 없 것이 않아. 것이 않아. 것이 없 것이 않아. 것이 않아. 것이 않지 않이 않아. 것이 것이 것이	1 ¹⁰ Chief and the second state of the sec
What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)
Did this release impact groundwater or surface water?	Yes No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	Yes No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Yes No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	Yes No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Yes No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	Yes No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	Yes No
Are the lateral extents of the release within 300 feet of a wetland?	Yes No
Are the lateral extents of the release overlying a subsurface mine?	Yes No
Are the lateral extents of the release overlying an unstable area such as karst geology?	Yes No
Are the lateral extents of the release within a 100-year floodplain?	Yes No
Did the release impact areas not on an exploration, development, production, or storage site?	Yes No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. Field data

Data table of soil contaminant concentration data

- Depth to water determination
- Determination of water sources and significant watercourses within 1/2-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Acrial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Form C-141	State of New Mexico	
	and the second	Incident ID
age 4	Oil Conservation Division	District RP
		Facility ID
		Application ID
regulations all ope public health or th failed to adequate addition, OCD acc and/or regulations. Printed Name: Signature:	erators are required to report and/or file certain release notifi te environment. The acceptance of a C-141 report by the OG ly investigate and remediate contamination that pose a threa ceptance of a C-141 report does not relieve the operator of m	est of my knowledge and understand that pursuant to OCD rules and ications and perform corrective actions for releases which may endanger CD does not relieve the operator of liability should their operations have at to groundwater, surface water, human health or the environment. In esponsibility for compliance with any other federal, state, or local laws Title: Date: Telephone:
OCD Only Received by:	APPROVED By CHernandez at 3:07 pm, Feb 0	08, 2019

State of New Mexico Oil Conservation Division

Incident ID	
District RP	1
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following it	tems must be included in the plan.	
 Detailed description of proposed remediation techni Scaled sitemap with GPS coordinates showing delin Estimated volume of material to be remediated 		
Closure criteria is to Table 1 specifications subject t Proposed schedule for remediation (note if remediat		D approval is required)
Deferral Requests Only: Each of the following items	must be confirmed as part of any request	for deferral of remediation.
Contamination must be in areas immediately under deconstruction.	or around production equipment where rem	rediation could cause a major facility
Extents of contamination must be fully delineated.		
Contamination does not cause an imminent risk to h	numan health, the environment, or groundw	ater.
I hereby certify that the information given above is true rules and regulations all operators are required to report which may endanger public health or the environment. liability should their operations have failed to adequatel surface water, human health or the environment. In add responsibility for compliance with any other federal, sta	and/or file certain release notifications and The acceptance of a C-141 report by the O y investigate and remediate contamination lition, OCD acceptance of a C-141 report de	perform corrective actions for releases CD does not relieve the operator of that pose a threat to groundwater,
Printed Name:	Title:	the state of the second se
Signature:	Date:	
email:	Telephone:	
		1798
QCD Only		THE REPORT OF THE
Received by:	Date:	62. MI
Approved Approved with Attached Co	onditions of Approval Denied	Deferral Approved
Signature:	Date:	

State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11 NMAC

party of compliance with any other federal, state, or local laws and/or regulations.

Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)

Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)

Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Carolyn 3. Backa Signature: Quely		Date: 11/29/18	
mail:	Telephone: (817)	302-9766	
arolyn. blackaller	Denergytransfer.com		
		Active and a second	* _ M /_
OCD O I			
OCD Only			
OCD Only Received by:	N	Date:	

Closure Approved by:	Date:		
Printed Name:	Title:		

			olume Ca		
INPUT	Facility Name	=	= Red Hills Pipeline		
	Date	=	10/16/2018		
	Gas Behind Pig	=	N/A	Mcfd	Used only for Pig Run Time
	Pipe OD	=	12.000	Inches	
	Pipe WT	=	0.25	Inches	0.37
	Pipe Pressure	=	100	Psig	
	Pipe Length	=	5	Miles	
EQUATIONS	Blowdown Volume	=	(1.96) * (Psig + 14.45) * (Pipe ID^2) * (miles) * (1000)		
				(7	2 * 10^6)
	Gas Velocity	-	= (.75) * (Mcfd) * (1000) * (60) * Z		
	enter a francés de la comp	199 MILE-19	((Pipe ID^2) * (Psig +14.45) * (24))		
	Water to Fill	-	= (miles) * (5280) * (PI) * (ID^2) * 7.484		
				(4) * (144) *	
CALCULATED	Pipe ID		11.500		
	Z Factor		0.980	1.24	
	Blowdown Volume	=	152	Mcf	
	Gas Velocity		N/A	Ft/min	
	Pig Speed	(i=2	N/A	Mph	
	Run Time	(i=1	N/A	Hrs	
	Water to Fill		N/A	Bbls	





