

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

## OIL CONSERVATION DIVISION

2040 Pacheco St.  
Santa Fe, NM 87505

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-20872                                                                     |
| Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| State Oil & Gas Lease No.<br>B-2146                                                              |
| Lease Name or Unit Agreement Name<br>State CC Com                                                |
| Well No.<br>1                                                                                    |
| Pool name or Wildcat<br>Vacuum N Abo Vacuum Wolfcamp                                             |

|                                                                                                                                                                                                                      |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)        |  |
| Type of Well:<br>OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>                                                                                       |  |
| Name of Operator<br>Mobil Producing TX & NM Inc.                                                                                                                                                                     |  |
| Address of Operator<br>PO Box 4358 Houston, Texas 77210-4358                                                                                                                                                         |  |
| Well Location<br>Unit Letter <u>L</u> : <u>1980</u> Feet From The <u>South</u> Line and <u>860</u> Feet From The <u>West</u> Line<br>Section <u>36</u> Township <u>17 S</u> Range <u>34 E</u> NMPM <u>Lea</u> County |  |
| Elevation (Show whether DF, RKB, RT, GR, etc.)                                                                                                                                                                       |  |

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ANBANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Tripple Completion well. Two 2 7/8" casing strings previously plugged. 4 1/2" casing string open. Perfs @ 9115'-9185', 9442'-10032' 16" set @ 360' cmt circ. 13 3/8/10 3/4 set @ 4967' cmt circ. 4 1/2" set @ 10222' cmt circ. to surface.

Set 4 1/2" CIBP @ 9000'.  
Circ. well w/ plugging mud.  
Spot 20 sks of c cement @ 9000'  
Spot 30 sks @ 5957'-5778'  
Spot 25 sks @ 5017'-4917' WOC & Tag  
Spot 25 sks @ 4380'-4280'  
Spot 25 sks @ 3738'-3638'  
Spot 30 sks @ 2852'-2560'  
Spot 25 sks @ 1645'-1545'  
Spot 30 sks @ 410'-surface

Cut off wellhead & anchors 3' BGL. Cap well. Install dry hole marker.

**THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Agent

TYPE OR PRINT NAME Jack Shelton

TELEPHONE NO. 432-523-5155

(This space for State Use)


APPROVED BY

OC FIELD REPRESENTATIVE IV/STAFF MANAGER

TITLE

CONDITIONS OF APPROVAL, IF ANY:

APR 07 2004



# PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR Mobil Prod. TX & NM  
 LEASENAME State CE Unit

WELL # 1  
 SECT 36 TWN 17S RNG 34E  
 FROM N/S L E/W L  
 TD: 12,080 FORMATION @ TD  
 PBDT: FORMATION @ PBDT

|          | SIZE         | SET @  | TOC          | TOC DETERMINED BY |
|----------|--------------|--------|--------------|-------------------|
| SURFACE  | 16           | 260    | Circ         |                   |
| INTMED 1 | 13 7/8       | 4967   | Circ         |                   |
| INTMED 2 | 10 1/2       | 10,222 | Circ         |                   |
| PROD     | 4 1/2        |        |              |                   |
|          | SIZE         | TOP    | BOT          | TOC DETERMINED BY |
| LINER 1  |              |        |              |                   |
| LINER 2  |              |        |              |                   |
|          | CUT & PULL @ |        | TOP - BOTTOM |                   |
| INTMED 1 |              |        | FEPS         | 9115 - 9185       |
| INTMED 2 |              |        | Perks        | 9442 - 10,032     |
| PROD     |              |        |              |                   |

## \*REQUIRED PLUGS DISTRICT I

| PLUG      | TYPE       | SACKS   | DEPTH        |
|-----------|------------|---------|--------------|
| EXAMPLES  |            |         |              |
| PLUG #1   | OH         | 35 SKS  | 6400'        |
| PLUG #2   | SHOE       | 50 SKS  | 5350'-5450'  |
| PLUG #3   | CIBP/35'   |         | 4800'        |
| PLUG #4   | CIBP       | 25 SKS  | 4800'        |
| PLUG #5   | STUB       | 50 SKS  | 3600'-3700'  |
| PLUG #6   | RETNR SQZ  | 200 SKS | 400'         |
| PLUG #7   | SURF       | 10 SKS  | 0-10'        |
| PLUG #8   | CIBP       | 20      | 9000'        |
| PLUG #9   | Yr. Glor   | 30      | 5957'-5728'  |
| PLUG #10  | Shoe       | 25      | 4991'-4891'  |
| PLUG #11  | S.A.       | 25      | 4380'-4280'  |
| PLUG #12  | Queen      | 25      | 3728'-3638'  |
| PLUG #13  | Yr. B Salt | 30      | 2852'-2560'  |
| PLUG #14  | T. Salt    | 25      | 1645'-1545'  |
| PLUG #15  | Shoe       | 30      | 410'-Surface |
| PLUG #16  |            |         |              |
| PLUG #17  |            |         |              |
| PLUG #18  |            |         |              |
| PLUG #19  |            |         |              |
| PLUG #20  |            |         |              |
| PLUG #21  |            |         |              |
| PLUG #22  |            |         |              |
| PLUG #23  |            |         |              |
| PLUG #24  |            |         |              |
| PLUG #25  |            |         |              |
| PLUG #26  |            |         |              |
| PLUG #27  |            |         |              |
| PLUG #28  |            |         |              |
| PLUG #29  |            |         |              |
| PLUG #30  |            |         |              |
| PLUG #31  |            |         |              |
| PLUG #32  |            |         |              |
| PLUG #33  |            |         |              |
| PLUG #34  |            |         |              |
| PLUG #35  |            |         |              |
| PLUG #36  |            |         |              |
| PLUG #37  |            |         |              |
| PLUG #38  |            |         |              |
| PLUG #39  |            |         |              |
| PLUG #40  |            |         |              |
| PLUG #41  |            |         |              |
| PLUG #42  |            |         |              |
| PLUG #43  |            |         |              |
| PLUG #44  |            |         |              |
| PLUG #45  |            |         |              |
| PLUG #46  |            |         |              |
| PLUG #47  |            |         |              |
| PLUG #48  |            |         |              |
| PLUG #49  |            |         |              |
| PLUG #50  |            |         |              |
| PLUG #51  |            |         |              |
| PLUG #52  |            |         |              |
| PLUG #53  |            |         |              |
| PLUG #54  |            |         |              |
| PLUG #55  |            |         |              |
| PLUG #56  |            |         |              |
| PLUG #57  |            |         |              |
| PLUG #58  |            |         |              |
| PLUG #59  |            |         |              |
| PLUG #60  |            |         |              |
| PLUG #61  |            |         |              |
| PLUG #62  |            |         |              |
| PLUG #63  |            |         |              |
| PLUG #64  |            |         |              |
| PLUG #65  |            |         |              |
| PLUG #66  |            |         |              |
| PLUG #67  |            |         |              |
| PLUG #68  |            |         |              |
| PLUG #69  |            |         |              |
| PLUG #70  |            |         |              |
| PLUG #71  |            |         |              |
| PLUG #72  |            |         |              |
| PLUG #73  |            |         |              |
| PLUG #74  |            |         |              |
| PLUG #75  |            |         |              |
| PLUG #76  |            |         |              |
| PLUG #77  |            |         |              |
| PLUG #78  |            |         |              |
| PLUG #79  |            |         |              |
| PLUG #80  |            |         |              |
| PLUG #81  |            |         |              |
| PLUG #82  |            |         |              |
| PLUG #83  |            |         |              |
| PLUG #84  |            |         |              |
| PLUG #85  |            |         |              |
| PLUG #86  |            |         |              |
| PLUG #87  |            |         |              |
| PLUG #88  |            |         |              |
| PLUG #89  |            |         |              |
| PLUG #90  |            |         |              |
| PLUG #91  |            |         |              |
| PLUG #92  |            |         |              |
| PLUG #93  |            |         |              |
| PLUG #94  |            |         |              |
| PLUG #95  |            |         |              |
| PLUG #96  |            |         |              |
| PLUG #97  |            |         |              |
| PLUG #98  |            |         |              |
| PLUG #99  |            |         |              |
| PLUG #100 |            |         |              |

| PLUG      | TYPE       | SACKS   | DEPTH        |
|-----------|------------|---------|--------------|
| EXAMPLES  |            |         |              |
| PLUG #1   | OH         | 35 SKS  | 6400'        |
| PLUG #2   | SHOE       | 50 SKS  | 5350'-5450'  |
| PLUG #3   | CIBP/35'   |         | 4800'        |
| PLUG #4   | CIBP       | 25 SKS  | 4800'        |
| PLUG #5   | STUB       | 50 SKS  | 3600'-3700'  |
| PLUG #6   | RETNR SQZ  | 200 SKS | 400'         |
| PLUG #7   | SURF       | 10 SKS  | 0-10'        |
| PLUG #8   | CIBP       | 20      | 9000'        |
| PLUG #9   | Yr. Glor   | 30      | 5957'-5728'  |
| PLUG #10  | Shoe       | 25      | 4991'-4891'  |
| PLUG #11  | S.A.       | 25      | 4380'-4280'  |
| PLUG #12  | Queen      | 25      | 3728'-3638'  |
| PLUG #13  | Yr. B Salt | 30      | 2852'-2560'  |
| PLUG #14  | T. Salt    | 25      | 1645'-1545'  |
| PLUG #15  | Shoe       | 30      | 410'-Surface |
| PLUG #16  |            |         |              |
| PLUG #17  |            |         |              |
| PLUG #18  |            |         |              |
| PLUG #19  |            |         |              |
| PLUG #20  |            |         |              |
| PLUG #21  |            |         |              |
| PLUG #22  |            |         |              |
| PLUG #23  |            |         |              |
| PLUG #24  |            |         |              |
| PLUG #25  |            |         |              |
| PLUG #26  |            |         |              |
| PLUG #27  |            |         |              |
| PLUG #28  |            |         |              |
| PLUG #29  |            |         |              |
| PLUG #30  |            |         |              |
| PLUG #31  |            |         |              |
| PLUG #32  |            |         |              |
| PLUG #33  |            |         |              |
| PLUG #34  |            |         |              |
| PLUG #35  |            |         |              |
| PLUG #36  |            |         |              |
| PLUG #37  |            |         |              |
| PLUG #38  |            |         |              |
| PLUG #39  |            |         |              |
| PLUG #40  |            |         |              |
| PLUG #41  |            |         |              |
| PLUG #42  |            |         |              |
| PLUG #43  |            |         |              |
| PLUG #44  |            |         |              |
| PLUG #45  |            |         |              |
| PLUG #46  |            |         |              |
| PLUG #47  |            |         |              |
| PLUG #48  |            |         |              |
| PLUG #49  |            |         |              |
| PLUG #50  |            |         |              |
| PLUG #51  |            |         |              |
| PLUG #52  |            |         |              |
| PLUG #53  |            |         |              |
| PLUG #54  |            |         |              |
| PLUG #55  |            |         |              |
| PLUG #56  |            |         |              |
| PLUG #57  |            |         |              |
| PLUG #58  |            |         |              |
| PLUG #59  |            |         |              |
| PLUG #60  |            |         |              |
| PLUG #61  |            |         |              |
| PLUG #62  |            |         |              |
| PLUG #63  |            |         |              |
| PLUG #64  |            |         |              |
| PLUG #65  |            |         |              |
| PLUG #66  |            |         |              |
| PLUG #67  |            |         |              |
| PLUG #68  |            |         |              |
| PLUG #69  |            |         |              |
| PLUG #70  |            |         |              |
| PLUG #71  |            |         |              |
| PLUG #72  |            |         |              |
| PLUG #73  |            |         |              |
| PLUG #74  |            |         |              |
| PLUG #75  |            |         |              |
| PLUG #76  |            |         |              |
| PLUG #77  |            |         |              |
| PLUG #78  |            |         |              |
| PLUG #79  |            |         |              |
| PLUG #80  |            |         |              |
| PLUG #81  |            |         |              |
| PLUG #82  |            |         |              |
| PLUG #83  |            |         |              |
| PLUG #84  |            |         |              |
| PLUG #85  |            |         |              |
| PLUG #86  |            |         |              |
| PLUG #87  |            |         |              |
| PLUG #88  |            |         |              |
| PLUG #89  |            |         |              |
| PLUG #90  |            |         |              |
| PLUG #91  |            |         |              |
| PLUG #92  |            |         |              |
| PLUG #93  |            |         |              |
| PLUG #94  |            |         |              |
| PLUG #95  |            |         |              |
| PLUG #96  |            |         |              |
| PLUG #97  |            |         |              |
| PLUG #98  |            |         |              |
| PLUG #99  |            |         |              |
| PLUG #100 |            |         |              |

16"  
 @ 360'  
 TOC Circ

13 7/8-10 1/4  
 @ 4967'  
 TOC Circ

442  
 @ 10,222'  
 TOC Circ

2 7/8 CSU

TD 12,080'

278  
 CSU

Well: State Cc 1mt

Field: Vacuum

V:\WELLS\VIEW.70\REPORTS\Network\Business Unit\Schematics\Current WB Schematic

Printed: 3/31/04 Page #1 of 1 Page(s)

## Well Header

|                        |                    |                   |                   |                |              |                  |            |                     |         |
|------------------------|--------------------|-------------------|-------------------|----------------|--------------|------------------|------------|---------------------|---------|
| State Cc               | State Cc 1         | District/County   | Lea               | State/Province | New Mexico   | Last Mod By      | datamgmt   | Last Mod Date (GMT) | 3/15/04 |
| Surface Legal Location | Sec 36 T 17S R 34E | Legal Survey Type | L1980 FSL 860 FWL | UDB WLBK_ID    | 300252087200 | UDB SRFC_SITE_ID | 3002520872 |                     |         |
| Elevation (ft)         | 4003.00            | KB-Grd (ft)       |                   | Gr Elev (ft)   |              | Well Type        | Oil        | Spud Date           | 4/26/64 |
|                        |                    |                   |                   |                |              | Basin            |            | Current Well Status | Oil     |

State Cc 1mt: 1/11/02

