

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
310 Old Santa Fe Trail, Room 206
Santa Fe, New Mexico 87503

WELL API NO.
30-025-32415

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
23870

7. Lease Name or Unit Agreement Name
Smith "15"

8. Well No. 1

9. Pool name or Wildcat
Diamond Strawn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER

2. Name of Operator
Energen Resources

3. Address of Operator
3300 N A St., Bldg 4, Suite 100, Midland Texas 79705

4. Well Location
Unit Letter N : 660 Feet From The South Line and 1980 Feet From The West Line
Section 15 Township 16S Range 36E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐


CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Set CIBP @ 11,386'. Spot 25 sx. plug on top of CIBP.
2. Circulate hole w/ mud.
3. Cut and pull casing at free point.
4. Spot a 55 sx. plug 50' in and out of 5-1/2" casing stub. (Wolfcamp). Tag
5. Spot a 65 sx. plug at 6341'-6200' (Glorieta)
6. Spot a 75 sx. plug at 5070'-4950' - Tag (8-5/8" casing shoe)
7. Spot a 85 sx. plug at 2650'-2400' (Base of Salt/DV tool)
8. Spot a 55 sx. plug 1910'-1810' (Top of Salt)
9. Spot a 50 sx. plug 500'-350' (13-3/8" shoe)
10. Spot a 10 sx. surface plug and dry hole marker.

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED



Wellbore: 13-3/8" @ 433'. TOC @ surface. 8-5/8" @ 4995' w/ DV tool at 2493'. TOC @ surface. 5-1/2" @ 11750', TOC @ 9540'.
Note: Junk in well at 11,386'-Otis PLS packer, on/off tool and one jt of 2-7/8" tubing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE H. Boatright TITLE Agent DATE 4/6/04

TYPE OR PRINT NAME H. Boatright

TELEPHONE NO. 432-570-5382

(This space for State Use)

APPROVED BY



OG FIELD REPRESENTATIVE W/STAFF MANAGER

APR 08 2004

CONDITIONS OF APPROVAL, IF ANY:

WELL NAME AND NUMBER
Smith No. 1-15
Energen Resources
Lea County, New Mexico
Proposed Plugging

WELLBORE CONFIGURATION



ENERGEN RESOURCES

SMITH NO. 1-15

Lea County, New Mexico

Spud Date: 3-18-94

TD Date: 4-18-94

Note: All Depths are KB.

KB: 3909'

GL: 3891'

Current Conditions

3/30/2004

Sec. 15 - T16S - R36E

660' FSL & 1980' FWL

SE SW

DV Tool @ 2,493' (Circ. Cmt Thru Tool)

Initial Production: 4/28/94

SMIT1-15.WBD

TD @ 11,750'

433'

4,995'

9,540'

11,386'

11,390'

11,425'

11,427'

11,453'

11,526'

11,624'

11,701'

11,750'

13-3/8", 48#, H-40, ST&C Surface Csg.

Cmt. w/440 sx. Premium. Cmt. to Surface.

Tubing: 348 jts 2 7/8" 6.5 lb/ft L-80 8rd

8-5/8", 32#, K-55 Intermediate Csg.

1st Stage: Cmt. w/600 sx. HLP + 240 SX. Prem.

2nd Stage: Cmt. w/700 sx. HLP + 200 sx. Prem.

Cement top

Cannot retrieve packer: Junk on top.

Otis On/Off Tool w/ "X" Nipple (ID-2.313")

Otis PLS Packer

One jt. 2-7/8" Tbg.

Max. Differential Bar Vent

Mechanical Tubing Release

Bottom of Tubing Release @ 11,427'

STRAWN

Acidized w/5,000 Gals NEFE HCL

Top of Gun @ 11,524' (Dropped)

(Above - Subs and 2 7/8" x 2 3/8" XO)

Bottom of Gun @ 11,624'

Cement, tagged w/GR & JB 4/22/94

Float Collar

5-1/2", 17#, N-80, LT&C Production Csg.

Cmt. w/500 sx. Prem. w/0.6% Halad 322, 2.2 #/sx salt