### Subrilt 3 Copies to Appropriate District Office

#### State of New Mexico Energy, Minerals and Natural Resources Department

Form	C-103	
Revise	d 1-1-8	1

DISTRICT | P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

OIL CONSERVATION DIVISION 310 Old Santa Fe Trail, Room 206

Santa Fe, New Mexico 87503

WELL API NO. 30-025-0905	51	
5. Indicate Type of L	STATE X	

1000 Rio Brazos Rd., Aziec, NM 87410	6. State Oil & Gas Lease No. 79240	
SUNDRY NOTICES AND REPORTS ON WELLS		
( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"	7. Lease Name or Unit Agreement Name	
(FORM C-101) FOR SUCH PROPOSALS.)	A L Christmas (NCT)	
I. Type of Well:  OIL	· · · · · · · · · · · · · · · · · · ·	
2. Name of Operator Pogo Producing Company	8. Well No. 2	
3. Address of Operator PO Box 10340 Midland, Texas 79702	9. Pool name or Wildcai Eumont	
4. Well Location  Unit Letter 1980 Feet From The North Line and 660	Feet From The East Line	
Section 27 Township 22S Range 36E	NMPM Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3520 RKB		
11. Check Appropriate Box to Indicate Nature of Notice, 1	Report, or Other Data	
	BSEQUENT REPORT OF	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLIN	G OPNS. PLUG AND ABANDONMENT	
PULL OR ALTER CASING CASING TEST AND C	EMENT JOB	
OTHER:OTHER:		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, in work) SEE RULE 1103.  Wellbore- 9-5/8" @ 304', TOC @ surface; 5-1/2" @ 3174', TOC @ 1630'. OF 1. RIH w/ bit and scraper.		

2. Set 5-1/2" CIBP @ 3125'. Cap w/ 15 sx. cement.

3. Spot a 55 sx. plug at 2700'. (Base of Salt). WOC and tag.

- 4. Perforate and squeeze 75 sx. @1300' (Top of Salt). WOC and Tag 5. Perforate and squeeze 100 sx. at 354'. WOC and tag at 200'.
- 6. Spot a 10 sx. surface plug and dry hole marker.


Approved as to plugging of the Well Bore. Liability under bond is retained until surface restoration is completed.

	<b>A</b>	
I hereby certify that the information above is trips and complete to the best of my in	nowledge and beticf.	
SIGNATURE TO DE	Agent	DATE 4/08/04
TYPEOR PRINT NAME H. Boatright	TELEPHONE NO. 432/570-5382	
(Thus space for State Use)	OC FIELD REPRESENTATIVE	EIVSTAFF MANAGERAPR 1 2 2004
ATTROVED BY Lay W- Wink	тп.в —————	DATE
CONDITIONS OF AFFROVAL, IP ANY:		

## WELL NAME AND NUMBER

AL Christmas (NCT-A) #2
Arch Petroleum/Pogo Producing
Lea County, New Mexico

# Proposed Plugging WELLBORE CONFIGURATION




Openhole: 3174'-3625'

TD = 3625'

# WELL NAME AND NUMBER

AL Christmas (NCT-A) #2
Arch Petroleum/Pogo Producing
Lea County, New Mexico

### WELLBORE CONFIGURATION



TD = 3625'

Openhole: 3174'-3625'