

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

| | | |
|--|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | | WELL API NO. 30-025-05684 |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> | | 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 2. Name of Operator OXY USA WTP Limited Partnership 192463 | | 6. State Oil & Gas Lease No. B2277 |
| 3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250 | | 7. Lease Name or Unit Agreement Name: East Eumont Unit |
| 4. Well Location Unit Letter F : 1980 feet from the north line and 1980 feet from the west line Section 22 Township 19S Range 37E NMPM County Lea | | 8. Well No. 54 |
| 10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3632' | | 9. Pool name or Wildcat Eumont Yates 7Rvr Qn |


| | |
|--|---|
| 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data | |
| NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/> OTHER: <input type="checkbox"/> | SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/> |

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion.

TD-4080' PBDT-3826' Perfs-3911-3921' CIBP-3861'

9-5/8" 32.3# csg @ 491' w/ 300sx, 13-3/4" hole, TOC-Circ
7" 23# csg @ 4078' w/ 315sx, 8-3/4" hole, TOC-2510'-TS

1. RIH & tag cmt @ 3826'
2. M&P 30sx cmt @ 2840-2740'
3. Perf @ 1650', sqz w/ 45sx cmt to 1550' WOC-TAG
4. M&P 25sx @ 1175-1075' (across old csg lk @ 1108-1133', sqz'd 12/56)
5. Perf @ 541', sqz w/ 65sx cmt to 391' WOC-TAG
6. M&P 15sx cmt surface plug
10# MLF between plugs



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 4/2/04


Type or print name David Stewart

Telephone No. AP 330-685-5717

(This space for State use)

APPROVED BY Gayle W. Wink DATE 4/2/04
Conditions of approval, if any: OC FIELD REPRESENTATIVE II / STAFF MANAGER

OXY USA WTP LP - Current
East Eumont Unit #54
API No. 30-025-05684



13-3/4" hole @ 491'
9-5/8" csg @ 491'
w/300sx-TOC-Surf-Circ

Csg Lk @ 1118-1133' sqz w/ 128sx cmt-12/56

8-3/4" hole @ 4080'
7" csg @ 4078'
w/315sx-TOC-2510'-TS

3/99-CIBP @ 3861' w/ 35' cmt

Perfs @ 3911-3921'
Perfs @ 3931-3937', sqz w/ 100sx cmt-1/57
Perfs @ 4024-4069', sqz w/ 129sx cmt-12/56

TD-4080'

**OXY USA WTP LP - Proposed
East Eumont Unit #54
API No. 30-025-05684**

15sx Surface


65sx @ 541-391'

25sx @ 1175-1075'

45sx @ 1650-1550'

30sx @ 2840-2740'

3/99-CIBP @ 3861' w/ 35' cmt



13-3/4" hole @ 491'
9-5/8" csg @ 491'
w/300sx-TOC-Surf-Circ

Perf @ 541'

Csg Lk @ 1118-1133' sqz w/ 128sx cmt-12/56

Perf @ 1650'

8-3/4" hole @ 4080'
7" csg @ 4078'
w/315sx-TOC-2510'-TS

Perfs @ 3911-3921'
Perfs @ 3931-3937', sqz w/ 100sx cmt-1/57
Perfs @ 4024-4069', sqz w/ 129sx cmt-12/56

TD-4080'