District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144 March 12, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\sigma\) No \(\sigma\)

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
	•	
Operator: ARCH PETROLEUM, INC. Telephone: (432)570-5382 e-mail address:		
Facility or well name: C.E. LAMUNYON FEDERAL #12 API #: 30-025-10856 U/L or Qtr/Qtr Sec 27 T 23S R 37E		
County: LEA Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian		
Lamade Longitude 1970 1705 M duringe Owner reactar 1 State 1 1970 M duringe Owner reactar 1 State 1 1970 M duringe Owner reactar 1 State 1 1970 M duringe Owner reactar 1 1970 M duringe O		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover X Emergency	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thickness 12 mil Clay □ Volume		
_200_bb1		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 107'	50 feet or more, but less than 100 feet	(10 points) 2128 29 30 37
	100 feet or more	(0 points) X (2)
		/2
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points) (V
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) A Hobbs
	200 feet or more, but less than 1000 feet	(10 points) (2)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) X
		L91 GIVIE
	Ranking Score (Total Points)	0 POINTS
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:		
onsite 🔲 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end		
date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a		
diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: <u>04/26/2004</u>		
Printed Name/Title HOWARD BOATRIGHT/AGENT Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Date: 4/28/04 PAUL F. KAUTZ		_
Printed Name/TitleSignatureSignature		
PETROLEUM ENGINEER		

Arch Petroleum, Inc. C.E. Lamunyon Federal #12 1980' FNL & 660' FWL Sec 27, T-23-S, R37E

Anchor

· Anchar

Jose Well Bore

No/

1.60 × 30 w x40 L

Anchor

Not To Scale

· Amehor