09:58am From-Concho Land

District | 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\) No \(\) Type of action: Registration of a pit or below-grade tank \(\) Closure of a pit or below-grade tank \(\) (432) Operator Ches & Peske Operating. Telephone: 625-4328 e-mail address: Mrtwlend PChkenery v. com Address: POBOX 11050 MIDIEND TX 79702-8050 Facility or well name: Anaus 7 5/ate API#: 30-025-36688U/Lor Ott/Ott H Sec 7 T 22 R 35 Lantude N 32'24'29.0" Longitude W 103' 24'064 NAD: 1927 | 1983 | Surface Owner Federal | State | Private | Indian | Pit Below-grade tank Type: Drilling Production Disposal Volume: _bbl Type of fluid: Workover 🔲 Emergency 🔲 Construction material: Lined [Unlined] Double-walled, with leak detection? Yes If not, explain why not, Liner type: Synthetic Thickness 12 mil Clay Volume 54, zso Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (atgiog 01) water elevation of ground water.) 100 feet or more (0 points) Yes Weilhead protection area: (Less than 200 feet from a private domestic (20 points) No. water source, or less than 1000 feet from all other water sources.) (O points) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playes, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and percanial and ophemeral watercourses.) 1000 feet or more (Opoints) Ranking Score (Total Points) If this is a pit closure: (1) attach a diagram of the facility showing the pit's tolationship to other equipment and tanks. (2) Indicate disposal location: onsite O offsite I If offsite, name of facility .. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🗍 If yes, show depth below ground surface. ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☑, a general permit ☐, or an (attached) alternative OCD-approved plan ☐. <u>2004</u> Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

From-Concho Land


MIDLAND, TX (915) 684-7446 OKLAHOMA CITY, OK (405) 810-0021 VICTORIA, TX

(361) 576-5297



HOUSTON, TX LAFAYETTE, LA NEW ORLEANS, LA

(281) 877-1200 (337) 237-5300 (504) 566-0411




From-Concho Land

MIDLAND, TX (915) 684-7446 OKLAHOMA CITY, OK (405) 810-0021 VICTORIA, TX

(361) 576-5297



HOUSTON, TX LAFAYETTE, LA NEW ORLEANS, LA (281) 877-1200 (337) 237-5300 (504) 586-0411



C-101/C-144 DRILLING PIT REGISTRATION CODITIONS OF APPROVAL

	API numbe	r: 30-025-	36688				
	OGRID:		Operator:	CHESAPE	AKE OPER	ATING INC	
				PO BOX 1	1050		
				MIDLAND	TX 79702-	8050	
			Property:	ANGUS 7	STATE		# 1
surface	ULSTR:]H	7	Т	228	R 35E	

XXXXXX The p with 3 If the thickr	forced liner. Dit must be deep enough so that when pit is closed it can be covered as feet of dirt and surface leveled pit is to be encapsulated in place, the liner is to be a minimum ness of 20 mil re-enforced liner
with 3 If the thickr	great of dirt and surface leveled pit is to be a minimum
If the thickr	pit is to be encapsulated in place, the liner is to be a minimum
thickr	
NAME OF THE OWNER OWNER OF THE OWNER O	ness of 20 mil re-enforced liner
WAYAYAYAY	
XXXXXX where	n using a 12 mil nylon re-enforced liner. The contents of the pit must be
	ved along with the liner and disposed of in an approved facility within
	nths of completion of the well.
	n using a 20 mil liner. The pit must be closed within 6 months of
	oletion of the well.
I his s	site has a Ranking Score of 20 points or higher. The contents of the
	ust be removed along with the liner and disposed of in an approved
	y within 6 months of completion of the well.
XXXXXX Befor	e pit is closed, submit a subsequant Form C-144 along with any
	ional information which may be applicable to the appropriate NMOCD
	ct Office for approval.
XXXXXX Notify	y appropriate NMOCD District Office by E-mail 48 hrs prior to closing
pit.	
XXXXXX The c	operator is required to comply with NMOCD guidelines.
XXXXXX OCD	approval does not release the operator of its resposibilities for
comp	bliance with any other federal, state, or local laws and/or regulations.

Drilling Pit Registration Approval

505-393-6161

District Supervisor

Chris Williams

ext 102

District Geologist

Paul F Kautz

ext 104

<u>Drilling Pit closure</u> Environmental Spec Larry Johnson

505-393-6161

Environmental Spec Paul Sheeley

ext 111 ext 113 lwjohnson@state.nm.us psheeley@state.nm.us