

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-21023
3002521023

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

N/A

7. Lease Name or Unit Agreement Name

MEYERS

8. Well Number

3

9. OGRID Number

10. Pool name or Wildcat

Lovington (Paddock)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

JOHN L COX

3. Address of Operator

PO Box 2217 Midland TX 79702

4. Well Location

Unit Letter D : 660 feet from the North line and 660 feet from the West line

Section 33 Township 16S Range 37E NMPM Lovington County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3798' DF

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL Sect Twp Rng Pit type Depth to Groundwater Distance from nearest fresh water well

Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng

 feet from the line and feet from the line

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE CLOSURE TO BE APPROVED.

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: SALT 2087' - 2970'

☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Cement Plugs: 25 sks 6000 - 6100 TAG
25 sks 3400 - 3500
100 sks 1950 - 2050 and/or perforate
50 sks 300 - 400 TAG
10 sks 0 - 10

PROPOSE START DATE - SUMMER 2004 / ASAP
BASIC ENERGY SERVICES

Attempt 4 1/2 CSG recovery @ 2000'
Displace hole and cement plugs w/9.5 PPG fluid

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Joe Strickling TITLE ENGINEER DATE 04-26-04

Type or print name Joe Strickling E-mail address: dodie99@swbell.net Telephone No. 432.682.9435

(This space for State use)

APPROVED BY Harry W. Winters FIELD REPRESENTATIVE II / STAFF MANAGER DATE MAY 11 2004

Conditions of approval, if any:

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR JOHN L. COX
LEASENAME MEYERS
WELL # 3
SECT 33 **TWN** 16S **RNG** 37E
FROM 660 **N/E/L** 660 **N/W/L**
TD: 6318 **FORMATION @ TD** Lovington
PBTD: 6289 **FORMATION @ PBTD**

8-5/8
 @ 350
 TOC Circ

Salt 2087'
 2970'

4-1/2
 @ 6318
 TOC 2400

TD 6318

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8-5/8	350	0	Circ
INTMED 1				
INTMED 2				
PROD	4-1/2	6318	2400	Survey
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	6198 - 6250
INTMED 2			OPENHOLE	-
PROD	2000±			

*REQUIRED PLUGS DISTRICT I

PLUG #	TYPE	DEPTH
1	YATES	
2	QUINN	
3	GRAYBURG	
4	MAN ANDER	
5	CAPTAN REEF	
6	DELAWARE	
7	BELL CANYON	
8	CHERRY CANYON	
9	SPRINT CANYON	
10	BONE SPRING	
11	GEORGETA	
12	WILDERBY	
13	THIR	
14	OVERKARD	
15	ABO	
16	WFO	
17	PENNY	
18	STRAWN	
19	ACKCA	
20	MOOREW	
21	MMS	
22	DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLE			
PLUG #1	OH	35 SKS	6400'
PLUG #2	SHOE	50 SKS	5350'-5450'
PLUG #3	CIRP/35'		4800'
PLUG #4	CIRP	25 SKS	4800'
PLUG #5	STUB	50 SKS	3600'-3700'
PLUG #6	RETNR SOL	200 SKS	400'
PLUG #7	SURF	10 SKS	0-10'
PLUG #8	Csg.	25 sks	6000-6100
PLUG #9	Csg	25 sks	3400-3500
PLUG #10	Stub	100 sks	1950-2050
PLUG #11	Shoe	50 sks	300-400
PLUG #12	Surf	10 sks	0-10
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			

Tag
 & or Perf
 Tag

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐

Operator: John L Cox Telephone: 432.682.9435 e-mail address: dodie99@swbell.net

Address: PO Box 2217 Midland TX 79701

Facility or well name: MEYERS API #: 300 252 1023 U/L or Qtr/Qtr D Sec 33 T 16S R 37E

County: Lea Latitude 325229 Longitude 1031542 NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit

Type: Drilling ☐ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☐ Unlined ☐

Liner type: Synthetic ☐ Thickness mil Clay ☐ Volume bbl

Below-grade tank

Volume: 150 bbl Type of fluid: 9.5 Salt Gel

Construction material: Steel Above Ground

Double-walled, with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)	
50 feet or more, but less than 100 feet	(10 points)	(10)
100 feet or more 60 feet	(0 points)	

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)	
No	(0 points)	(0)

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)	
200 feet or more, but less than 1000 feet	(10 points)	
1000 feet or more *	(0 points)	(0)

Ranking Score (Total Points)	(10)
-------------------------------------	------

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☐ offsite ☐ If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 4-27-04

Printed Name/Title JUE D STRICKLING/ENG

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date:

Printed Name/Title

Signature

Subject: Water depths for wells in Lea County
From: "Prichard" <shabillron@leaco.net>
Date: Mon, 26 Apr 2004 14:41:49 -0600
To: <dodie99@swbell.net>

Dodie, Here is data that I pulled from State Engineer Web site
 AVERAGE DEPTH OF WATER REPORT 04/26/2004

							(Depth Water in Feet)			
Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
L	16S	37E	33				1	60	60	60

Record Count: 1

AVERAGE DEPTH OF WATER REPORT 04/26/2004

							(Depth Water in Feet)			
Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
L	16S	37E	32				3	35	45	38

Record Count: 3

AVERAGE DEPTH OF WATER REPORT 04/26/2004

							(Depth Water in Feet)			
Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
L	16S	37E	34				1	60	60	60

Record Count: 1

Let me know if this what you need.

Billy E. Prichard
 Hobbs, NM 88240
 505-392-9100 phone/fax
 505-390-9100 cellular/voice mail
 505-370-3179 cellular

↑ N

JOHN L. COX

MEYERS NO. 3

