DISTRICT I P.O. Box 1980, Hobbs, NM 88241-1980 DISTRICT II

DISTRICT III

P.O. Box Drawer DD, Artesia, NM 88211-0719

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-101 Revised February 10,199

Instructions on bac

Submit to Appropriate District Offic

OIL CONSERVATION DIVISION

P.O. Box 2088

State Lease - 6 Copie 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe. New Mexico 87504-2088 Fee Lease - 5 Copie DISTRICT IV P.O. Box 2088, Santa Fe, NM 87504-2088 AMENDED REPORT APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE Operator Name and Address **OGRID Number** 4323 **CHEVRON USA INC** 15 SMITH ROAD, MIDLAND, TX 79705 API Number 30-025-06941 ⁵ Property Name ⁴ Property Code ⁶ Well No. CENTRAL DRINKARD UNIT 2606 132 Surface Location Feet From The North/South Line Feet From The East/West Line UI or lot no. Section Township Range Lot.ldn County 554' В 32 21-S 37E **NORTH** 1874 **EAST** LEA Proposed Bottom Hole Location If Different From Surface Feet From The Feet From The North/South Line East/West Line UI or lot no. Township Lot.ldn Section Range County 37-E 1650 1025 WEST LEA Ε 32 21-S **NORTH** 10 Proposed Pool 2 9 Proposed Pool 1 CENTRAL DRINKARD Work Type Code 15 Ground Level Elevation WellType Code Rotary or C.T. Lease Type Code ROTARY 19 Contractor 18 Formation Multiple 17 Proposed Depth 20 Spud Date 9200' DRINKARD 6/22/2004 **Proposed Casing and Cement Program** SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP SIZE OF HOLE NO CHANGE Permit Expires 1 Year From Approval Drilling Underway Date Unless 22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zoneand proposed new productive zone Describe the blowout prevention program, if any. Use additional sheets if necessary CHEVRON U.S.A. INC. INTENDS TO DRILL A SIDETRACK IN THE SUBJECT WELL FROM THE EXISTING HORIZONTAL WELLBORG 3707172 EX KICK OFF POINT: 6488' TOP OF WINDOW: 6483' BOTTOM OF WINDOW: 6492' TARGET INTERVAL: 6499-6531' LENGTH OF LATERAL: 2712' PERFORATIONS: 5794-5899' - SQUEEZED; 6515-6620' ACTIVE; 7140-7270 & 7305-7400' SQUEEZED I hereby certify that the rules and regulations of the Oil Conservation OIL CONSERVATION DIVISION Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. ORIGINAL SIGNED BY. Approved By: Signature, PAUL F. KAUTZ PETROLEUM ENGINEER Printed Name Denise Leake Title Regulatory Specialist Approval Date: Expiration Date: Conditions of Approval: 5/3/2004 Date Telephone 915-687-7375

Attached

DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

● DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88211-0719

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

<u>DISTRICT IV</u> P.O. Box 2088, Santa Fe, NM 87504-2088

State of New Mexico Energy, Minerals and Natural Resources Department

Strate Com Att Comme

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

Form C-102 Revised February 10,199 Instructions on bac Submit to Appropriate District Offic

> State Lease - 4 Copie Fee Lease - 3 Copie

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-06941	Pool Code 19190		³ Pool Name DRINKARD	
Property Code 2606	·	erty Name DRINKARD UNIT	⁶ Well No. 132	
⁷ OGRID Number 4323	· '	rator Name ON USA INC	⁹ Elevation	

Surface Location


UI or lot no	Section	Township	Range	Lot.ldn	Feet From The	North/South Line	Feet From The	East/West Line	County
В	32	21-S	37E		554'	NORTH	1874'	EAST	LEA

Bottom Hole Location If Different From Surface


UI or lot no. E	Section 32	Township 21-S	Range 37-E	Lot.ldn	Feet From 1650		North/South Line NORTH	Feet From The 1025'	East/West Line WEST	County LEA
Dedicated		Joint or Infill	14	Consolidation	on Code	15 Ord	der No.			!

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



DeSoto/Nichols 3/94 ver 1.10



District I 1625 N. French Dr., Hobos, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe


Form C-144

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes IN No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank						
Operator_CHEVRON U.S.A. INCTelephone: _432-60 Address:15 SMITH ROAD, MIDLAND, TX 79705 Facility or well name: CENTRAL DRINKARD UNIT #132HAPI #: 30-02 County: LEA Latitude Longitude	25-06941U/L or Qtr/Qtr BSec_32_T_21-S_R_3	37-E_				
Pit Type: Drilling M Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thickness Miles Unlined Synthetic Thickness Miles Unlined Unlined Disposal Clay Unlined Disposal Clay Unlined Disposal Disposal Unlined Disposal Unlined Disposal Disposal	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes <u>No</u>	(20 points) (0 points)				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)				
	Ranking Score (Total Points)	10 POINTS				
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite If offsite, name of facility						

CAU#132 Sidetrack Key #117 Pit Design 60' 60' 45' 0

Wellbore



To whom it may concern,

I, J. Denise Wann, Petroleum Engineer for ChevronTexaco, hereby certify that the pit design and construction for the Central Drinkard Unit wells 132, 118, 120, 122, 152, 163, 421, and 429 are according to the guidelines for a standard pit.

Sincerely,

I. Denise Wann