State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

FILE IN TRIPLICATE	OII C	ONSERV	ATION D	OIVISIO	N			Keviseu i	-1-07	
DISTRICT I	2040 Pacheco St.					ELL API NO.				
P.O. Box 1980, Hobbs, NM 88240						30-025-05488				
DISTRICT II						5. Indicate Type of Lease				
811 S. 1st Street, Artesia, NM 88210						FED	STATE	X	FEE	
<u>DISTRICT III</u>					6	State Oil & C	as Lease No.			
1000 Rio Brazos Rd, Aztec, NM 87410										
SUNDRY NOTICES AND REPORTS ON WELLS										
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A						7. Lease Name or Unit Agreement Name				
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"						NODTH HODDS (C/S A) LINIT				
(FORM C-101 FOR SUCH PROPOSALS.) 1. Type of Well:						NORTH HOBBS (G/SA) UNIT				
Oil Well-	Gas Well Other Tri					Section 24				
2. Name of Operator						8. Well No. 331				
Occidental Permian, Ltd.						D 1	. 117111	HODD	0 (0/0)	
3. Address of Operator	NIM 00240	505/20	2200		9	. Pool name or	Wildcat	HORR	S (G/SA)	
1017 W. Stanolind Rd., HOBBS, NM 88240 505/397-8200 4. Well Location										
Unit Letter J: 1320	Feet From The	SOUTH	Line and	1325	Feet Fro	om The	EAST	Line		
Section 24	Township	18S	-	Range	– 37E	NMP	M	LEA	County	
3601011 24	10. Elevation (Show				371					
	3658' GL									
11. Check	Appropriate Box to	o Indicate Na	ature of Noti	ice, Report	t, or Othe	er Data				
NOTICE OF INTE	ENTION TO:			S	SUBSE	QUENT R	EPORT OF	:		
PERFORM REMEDIAL WORK	PLUG AND ABAND	ON \square	REMEDIAL	WORK		X	ALTERING	CASING		
TEMPORARILY ABANDON	BANDON CHANGE PLANS COMMENCE DRILLING OPI						PLUG & AI	BANDON	MENT -	
	CASING TEST AND CEMEN					ൢ				
PULL OR ALTER CASING	<u> </u>					06			_	
OTHER:			OTHER:						_	
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.										
1. Pull injection equipment.								_		
2. Perforate @4183'-86', 1 JSPF 120 deg ph.										
 Pull injection equipment. Perforate @4183'-86', 1 JSPF 120 deg ph. Perforate @4218'-30', 2 JSPF 180 deg ph. Stimulate perfs 4218-4275 w/1500 g NEFE HCL Acid. Set 5" Guiberson G-6 pkr w/1 875 "F" Nipple XL on/off tool 131 its 2-7/8" Duoline thg. Pkr set @4 VW 										
4. Stimulate perfs 4218-4275 w/1500 g NEFE HCL Acid. 5. Set 5" Guiberson G-6 pkr w/1.875 "F" Nipple, XL on/off tool, 131 jts 2-7/8" Duoline tbg. Pkr set @41/30.										
6. Circ csg w/160 bbl pkr fluid. Test csg to 640 psi for 30 min and chart for the NMOCD.										
7 NUMBER OF PROPERTY OF THE PR									2	
D' D-1 05/10/2004						195	1 1/2)	23456	
Rig up Date: 05/10/2004 Rig Down Date: 05/12/2004						185			0)	
Rig Down Date. 03/12/2004						150	•_	. %	v/	
						/	S121314	1016	<i>'</i>	
							CLCL		***	
									'% ₁	
I hereby certify that the information above is t	rue and complete to the	best of my know	viedge and belie	er.						
SIGNATURE Robert	Fillet		TITLE	Workove	er Comp	l Specialist	DATE	05/1	13/2004	
TYPE OR PRINT NAME Robert Gill	pert						EPHONE NO.		97-8206	
(This space for State Use)							ANIA GED			
APPROVED BY Hay Wink OF FIEND REPRESENTATIVE II/STAFF MANAGERY 2 4 2004										
CONDITIONS OF APPROVAL FANY:										

The second contract the second

