

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised May 08, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 025-36565
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. NA
7. Lease Name or Unit Agreement Name Dan Field
8. Well Number 1
9. OGRID Number 225942
10. Pool name or Wildcat Edison; Morrow, North (gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator Mulloy Operating, Inc.

3. Address of Operator 508 West Wall #700, Midland, TX 79701


4. Well Location Unit Letter Q : 1710 feet from the South line and 660 feet from the East line Section 1 Township 16 S Range 34 E NMPM Lea County NM 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4064 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/> OTHER: <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS <input type="checkbox"/> PLUG AND ABANDONMENT <input checked="" type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Lynn Jones, Company Representative, contacted NMOCD for p&A instructions on 3-26-04. Well was plugged as instructed as follows:

1. Spot 40 sx plug @ 13,090'-13,190'
2. Spot 60 sx plug @ 12,074'-11,974'
3. Spot 40 sx plug @ 9,870'-9,770'
4. Spot 40 sx plug @ 7,370'-7,220'
5. Spot 40 sx plug @ 5,250'-5,150'
6. Spot 35 sx plug @ 4,710'-4,610' Waited 4 hrs and tag @ 3,590'
7. Spot 35 sx plug @ 1,800'-1,700'
8. Spot 35 sx plug @ 442'-342'
9. Nipple down BOP & wellhead. Cut off casing below bradenhead.
10. Spot 10 sx plug @ surface.
11. Prep to clean location and set marker.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. W. Mulloy TITLE V. President DATE 3/30/04

Type or print name J. W. Mulloy Telephone No. (432) 687-0323

(This space for State use)

APPROVED BY PAUL F. KAUTZ
Conditions of approval, if any:

ORIGINAL SIGNED BY
PAUL F. KAUTZ
PETROLEUM ENGINEER

MAY 24 2004

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.