District I 1625 N. Prench Dr., Hobbs, NM 88240 1023 N. France P.A., Fibros, 1442 Saz-20 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 March 12, 2004


For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No


Type of action. Registration of a bit of	A DETOM-KINGS INUK "NA CYONALA OF IN DIT OF DESOM	-Atama ratik (
Operator Chesapeake 7432 Telephone	285-7943 c-mail address: Much rtefic	Ideahkenergy.com
Address: 550 W. Texas ave. St. \$1300 Addio Facility or well name: Jordan 12 St. \$1 API# 025-	nd. Tx. 79701	
Facility or well name: Jordan 12 St. \$1 API # 025-	767/6 U/L or Qtr/Qtr /HW Sec 12.	T 10 R32
County: Latitude 133 28 00.1 Longitude NO	3° 37′58-4° NAD: 1927 🗌 1983 🗍 Suntac	o Owner Federal 🔲 State 🗹 Private 🔲 Indian 🔲
Tit /	Below-grade tank	
Type: Drilling Production Disposal —	Volums:bbl Type of fluid:	
Workover	Construction material;	
Lined M Unlined	Double-walled, with leak detection? Yes [If not, explain why not.	
Liner type: Synthetic Thickness 12 mil Clay Volume		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 150+
"Velihead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
aker source, or less than 1000 feet from all other water sources.)	(RD)	(0 points)
The same water water and control,		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercontress.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet of more	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other conjument and tasks. (7) In	Toute di-
date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show dopth belo	(3) Austria & Retiestat Geschianu ot temedian	action taken including remediation start date and end
diagram of sample locations and excavations.	w ground surface n. and attach sa	mple results. (5) Attach soil semple results and a
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , and complete to the best of been/will be constructed or closed according to NMOCD guidelines , and complete to the best of been/will be constructed or closed according to NMOCD guidelines , and complete to the best of been/will be constructed or closed according to NMOCD guidelines .	my knowledge and belief. I further certify that	the above-described pit or below-grade tank has
	6 64 6 6 6 6	۱ ۱ ۱ ۱
Printed Name/Title Mike Whiteheld Field Rep.	Signature - Clip to the of	* (g)
Your certification and NMOCD approval of this application/closure does not otherwise outlanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liability should the confed operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water or any other federal, state, or incal laws and/or
Approvation MAY 2 6 2004		
	ODICIMAL CITATED D	N
Printed Name/Title	Signature	
PETROLEUM ENGINEER		
•	· PETRULEUM ENGINE	Er
		

05/28/2004 08:03 FAX

Chesapeake Operating Inc. Drlg Res. Pit #2 Jordan 12 St. #1



Chesapeake Operating Inc.



Ø 004/00

432 685 4399