

Form
AUGL

N.M. Oil Cons. Division

FORM APPROVED

OMB No. 1004-0135

Expires November 30, 2000

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

1625 N. French Dr.
Hobbs, NM 88240

5. Lease Serial 2
LC-067982-B

6. If Indian, Allottee or Tribe Name:

7. If Unit or CA/Agreement, Name and /or No:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type Of Well
☒ Oil Well ☐ Gas Well ☐ Other INJECTION

2. Name Of Operator
Ray Westall Operating

3a. Address
P.O. Box 4 - Loco Hills, New Mexico 88255

4. Location Of Well
L 2310' FSL & 900' FWL SEC 3, T19S, R32E,

8. Well Name and Number:
McKAY SHELL # 1

9. API Well Number:
30-025-25164

10. Field and Pool, or Exploratory Area:
WOLF CAMP Lusk Morrow N

11. County or Parrish, State

LEA COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice Of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Test	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other SPUD
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert To Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed Or Completed Operation (clearly state all pertinent details, including estimated start date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in multiple completion or re-completion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

05/07/04 SET CIBP @ 12575' CAP 35' CMT
SPOT 50' PLUG @ 10450' 10500'
SPOT 50' PLUG @ 9900' 10100'
SPOT 50' PLUG @ 9400' 10400'
SPOT 100' PLUG @ 4210'-4110' 25 SK | TAG
SPOT 100' PLUG @ 446'-346' - SQZ / TAG
10' SURFACE PLUG 60' min.

HEAVY MUD BETWEEN ALL PLUGS

See STIP

APPROVED FOR 3 MONTH PERIOD
8/19/04
ENDING SEE ATTACHED FOR
CONDITIONS OF APPROVAL

14. I hereby certify that the forgoing is true and correct

Name (printed/typed)

WILLIE ENGLISH

Title

Production Secretary

Signature

Date

05/07/04

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

GARY GOURLEY
PETROLEUM ENGINEER

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as o any matter within its jurisdiction.

GWW

RAY WESTALL
MCKAY SHELL FED #
CURRENT 5/7/05

13 3/8" 396' CMT CIRC

TOL 2800' TEMP SUY

8 5/8" 4160' 600 SXS CMT

SEE ATTACHED FOR
CONTENTS OF APPROVAL

✓ TOL 9400' TMP SUY

9920-9930 BONE SPRINGS PERFS (SQUEEZED)


TOL

10470-10480 WOLF CAMP PERFS (SQUEEZED)

TOL

12603-12700 MORROW PERFS

5 1/2" 17,120# 13007'




Minute Salt Zone
no Salt Plugs
Required.

Delaware 6324-6377

Bone Springs 9938-9970

Wolfcamp 10,424-10,458

MORAN PERFS 12,603 }
12,900 }



McKay Shell #01 30-025-25164
"L" 2310' FSL, 900' FWL Sec 03, T19S, R32E
NMLC 067982-B Ray Westall Operating

(ORIG. SGD.) GARY GOURLEY

⊗ Subsequent Sundry 10/27/95 shows CIBP at 12,550' + 35' cmt