

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 3002510412
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Will Cary
8. Well Number 7
9. OGRID Number
10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
John H. Hendrix Corp.

3. Address of Operator
Box 3040 Midland, Texas 79704

4. Well Location
Unit Letter F : 1874 feet from the N line and 2086 feet from the W line
Section 22 Township 22 Range 37 NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit W F Sec. 22 T 22S R 37E - Depth to Ground Water 60' Distance to nearest Fresh Water Well or Surface water over 1000' **STEEL PITS**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE H. Boatright TITLE Agent DATE 5/12/04
Type or print name Howard Boatright E-mail address: Telephone No. 432/570-5382

(This space for State use)

APPROVED BY Hay W. Wink TITLE DATE
Conditions of approval, if any:

OC FIELD REPRESENTATIVE II/STAFF MANAGER JUN 02 2004

**John H. Hendrix Corp.
Will Cary Well No. 7
Proposed Plugging**

Wellbore:


10-3/4" @ 192'. TOC @ surface
7-5/8" @ 2762'. TOC @ surface
5-1/2" @ 6416'. TOC @ 3490' (CBL)
(5-1/2" squeezed at 3512'-3050'- TOC @ 2500'- CBL)
Openhole from 6414'-6467'.

Will circulate into steel pits above ground.

1. Spot a 25 sx. plug on top of CIBP @ 5950'.
2. Perforate and squeeze 70 sx at 4000'.
3. Cut 5-1/2" casing at 2800' and pull.
4. Spot a 100 sx. plug at 2850'. WOC. Tag at 2712' (7-5/8" shoe and base of salt)
5. Spot a 50 sx. plug at 1350'-1050' (Top of salt)
6. Spot a 55 sx. plug from 245' to surface. Leave casing full of cement.
7. Install dry hole marker.

WELL NAME AND NUMBER
Will Cary Well No. 7
John H. Hendrix Corporation
Lea County, New Mexico

WELLBORE CONFIGURATION



WELL NAME AND NUMBER

Will Cary Well No. 7
John H. Hendrix Corporation
Lea County, New Mexico
Proposed Plugging

WELLBORE CONFIGURATION

55 sx plug
245' to surface

10-3/4" @ 192'. TOC @ surface.

50 sx plug
1350-1050

100 sx plug
2850'-2712'
TAG

7-5/8" @ 2762'. TOC @ surface

70 sx. squeeze
at 4000'

Squeeze holes from 3512'-3050'
TOC @ 2500' (CBL)

CIBP @ 5950'
w/ 25 sx. cement

5-1/2" @ 6416'

TOC @ 3490' (CBL)

Openhole 6416'-6467'



John H Hendrix Corp
Will Cary #7

2 Above Ground Steel Pits

Anchors

Anchors

Well Bore
⊗



Anchors

Anchors

