

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 3002510427
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Boyd
8. Well Number 2
9. OGRID Number 012024
10. Pool name or Wildcat Blinebry Gas

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
John H. Hendrix Corp.

3. Address of Operator
Box 3040 Midland, Texas 79704

4. Well Location
Unit Letter H : 2310 feet from the North line and 990 feet from the East line
Section 23 Township 22S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3329' DF

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL H Sect. 23 Twp. 22S Rng. 37E Pit type STEEL Depth to Groundwater 55' Distance from nearest fresh water well *
Distance from nearest surface water * Below-grade Tank Location UL Sect. Twp. Rng. ;
feet from the line and feet from the line * Over 1000'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Howard Boatright TITLE Agent DATE 5/12/04

Type or print name Howard Boatright E-mail address: Telephone No. 432/570-5382

(This space for State use)

APPROVED BY Gary W. Wink TITLE DATE JUN 02 2004

Conditions of approval, if any:

OC FIELD REPRESENTATIVE II/STAFF MANAGER

John H. Hendrix Corp.
Boyd Well No. 2
Proposed Plugging

Wellbore:


13-3/8" @ 300'. TOC @ surface
8-5/8" @ 2605'. TOC @ surface
5-1/2" @ 5390'. TOC @ 3531' (estimate)
Openhole from 5390'-5538'.

Will circulate into steel pits above ground.

1. Spot a 50 sx. plug from 5390'-5290'. WOC and Tag.
2. Spot a 25 sx. plug from 4000'-3900'.
3. Perforate and squeeze 100 sx. from 2900'-2550' (8-5/8" shoe and base of salt) Tag.
4. Perforate and squeeze 100 sx. from 1300'-1100'. Tag (Top of salt).
5. Perforate and squeeze 115 sx. from 350' to surface. Leave 5-1/2" casing full.
6. Install dry hole marker.

WELL NAME AND NUMBER
Boyd Well No. 2
John H. Hendrix Corporation
Lea County, New Mexico

WELLBORE CONFIGURATION



WELL NAME AND NUMBER

Boyd Well No. 2
John H. Hendrix Corporation
Lea County, New Mexico
Proposed Plugging

WELLBORE CONFIGURATION

Perf and Squeeze
115 sx.
350' to surface.

13-3/8" @ 300'. TOC @ surface.

Perf and Squeeze
100 sx.
1300-1100

Perf and Squeeze
100 sx.
2900-2550

8-5/8" @ 2605'. TOC @ surface

25 sx. plug
4000-3900

50 sx.
5390'-5290' TAG

5-1/2" @ 5390' TOC @ 3531' (est)

Openhole 5390'-5538'

John H Hendrix Corp
Boyd # 2

2 Above Ground Steel Pits

•
Anchors

•
Anchors

Well Bore
⊗



•
Anchors

•
Anchors

