Submit 3 Copies To Appropriate District Office	State of New Me		Form C-103
District I	Energy, Minerals and Natu	iral Resources	March 4, 2004 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II	OUL CONCEDUATION	IDRUGION	30-025-30213
1301 W. Grand Ave., Artesia, NM 88210 District III			5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	⁷⁴¹⁰ 1220 South St. Francis Dr. Santa Fe, NM 87505		STATE FEE 6. State Oil & Gas Lease No.
District IV 1220 S. St. Francis Dr., Santa Fe, NM	Build I C, Mill C		0. State Off & Gas Lease No.
87505 SUNDRY NOTIC	ES AND REPORTS ON WELLS	5	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			
PROPOSALS.)		Soledad 19 State 8. Well Number	
1. Type of Well: Oil Well Gas Well Other		1	
2. Name of Operator			9. OGRID Number
Nearburg Producing Company			015742
3. Address of Operator			10. Pool name or Wildcat
3300 N A St., Bldg 2, Suite 120, Midland, TX 79705			Lovington Penn, NE
4. Well Location			
Unit Letter M:	_1000feet from theW	Vest line and	_1000feet from theSouthline
Section 19	Township 16S	Range	37E NMPM Lea County
	11. Elevation (Show whether DR		
And the second sec	3833.8' GR		Construction of the Constr
Pit or Below-grade Tank Application (For p			
			320'Distance from nearest fresh water well1500'
Distance from nearest surface water		bii ULSect	, Kug,
feet from theline and			
12. Check Ar NOTICE OF INT PERFORM REMEDIAL WORK □			SEQUENT REPORT OF:
		CASING TEST A	
	COMPLETION	CEMENT JOB	
OTHER:		OTHER:	
13. Describe proposed or comple of starting any proposed work or recompletion. Nearburg Producing Company requests to plug	c). SEE RULE 1103. For Multip	pertinent details, an ole Completions: At	d give pertinent dates, including estimated date ttactime to the story for the second structure HOURS PRIOR TO THE BEGINNING (
			PLUGGING OPERATIONS FOR THE C-10 TO BE APPROVED
1. Set CIBP @ 11,000', dump 35' cement on plu 3. Set 100' plug f/ 8000' to 8100'. (Top of ABO			, 50' in & 50' out of stub (Tag) (Top of Glorietta 6212')
5. Set 100' plug f/ 4220' to 5320'. (Base 8-5/8" (7. Set 100' plug 332' to 432' (Base 13-3/8" @ 38)' to 2300' & dry hole marker TAG	
			Seattaked!
I hereby certify that the information al grade tank has been/will be constructed or cl	ove is true and complete to the b osed according to NMOCD guidelines [est of my knowledg , a general permit	e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .
SIGNATURE	an <u>title</u>	Production A	nalystDATE <u>51974</u>
Type or print name: Sarah Jordan	E-mail address	: sjordan@nearbur	g.com Telephone No: 432/686-8235 x 203
(This space for State use)	0		
APPPROVED BY Hand In	. winks TITLE	G PIELD REPRESE	NTATIVE DATE
Conditions of approval, if any:			DATE DATE INSTAFF MANAGEN 0 2 2004
		· · · · · ·	
	•		

,.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

4

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Is pit or below-grade tan	de Tank Registration or Clo k covered by a "general plan"? Yes	No 🗌
Operator:Nearburg Producing Company		
Address: 3300 N A St., Bld 2, Suite 120, Midland, TX 79705 acility or well name: Soledad 19 State #1 API #: 30-02 County: Lea Latitude Longitude		
'it 'ype: Drilling Production Disposal Workover Emergency .ined Unlined .iner type: Synthetic Thickness 12 bbl	Below-grade tank Volume: bbl Construction material: Double-walléd, with leak detection? Yes I	
Depth to ground water (vertical distance from bottom of pit to seasonal high vater elevation of ground water.) 350'	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Vellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)	Yes	(20 points) (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, rigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	\Diamond
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite offsite If offsite, name of facility date. (4) Groundwater encountered: No Yes If yes, show depth belo diagram of sample locations and excavations.	(3) Attach a general description of remedial	action taken including remediation start date and end
hereby certify that the information above is true and complete to the best of seen/will be constructed or closed according to NMOCD guidelines D , a bate: <u>51904</u> 'rinted Name/Title <u>Sarab</u> <u>Sordan</u> <u>Prod</u> <u>Analy</u> 'our certification and NMOCD approval of this application/closure does not therwise endanger public health or the environment. Nor does it relieve the egulations.	signature for the operator of liability should the content	ts of the pit or tank contaminate ground water or
Approval: ORIGINAL SIGNED BY Date: <u>GARY W. WINK</u> I'rinted NGG2THIELD REPRESENTATIVE H/STAFF MANAGER JUN 0 2 2004	Signature	



NEVEBURG PRODUCING