District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 2004

Form C-144


For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)
of action: Registration of a pit or below-grade tank \( \mathbb{R} \) Closure of a pit or below-grade tank \( \mathbb{R} \)

<b>▲</b>	or below-grade tank (Closure of a pit or below	
Operator: Chesapeake 432 Telephone:	685-7443 e-mail address: Mwhitefie	lde chkenerov com
	1107 IX. 19(1/)/	— — — — — — — — — — — — — — — — — — —
Facility or well name: Jordan 12 5+. # API #:	36716 11/1 or Otr/Otr Alul Soc 12	T 10 R 32
County:Latitude N33'28'00.1" Longitude WIC	23° 37′58.4" NAD: 1927   1983   Surfac	e Owner Federal  State Private Indian
<u> </u>		Swarf redefin   State   Filvate   Indian
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic Thickness 12 mil Clay Volume		
10,116m		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)+
Vellhead protection area: (Less than 200 feet from a private domestic	Yes	(50 in) 150 <sup>T</sup>
vater source, or less than 1000 feet from all other water sources.)	(No)	(20 points)
other water sources.)		(0 points) 93031 23456
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points) (25)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
		記 NFOF NED :
	Ranking Score (Total Points)	O CO HODDS
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tonks. (2) I-	2
onsite offsite from If offsite, name of facility	(3) Attach a general description of	action taken including some discrete
date. (4) Groundwater encountered: No  Yes  If yes, show depth belo	w ground surface	action taken including remediation start date and end
diagram of sample locations and excavations.	n, and attach sar	mple results. (5) Attach soil sample results and a
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: 5-17-04	my knowledge and belief. I further certify that	the above-described pit or below-grade tank has
Date: 5-11-04	some potential, or an (attached) afternative	OCD-approved plan .
Printed Name/Title Mike Whiteheld Field Rep.	Signature Clin Whoch	
Your certification and NMOCD approval of this application/closure does not notherwise endanger public health or the environment. Nor does it relieve the		of the pit or tank contaminate ground water or
otherwise endanger public health or the environment. Nor does it relieve the or regulations.	operator of its responsibility for compliance with a	my other federal, state, or local laws and/or
Approval:	· · · · · · · · · · · · · · · · · · ·	
Date: 6/7/98		
DETDO:		
ENGINEER	Signature July 5	aus
	- //	
		·

Chesapeake Operating Inc.
Jordan 12 St. #1

Drlg Res. Pit #2



Chesapeake Operating Inc.

