

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

Operator: Yates Petroleum Corporation Telephone: (505) 748-4347 e-mail address: dchbiec@yppnm.com
Address: 105 South 4th Street, Artesia, NM 88210
Facility or well name: Skaggs BES State Com. #1 API #: 70-025-36729 U/L or Qtr/Qt G. Sec 15 T 10S R 34E
County: Lea Latitude N33.4495 Longitude W103.3399 NAD: 1927 ☒ 1983 ☐ Surface Owner Federal ☐ State ☒ Private ☐ Indian ☐

Pit Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined xx Unlined ☐

Liner type: Synthetic ☒ Thickness 20 mil

Clay ☐ Volume 20,000 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction material: _____

Double-walled, with leak detection? Yes ☐ If not, explain why not: _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points)
100 feet or more	(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	(0 points)

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points)
1000 feet or more	(0 points)

Ranking Score (Total Points)	10 Points
------------------------------	-----------

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☐ offsite ☐ If offsite, name of facility: _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface: _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date: June 10, 2004

Printed Name/Title Clifton R. May/Regulatory Agent Signature Clifton R. May

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: 6/14/04


Printed Name/Title

PETROLEUM ENGINEER

Signature [Signature]

YATES PETROLEUM CORPORATION
General Plan was approved 4/15/04

The reserve pit will be to the North.
The Southeast Corner of the pit will
be approximately 60' North of the well
bore. The pit will be a 150' X 150'
and 5' deep with a capacity of 20,000
bbls.



Standard reserve pit. All Reserve pits are double
Horse shoe size varies with depth of well

FROM : GENERAL SURVEYING Co

FIX NO. : 5053930023

Jun. 10 2004 07:02AM P1

1625 N. French St., Hobbs, NM 88240

Geog. Minerals and Natural Resources Department

Revised March 17, 1999

Instruction on back

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 8 Copies

DISTRICT II

811 South First, Artesia, NM 88210

DISTRICT III

1099 Rio Grande Rd., Aztec, NM 87410

DISTRICT IV

2540 South Panhandle, Santa Fe, NM 87505

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Well Circle	Well Name
		Wildcat Mississippian
Property Code	Property Name	Well Number
	SKAGGS "BES" STATE COM.	1
OGARD No.	Operator Name	Elevation
025575	YATES PETROLEUM CORPORATION	4193

Surface Location

UL or Lot No.	Section	Township	Range	Lot 10A	Feet from the	North/South line	Feet from the	East/West line	County
G	15	10S	34E		1760	NORTH	1980	EAST	LEA

Bottom Hole Location if Different From Surface

UL or Lot No.	Section	Township	Range	Lot 10A	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						
320 E/2									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify the information contained herein is true and complete to the best of my knowledge and belief.</p> <p><i>Clifton R. May</i></p> <p>Signature</p> <p>Clifton R. May</p> <p>Printed Name</p> <p>Regulatory Agent</p> <p>Title</p> <p>June 10, 2004</p> <p>Date</p>
	<p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>6/09/2004</p> <p>Date Surveyed</p> <p><i>Clifton R. May</i></p> <p>Signature</p> <p>Professional Surveyor</p> <p>NEW MEXICO</p> <p>3640</p> <p>Certified to the State of New Mexico</p> <p>GENERAL SURVEYING COMPANY</p>
	<p>1760'</p> <p>1980'</p> <p>11.892159.9</p> <p>11.780624.6</p> <p>(11AD-27)</p> <p>11.33°26'58.2"</p> <p>11.103°26'59.7"</p>
	<p>V-5589</p> <p>V-3322</p>