

Conditions of approval, if any

PLUGGING & ABANDONMENT WORKSHEET

(2 STRING CSNG)

OPERATOR CHEVRON USA INC.
 LEASENAME NEW MEXICO O STATE NCT-1
 WELL # 80
 SECT 36 TWN 17-S RNG 34-E
 FROM 1980 W/L 467 W/L
 TD: 6825 FORMATION @ TD BLINEBEL
 PBTD: FORMATION @ PBTD GLOCIETA

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	11 3/4	1538	SURF	CIRC
INTMED 1				
INTMED 2	2 7/8	6784	2365	T.S
PROD	2 7/8	6825	2365	T.S
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1			PERFS	5952 - 6131
INTMED 2				5979 - 6983
PROD				

*REQUIRED PLUGS DISTRICT I


RUTLER (AMT)	
VATER	
QUEEN	
GRAYBRO	
SAN ANDREW	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
ELBERT CANYON	
BONE SPRING	
GLOCIETA	
GLICKENY	
TUBS	
ORNTARD	
ASO	
WC	
PERM	
STRAWN	
ASOEA	
MORROW	
VEN	
BYOMAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	3350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CTBP	25 SXS	4800'
PLUG #5	STUB	50 SXS	3600'-3700'
PLUG #6	RETRN SQZ	200 SXS	400'
PLUG #7	SURF	10 SXS	0-10'
PLUG #8	GLOCIETA	150	5900
PLUG #9	BLINEBEL	150	5925
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			
PLUG #31			
PLUG #32			
PLUG #33			
PLUG #34			
PLUG #35			
PLUG #36			
PLUG #37			
PLUG #38			
PLUG #39			
PLUG #40			
PLUG #41			
PLUG #42			
PLUG #43			
PLUG #44			
PLUG #45			
PLUG #46			
PLUG #47			
PLUG #48			
PLUG #49			
PLUG #50			
PLUG #51			
PLUG #52			
PLUG #53			
PLUG #54			
PLUG #55			
PLUG #56			
PLUG #57			
PLUG #58			
PLUG #59			
PLUG #60			
PLUG #61			
PLUG #62			
PLUG #63			
PLUG #64			
PLUG #65			
PLUG #66			
PLUG #67			
PLUG #68			
PLUG #69			
PLUG #70			
PLUG #71			
PLUG #72			
PLUG #73			
PLUG #74			
PLUG #75			
PLUG #76			
PLUG #77			
PLUG #78			
PLUG #79			
PLUG #80			
PLUG #81			
PLUG #82			
PLUG #83			
PLUG #84			
PLUG #85			
PLUG #86			
PLUG #87			
PLUG #88			
PLUG #89			
PLUG #90			
PLUG #91			
PLUG #92			
PLUG #93			
PLUG #94			
PLUG #95			
PLUG #96			
PLUG #97			
PLUG #98			
PLUG #99			
PLUG #100			

11 3/4
 @ 1538
 TOC SURF
 PERF @ 1566'
 CIRC CMT TO
 SURF W/450 SX

2-2 7/8" CSQ
 @
 TOC 2365

TD 6825



New Mexico Office of the State Engineer
Well Reports and Downloads

Township: 17S Range: 34E Sections: 36

NAD27 X: Y: Zone: Search Radius:

County: Lea Basin: Number: Suffix:

Owner Name: (First) (Last) Non-Domestic Domestic All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 06/07/2004

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	Min	Max	Avg
L	17S	34E	36				2	102	105	104

Record Count: 2

