

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-36617

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
APACHE CORPORATION

3. Address of Operator
6120 S. YALE, STE. 1500

7. Lease Name or Unit Agreement Name

8. Well Number
STATE DA #9

9. OGRID Number

10. Pool name or Wildcat
PENROSE SKELLY; GRAYBURG

4. Well Location

Unit Letter L : 2579 feet from the S line and 265 feet from the W line
Section 16 Township 21S Range 37E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3463

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL Sect Twp Rng Pit type Depth to Groundwater Distance from nearest fresh water well
Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;
 feet from the line and feet from the line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐
OTHER: SPUD, SURF. CSG., TD, LOG, PROD. CSG. ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5/3/2004 SPUD 12 1/4" HOLE - DRILL TO 219 SURVEY @ 191= 0.25 DRILL 219-400 SURVEY @ 369= 0.75 POH W/ BIT RIH 9 JTS. 401.24' 8 5/8" 24# J55 ST&C CSG. W/ 5 CENTRALIZERS BJ CMT. SHOE @ 400 W/ 325 SX CLASS C + 2% CACL + 1/8# CF = BBLs. 14.8# SLURRY W/ 1.35 YIELD - DISPLACE PLUG TO 370 W/ 23 BFW - CIRC. 96 SX CMT TO PIT WOC CUT OFF CSG. - WELD ON HEAD NU BOP & CHOKE MANIFOLD TEST BLIND RAMS - CSG. & CHOKE MANIFOLD 1000# RIH W/ BIT TEST PIPE RAMS & ANNULAR 1000# WOC DRILL CMT. & EQUIP. DRILL 400-520

5/4/2004- DRILL & SURVEY FROM 520-4350. CIRCULATE FOR LOGS SURVEY @ 4350= 1.25 POH W/ BIT HALLIBURTON RAN DUAL LATEROLOG MICRO GUARD 4343-3300; COMPENSATED SONIC LOG 4295-3300; SPECTRAL DENSITY DUAL SPACED NEUTRON 4270-200 WAIT ON CSG. HAND START RIH 5 1/2" CSG. RIH 106 JTS. 4360.54' 5 1/2" 17# K55 LT&C CSG. W/ 18 CENT. BJ CMT. SHOE @ 4350 - FC @ 4305 W/ 550 SX 50:50 POZ W/ 10% GEL + 5% SALT + 1/8# CF= 239 BBLs. 11.8# SLURRY W/ 2.44 YIELD & 300 SX 50:50 POZ W/ 2% GEL + 5% SALT = 69 BBLs. 14.2# SLURRY W/ 1.29 YIELD - PLUG BUMPED & HELD - CIRC. 114 SX. CMT. TO PIT - DISPLACED W/ 2% KCL WATER ND BOP - SET SLIPS - CUT OFF CSG. -

RELEASE RIG @ 10:00 AM 5-7-2004

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Lana Williams TITLE DRILLING CLERK II DATE 6/21/04

Type or print name Lana Williams E-mail address: lana.williams@apachecorp.com Telephone No. 918-491-4980

(This space for State use)

APPROVED BY Hay W. Wink TITLE OC FIELD REPRESENTATIVE II / STAFF MANAGER
Conditions of approval, if any:

JUN 30 2004