JUN-18-2004 FRI 08:04 AM YATES PETROLEUM LAND FAX NO. 5057484572

P. 03

District I 1625 N. French Dr., Hobbs, NM 88240 Energy N	State of New Mexico	Form C-144 March 12, 2004		
DISUCTI	finerals and Natural Resources	For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Pe		
	Conservation Division			
	20 South St. Francis Dr.	office		
1220 S. SL Francis Dr., Santa Fe, NM 87505	anta Fe, NM 87505			
		Closure		
Pit or Below-G	rade Tank Registration or of an and the covered by a "general plan"? Yes			
Is pit or below-grade u Type of action: Registration of a pi	it or below-grade tank XX Closure of a pit or	below-grade tank		
	lephone: (505) 748-4347e-mail add			
	(c)hone: [303] /48-43-4/ 0			
address: <u>105 South 4th Street, Artesia, NM 88210</u> acility or well name: <u>Fast Sand Springs State Unit #5</u> API #: <u>36</u> 7	762 - 11/L or Otr/Otr = 0 - Sce 7 - 7 - 11S	<u> R_35E</u>		
acility or well name: <u>Fast Sand Springs State Unit #3</u> AFT #2527 Sounty: <u>Lea</u> Latitude <u>N32.3869</u> Longitude <u>W103.4501</u> NAD: 192	7 XX 1983 Surface Owner Federal	State 🕅 Private 🔲 Indian		
Jounty: <u>Lea</u> Latitude <u>N32.3869</u> , Longitude <u>W105.4501</u> , 1940. 194				
t Type: Drilling Production 🗋 Disposal	Below-grade tank			
Workover Emergency	Volume:bb1 Type of fluid:			
Lined XX Unlined	Construction material: Double-walled, with leak detection? Ye			
Liner type: Synthetic XX Thickness 20 mil	Double-walled, with leak detection.			
Clay Volume 20,000_bbl	· · · · · · · · · · · · · · · · · · ·			
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal h	50 feet or more, but less than 100 feet	(10 points)		
water elevation of ground water.)	100 feet or more	(0 points)		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(O points)		
water source, or less than 1000 feet from all other water sources.)		(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 fe			
irrigation canals, ditches, and percanial and ophemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	20 Points		
If this is a pit closure: (1) attach a diagram of the facility showing the	c pit's relationship to other equipment and tan	ks. (2) Indicate disposal location:		
1. The set in The Maine marks of famility	(3) Attach a general description of	remedial action taken including remediation start and		
date. (4) Groundwater encountered: No [] Yes [] If yes, show depi	th below ground surfaceft. and	attach sample results. (5) Attach soil sample results and a		
diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the h been/will be constructed or closed according to NMOCD guidelines	est of my knowledge and belief. I further cells of my knowledge and belief. I further cells [], a general permit XX, or an (attached)	alternative OCD-approved plan [].		
been/will be constructed or closed according to MMCCD guideline				
Date: June 17, 2004	(lift R. M	n a		
Printed Name/Title Clifton R. May/Regulatory Agent Signature				
Your certification and NMOCD approval of this application/closure de otherwise endanger public health or the environment. Nor does it relie regulations.	es not relieve the operator of liability should t we the operator of its responsibility for compli-	ance with any other federal, state, or local laws and/or		
Approval: / /				
Dute: 7/16/04 PETROLEUM ENGINEE	R	In 1		
Printed Name/Title	Signature	4aay — –		

JUN-18-04 FRI 08:14 AM FROM:

T0:

The reserve pit will be to the North. The Southeast Corner of the pit will be approximately 60' North of the well bore. The pit will be a 150' X 150' and 5' deep with a capacity of 20,000 bbls.





JUN-18-2004 FRI 08:04 AM YATES PETROLEUM LAND

FAX NO.

5057484572

P. 04

Standard reserve pit. All Reserve pits are double Horse shoe size varies with depth of well

JUN-18-2004 FRI	08:03 AM	YATES PET	Roleum Land	Fax No.	505748

5057484572 P. , Jun. 16 2884 82:33PM P1

P. 02

FAX NO. : 505395023

Rattypy Manuals and Palared Resources Departments

Review March 17, 1980 Instruction on back Submit to Appropriate Sintrict Office

State Louse - 4 Copies Fine Louse - 8 Copies

FROM : GENERGL SURVEYING CO DIDINGLA A 1005 H. Dunnis In., Bable, HM 68846 DISTRICT II 2000 Rio Brown Rd., Astor. Nd 64816 DISTRICT III 1000 Rio Brown Rd., Astor. Nd 57410 DISTRICT IV SOLD Dutth Pachace, Santa Pa, HM 87806

OIL CONSERVATION DIVISION F.O. Box 2088 Santa Fe, New Mexico 87504-2088

AMENDED REPORT



JUN-18-04 FRI 08:13 AM FROM:

T0: